Correspondence

Credit

CORRESPONDENCE
Version 1.1
by
Leiden SPSS Group
Leiden University
The Netherlands

Correspondence Table

	attitude to therapeutic abortion			
education	positive	mixed	negative	Active Margin
<= 8 years	101	120	320	541
9-12 years	599	341	756	1696
>=13 years	475	161	308	944
Active Margin	1175	622	1384	3181

Row Profiles

	attitude to therapeutic abortion			
education	positive	mixed	negative	Active Margin
<= 8 years	.187	.222	.591	1.000
9-12 years	.353	.201	.446	1.000
>=13 years	.503	.171	.326	1.000
Mass	.369	.196	.435	

Column Profiles

	attitude to therapeutic abortion			
education	positive	mixed	negative	Mass
<= 8 years	.086	.193	.231	.170
9-12 years	.510	.548	.546	.533
>=13 years	.404	.259	.223	.297
Active Margin	1.000	1.000	1.000	

Summary

					Proportion of Inertia	
Dimension	Singular Value	Inertia	Chi Square	Sig.	Accounted for	Cumulative
1	.222	.049			.999	.999
2	.008	.000			.001	1.000
Total		.050	157.580	<.001[a]	1.000	1.000

Summary

Dimension	Confidence Singular Value	
	Standard Deviation	Correlation 2
1	.016	.086
2	.018	
Total		

a. 4 degrees of freedom

Overview Row Points[a]

education	Mass	Score in Dimension		Inertia	Contribution		
					Of Point to Inertia of Dimension		Of ...
		1	2		1	2	1
<= 8 years	.170	-.821	.123	.026	.516	.314	.999
9-12 years	.533	-.069	-.084	.001	.012	.455	.949
>=13 years	.297	.595	.080	.023	.473	.230	.999
Active Total	1.000			.050	1.000	1.000	

Overview Row Points[a]

education	Contribution	
	Of Dimension to Inertia ...	
	2	Total
<= 8 years	.001	1.000
9-12 years	.051	1.000
>=13 years	.001	1.000
Active Total		

a. Symmetrical normalization

Overview Column Points[a]

attitude to therapeutic abortion	Mass	Score in Dimension		Inertia	Contribution
					Of Point to ...
		1	2		1
positive	.369	.606	.022	.030	.609
mixed	.196	-.191	-.180	.002	.032
negative	.435	-.428	.062	.018	.359
Active Total	1.000			.050	1.000

Overview Column Points[a]

attitude to therapeutic abortion	Contribution Of Point to ... 2	Contribution Of Dimension to Inertia of Point 1	2	Total
positive	.022	1.000	.000	1.000
mixed	.773	.968	.032	1.000
negative	.206	.999	.001	1.000
Active Total	1.000			

a. Symmetrical normalization







Correspondence

Credit

CORRESPONDENCE
Version 1.1
by
Leiden SPSS Group
Leiden University
The Netherlands

Correspondence Table

	attitude to therapeutic abortion			
edrel	positive	mixed	negative	Active Margin
<=8 NP	49	46	115	210
9-12 NP	293	140	277	710
>=13 NP	244	66	100	410
<=8 SP	27	34	117	178
9-12 SP	134	98	167	399
>=13 SP	138	38	73	249
<=8 C	25	40	88	153
9-12 C	172	103	312	587
>=13 C	93	57	135	285
Active Margin	1175	622	1384	3181

Summary

					Proportion of Inertia	
Dimension	Singular Value	Inertia	Chi Square	Sig.	Accounted for	Cumulative
1	.277	.077			.947	.947
2	.065	.004			.053	1.000
Total		.081	257.524	<.001[a]	1.000	1.000

Summary

	Confidence Singular Value	
Dimension	Standard Deviation	Correlation 2
1	.017	.042
2	.018	
Total		

a. 16 degrees of freedom

Overview Row Points[a]

edrel	Mass	Score in Dimension 1	Score in Dimension 2	Inertia	Contribution Of Point to Inertia of Dimension 1	Contribution Of Point to Inertia of Dimension 2	Contribution Of ... 1
<=8 NP	.066	-.543	-.062	.005	.070	.004	.997
9-12 NP	.223	.184	-.075	.002	.027	.019	.962
>=13 NP	.129	.907	.057	.029	.383	.006	.999
<=8 SP	.056	-.920	.338	.014	.171	.098	.969
9-12 SP	.125	-.081	-.474	.002	.003	.432	.110
>=13 SP	.078	.725	.198	.012	.149	.047	.983
<=8 C	.048	-.786	-.408	.009	.107	.123	.940
9-12 C	.185	-.345	.310	.007	.079	.271	.840
>=13 C	.090	-.176	.011	.001	.010	.000	.999
Active Total	1.000			.081	1.000	1.000	

Overview Row Points[a]

edrel	Contribution Of Dimension to Inertia ... 2	Contribution Of Dimension to Inertia ... Total
<=8 NP	.003	1.000
9-12 NP	.038	1.000
>=13 NP	.001	1.000
<=8 SP	.031	1.000
9-12 SP	.890	1.000
>=13 SP	.017	1.000
<=8 C	.060	1.000
9-12 C	.160	1.000
>=13 C	.001	1.000
Active Total		

a. Symmetrical normalization

Overview Column Points[a]

attitude to therapeutic abortion	Mass	Score in Dimension 1	Score in Dimension 2	Inertia	Contribution Of Point to ... 1
positive	.369	.669	.077	.046	.597
mixed	.196	-.163	-.512	.005	.019
negative	.435	-.495	.165	.030	.385
Active Total	1.000			.081	1.000

Overview Column Points[a]

attitude to therapeutic abortion	Contribution Of Point to ... 2	Contribution Of Dimension to Inertia of Point 1	2	Total
positive	.034	.997	.003	1.000
mixed	.786	.300	.700	1.000
negative	.180	.975	.025	1.000
Active Total	1.000			

a. Symmetrical normalization