Correspondence

Credit

CORRESPONDENCE
Version 1.1
by
Leiden SPSS Group
Leiden University
The Netherlands

Correspondence Table

	agegroup						
method	15-19	20-24	25-29	30-34	35-39	40-44	45-49
pill	138	641	1009	902	852	491	219
IUD	16	139	281	421	511	476	295
Injectable	186	1037	1326	1126	837	398	133
Implant	44	203	339	327	289	126	45
Other modern	1	7	23	42	65	39	15
sterilisation	0	1	24	128	220	266	198
traditional	7	64	142	205	231	185	124
none	674	1789	2262	1958	1928	1579	1849
Active Margin	1066	3881	5406	5109	4933	3560	2878

Correspondence Table

	agegroup
method	Active Margin
pill	4252
IUD	2139
Injectable	5043
Implant	1373
Other modern	192
sterilisation	837
traditional	958
none	12039
Active Margin	26833

Summary

Dimension	Singular Value	Inertia	Chi Square	Sig.	Proportion of Inertia Accounted for	Proportion of Inertia Cumulative
1	.268	.072			.730	.730
2	.159	.025			.257	.987
3	.030	.001			.009	.997
4	.014	.000			.002	.999
5	.011	.000			.001	1.000
6	.003	.000			.000	1.000
Total		.099	2644.976	<.001[a]	1.000	1.000

Summary

Dimension	Confidence Singular Value Standard Deviation	Confidence Singular Value Correlation 2
1	.005	-.169
2	.006	
3		
4		
5		
6		
Total		

a. 42 degrees of freedom

Overview Row Points[a]

method	Mass	Score in Dimension 1	Score in Dimension 2	Inertia	Contribution Of Point to Inertia of Dimension 1	Contribution Of Point to Inertia of Dimension 2
pill	.158	.319	.305	.007	.060	.093
IUD	.080	-.692	.571	.014	.142	.163
Injectable	.188	.697	.133	.025	.340	.021
Implant	.051	.471	.416	.005	.042	.056
Other modern	.007	-.556	1.140	.002	.008	.058
sterilisation	.031	-1.660	.519	.025	.320	.053
traditional	.036	-.540	.582	.005	.039	.076
none	.449	-.168	-.413	.016	.047	.481
Active Total	1.000			.099	1.000	1.000

Overview Row Points[a]

method	Contribution Of Dimension to Inertia of Point 1	2	Total
pill	.634	.345	.979
IUD	.710	.287	.997
Injectable	.966	.021	.987
Implant	.646	.300	.946
Other modern	.256	.640	.896
sterilisation	.941	.055	.995
traditional	.579	.398	.977
none	.218	.781	.999
Active Total			

a. Symmetrical normalization

Overview Column Points[a]

agegroup	Mass	Score in Dimension 1	2	Inertia	Contribution Of Point to Inertia of Dimension 1	2	Of ... 1
15-19	.040	.229	-1.053	.008	.008	.277	.072
20-24	.145	.563	-.316	.015	.171	.091	.822
25-29	.201	.484	-.031	.013	.176	.001	.990
30-34	.190	.189	.278	.004	.025	.093	.429
35-39	.184	-.161	.394	.006	.018	.180	.209
40-44	.133	-.696	.291	.019	.240	.071	.895
45-49	.107	-.953	-.655	.033	.363	.288	.780
Active Total	1.000			.099	1.000	1.000	

Overview Column Points[a]

agegroup	Contribution Of Dimension to Inertia ... 2	Total
15-19	.901	.972
20-24	.154	.977
25-29	.002	.993
30-34	.550	.979
35-39	.750	.960
40-44	.093	.988
45-49	.219	.999
Active Total		

a. Symmetrical normalization


Row and Column Points
Symmetrical Normalization
agegroup
method
Other modern
sterilisation
IUD
traditional
35-39
pill
Implant
Injectable
40-44
30-34
25-29
20-24
none
45-49
15-19
Dimension 2
Dimension 1
2
1
0
-1
-2
-2
-1
0
1
2