

LINE 3 NEW WINDER I/O

F201\NEWWINDER.DOC

DIGITAL OUTPUT		
1	O53,B	Contact roll regulation enable
2	O53,8	Contact roll to parking position (Retract)
3	O53,A	Contact roll to working position (Engage)
4	O53,0	Index bolt command (Locking pin : 1: Close, 0: Open)
5	O53,3	Fault reset to Bruckner (From F55 or Magelis)
6	O53,4	Auto / Manual to Bruckner
ANALOG OUTPUT		
1	OW6,4	Tension Setpoint (0-10V = 0-400lb)
2	OW6,3	Diameter (0-10V = 0-500mm)
DIGITAL INPUT		
1	I51,7	Contact roll position Fault (1 = Oversized) Touch roll
2	I51,8	Index bolt position (0 = Engage, 1 = Retract)
3	I51,9	Index bolt Fault (Not in Engage / Retract)
4	I51,A	Auto / Manual, Feedback From Bruckner
5	I51,2	Contact roll at retract position
6	I51,3	Contact roll at transition position (Middle)
7	I51,4	Contact roll at engaged position (Working)

WINDER FPC KF027 07/07/92 INPUTS / OUTPUTS

F201\INPUTOUTPUT.DOC

PLC ADR	COMMENT		UNIT
I40,0	LEFT OPEN CHUCK JACK ENGAGE		
I40,1	LEFT OPEN CHUCK JACK RETRACT		
I40,2	CARRIAGE ENGAGED		
I40,3	CARRIAGE MIDDLE		
I40,4	CARRIAGE RETRACTED		
I40,5	CARRIAGE HYDRAULIC PUMP HIGH PRESSURE		
I40,6	CARRIAGE HYDRAULIC PUMP LOW PRESSURE		
I40,7	CARRIAGE HYDRAULIC PUMP LOW LEVEL		
I40,8	CUTTING ARM ENGAGE		
I40,9	CUTTING ARM RETRACT		
I40,A	KNIFE ENGAGE		
I40,B	KNIFE RETRACT		
I40,C	PNEUMATIC LOW PRESSURE		
I40,D	LEFT CHUCK RETRACT		
I40,E	LEFT CHUCK ENGAGE		
I40,F	TURRET LOCKING LEFT JACK ENGAGE		
I41,0	EMERGENCY STOP		
I41,1	CARRIAGE HYDRAULIC PUMP RUN MC		
I41,2	CORE A RUN		
I41,3	CORE B RUN		
I41,4	TURRET RUN		
I41,5	CONTACT ROLL RUN		
I41,6	CORE A DEFECT		
I41,7	CORE B DEFECT		
I41,8	TURRET DEFECT		
I41,9	CONTACT ROLL DEFECT		
I41,A	Free		
I41,B	WEB BREAK => SET THE BY THE LINE		
I41,C	RELEASE DEFECT		
I41,D	(FREE)		
I41,E	(FREE)		
I41,F	(FREE)		
I50,0	LEFT SPREADER CLOSE PB (PUSH BUTTON)		
I50,1	LEFT SPREADER OPEN PB		
I50,2	RIGHT SPREADER CLOSE PB		
I50,3	RIGHT SPREADER OPEN PB		
I50,4	TURRET LOCKING LEFT JACK RETRACT		
I50,5	RIGHT OPEN CHUCK JACK ENGAGED		
I50,6	RIGHT OPEN CHUCK JACK RETRACT		
I50,7	(FREE)		
I50,8	RIGHT CHUCK RETRACT		
I50,9	RIGHT CHUCK ENGAGED		
I50,A	RIGHT SPREADER CLOSE PB		
I50,B	RIGHT SPREADER OPEN PB		
I50,C	TURRET LOCKING RIGHT JACK ENGAGED		
I50,D	TURRET LOCKING RIGHT JACK RETRACTED		

I50,E	FLAME TREATER TEMP. ALARM- I50,E->w870,D		
I50,F	(FREE)		
I51,0	CHUCKS OPEN (exchange with CMA unloading system)		
I51,1	CORE LOADED (exchange with CMA unloading system)		
I51,2	"CRANE CALL" PB		
I51,3	SR6 L250+1		
I51,4	"NEXT STEP" PB		
I51,5	"START AUTO CUTTING" PB		
I51,6	(FREE)		
I51,7	(FREE)		
I51,8	(FREE)		
I51,9	(FREE)		
I51,A	(FREE)		
I51,B	(FREE)		
I51,C	(FREE)		
I51,D	(FREE)		
I51,E	(FREE)		
I51,F	(FREE)		
ANALOG SIGNAL			
Iw0,3	TENSION MEASURE	CHANGE TO Iw46,3 ON XE01	
Iw0,4	LINE SPEED	CHANGE TO Iw46,4 ON XE01	
Iw0,5	CORE A SPEED	CHANGE TO Iw46,5 ON XE01	
Iw0,6	CORE B SPEED	CHANGE TO Iw46,6 ON XE01	
Iw1,3	CONTACT ROLL SPEED		
Iw1,4	CORE A CURRENT		
Iw1,5	CORE B CURRENT		
Iw1,6	CONTACT ROLL CURRENT		
Iw2,3	BAD SLOT, SEE IW42,3		
Iw2,4	BAD SLOT, SEE IW42,4		
Iw2,5	BAD SLOT, SEE IW42,5		
Iw2,6	BAD SLOT, SEE IW42,6		
Iw3,3	FLAME TEMP	TREATER A	
Iw3,4	FLAME TREATER MIXTURE	TREATER B	
Iw3,5	FLAME TREATER ROLL TEMP	TREATER C	
Iw3,6	FLAME GAP	TREATER D	
Iw42,3	PRL L80+1		
Iw42,4	CONTACT FORCE		
Iw42,5	GAP PHOTO CELL		
Iw42,6	PRESSURE PHOTO CELL		
Iw46,3	TENSION MEASURE		
Iw46,4	LINE SPEED		
Iw46,5	CORE A SPEED		
Iw46,6	CORE B SPEED		
O43,0	TURRET LOCKING OPEN/CLOSE		

043,1	CONTACT ROLL CONTROL		
043,2	(FREE)		
043,3	EDGE PINNING VOLTAGE GENERATOR		
043,4	RIGHT SPREADER		
043,5	LEFT SPREADER		
043,6	OPEN CHUCK		
043,7	CLOSE CHUCK		
043,8	(FREE)		
043,9	(FREE)		
043,A	CONTACT ROLL ENGAGE CARRIAGE		
043,B	FREE		
043,C	(FREE)		
043,D	KNIFE ENGAGE/RETRACT		
043,E	CUTTING ARM ENGAGE		
043,F	CUTTING ARM RETRACT		
044,0	CORE A RUN		
044,1	CORE B RUN		
044,2	TURRET RUN		
044,3	CONTACT ROLL RUN		
044,4	(FREE)		
044,5	(FREE)		
044,6	(FREE)		
044,7	(FREE)		
044,8	END OF ROLL		
044,9	TURN LIGHT		
044,A	HORN		
044,B	CORE A/CORE B RECORDER CURRENT		
044,C	WINDER DEFECT		
044,D	LENGTH > SET LENGTH MUSIC ON		
044,E	(FREE)		
044,F	(FREE)		
045,0	WINDER DISPLAY		
045,1	CARRIAGE REVERSE ORDER		
045,2	CORE A TO WINDING POSITION FORWARD TURRET		
045,3	CORE B TO WINDING POSITION FORWARD TURRET		
045,4	FREE		
045,5	FREE		
045,6	FREE		
045,7	FREE		
045,8	FREE		
045,9	FREE		
045,A	FREE		
045,B	FREE		
045,C	FREE		
045,D	FREE		
045,E	FREE		
045,F	FREE		
047,0	CORE A TO WINDING POSITION		
047,1	PRL L120+1		

047,2	FREE		
047,3	TURRET ROTATION		
047,4	CORE A TO WINDING POSITION		
047,5			
047,6			
047,7			
047,8			
047,9			
047,A			
047,B			
047,C			
047,D			
047,E			
047,F			
053,0	MAIN PNEUMATIC CIRCUIT		
053,1	ALARMS TREATMENT (CHUCK RETRACT)		
053,2	(FREE)		
053,3	(FREE)		
053,4	CARRIAGE HYDRAULIC PUMP		
053,5	(FREE)		
053,6	PINNING BAR		
053,7	(FREE)		
053,8	CARRIAGE BACKWARD		
053,9	CARRIAGE LOW SPEED		
053,A	CARRIAGE FAST SPEED		
053,B	CARRIAGE RAMP VALIDATION		
053,C	CORE A UNLOCK		
053,D	CORE B UNLOCK		
053,E	TURRET UNLOCK		
053,F	CONTACT ROLL UNLOCK		
054,0	UNLOADING IN PROGRESS (to CMA unloading system)		
054,1	CHUCKS OPEN (to CMA unloading system)		
054,2	CHUCKS CLOSE (to CMA unloading system)		
054,3	(FREE)		
054,4	(FREE)		
054,5	(FREE)		
054,6	(FREE)		
054,7	(FREE)		
054,8	MAST SR6 L352, WEB BREAK		
054,9	WINDER RUNNING		
054,A	(FREE)		
054,B	(FREE)		
054,C	(FREE)		
054,D	(FREE)		
054,E	(FREE)		
054,F	(FREE)		
055,0	FREE		
055,1	FREE		
055,2	FREE		

055,3	FREE		
055,4	FREE		
055,5	CONTACT MODE OR GAP MODE		
055,6	CONTACT MODE OR GAP MODE		
055,7	FREE		
055,8	FREE		
055,9	FREE		
055,A	FREE		
055,B	FREE		
055,C	FREE		
055,D	FREE		
055,E	FREE		
055,F	FREE		
OW4,3	CORE A SPEED		
OW4,4	CORE A CURRENT		
OW4,5	CORE B SPEED		
OW4,6	CORE B CURRENT		
OW5,3	CONTACT ROLL SPEED		
OW5,4	CONTACT FORCE		
OW5,5	CONTACT FORCE SETPOINT		
OW5,6	CARRIAGE POSITION SETPOINT		
OW6,3	DIAMETER		
OW6,4	(FREE)		
OW6,5	CONTACT ROLL CURRENT LIMITATION		
OW6,6	(FREE)		

WINDER FPC KF021 07/07/92 CONSTANT WORDS

PLC ADD	Comment	Unit	Mark
CW0	AEM 411 SLOT Nb 1 CONFIGURATION		
CW1	AEM 411 SLOT Nb 1 CONFIGURATION		
CW2	AEM 411 SLOT Nb 1 CONFIGURATION		
CW3	AEM 411 SLOT Nb 1 CONFIGURATION		
CW4	AEM 411 SLOT Nb 1 CONFIGURATION		
CW5	AEM 411 SLOT Nb 1 CONFIGURATION		
CW6	AEM 411 SLOT Nb 1 CONFIGURATION		
CW7	AEM 411 SLOT Nb 1 CONFIGURATION		
CW8	AEM 411 SLOT Nb 1 CONFIGURATION		
CW9	AEM 411 SLOT Nb 2 CONFIGURATION		
CW10	AEM 411 SLOT Nb 2 CONFIGURATION		
CW11	AEM 411 SLOT Nb 2 CONFIGURATION		
CW12	AEM 411 SLOT Nb 2 CONFIGURATION		
CW13	AEM 411 SLOT Nb 2 CONFIGURATION		
CW14	AEM 411 SLOT Nb 2 CONFIGURATION		
CW15	AEM 411 SLOT Nb 2 CONFIGURATION		
CW16	AEM 411 SLOT Nb 2 CONFIGURATION		
CW17	AEM 411 SLOT Nb 2 CONFIGURATION		
CW18	AEM 411 SLOT Nb 2 CONFIGURATION		
CW19	AEM 411 SLOT Nb 2 CONFIGURATION		
CW20	AEM 411 SLOT Nb 3 CONFIGURATION		
CW21	AEM 411 SLOT Nb 3 CONFIGURATION		
CW22	AEM 411 SLOT Nb 3 CONFIGURATION		
CW23	AEM 411 SLOT Nb 3 CONFIGURATION		
CW24	AEM 411 SLOT Nb 3 CONFIGURATION		
CW25	AEM 411 SLOT Nb 3 CONFIGURATION		
CW26	AEM 411 SLOT Nb 3 CONFIGURATION		
CW27	AEM 411 SLOT Nb 3 CONFIGURATION		
CW28	AEM 411 SLOT Nb 3 CONFIGURATION		
CW29	AEM 411 SLOT Nb 3 CONFIGURATION		
CW30			
CW31			
CW32			
CW33			
CW34			
CW35			
CW36			
CW37			
CW38			
CW39			
CW40	CTM100 CONFIGURATION		
CW41	CTM100 CONFIGURATION		
CW42	CTM100 CONFIGURATION		
CW43	CTM100 CONFIGURATION		
CW44	CTM100 CONFIGURATION		
CW45	CTM100 CONFIGURATION		
CW46	CTM100 CONFIGURATION		
CW47	CTM100 CONFIGURATION		
CW48	CTM100 CONFIGURATION		
CW49	CTM100 CONFIGURATION		
CW50	CTM100 CONFIGURATION		

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW51	CTM100 CONFIGURATION		
CW52	CTM100 CONFIGURATION		
CW53	CTM100 CONFIGURATION		
CW54	CTM100 CONFIGURATION		
CW55	CTM100 CONFIGURATION		
CW56	CTM100 CONFIGURATION		
CW57	CTM100 CONFIGURATION		
CW58	TIMER FOR IONISATOR BEFORE CUT		
CW59	TIMER FOR IONISATOR AFTER CUT		
CW60	CUTTING CURRENT SETPOINT INCREASE SETP		
CW61	CUTTING CURRENT SETPOINT INCREASE SETP		
CW62	NO LOAD CURRENT CORE A THRESHOLD		
CW63	NO LOAD CURRENT CORE B THRESHOLD		
CW64			
CW65	CARRIAGE POSITION THRESHOLD		
CW66	WEB BREAK THRESHOLD		
CW67	LENGTH CALCULATION SCALE COEFFICIENT	CM	
CW68			
CW69			
CW70			
CW71			
CW72	DENSITY CALC VALUES		
CW73	DENSITY CALC VALUES		
CW74			
CW75			
CW76			
CW77	CONVERSION COEFFICIENT (Lb -----> 0,1N)		
CW78	DIAMETER SCALE COEF. FOR LINE RECORD.		
CW79	GAP SETPOINT SCALE COEFFICIENT	25	
CW80			
CW81	CONTACT FORCE SCALE COEF. FOR DISPLAY		
CW82	ROLL CURRENT SCALE COEF. FOR DISPLAY		
CW83	ROLL SPEED SCALE COEF. FOR DISPLAY		
CW84	CORE A CURRENT SCALE COEF. FOR DISPLAY		
CW85	CORE A SPEED SCALE COEF. FOR DISPLAY		
CW86	CORE B CURRENT SCALE COEF. FOR DISPLAY		
CW87	CORE B SPEED SCALE COEF. FOR DISPLAY		
CW88	PHOTO CELLS SCALE COEF. FOR DISPLAY		
CW89	TENSION SCALE COEF. FOR DISPLAY		
CW90	LINE SPEED SCALE COEF. FOR DISPLAY		
CW91			
CW92			
CW93	CONTACT FORCE SETPOINT SCALE TREATMENT		
CW94			
CW95			
CW96			
CW97			
CW98	CONTACT ROLL STATIC TORQUE		
CW99			
CW100	CORE A CURRENT COEF. FOR WINDING REGUL.		
CW101	CORE A SPEED COEF. FOR WINDING REGUL.		
CW102	CORE B CURRENT COEF. FOR WINDING REGUL.		

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW103	CORE B SPEED COEF. FOR WINDING REGUL.		
CW104	LINE SPEED COEF. FOR WINDING REGUL, ADJ. CORE A & CORE B SPEED		
CW105	TENSION COEF. FOR WINDING REGUL.		
CW106			
CW107			
CW108			
CW109			
CW110			
CW111	THICKNESS MINI THRESHOLD		
CW112	THICKNESS MANI THRESHOLD		
CW113			
CW114	ROLL DIAMETER COEFFICIENT (mm-->ln)		3937-->3795
CW115			
CW116			
CW117			
CW118			
CW119	CONTACT CARRIAGE SETPOINT	200	
CW120	TURRET POSITION A THRESHOLD		
CW121	TURRET POSITION A THRESHOLD		
CW122	TURRET POSITION B THRESHOLD		
CW123	TURRET POSITION B THRESHOLD		
CW124	TURRET POSITION C THRESHOLD		
CW125	TURRET POSITION C THRESHOLD		
CW126	TURRET POSITION D THRESHOLD		
CW127	TURRET POSITION D THRESHOLD		
CW128	TURRET POSITION E THRESHOLD		
CW129	TURRET POSITION E THRESHOLD		
CW130	TURRET POSITION F THRESHOLD		
CW131	TURRET POSITION F THRESHOLD		
CW132	TURRET POSITION G THRESHOLD		
CW133	TURRET POSITION G THRESHOLD		
CW134	TURRET POSITION H THRESHOLD		
CW135	TURRET POSITION H THRESHOLD		
CW136	TURRET POSITION I THRESHOLD		
CW137	TURRET POSITION I THRESHOLD		
CW138	TURRET POSITION J THRESHOLD		
CW139	TURRET POSITION J THRESHOLD		
CW140	CW ROTATION OUTPUT MATRIX (1 / 2 Rot)		
CW141	CCW ROTATION OUTPUT MATRIX (1 / 2 Rot)		
CW142	THRESHOLD HYSTERESIS VALUE		
CW143			
CW144	MAXI NUMBER OF POINTS PER ROTATION		
CW145	MAXI NUMBER OF POINTS PER ROTATION		
CW146	TURRET POSITION G WHEN CCW ROTATION		
CW147	TURRET POSITION G WHEN CCW ROTATION		
CW148	TURRET POSITION B WHEN CCW ROTATION		
CW149	TURRET POSITION B WHEN CCW ROTATION		
CW150	CARRIAGE POSITION DIRECTION MAXI THRESHOLD		
CW151	CARRIAGE POSITION DIRECTION MINI THRESHOLD		
CW152	CARRIAGE NEGATIVE DIRECTION MAXI THRESHOLD		
CW153	CARRIAGE NEGATIVE DIRECTION MINI THRESHOLD		

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW154			
CW155	100/PROPORTIONAL COEFFICIENT (<0)	150	
CW156	100/PROPORTIONAL COEFFICIENT (<0)	200	
CW157	100/INTEGRAL COEFFICIENT	0	
CW158	100/GENERAL COEFFICIENT	110	
CW159			
CW160			
CW161			
CW162			
CW163			
CW164			
CW165			
CW166			
CW167			
CW168			
CW169			
CW170			
CW171			
CW172			
CW173			
CW174			
CW175			
CW176			
CW177			
CW178			
CW179			
CW180	(ESC T) XBT-V MESSAGE Nb 0		
CW181	(ESC T) XBT-V MESSAGE Nb 0		
CW182	(ESC T) XBT-V MESSAGE Nb 0		
CW183	(ESC T) XBT-V MESSAGE Nb 0		
CW184	(ESC T) XBT-V MESSAGE Nb 0		
CW185	(ESC T) XBT-V MESSAGE Nb 0		
CW186	(ESC T) XBT-V MESSAGE Nb 0		
CW187	(ESC T) XBT-V MESSAGE Nb 0		
CW188	(ESC T) XBT-V MESSAGE Nb 0		
CW189	(ESC T) XBT-V MESSAGE Nb 0		
CW190	(ESC T) XBT-V MESSAGE Nb 0		
CW191	(ESC T) XBT-V MESSAGE Nb 0		
CW192	(ESC T) XBT-V MESSAGE Nb 1		
CW193	(ESC T) XBT-V MESSAGE Nb 1		
CW194	(ESC T) XBT-V MESSAGE Nb 1		
CW195	(ESC T) XBT-V MESSAGE Nb 1		
CW196	(ESC T) XBT-V MESSAGE Nb 1		
CW197	(ESC T) XBT-V MESSAGE Nb 1		
CW198	(ESC T) XBT-V MESSAGE Nb 1		
CW199	(ESC T) XBT-V MESSAGE Nb 1		
CW200	(ESC T) XBT-V MESSAGE Nb 1		
CW201	(ESC T) XBT-V MESSAGE Nb 1		
CW202	(ESC T) XBT-V MESSAGE Nb 1		
CW203	(ESC T) XBT-V MESSAGE Nb 1		
CW204	(ESC T) XBT-V MESSAGE Nb 1		
CW205	(ESC T) XBT-V MESSAGE Nb 1		

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW206	(ESC T) XBT-V MESSAGE	Nb 1		
CW207	(ESC T) XBT-V MESSAGE	Nb 1		
CW208	(ESC T) XBT-V MESSAGE	Nb 2		
CW209	(ESC T) XBT-V MESSAGE	Nb 2		
CW210	(ESC T) XBT-V MESSAGE	Nb 2		
CW211	(ESC T) XBT-V MESSAGE	Nb 2		
CW212	(ESC T) XBT-V MESSAGE	Nb 2		
CW213	(ESC T) XBT-V MESSAGE	Nb 2		
CW214	(ESC T) XBT-V MESSAGE	Nb 2		
CW215	(ESC T) XBT-V MESSAGE	Nb 2		
CW216	(ESC T) XBT-V MESSAGE	Nb 2		
CW217	(ESC T) XBT-V MESSAGE	Nb 2		
CW218	(ESC T) XBT-V MESSAGE	Nb 2		
CW219	(ESC T) XBT-V MESSAGE	Nb 2		
CW220	(ESC T) XBT-V MESSAGE	Nb 2		
CW221	(ESC T) XBT-V MESSAGE	Nb 2		
CW222	(ESC T) XBT-V MESSAGE	Nb 3		
CW223	(ESC T) XBT-V MESSAGE	Nb 3		
CW224	(ESC T) XBT-V MESSAGE	Nb 3		
CW225	(ESC T) XBT-V MESSAGE	Nb 3		
CW226	(ESC T) XBT-V MESSAGE	Nb 3		
CW227	(ESC T) XBT-V MESSAGE	Nb 3		
CW228	(ESC T) XBT-V MESSAGE	Nb 3		
CW229	(ESC T) XBT-V MESSAGE	Nb 3		
CW230	(ESC T) XBT-V MESSAGE	Nb 3		
CW231	(ESC T) XBT-V MESSAGE	Nb 3		
CW232	(ESC T) XBT-V MESSAGE	Nb 3		
CW233	(ESC T) XBT-V MESSAGE	Nb 3		
CW234	(ESC T) XBT-V MESSAGE	Nb 3		
CW235	(ESC T) XBT-V MESSAGE	Nb 4		
CW236	(ESC T) XBT-V MESSAGE	Nb 4		
CW237	(ESC T) XBT-V MESSAGE	Nb 4		
CW238	(ESC T) XBT-V MESSAGE	Nb 4		
CW239	(ESC T) XBT-V MESSAGE	Nb 4		
CW240	(ESC T) XBT-V MESSAGE	Nb 4		
CW241	(ESC T) XBT-V MESSAGE	Nb 4		
CW242	(ESC T) XBT-V MESSAGE	Nb 4		
CW243	(ESC T) XBT-V MESSAGE	Nb 4		
CW244	(ESC T) XBT-V MESSAGE	Nb 4		
CW245	(ESC T) XBT-V MESSAGE	Nb 4		
CW246	(ESC T) XBT-V MESSAGE	Nb 4		
CW247	(ESC T) XBT-V MESSAGE	Nb 4		
CW248	(ESC T) XBT-V MESSAGE	Nb 4		
CW249	(ESC T) XBT-V MESSAGE	Nb 4		
CW250	(ESC T) XBT-V MESSAGE	Nb 5		
CW251	(ESC T) XBT-V MESSAGE	Nb 5		
CW252	(ESC T) XBT-V MESSAGE	Nb 5		
CW253	(ESC T) XBT-V MESSAGE	Nb 5		
CW254	(ESC T) XBT-V MESSAGE	Nb 5		
CW255	(ESC T) XBT-V MESSAGE	Nb 5		
CW256	(ESC T) XBT-V MESSAGE	Nb 5		
CW257	(ESC T) XBT-V MESSAGE	Nb 5		

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW258	(ESC T) XBT-V MESSAGE	Nb 5		
CW259	(ESC T) XBT-V MESSAGE	Nb 5		
CW260	(ESC T) XBT-V MESSAGE	Nb 5		
CW261	(ESC T) XBT-V MESSAGE	Nb 6		
CW262	(ESC T) XBT-V MESSAGE	Nb 6		
CW263	(ESC T) XBT-V MESSAGE	Nb 6		
CW264	(ESC T) XBT-V MESSAGE	Nb 6		
CW265	(ESC T) XBT-V MESSAGE	Nb 6		
CW266	(ESC T) XBT-V MESSAGE	Nb 6		
CW267	(ESC T) XBT-V MESSAGE	Nb 6		
CW268	(ESC T) XBT-V MESSAGE	Nb 6		
CW269	(ESC T) XBT-V MESSAGE	Nb 6		
CW270	(ESC T) XBT-V MESSAGE	Nb 6		
CW271	(ESC T) XBT-V MESSAGE	Nb 6		
CW272	(ESC T) XBT-V MESSAGE	Nb 6		
CW273	(ESC T) XBT-V MESSAGE	Nb 6		
CW274	(ESC T) XBT-V MESSAGE	Nb 6		
CW275	(ESC T) XBT-V MESSAGE	Nb 6		
CW276	(ESC T) XBT-V MESSAGE	Nb 6		
CW277	(ESC T) XBT-V MESSAGE	Nb 6		
CW278	(ESC T) XBT-V MESSAGE	Nb 7		
CW279	(ESC T) XBT-V MESSAGE	Nb 7		
CW280	(ESC T) XBT-V MESSAGE	Nb 7		
CW281	(ESC T) XBT-V MESSAGE	Nb 7		
CW282	(ESC T) XBT-V MESSAGE	Nb 7		
CW283	(ESC T) XBT-V MESSAGE	Nb 7		
CW284	(ESC T) XBT-V MESSAGE	Nb 7		
CW285	(ESC T) XBT-V MESSAGE	Nb 7		
CW286	(ESC T) XBT-V MESSAGE	Nb 7		
CW287	(ESC T) XBT-V MESSAGE	Nb 7		
CW288	(ESC T) XBT-V MESSAGE	Nb 7		
CW289	(ESC T) XBT-V MESSAGE	Nb 7		
CW290	(ESC T) XBT-V MESSAGE	Nb 7		
CW291	(ESC T) XBT-V MESSAGE	Nb 7		
CW292	(ESC T) XBT-V MESSAGE	Nb 8		
CW293	(ESC T) XBT-V MESSAGE	Nb 8		
CW294	(ESC T) XBT-V MESSAGE	Nb 8		
CW295	(ESC T) XBT-V MESSAGE	Nb 8		
CW296	(ESC T) XBT-V MESSAGE	Nb 8		
CW297	(ESC T) XBT-V MESSAGE	Nb 8		
CW298	(ESC T) XBT-V MESSAGE	Nb 8		
CW299	(ESC T) XBT-V MESSAGE	Nb 8		
CW300	(ESC T) XBT-V MESSAGE	Nb 8		
CW301	(ESC T) XBT-V MESSAGE	Nb 8		
CW302	(ESC T) XBT-V MESSAGE	Nb 8		
CW303	(ESC T) XBT-V MESSAGE	Nb 8		
CW304	(ESC T) XBT-V MESSAGE	Nb 8		
CW305	(ESC T) XBT-V MESSAGE	Nb 8		
CW306	(ESC T) XBT-V MESSAGE	Nb 9		
CW307	(ESC T) XBT-V MESSAGE	Nb 9		
CW308	(ESC T) XBT-V MESSAGE	Nb 9		
CW309	(ESC T) XBT-V MESSAGE	Nb 9		

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW310	(ESC T) XBT-V MESSAGE	Nb 9		
CW311	(ESC T) XBT-V MESSAGE	Nb 9		
CW312	(ESC T) XBT-V MESSAGE	Nb 9		
CW313	(ESC T) XBT-V MESSAGE	Nb 9		
CW314	(ESC T) XBT-V MESSAGE	Nb 9		
CW315	(ESC T) XBT-V MESSAGE	Nb 9		
CW316	(ESC T) XBT-V MESSAGE	Nb 9		
CW317	(ESC T) XBT-V MESSAGE	Nb 9		
CW318	(ESC T) XBT-V MESSAGE	Nb 9		
CW319	(ESC T) XBT-V MESSAGE	Nb 9		
CW320	(ESC T) XBT-V MESSAGE	Nb 10		
CW321	(ESC T) XBT-V MESSAGE	Nb 10		
CW322	(ESC T) XBT-V MESSAGE	Nb 10		
CW323	(ESC T) XBT-V MESSAGE	Nb 10		
CW324	(ESC T) XBT-V MESSAGE	Nb 10		
CW325	(ESC T) XBT-V MESSAGE	Nb 10		
CW326	(ESC T) XBT-V MESSAGE	Nb 10		
CW327	(ESC T) XBT-V MESSAGE	Nb 10		
CW328	(ESC T) XBT-V MESSAGE	Nb 10		
CW329	(ESC T) XBT-V MESSAGE	Nb 10		
CW330	(ESC T) XBT-V MESSAGE	Nb 10		
CW331	(ESC T) XBT-V MESSAGE	Nb 10		
CW332	(ESC T) XBT-V MESSAGE	Nb 10		
CW333	(ESC T) XBT-V MESSAGE	Nb 10		
CW334	(ESC T) XBT-V MESSAGE	Nb 11		
CW335	(ESC T) XBT-V MESSAGE	Nb 11		
CW336	(ESC T) XBT-V MESSAGE	Nb 11		
CW337	(ESC T) XBT-V MESSAGE	Nb 11		
CW338	(ESC T) XBT-V MESSAGE	Nb 11		
CW339	(ESC T) XBT-V MESSAGE	Nb 11		
CW340	(ESC T) XBT-V MESSAGE	Nb 11		
CW341	(ESC T) XBT-V MESSAGE	Nb 11		
CW342	(ESC T) XBT-V MESSAGE	Nb 11		
CW343	(ESC T) XBT-V MESSAGE	Nb 11		
CW344	(ESC T) XBT-V MESSAGE	Nb 11		
CW345	(ESC T) XBT-V MESSAGE	Nb 11		
CW346	(ESC T) XBT-V MESSAGE	Nb 11		
CW347	(ESC T) XBT-V MESSAGE	Nb 11		
CW348				
CW349				
CW350				
CW351				
CW352				
CW353				
CW354				
CW355				
CW356				
CW357				
CW358				
CW359				
CW360				
CW361				

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW362			
CW363			
CW364			
CW365			
CW366			
CW367			
CW368			
CW369			
CW370			
CW371			
CW372			
CW373			
CW374			
CW375			
CW376			
CW377			
CW378			
CW379			
CW380			
CW381			
CW382			
CW383			
CW384			
CW385			
CW386			
CW387			
CW388			
CW389			
CW390			
CW391			
CW392			
CW393			
CW394			
CW395			
CW396			
CW397			
CW398			
CW399			
CW400	ROLL DIAMETER MINI		W90
CW401	ROLL DIAMETER MAXI		W91
CW402	CONTACT FORCE SETPOINT INC STEP		W101
CW403	100/INTEGRAL COEFFICIENT		W144
CW404			W311
CW405			W312
CW406			W391
CW407			W392
CW408			W393
CW409	CORE SPEED MINI THRESHOLD		W608
CW410	TORQUE MOTOR COEFFICIENT		W609
CW411	RADIUS DIFF. FOR INCREASE		W611
CW412	MIN TORQUE DIFF FOR CORRECTION		W613
CW413	INCREASE TORQUE CORR. STEP		W614

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW414	SPEED CONTROL SENSIBILITY		W620
CW415	INCREASE RADIUS . STEP		W629
CW416	PROP. CORR. TORQUE COEF.		W634
CW417	TORQUE --> CURRENT COEFFICIENT		W639
CW418	NO LOAD CURRENT MINI SETPOINT		W643
CW419	TENSION THRESHOLD MINI FOR COPR.		W644
CW420	CORE OVER SPEED COMPARE TO LINESPEED		W645
CW421	CORE SPEED MINI THRESHOLD		W708
CW422	TORQUE MOTOR COEFFICIENT		W709
CW423	RADIUS DIFF. FOR INCREASE		W711
CW424	MIN TORQUE DIFF FOR CORRECTION		W713
CW425	INCREASE TORQUE CORR. STEP		W714
CW426	SPEED CONTROL SENSIBILITY		W720
CW427	INCREASE RADIUS STEP		W729
CW428	PROP. CORR. TORQUE COEF.		W734
CW429	TORQUE --> CURRENT COEFFICIENT		W739
CW430	NO LOAD CURRENT MINI SETPOINT		W743
CW431	TENSION THRESHOLD MINI FOR COPR.		W744
CW432	CORE OVER SPEED COMPARE TO LINESPEED		W745
CW433			W1000
CW434			
CW435			
CW436			
CW437			
CW438			
CW439	CONTACT ROLL		
CW440			
CW441			
CW442			
CW443			
CW444			
CW445			
CW446			
CW447			
CW448			
CW449			
CW450			
CW451			
CW452			
CW453			
CW454			
CW455			
CW456			
CW457			
CW458			
CW459			
CW460			
CW461			
CW462			
CW463			
CW464			
CW465			

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW466			
CW467			
CW468			
CW469			
CW470			
CW471			
CW472			
CW473			
CW474			
CW475			
CW476			
CW477			
CW478			
CW479			
CW480			
CW481			
CW482			
CW483			
CW484			
CW485			
CW486			
CW487			
CW488			
CW489			
CW490			
CW491			
CW492			
CW493			
CW494			
CW495			
CW496			
CW497			
CW498			
CW499			
CW500	VALUES NUMBER (MIN=1 MAX=46)	SR8	AVERAGE Nb 1
CW501	MEASURE ADDRESS	SR8	AVERAGE Nb 1
CW502	RESULT ADDRESS	SR8	AVERAGE Nb 1
CW503	VALUES NUMBER (MIN=1 MAX=46)	SR8	AVERAGE Nb 2
CW504	MEASURE ADDRESS	SR8	AVERAGE Nb 2
CW505	RESULT ADDRESS	SR8	AVERAGE Nb 2
CW506	VALUES NUMBER (MIN=1 MAX=46)	SR8	AVERAGE Nb 3
CW507	MEASURE ADDRESS	SR8	AVERAGE Nb 3
CW508	RESULT ADDRESS	SR8	AVERAGE Nb 3
CW509	VALUES NUMBER (MIN=1 MAX=46)	SR8	AVERAGE Nb 4
CW510	MEASURE ADDRESS	SR8	AVERAGE Nb 4
CW511	RESULT ADDRESS	SR8	AVERAGE Nb 4
CW512	VALUES NUMBER (MIN=1 MAX=46)	SR8	AVERAGE Nb 5
CW513	MEASURE ADDRESS	SR8	AVERAGE Nb 5
CW514	RESULT ADDRESS	SR8	AVERAGE Nb 5
CW515	VALUES NUMBER (MIN=1 MAX=46)	SR8	AVERAGE Nb 6
CW516	MEASURE ADDRESS	SR8	AVERAGE Nb 6
CW517	RESULT ADDRESS	SR8	AVERAGE Nb 6

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW518	VALUES NUMBER (MIN=1 MAX=46)	SR8		AVERAGE Nb 7
CW519	MEASURE ADDRESS	SR8		AVERAGE Nb 7
CW520	RESULT ADDRESS	SR8		AVERAGE Nb 7
CW521	VALUES NUMBER (MIN=1 MAX=46)	SR8		AVERAGE Nb 8
CW522	MEASURE ADDRESS	SR8		AVERAGE Nb 8
CW523	RESULT ADDRESS	SR8		AVERAGE Nb 8
CW524				
CW525				
CW526				
CW527				
CW528				
CW529				
CW530				
CW531				
CW532				
CW533				
CW534				
CW535				
CW536				
CW537				
CW538				
CW539				
CW540				
CW541				
CW542				
CW543				
CW544				
CW545				
CW546				
CW547				
CW548				
CW549				
CW550				
CW551				
CW552				
CW553				
CW554				
CW555				
CW556				
CW557				
CW558				
CW559				
CW560				
CW561				
CW562				
CW563				
CW564				
CW565				
CW566				
CW567				
CW568				
CW569				

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW570			
CW571			
CW572			
CW573			
CW574			
CW575			
CW576			
CW577			
CW578			
CW579			
CW580			
CW581			
CW582			
CW583			
CW584			
CW585			
CW586			
CW587			
CW588			
CW589			
CW590			
CW591			
CW592			
CW593			
CW594			
CW595			
CW596			
CW597			
CW598			
CW599			
CW600			
CW601			
CW602			
CW603			
CW604			
CW605			
CW606			
CW607			
CW608			
CW609			
CW610			
CW611			
CW612			
CW613			
CW614			
CW615			
CW616			
CW617			
CW618			
CW619			
CW620			
CW621			

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW622			
CW623			
CW624			
CW625			
CW626			
CW627			
CW628			
CW629			
CW630			
CW631			
CW632			
CW633			
CW634			
CW635			
CW636			
CW637			
CW638			
CW639			
CW640			
CW641			
CW642			
CW643			
CW644			
CW645			
CW646			
CW647			
CW648			
CW649			
CW650			
CW651			
CW652			
CW653			
CW654			
CW655			
CW656			
CW657			
CW658			
CW659			
CW660			
CW661			
CW662			
CW663			
CW664			
CW665			
CW666			
CW667			
CW668			
CW669			
CW670			
CW671			
CW672			
CW673			

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW674			
CW675			
CW676			
CW677			
CW678			
CW679			
CW680			
CW681			
CW682			
CW683			
CW684			
CW685			
CW686			
CW687			
CW688			
CW689			
CW690			
CW691			
CW692			
CW693			
CW694			
CW695			
CW696			
CW697			
CW698			
CW699			
CW700			
CW701			
CW702			
CW703			
CW704			
CW705			
CW706			
CW707			
CW708			
CW709			
CW710			
CW711			
CW712			
CW713			
CW714			
CW715			
CW716			
CW717			
CW718			
CW719			
CW720			
CW721			
CW722			
CW723			
CW724			
CW725			

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW726			
CW727			
CW728			
CW729			
CW730			
CW731			
CW732			
CW733			
CW734			
CW735			
CW736			
CW737			
CW738			
CW739			
CW740			
CW741			
CW742			
CW743			
CW744			
CW745			
CW746			
CW747			
CW748			
CW749			
CW750			
CW751			
CW752			
CW753			
CW754			
CW755			
CW756			
CW757			
CW758			
CW759			
CW760			
CW761			
CW762			
CW763			
CW764			
CW765			
CW766			
CW767			
CW768			
CW769			
CW770			
CW771			
CW772			
CW773			
CW774			
CW775			
CW776			
CW777			

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW778			
CW779			
CW780			
CW781			
CW782			
CW783			
CW784			
CW785			
CW786			
CW787			
CW788			
CW789			
CW790			
CW791			
CW792			
CW793			
CW794			
CW795			
CW796			
CW797			
CW798			
CW799			
CW800			
CW801			
CW802			
CW803			
CW804			
CW805			
CW806			
CW807			
CW808			
CW809			
CW810			
CW811			
CW812			
CW813			
CW814			
CW815			
CW816			
CW817			
CW818			
CW819			
CW820			
CW821			
CW822			
CW823			
CW824			
CW825			
CW826			
CW827			
CW828			
CW829			

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW830			
CW831			
CW832			
CW833			
CW834			
CW835			
CW836			
CW837			
CW838			
CW839			
CW840			
CW841			
CW842			
CW843			
CW844			
CW845			
CW846			
CW847			
CW848			
CW849			
CW850			
CW851			
CW852			
CW853			
CW854			
CW855			
CW856			
CW857			
CW858			
CW859			
CW860			
CW861			
CW862			
CW863			
CW864			
CW865			
CW866			
CW867			
CW868			
CW869			
CW870			
CW871			
CW872			
CW873			
CW874			
CW875			
CW876			
CW877			
CW878			
CW879			
CW880			
CW881			

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW882			
CW883			
CW884			
CW885			
CW886			
CW887			
CW888			
CW889			
CW890			
CW891			
CW892			
CW893			
CW894			
CW895			
CW896			
CW897			
CW898			
CW899			
CW900			
CW901			
CW902			
CW903			
CW904			
CW905			
CW906			
CW907			
CW908			
CW909			
CW910			
CW911			
CW912			
CW913			
CW914			
CW915			
CW916			
CW917			
CW918			
CW919			
CW920			
CW921			
CW922			
CW923			
CW924			
CW925			
CW926			
CW927			
CW928			
CW929			
CW930			
CW931			
CW932			
CW933			

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW934			
CW935			
CW936			
CW937			
CW938			
CW939			
CW940			
CW941			
CW942			
CW943			
CW944			
CW945			
CW946			
CW947			
CW948			
CW949			
CW950			
CW951			
CW952			
CW953			
CW954			
CW955			
CW956			
CW957			
CW958			
CW959			
CW960			
CW961			
CW962			
CW963			
CW964			
CW965			
CW966			
CW967			
CW968			
CW969			
CW970			
CW971			
CW972			
CW973			
CW974			
CW975			
CW976			
CW977			
CW978			
CW979			
CW980			
CW981			
CW982			
CW983			
CW984			
CW985			

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW986			
CW987			
CW988			
CW989			
CW990			
CW991			
CW992			
CW993			
CW994			
CW995			
CW996			
CW997			
CW998			
CW999			
CW1000			
CW1001			
CW1002			
CW1003			
CW1004			
CW1005			
CW1006			
CW1007			
CW1008			
CW1009			
CW1010			
CW1011			
CW1012	CORE SPEED MINI THRESHOLD	100	W608
CW1013			
CW1014	TORGUE MOTOR COEFFICIENT	1521	W609
CW1015			
CW1016	RADIUS DIFFERENCE FOR INCREASE (0,1%)	200	W611
CW1017			
CW1018	MINIMUM TORGUE DIFFERENCE FOR CORRENT	5	W613
CW1019			
CW1020	INCREASE CORRECTION TORGUE STEP	1	W614
CW1021			
CW1022	SPEED CONTROL SENSIBILITY	205	W620
CW1023			
CW1024	INCREASE RADIUS STEP	1	W629
CW1025			
CW1026	PROPORTIONAL CORRECTION TORGUE COEF.	50	W634
CW1027			
CW1028	TORQUE -----> CURRENT COEFFICIENT	278	W639
CW1029			
CW1030	NO LOAD CURRENT MINI SETPOINT	190	W643
CW1031			
CW1032	TENSION THRESHOLD MINI FOR CORRECTION	500	W644
CW1033			
CW1034	CORE OVERSPEED COMPARED TO LINE SPEED	7	W645
CW1035			
CW1036	ROLL DIAMETER MINIMUM (COPY OUT W90,W91)		W636,W637
CW1037			

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW1038			
CW1039			
CW1040			
CW1041			
CW1042			
CW1043			
CW1044			
CW1045			
CW1046			
CW1047			
CW1048			
CW1049			
CW1050			
CW1051			
CW1052			
CW1053			
CW1054			
CW1055			
CW1056			
CW1057			
CW1058			
CW1059			
CW1060			
CW1061			
CW1062			
CW1063			
CW1064			
CW1065			
CW1066			
CW1067			
CW1068			
CW1069			
CW1070			
CW1071			
CW1072			
CW1073			
CW1074			
CW1075			
CW1076			
CW1077			
CW1078			
CW1079			
CW1080			
CW1081			
CW1082			
CW1083			
CW1084			
CW1085			
CW1086			
CW1087			
CW1088			
CW1089			

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW1090			
CW1091			
CW1092			
CW1093			
CW1094			
CW1095			
CW1096			
CW1097			
CW1098			
CW1099			
CW1100			
CW1101			
CW1102			
CW1103			
CW1104			
CW1105			
CW1106			
CW1107			
CW1108			
CW1109			
CW1110			
CW1111			
CW1112	CORE SPEED MINI THRESHOLD	100	W708
CW1113			
CW1114	TOGURE MOTOR COEFFICIENT	1521	W709
CW1115			
CW1116	RADIUS DIFFERENCE FOR INCREASE (0,1%)	200	W711
CW1117			
CW1118	MINIMUM TORQUE DIFFERENCE FOR CORRECT	5	W713
CW1119			
CW1120	INCREASE CORRECTION TORQUE STEP	1	W714
CW1121			
CW1122	SPEED CONTROL SENSIBILITY	209	W720
CW1123			
CW1124	INCREASE RADIUS STEP	1	W729
CW1125			
CW1126	PROPORTIONAL CORRECTION TORQUE COEF.	50	W734
CW1127			
CW1128	TORQUE -----> CURRENT COEFFICIENT	278	W739
CW1129			
CW1130	TENSION THERSHOLD MINI FOR CORRECTION	190	W744
CW1131			
CW1132	CORE OVERSPEED COMPARED TO LINE SPEED	500	W745
CW1133			
CW1134		7	
CW1135			
CW1136			
CW1137			
CW1138			
CW1139			
CW1140			
CW1141			

WINDER FPC KF021 07/07/92 CONSTANT WORDS

CW1142			
--------	--	--	--

WINDER FPC KF021 07/07/92 BLOCKS

PLC Adr	Comment	Unit	Mark
CDW118		13107200	
CDW120		123000	
CDW122		155200	
CDW124		199000	
CDW126		330000	
CDW128		386800	
CDW130		423000	
CDW132		455250	
CDW134		-1000000	
CDW136		40000	
CDW138		83000	
CDW140	CORE A SLACK TAKE UP INCREASE STEP	27395265	
CDW142	CORE B SLACK TAKE UP INCREASE STEP	203162600	
CDW144		600100	
CDW146		-149000	
CDW148		153200	

CW ASSIGNMENT FOR WINDER W

[illegible]

WINDER FPC KF021 07/07/92 BITS

F201\BIT.DOC

PLC ADR	COMMENT	UNIT	Mark
B 0	MAIN SUPPLY APPEARANCE FOR DISPLAY		
B 1	MAIN SUPPLY APPEARANCE		
B 2	CUTTING/WINDING INTRODUCTION (CUTTING IF = 1)		
B 3			
B 4	INITIALIZATION		
B 5	"OR" ALARM B9 -----> B24		
B 6			
B 7			
B 8	END OF ROLL: LENGTH SETPOINT = MEASURE		
B 9	CARRIAGE PUMP HIGH PRESSURE ALARM		
B 10	CARRIAGE PUMP LOW PRESSURE ALARM		
B 11	CARRIAGE PUMP LOW LEVEL ALARM		
B 12	CARRIAGE PUMP MOTOR ALARM		
B 13			
B 14			
B 15			
B 16			
B 17	(WINDER PROCESS STOP) ALARM		
B 18	ROLL DIAMETER MAXIMUM ALARM		
B 19	PNEUMATIC LOW PRESSURE ALARM		
B 20			
B 21	CONTACT ROLL ALARM		
B 22	TURRET ALARM		
B 23	CORE A ALARM		
B 24	CORE B ALARM		
B 25	WEB BREAK WEB ON,NO ALARM,NO FILM, NO ROLL CHANGE		
B 26	ROLL EXCHANGE ON		
B 27	COPY OUT M1,R		
B 28	COPY OUT M3,R		
B 29	COPY OUT M5,R		
B 30			
B 31	CONTACT ROLL RUN ORDER		
B 32	TURRET RUN ORDER		
B 33	CORE A RUN ORDER		
B 34	CORE B RUN ORDER		
B 35			
B 36			
B 37			
B 38	COPY OUT M10,R		
B 39			
B 40	CHUCK OPEN		
B 41	CHUCK CLOSE		
B 42			
B 43			
B 44	CARRIAGE HYDRAULIC PUMP RUN ORDER		
B 45			
B 46	RAISING EDGE HYDRAULIC PUMP RUN ORDER		
B 47			
B 48			
B 49			
B 50	ALARM -----> TURN LIGHT ORDER		
B 51	COPY OUT X0 FOR RAISING EDGE		
B 52	COPY OUT M14,R FOR RAISING EDGE		
B 53	WEB BREAK THRESHOLD FOR TIMER START		

B 54	COPY OUT X20 FOR RAISING EDGE		
B 55	END OF MANUAL CONTROL CUT		
B 56	COPY OUT B306 FOR RAISING EDGE		
B 57	COPY OUT B216 FOR RAISING EDGE		
B 58	CORE A DIAMETER CALCULATION BYPASS		
B 59	CORE B DIAMETER CALCULATION BYPASS		
B 60	MANUAL CUTTING IN WORK		
B 61	AUTO CUTTING IN WORK		
B 62	WEB BREAK SEQUENCE IN WORK		
B 63			
B 64			
B 65	ROLL CONTINUE		
B 66	CARRIAGE IN WINDING ZONE		
B 67	CUTTING TENSION ORDER		
B 68	LENGTH COUNTER BYPASS		
B 69			
B 70			
B 71			
B 72			
B 73			
B 74			
B 75			
B 76			
B 77			
B 78			
B 79			
B 80	CORE A JOG FORWARD ORDER		
B 81	CORE A JOG REVERSE ORDER		
B 82	CORE B JOG FORWARD ORDER		
B 83	CORE B JOG REVERSE ORDER		
B 84			
B 85			
B 86	LENGTH < LENGTH MINI		
B 87	LENGTH MINI < LENGTH < LENGTH MAXI		
B 88	LENGTH > LENGTH MAXI		
B 89			
B 90			
B 91			
B 92			
B 93	COPY OUT M7,R DELAY MODULE		
B 94	COPY OUT B302 (PB KNIFE)		
B 95	web break byPASS ON (PB)		
B 96			
B 97	COPY OUT B215 (PB CHUCKS)		
B 98	START CUT FIRST ORDER		
B 99	START CUT ORDER		
B 100	COPY OUT B301 (PB CUTTING ARM)		
B 101	CUTTING ARM MANUAL CONTROL FIRST ORDER		
B 102	CUTTING ARM MANUAL CONTROL ORDER		
B 103			
B 104	INITIALIZATION FIRST ORDER		
B 105	INITIALIZATION ORDER		
B 106			
B 107	CORE A RUN IN MANUAL MODE		
B 108	CORE B RUN IN MANUAL MODE		
B 109			
B 110	TURRET CUTTING INTRODUCTION ROTATION		
B 111	TURRET WINDING INTRODUCTION ROTATION		

B 112	TURRET AUTO CUTTING ROTATION		
B 113	TURRET MANUAL CUTTING ROTATION		
B 114	TURRET FUNCTION TEST ROTATION		
B 115	TURRET ORDER		
B 116	TURRET INIT.		
B 117			
B 118	CORE A ORDER MEMORY		
B 119	CORE B ORDER MEMORY		
B 120	KNIFE ORDER INTERMEDIATE		
B 121			
B 122	CUTTING ARM ORDER INTERMEDIATE		
B 123			
B 124	CORE A ORDER INTERMEDIATE		
B 125	CORE B ORDER INTERMEDIATE		
B 126	CTM100 (PRESET VALUE WHEN CURRENT VALUE < 0)		
B 127	CTM100 (PRESET VALUE WHEN POWER UP)		
B 128			
B 129			
B 130	TURRET POSITION B CORE A IN WINDING		
B 131			
B 132	TURRET POSITION E CORE A IN MANUAL CUT		
B 133			
B 134			
B 135	TURRET POSITION G CORE B IN WINDING		
B 136			
B 137	TURRET POSITION J CORE B IN MANUAL CUT		
B 138			
B 139			
B 140	COPY OUT TXT1,D FOR RAISING EDGE		
B 141			
B 142			
B 143			
B 144			
B 145			
B 146			
B 147			
B 148			
B 149			
B 150	RAISING EDGE APPEARANCE MODULE IN RACK	AEM Nb 1	
B 151	CONFIGURATION IN WORK	AEM Nb 1	
B 152		AEM Nb 1	
B 153	CONFIGURATION START UP	AEM Nb 1	
B 154	AEM NOT FREE	AEM Nb 1	
B 155		AEM Nb 1	
B 156	RAISING EDGE APPEARANCE MODULE IN RACK	AEM Nb 2	
B 157	CONFIGURATION IN WORK	AEM Nb 2	
B 158		AEM Nb 2	
B 159	CONFIGURATION START UP	AEM Nb 2	
B 160	AEM NOT FREE	AEM Nb 2	
B 161		AEM Nb 2	
B 162	RAISING EDGE APPEARANCE MODULE IN RACK	AEM Nb 3	
B 163	CONFIGURATION IN WORK	AEM Nb 3	
B 164		AEM Nb 3	
B 165	CONFIGURATION START UP	AEM Nb 3	
B 166	AEM NOT FREE	AEM Nb 3	
B 167		AEM Nb 3	
B 168	RAISING EDGE APPEARANCE MODULE IN RACK	CTM100	
B 169	CONFIGURATION IN WORK	CTM100	

B 170		CTM100	
B 171	CONFIGURATION START UP	CTM100	
B 172	CTM100 NOT FREE	CTM100	
B 173			
B 174	CONFIGURATION EXCHANGE OK	SCM2244	
B 175	CONFIGURATION IN WORK	SCM2244	
B 176	RAZ MODULE	SCM2244	
B 177			
B 178			
B 179			
B 180			
B 181			
B 182	MODBUS COMMUNICATION		
B 183	MODBUS COMMUNICATION		
B 184	MODBUS COMMUNICATION		
B 185	MODBUS COMMUNICATION		
B 186	MODBUS COMMUNICATION		
B 187	MODBUS COMMUNICATION		
B 188	MODBUS COMMUNICATION		
B 189	MODBUS COMMUNICATION		
B 190			
B 191			
B 192			
B 193			
B 194			
B 195			
B 196			
B 197			
B 198			
B 199			
B 200	CORE A RUN	XBT-V PAGE 2	w287,0
B 201	CORE A ALARM	XBT-V PAGE 2	w287,1
B 202	CORE B RUN	XBT-V PAGE 2	w287,2
B 203	CORE B ALARM	XBT-V PAGE 2	w287,3
B 204	CONTACT ROLL RUN	XBT-V PAGE 2	w287,4
B 205	CONTACT ROLL ALARM	XBT-V PAGE 2	w287,5
B 206	PB CORE A RUN	XBT-V PAGE 2	w287,6
B 207	PB CORE A STOP	XBT-V PAGE 2	w287,7
B 208	PB CORE B RUN	XBT-V PAGE 2	w287,8
B 209	PB CORE B STOP	XBT-V PAGE 2	w287,9
B 210	PB CONTACT ROLL RUN	XBT-V PAGE 2	w287,A
B 211	PB CONTACT ROLL STOP	XBT-V PAGE 2	w287,B
B 212	PB ALARM RESET	XBT-V PAGE 2	w287,C
B 213	PB HYDRAULIC PUMP RUN	XBT-V PAGE 2	w287,D
B 214	PB HYDRAULIC PUMP STOP	XBT-V PAGE 2	w287,E
B 215	PB I/O CHUCKS	XBT-V PAGE 2	w287,F
B 216	PB START CUT w288,0	XBT-V PAGE 2	w288,0
B 217	PB STOP CUT	XBT-V PAGE 2	w288,1
B 218	PUMP RUN		w288,2
B 219	PUMP ALARM		w288,3
B 220	PNEUMATIC LOW PRESSURE ALARM	XBT-V PAGE 1	w288,4
B 221	WEB BREAK	XBT-V PAGE 1	w288,5
B 222	ALARM PRESENT	XBT-V PAGE 1	w288,6
B 223	WEB BREAK BYPASS ON	XBT-V PAGE 1	w288,7
B 224	ROLL CHANGE ON	XBT-V PAGE 1	w288,8
B 225	HYDRAULIC HIGH PRESSURE	XBT-V PAGE 1	w288,9
B 226	HYDRAULIC LOW PRESSURE	XBT-V PAGE 1	w288,A
B 227	HYDRAULIC HIGH TEMPERATURE	XBT-V PAGE 1	w288,B

B 228	TURRET MOTOR FAULT	XBT-V PAGE 1	w288,C
B 229	CHUCKS INTERLOCK	XBT-V PAGE 1	w288,D
B 230	GAP w188,0	XBT-V PAGE 2	
B 231	KNIFE w188,1 = 0	XBT-V PAGE 2	
B 232	WEB BREAK w188,2	XBT-V PAGE 2	
B 233	ALARM PRESENT	XBT-V PAGE 2	
B 234	WEB BREAK BYPASS ON	XBT-V PAGE 2	
B 235	ROLL CHANGE ON	XBT-V PAGE 2	
B 236	PB WEB BREAK BYPASS ON	XBT-V PAGE 2	
B 237	PB RESET LENGTH	XBT-V PAGE 2	
B 238			
B 239			
B 240			
B 241			
B 242	1 ----->	XBT-V PAGE 6	w298,0
B 243	2 ----->	XBT-V PAGE 6	w298,1
B 244	3 ----->	XBT-V PAGE 6	w298,2
B 245	4 ----->	XBT-V PAGE 6	w298,3
B 246	5 ----->	XBT-V PAGE 6	w298,4
B 247	6 ----->	XBT-V PAGE 6	w298,5
B 248	7 ----->	XBT-V PAGE 6	w298,6
B 249	WAITING FOR MANUAL CUTTING/TO WINDING PO	XBT-V PAGE 6	w298,7
B 250	ALARM	XBT-V PAGE 6	w298,8
B 251	PB SLACK TAKE UP	XBT-V PAGE 6	w298,9
B 252	PB NEXT STEP	XBT-V PAGE 6	w298,A
B 253			
B 254			
B 255			
B 256			
B 257			
B 258	CUTTING BY KNIFE/HAND (KNIFE = 1)	XBT-V PAGE 6	
B 259	ROLL CHANGE/CONTINUE (CONTINUE = 1)	XBT-V PAGE 6	
B 260	KEEP AWAY FROM TURRET	XBT-V PAGE 6	
B 261	REMOVE SCRAP ON ROLL	XBT-V PAGE 6	
B 262	CLEAN AND BRAND THE ROLL	XBT-V PAGE 6	
B 263	CONNECT THE FILM	XBT-V PAGE 6	
B 264	TRANSFER THE FILM	XBT-V PAGE 6	
B 265			
B 266			
B 267			
B 268			
B 269			
B 270	ALARM	XBT-V PAGE 3	
B 271	ALARM	XBT-V PAGE 4	
B 272			
B 273			
B 274			
B 275			
B 276			
B 277			
B 278			
B 279			
B 280			
B 281			
B 282			
B 283			
B 284			
B 285			

B 286			
B 287			
B 288			
B 289			
B 290	AUTOMATIC	XBT-V PAGE 5	w285,0
B 291	1 -----> CARRIAGE	XBT-V PAGE 5	w285,1
B 292	2 -----> TURRET	XBT-V PAGE 5	w285,2
B 293	3 -----> CUTTING ARM	XBT-V PAGE 5	w285,3
B 294	4 -----> KNIFE	XBT-V PAGE 5	w285,4
B 295	PB CARRIAGE FORWARD	XBT-V PAGE 5	w285,5
B 296	PB CARRIAGE STOP	XBT-V PAGE 5	w285,6
B 297	PB CARRIAGE REVERSE	XBT-V PAGE 5	w285,7
B 298	PB TURRET FORWARD	XBT-V PAGE 5	w285,8
B 299	PB TURRET STOP	XBT-V PAGE 5	w285,9
B 300	PB TURRET REVERSE	XBT-V PAGE 5	w285,A
B 301	PB I/O CUT ARM	XBT-V PAGE 5	w285,B
B 302	PB I/O KNIFE	XBT-V PAGE 5	w285,C
B 303	PB JOG FORWARD	XBT-V PAGE 5	w285,D
B 304	PB JOG STOP	XBT-V PAGE 5	w285,E
B 305	PB JOG REVERSE	XBT-V PAGE 5	w285,F
B 306	PB RESET POSITION	XBT-V PAGE 5	w286,0
B 307	PB MODE SELECT	XBT-V PAGE 5	w286,1
B 308	ALARM	XBT-V PAGE 5	w286,2
B 309	ROLL CHANGE ON	XBT-V PAGE 5	w286,3
B 310			
B 311			
B 312			
B 313			
B 314			
B 315			
B 316			
B 317			
B 318			
B 319			
B 320	CORE A WINDING REGULATION	SRO	
B 321		SRO	
B 322	CORE A INSTANTANEOUS CURRENT	SRO	
B 323			
B 324			
B 325	CORE B WINDING REGULATION	SRO	
B 326		SRO	
B 327	CORE B INSTANTANEOUS CURRENT	SRO	
B 328			
B 329			
B 330			
B 331			
B 332			
B 333			
B 334			
B 335			
B 336			
B 337			
B 338			
B 339			
B 340			
B 341			
B 342			
B 343			

B 344			
B 345			
B 346			
B 347			
B 348			
B 349			
B 350			
B 351			
B 352			
B 353			
B 354			
B 355			
B 356			
B 357			
B 358			
B 359			
B 360			
B 361			
B 362			
B 363			
B 364			
B 365			
B 366			
B 367			
B 368			
B 369			
B 370			
B 371			
B 372			
B 373			
B 374			
B 375			
B 376			
B 377			
B 378			
B 379			
B 380			
B 381			
B 382			
B 383			
B 384			
B 385			
B 386			
B 387			
B 388			
B 389			
B 390			
B 391			
B 392			
B 393			
B 394			
B 395			
B 396			
B 397			
B 398			
B 399			
B1900	Roll Change on		

PLC ADD	COMMENT		Unit	Mark
W0	SR 5 L55+7			
W1	FREE			
W2	FREE			
W3	FREE			
W4	FREE			
W5	SR 5 L55			
W6	FREE			
W7	SR 5 L55+2			
W8	FREE			
W9	FREE			
W10	LENGTH AT T - 1 (%)			
W11	LENGTH AT T +1 (%)			
W12	GRAPH BASE AT t - 1			
W13	GRAPH BASE AT t + 1			
W14	COPY OUT W13 FOR INDEX			
W15	COPY OUT W12 FOR INDEX			
W16	GRAPH BASE NB MINI BETWEEN 2 PTS			
W17	% GRAPH BASE MINI COMPARED TO LENGTH MAXI			
W18	GRAPH BASE NB MAXI BETWEEN 2 PTS			
W19	% GRAPH BASE MAXI COMPARED TO LENGTH MAXI			
W20	%AT t -----% MINI		DW	
W21	%AT t -----% MINI		DW	
W22	% MAX -- MIN			
W23	%AT t BETWEEN 2 Pts			
W24	FREE			
W25	FREE			
W26	FREE			
W27	FREE			
W28	COPY OUT SW20			
W29	COPY OUT SW41			
W30	FREE			
W31	FREE			
W32	FREE			
W33	FREE			
W34	FREE			
W35	FREE			
W36	FREE			
W37	FREE			
W38	FREE			
W39	FREE			
W40	TURRET COUNTER CURRENT VALUE		DW	
W41	TURRET COUNTER CURRENT VALUE		DW	
W42	TURRET LOW SPEED THRESHOLD SETPOINT		DW	
W43	TURRET LOW SPEED THRESHOLD SETPOINT		DW	
W44	TURRET STOP THRESHOLD SETPOINT		DW	
W45	TURRET STOP THRESHOLD SETPOINT		DW	
W46	TURRET POSITION (MAST PRL L120)			
W47	FREE			
W48	FREE			
W49	TREATMENT STORAGE (MAST SR 8 L10)			
W50	FREE			
W51	FREE			
W52	CONTACT FORCE SETPOINT	0	Pts FOR ASR	OW5.5
W53	CONTACT ROLL SPEED SETPOINT	0	Pts FOR ASR	OW5,3

W54	CORE A SPEED	SETPOINT	1	Pts FOR ASR	OW4,3
W55	CORE A CURRENT	SETPOINT	0	Pts FOR ASR	OW4,4
W56	CORE B SPEED	SETPOINT	1	Pts FOR ASR	OW4,5
W57	CORE B CURRENT	SETPOINT	0	Pts FOR ASR	OW4,6
W58	CARRIAGE POSITION	SETPOINT	1	Pts FOR ASR	OW5,6
W59	LINE RECORDER DIAMETER	SETPOINT	0	Pts FOR ASR	OW6,3
W60	FREE				
W61	FREE				
W62	FREE				
W63	FREE				
W64	FREE				
W65	FREE				
W66	FREE				
W67	FREE				
W68	GAP ANALOGS PHOTO CELLS VALUE		0.1mm		10V->10mm
W69	PRESSUE ANALOGS PHOTO CELLS VALUE		0.1mm		10V->25mm
W70	GAP ANALOGS PHOTO CELLS VALUE AVERAGE		0.1mm		
W71	CONTACT ANALOGS PHOTO CELLS VALUE AVERAGE		0.1mm		
W72	FREE				
W73	FREE				
W74	FREE				
W75	FREE				
W76	FREE				
W77	TENSION MEASURED				
W78	INSTANDANEOUS TENSION VALUE		0.1 N		1000=100N
W79	GAP SETPOINT				
W80	CORE A CURRENT MEASURE		Pts		Points
W81	CORE A SPEED MEASURE		10 - 3 tr/s		RPS
W82	CORE B CURRENT MEASURE	IW1,5	Pts		
W83	CORE B SPEED MEASURE		10 - 3 tr/s		
W84	LINE SPEED		10 - 3 m/s		
W85	TENSION VALUE AFTER AVERAGE TREATMENT		0.1N		
W86	FREE				
W87	FREE				
W88	FREE				
W89	FREE				
W90	ROLL DIAMETER MINI		10 -4 M		CW1036=4500
W91	ROLL DIAMETER MAXI		10 -4 M		CW1038=12000
W92	DIAMETER		0/00		
W93	FREE				
W94	FREE				
W95	TENSION SETPOINT INCREASE STEP MAXI		0.1 N		
W96	TENSION SETPOINT		0.1 N		
W97	TENSION SETPOINT AT t - 1		0.1 N		
W98	FREE				
W99	(GAP) ? MAST PRL L440+10				
W100	MAST SR8 TOP+1				
W101	CONTACT FORCE SETPOINT INCREASE STEP MA		0.1kg		CW1040
W102	CONTACT FORCE SETPOINT		0.1kg		
W103	CONTACT FORCE SETPOINT AT t - 1		0.1kg		
W104	FREE				
W105	FREE				
W106	FREE				
W107	FREE		cm		
W108	FREE		cm		

W109	LENGTH INTERMEDIATE SETPOINT	DW	cm	
W110	LENGTH INTERMEDIATE SETPOINT	DW	cm	
W111	FREE			
W112	LENGTH MAX COMPARED TO THICKNESS			
W113	FREE			
W114	FREE			
W115	LENGTH MEASURE		0/00	
W116	LENGTH CALCULATION INTERMEDIATE	DW		
W117	LENGTH CALCULATION INTERMEDIATE	DW		
W118	LENGTH CALCULATION	DW		
W119	LENGTH CALCULATION	DW		
W120	COPY OUT W13 FOR INDEX			
W121	COPY OUT W13 FOR INDEX			
W122	GRAPH BASE Nb MINI BETWEEN 2 Pts			
W123	% GRAPH BASE MINI COMPARED TO LENGTH MAXI			
W124	GRAPH BASE Nb MAXI BETWEEN 2 Pts			
W125	% GRAPH BASE MAXI COMPARED TO LENGTH MAXI			
W126	% AT t - % MINI	DW		
W127	% AT t - % MINI	DW		
W128	% MAX -- MIN			
W129	% AT t BETWEEN 2 Pts			
W130	FREE			
W131	FREE			
W132	CORE A "SLACK TAKE UP" INCREASEING STE	DW		
W133	CORE A "SLACK TAKE UP" INCREASEING STE	DW		
W134	CORE B "SLACK TAKE UP" INCREASEING STE	DW		
W135	CORE B "SLACK TAKE UP" INCREASEING STE	DW		
W136	FREE			
W137	FREE			
W138	FREE			
W139	FREE			
W140	CARRIAGE POSITION PID SETPOINT		SR7	
W141	CARRIAGE POSITION PID MEASURE (AVERAGE)	DW	SR7	
W142	CARRIAGE POSITION PID MEASURE (AVERAGE)	DW	SR7	
W143	100/PROPORTIONAL COEFFICIENT (>0)		SR7	
W144	100/INTEGRAL COEFFICIENT	DW	SR7	
W145	100/INTEGRAL COEFFICIENT	DW	SR7	
W146	100/PROPORTIONAL COEFFICIENT (<0)		SR7	
W147	FREE		SR7	
W148	FREE		SR7	
W149	100/GENERAL COEFFICIENT		SR7	
W150	PID OUTPUT	DW	SR7	
W151	PID OUTPUT	DW	SR7	
W152	MEASURE SETPOINT	DW	SR7	
W153	MEASURE SETPOINT	DW	SR7	
W154	PROPORTIONAL ACTION	DW	SR7	
W155	PROPORTIONAL ACTION	DW	SR7	
W156	INTEGRAL ACTION	DW	SR7	
W157	INTEGRAL ACTION	DW	SR7	
W158	FREE			
W159	FREE			
W160	FREE			
W161	FREE			
W162	FREE			
W163	FREE			

W164	FREE			
W165	FREE			
W166	FREE			
W167	FREE			
W168	COPY OUT W245 at t-1			
W169	COPY OUT W245 at t-1			
W170	CALCULATION WORD			
W171	CALCULATION WORD			
W172	CALCULATION WORD			
W173	CALCULATION WORD			
W174	CALCULATION WORD			
W175	CALCULATION WORD			
W176	CALCULATION WORD			
W177	CALCULATION WORD			
W178	CALCULATION WORD			
W179	CALCULATION WORD			
W180	CORE A SPEED		XBT-V PAGE1	
W181	CORE A CURRENT		XBT-V PAGE1	
W182	CORE B SPEED		XBT-V PAGE1	
W183	CORE B CURRENT		XBT-V PAGE1	
W184	CONTACT ROLL SPEED		XBT-V PAGE1	
W185	CONTACT ROLL CURRENT		XBT-V PAGE1	
W186	LINE SPEED		XBT-V PAGE1	
W187	FREE			
W188	CONTACT FORCE MAST PRL L20+2		XBT-V PAGE1	
W189	CONTACT ROLL DRAW		XBT-V PAGE2	
W190	LENGTH SETPOINT		XBT-V PAGE2	
W191	LENGTH MEASURE		XBT-V PAGE2	
W192	LENGTH MINI		XBT-V PAGE2	
W193	LENGTH MAXI		XBT-V PAGE2	
W194	ROLL DIAMETER		XBT-V PAGE2	
W195	TENSION		XBT-V PAGE2	
W196	CONTACT FORCE		XBT-V PAGE2	
W197	LINE SPEED		XBT-V PAGE2	
W198	WINDING DENSITY		XBT-V PAGE2	
W199	THICKNESS			
W200	CARRIAGE CONTROL		XBT-V PAGE2	
W201	LENGTH SETPOINT		XBT-V PAGE3	
W202	SET VALUE		XBT-V PAGE3	
W203	GRAPH BASE Nb		XBT-V PAGE3	
W204	TENSION VALUE		XBT-V PAGE3	
W205	GRAPH BASE VALUE		XBT-V PAGE3	
W206	TENSION MAX & TENSION MAX/2		XBT-V PAGE3	
W207	LENGTH GRAPH BASE		XBT-V PAGE3	
W208	TRANSFER TENSION		XBT-V PAGE3	
W209	LENGTH VALUE		XBT-V PAGE3	
W210	GRAPH BASE Nb 1 VALUE		XBT-V PAGE3	
W211	GRAPH BASE Nb 2 VALUE		XBT-V PAGE3	
W212	GRAPH BASE Nb 3 VALUE		XBT-V PAGE3	
W213	GRAPH BASE Nb 4 VALUE		XBT-V PAGE3	
W214	GRAPH BASE Nb 5 VALUE		XBT-V PAGE3	
W215	GRAPH BASE Nb 6 VALUE		XBT-V PAGE3	
W216	GRAPH BASE Nb 7 VALUE		XBT-V PAGE3	
W217	GRAPH BASE Nb 8 VALUE		XBT-V PAGE3	
W218	GRAPH BASE Nb 9 VALUE		XBT-V PAGE3	

W219	GRAPH BASE Nb 10 VALUE		XBT-V PAGE3	
W220	GRAPH BASE Nb 11 VALUE		XBT-V PAGE3	
W221	GRAPH BASE Nb 12 VALUE		XBT-V PAGE3	
W222	GRAPH BASE Nb 13 VALUE		XBT-V PAGE3	
W223	GRAPH BASE Nb 14 VALUE		XBT-V PAGE3	
W224	GRAPH BASE Nb 15 VALUE		XBT-V PAGE3	
W225	GRAPH BASE Nb 16 VALUE		XBT-V PAGE3	
W226	GRAPH BASE Nb 17 VALUE		XBT-V PAGE3	
W227	GRAPH BASE Nb 18 VALUE		XBT-V PAGE3	
W228	GRAPH BASE Nb 19 VALUE		XBT-V PAGE3	
W229	GRAPH BASE Nb 20 VALUE		XBT-V PAGE3	
W230	FREE			
W231	FREE			
W232	FREE			
W233	FREE			
W234	FREE			
W235	FREE			
W236	FREE			
W237	FREE			
W238	FREE			
W239	FREE			
W240	FREE			
W241	GAP PRL L20+2			
W242	LENGTH SETPOINT		XBT-V PAGE4	
W243	GRAPH BASE Nb		XBT-V PAGE4	
W244	CONTACT FORCE SETPOINT		XBT-V PAGE4	
W245	FORCE SET VALUE		XBT-V PAGE4	
W246	CONTACT FORCE MAX & CONTACT FORCE MAX/2		XBT-V PAGE4	
W247	LENGTH GRAPH BASE		XBT-V PAGE4	
W248	LENGTH VALUE		XBT-V PAGE4	
W249	INSTANTANEOUS FORCE SETPOINT		XBT-V PAGE4	
W250	GRAPH BASE Nb 1 VALUE		XBT-V PAGE4	
W251	GRAPH BASE Nb 2 VALUE		XBT-V PAGE4	
W252	GRAPH BASE Nb 3 VALUE		XBT-V PAGE4	
W253	GRAPH BASE Nb 4 VALUE		XBT-V PAGE4	
W254	GRAPH BASE Nb 5 VALUE		XBT-V PAGE4	
W255	GRAPH BASE Nb 6 VALUE		XBT-V PAGE4	
W256	GRAPH BASE Nb 7 VALUE		XBT-V PAGE4	
W257	GRAPH BASE Nb 8 VALUE		XBT-V PAGE4	
W258	GRAPH BASE Nb 9 VALUE		XBT-V PAGE4	
W259	GRAPH BASE Nb 10 VALUE		XBT-V PAGE4	
W260	GRAPH BASE Nb 11 VALUE		XBT-V PAGE4	
W261	GRAPH BASE Nb 12 VALUE		XBT-V PAGE4	
W262	GRAPH BASE Nb 13 VALUE		XBT-V PAGE4	
W263	GRAPH BASE Nb 14 VALUE		XBT-V PAGE4	
W264	GRAPH BASE Nb 15 VALUE		XBT-V PAGE4	
W265	GRAPH BASE Nb 16 VALUE		XBT-V PAGE4	
W266	GRAPH BASE Nb 17 VALUE		XBT-V PAGE4	
W267	GRAPH BASE Nb 18 VALUE		XBT-V PAGE4	
W268	GRAPH BASE Nb 19 VALUE		XBT-V PAGE4	
W269	GRAPH BASE Nb 20 VALUE		XBT-V PAGE4	
W270	RELEASE DEFECTS			
W271	FREE			
W272	FREE			
W273	FREE			

W274	FREE			
W275	FREE			
W276	FREE			
W277	FREE			
W278	FREE			
W279	POWER SUPPLY APPEARENCE			
W280	CORE A SPEED			
W281	CORE A CURRENT			
W282	CORE B SPEED			
W283	CORE B CURRENT			
W284	CONTACT ROLL SPEED			
W285	CONTACT ROLL CURRENT			
W286	LINE SPEED			
W287	PRL L20+2			
W288	PRL L20+2			
W289	CONTACT ROLL DRAW			
W290	SEE WORD BITS			
W291	SEE WORD BITS			
W292	FREE			
W293	FREE			
W294	FREE			
W295	AUTOMATIC CONTROL W295,0			
W296	AUTOMATIC CONTROL W295,0			
W297	FREE			
W298	SEE WORD BITS			
W299	SEE WORD BITS			
W300	PAGE Nb TO CALL			
W301	MESSAGE Nb TO CALL			
W302	MESSAGE Nb AT t-1			
W303	PAGE Nb AT t-1			
W304	PAGE Nb DISPLAYED			
W305	PAGE Nb DISPLAYED AT t-1			
W306	XBT-V ESC TYPE			
W307	FREE			
W308	FREE			
W309	FREE			
W310	FREE			
W311	SR4 L1+1			
W312	SR4 L1+2			
W313	FREE			
W314	FREE			
W315	FREE			
W316	FREE			
W317	FREE			
W318	FREE			
W319	FREE			
W320	FREE			
W321	FREE			
W322	FREE			
W323	FREE			
W324	FREE			
W325	FREE			
W326	FREE			
W327	FREE			
W328	CALL PAGE (ESC P)			

W329	SR4 L2			
W330	SR4 L1 (ESC P)			
W331	SR4 L1			
W332	SR4 L1			
W333	SR4 L1			
W334	FREE			
W335	FREE			
W336	FREE			
W337	FREE			
W338	FREE			
W339	FREE			
W340	FREE			
W341	FREE			
W342	FREE			
W343	FREE			
W344	FREE			
W345	CALL MESSAGE (ESC T)			
W346	CALL MESSAGE (ESC T)			
W347	FREE			
W348	FREE			
W349	FREE			
W350	FREE			
W351	FREE			
W352	FREE			
W353	FREE			
W354	FREE			
W355	FREE			
W356	FREE			
W357	FREE			
W358	FREE			
W359	FREE			
W360	FREE			
W361	FREE			
W362	FREE			
W363	FREE			
W364	FREE			
W365	FREE			
W366	FREE			
W367	FREE			
W368	FREE			
W369	FREE			
W370	FREE			
W371	FREE			
W372	FREE			
W373	FREE			
W374	FREE			
W375	FREE			
W376	FREE			
W377	FREE			
W378	FREE			
W379	FREE			
W380	FREE			
W381	FREE			
W382	FREE			
W383	FREE			

W384	FREE			
W385	FREE			
W386	FREE			
W387	FREE			
W388	FREE			
W389	FREE			
W390	FREE			
W391	FREE			
W392	FREE			
W393	FREE			
W394	FREE			
W395	FREE			
W396	FREE			
W397	FREE			
W398	FREE			
W399	FREE			
W400	FREE			
W401	FREE			
W402	FREE			
W403	FREE			
W404	FREE			
W405	FREE			
W406	FREE			
W407	FREE			
W408	FREE			
W409	FREE			
W410	FREE			
W411	FREE			
W412	FREE			
W413	FREE			
W414	FREE			
W415	FREE			
W416	FREE			
W417	FREE			
W418	FREE			
W419	FREE			
W420	FREE			
W421	FREE			
W422	FREE			
W423	FREE			
W424	FREE			
W425	FREE			
W426	FREE			
W427	FREE			
W428	FREE			
W429	FREE			
W430	FREE			
W431	FREE			
W432	FREE			
W433	FREE			
W434	FREE			
W435	FREE			
W436	FREE			
W437	FREE			
W438	FREE			

W439	FREE			
W440	FREE			
W441	FREE			
W442	FREE			
W443	FREE			
W444	FREE			
W445	FREE			
W446	FREE			
W447	FREE			
W448	FREE			
W449	FREE			
W450	FREE			
W451	FREE			
W452	FREE			
W453	FREE			
W454	FREE			
W455	FREE			
W456	FREE			
W457	FREE			
W458	FREE			
W459	FREE			
W460	FREE			
W461	FREE			
W462	FREE			
W463	FREE			
W464	FREE			
W465	FREE			
W466	FREE			
W467	FREE			
W468	FREE			
W469	FREE			
W470	FREE			
W471	FREE			
W472	FREE			
W473	FREE			
W474	FREE			
W475	FREE			
W476	FREE			
W477	FREE			
W478	FREE			
W479	FREE			
W480	FREE			
W481	FREE			
W482	FREE			
W483	FREE			
W484	FREE			
W485	FREE			
W486	FREE			
W487	FREE			
W488	FREE			
W489	FREE			
W490	FREE			
W491	FREE			
W492	FREE			
W493	FREE			

W494	FREE			
W495	FREE			
W496	FREE			
W497	FREE			
W498	FREE			
W499	FREE			
W500	FREE			
W501	FREE			
W502	FREE			
W503	FREE			
W504	FREE			
W505	FREE			
W506	FREE			
W507	FREE			
W508	FREE			
W509	FREE			
W510	FREE			
W511	FREE			
W512	FREE			
W513	FREE			
W514	FREE			
W515	FREE			
W516	FREE			
W517	FREE			
W518	FREE			
W519	FREE			
W520	FREE			
W521	FREE			
W522	FREE			
W523	FREE			
W524	FREE			
W525	FREE			
W526	FREE			
W527	FREE			
W528	FREE			
W529	FREE			
W530	FREE			
W531	FREE			
W532	FREE			
W533	FREE			
W534	FREE			
W535	FREE			
W536	FREE			
W537	FREE			
W538	FREE			
W539	FREE			
W540	FREE			
W541	FREE			
W542	FREE			
W543	FREE			
W544	FREE			
W545	FREE			
W546	FREE			
W547	FREE			
W548	FREE			

W549	FREE			
W550	FREE			
W551	FREE			
W552	FREE			
W553	FREE			
W554	FREE			
W555	FREE			
W556	FREE			
W557	FREE			
W558	FREE			
W559	FREE			
W560	FREE			
W561	FREE			
W562	FREE			
W563	FREE			
W564	FREE			
W565	FREE			
W566	FREE			
W567	FREE			
W568	FREE			
W569	FREE			
W570	FREE			
W571	FREE			
W572	FREE			
W573	FREE			
W574	FREE			
W575	FREE			
W576	FREE			
W577	FREE			
W578	FREE			
W579	FREE			
W580	FREE			
W581	FREE			
W582	FREE			
W583	FREE			
W584	FREE			
W585	FREE			
W586	FREE			
W587	FREE			
W588	FREE			
W589	FREE			
W590	FREE			
W591	FREE			
W592	FREE			
W593	FREE			
W594	FREE			
W595	FREE			
W596	FREE			
W597	FREE			
W598	FREE			
W599	FREE			
W600	FREE			
W601	TENSION SETPOINT	R	0.1N	
W602	LINE SPEED MEASURE	R	10 -3 Mps	
W603	CORE SPEED MEASURE	R	10 -3 Rps	

W604	LINE SPEED CALCULATION	C	10 -3 Mps	
W605	TENSION MEASURE	R	0.1 N	
W606	MOTOR CURRENT AVERAGE	R	Pts	
W607	DIAMETER CALCULATION	C	10 - 4 M	
W608	CORE SPEED MINI THRESHOLD	P	10 - 3 Rps	CW1012
W609	TORQUE MOTOR COEFFICIENT	P	10 - 2 Nm/A	CW1014
W610	FREE			
W611	RADIUS DIFFERENCE FOR INCREASE (0,1%)	P	0/000	CW1016
W612	LINE SPEED MEASURE - LINE SPEED CALCULATION	C	0/000	
W613	MINIMUM TORQUE DIFFERENCE FOR CORRENT	P	0.1 N	CW1018
W614	INCREASE CORRECTION TORQUE STEP	P	0.1 N	CW1020
W615	ROUGH WORDS			
W616	ROUGH WORDS			
W617	ROUGH WORDS			
W618	ROUGH WORDS			
W619	ROUGH WORDS			
W620	SPEED CONTROL SENSIBILITY	P	0 - 5 Rps /Pts	CW1022
W621	FREE			
W622	FREE			
W623	FREE			
W624	FREE			
W625	FREE			
W626	FREE			
W627	FREE			
W628	FREE			
W629	INCREASE RADIUS STEP		10-4M	CW1024
W630	TOTAL TORQUE		0.1Nm	
W631	TENSION TORQUE		0.1Nm	
W632	CORRECTION TORQUE		0.1Nm	
W633	INSTANTANEOUS CORRECTION TORQUE		0.1Nm	
W634	PROPORTIONAL CORRECTION TORQUE COEF.		%	CW1026
W635	FREE			
W636	ROLL DIAMETER MINIMUM (COPY OUT W90)		10-4M	CW1036
W637	ROLL DIAMETER MINIMUM (COPY OUT W91)		10-4M	CW1036
W638	FREE			
W639	TORQUE -----> CURRENT COEFFICIENT		0.1 Pts/A	CW1028
W640	INSTANTANEOUS CORE OVERSPEED		Pts	
W641	INSTANTANEOUS CURRENT SETPOINT		Pts	
W642	NO LOAD CURRENT SETPOINT		Pts	
W643	NO LOAD CURRENT MINI SETPOINT		Pts	CW1030
W644	TENSION THRESHOLD MINI FOR CORRECTION		0.1 N	CW1032
W645	CORE OVERSPEED COMPARED TO LINE SPEED		%	CW1034
W646	CORE OVER SPEED		Pts	
W647	MOTOR CURRENT SETPOINT		Pts	
W648	MOTOR SPEED SETPOINT		Pts	
W649	COPY OUT W641		Pts	
W650	CURRENT SETPOINT INCREASE STEP		Pts	
W651	CURRENT SETPOINT MAX AT t		Pts	
W652	CURRENT SETPOINT MIN AT t		Pts	
W653	FREE			
W654	FREE			
W655	FREE			
W656	FREE			
W657	FREE			
W658	CORONA TREATER INPUT PARAMETERS			

W659	FREE			
W660	FLAME TEMPERATURE			
W661	FLAME TREATER MIXTURE			
W662	FLAME TREATER ROLL TEMPERATURE			
W663	FLAME GAP			
W664	TREATER A			
W665	TREATER B			
W666	TREATER C			
W667	TREATER D			
W668	FREE			
W669	FREE			
W670	FREE			
W671	FREE			
W672	FREE			
W673	FREE			
W674	FREE			
W675	FREE			
W676	FREE			
W677	FREE			
W678	FREE			
W679	FREE			
W680	LENGTH CALCULATIONS			
W681	FREE			
W682	FREE			
W683	FREE			
W684	FREE			
W685	FREE			
W686	FREE			
W687	FREE			
W688	FREE			
W689	FREE			
W690	FREE			
W691	FREE			
W692	FREE			
W693	FREE			
W694	FREE			
W695	FREE			
W696	FREE			
W697	FREE			
W698	FREE			
W699	FREE			
W700	FREE			
W701	TENSION SETPOINT	R	0.1 N	
W702	LINE SPEED MEASURE	R	10 -3 Mps	
W703	CORE SPEED MEASURE	R	10 -3 Rps	
W704	LINE SPEED CALCULATION	C	10 -3 Mps	
W705	TENSION MEASURE	R	0.1 N	
W706	MOTOR CURRENT AVERAGE	R	Pts	
W707	DIAMETER CALCULATION	C	10 - 4 M	
W708	CORE SPEED MINI THRESHOLD	P	10 - 3 Rps	CW1112
W709	TOGURE MOTOR COEFFICIENT	P	10 - 2 Nm/A	CW1114
W710	FREE			
W711	RADIUS DIFFERENCE FOR INCREASE (0,1%)	P	0/000	CW1116
W712	LINE SPEED MEASURE - LINE SPEED CALCULATION	C	0/000	
W713	MINIMUM TORGUE DIFFERENCE FOR CORRECT	P	0.1N	CW1118

W714	INCREASE CORRECTION TORQUE STEP	P	0.1N	CW1120
W715	ROUGH WORDS			
W716	ROUGH WORDS			
W717	ROUGH WORDS			
W718	ROUGH WORDS			
W719	ROUGH WORDS			
W720	SPEED CONTROL SENSIBILITY	P	0 -- 5 Rps/Pts	CW1122
W721	FREE			
W722	FREE			
W723	FREE			
W724	FREE			
W725	FREE			
W726	FREE			
W727	FREE			
W728	FREE			
W729	INCREASE RADIUS STEP	P	10 - 4 M	CW1124
W730	TENSION TORQUE + CORRECTION TORQUE RESULT	C	0.1 Nm	
W731	TENSION TORQUE	C	0.1 Nm	
W732	CORRECTION TORQUE	C	0.1 Nm	
W733	INSTANTANEOUS CORRECTION TORQUE	C	0.1 Nm	
W734	PROPORTIONAL CORRECTION TORQUE COEF.	P	%	CW1126
W735	FREE			
W736	ROLL DIAMETER MINIMUM (COPY OUT W90)	P	10 -4 M	
W737	ROLL DIAMETER MAXIMUM (COPY OUT W91)	P	10 -4 M	
W738	FREE			
W739	TORQUE -----> CURRENT COEFFICIENT	P	0.1 Pts /A	CW1128
W740	MOTOR SPEED SR0 L360+3			
W741	INSTANTANEOUS CURRENT SETPOINT	C	Pts	
W742	NO LOAD CURRENT SETPOINT	C	Pts	
W743	NO LOAD CURRENT MINI SETPOINT	P	Pts	
W744	TENSION THRESHOLD MINI FOR CORRECTION	P	0.1N	CW1130
W745	CORE OVERSPEED COMPARED TO LINE SPEED	P	%	CW1132
W746	CORE OVERSPEED	C	Pts	
W747	MOTOR CURRENT SETPOINT	C	Pts	
W748	MOTOR SPEED SETPOINT	C	Pts	
W749	COPY OUT W741	C	Pts	
W750	CURRENT SETPOINT INCREASE STEP	P	Pts	
W751	CURRENT SETPOINT MAX AT t	C	Pts	
W752	CURRENT SETPOINT MIN AT t	C	Pts	
W753	FREE			
W754	FREE			
W755	FREE			
W756	FREE			
W757	FREE			
W758	FREE			
W759	FREE			
W760	FREE			
W761	FREE			
W762	FREE			
W763	FREE			
W764	SECONDARY EXTRUDER RPM SETPOINT			
W765	FREE			
W766	FREE			
W767	FREE			
W768	FREE			

W769	FREE			
W770	FREE			
W771	FREE			
W772	FREE			
W773	FREE			
W774	FREE			
W775	FREE			
W776	FREE			
W777	FREE			
W778	TREATER INPUT PARAMETERS TREATMENT			
W779	FREE			
W780	FLAME TEMPERATURE			
W781	MIXTURE FLOW			
W782	ROLL TEMP			
W783	GAP			
W784	CORONA A- SCADA			
W785	CORONA B- SCADA			
W786	CORONA C- SCADA			
W787	CORONA D- SCADA			
W788	FREE			
W789	FREE			
W790	FREE			
W791	FREE			
W792	FREE			
W793	FREE			
W794	FREE			
W795	SEE WORD BITS			
W796	SEE WORD BITS			
W797	FREE			
W798	FREE			
W799	FREE			
W800	SEE WORD BITS			
W801	FREE			
W802	FREE			
W803	CONTACT ROLL CURRENT LIMITATION			
W804	LENGTH SETPOINT			
W805	LENGTH MINI			
W806	LENGTH MAXI			
W807	TRANSFER TENSION			
W808	GRAPH BASE Nb 1 VALUE			
W809	GRAPH BASE Nb 2 VALUE			
W810	GRAPH BASE Nb 3 VALUE			
W811	GRAPH BASE Nb 4 VALUE			
W812	GRAPH BASE Nb 5 VALUE			
W813	GRAPH BASE Nb 6 VALUE			
W814	GRAPH BASE Nb 7 VALUE			
W815	GRAPH BASE Nb 8 VALUE			
W816	GRAPH BASE Nb 9 VALUE			
W817	GRAPH BASE Nb 10 VALUE			
W818	GRAPH BASE Nb 11 VALUE			
W819	GRAPH BASE Nb 12 VALUE			
W820	GRAPH BASE Nb 13 VALUE			
W821	GRAPH BASE Nb 14 VALUE			
W822	GRAPH BASE Nb 15 VALUE			
W823	GRAPH BASE Nb 16 VALUE			

W824	GRAPH BASE Nb 17 VALUE			
W825	GRAPH BASE Nb 18 VALUE			
W826	GRAPH BASE Nb 19 VALUE			
W827	GRAPH BASE Nb 20 VALUE			
W828	CONTACT ROLL DRAW			
W829	THICKNESS			
W830	CONTACT ROLL DRAW			
W831	GRAPH BASE Nb 1 VALUE			
W832	GRAPH BASE Nb 2 VALUE			
W833	GRAPH BASE Nb 3 VALUE			
W834	GRAPH BASE Nb 4 VALUE			
W835	GRAPH BASE Nb 5 VALUE			
W836	GRAPH BASE Nb 6 VALUE			
W837	GRAPH BASE Nb 7 VALUE			
W838	GRAPH BASE Nb 8 VALUE			
W839	GRAPH BASE Nb 9 VALUE			
W840	GRAPH BASE Nb 10 VALUE			
W841	GRAPH BASE Nb 11 VALUE			
W842	GRAPH BASE Nb 12 VALUE			
W843	GRAPH BASE Nb 13 VALUE			
W844	GRAPH BASE Nb 14 VALUE			
W845	GRAPH BASE Nb 15 VALUE			
W846	GRAPH BASE Nb 16 VALUE			
W847	GRAPH BASE Nb 17 VALUE			
W848	GRAPH BASE Nb 18 VALUE			
W849	GRAPH BASE Nb 19 VALUE			
W850	GRAPH BASE Nb 20 VALUE			
W851	PRL L250+2			
W852	TREATMENT OF WHOLE TORQUE			
W853	CORRECTION TORQUE			
W854	TREATMENT OF INSTANTANEOUS CURRENT ORDER			
W855	MOTOR SPEED SETPOINT			
W856	TREATMENT OF WHOL TORQUE			
W857	CORRECTION TORQUE			
W858	TREATMENT OF INSTANTANEOUS CURRENT ORDER			
W859	MOTOR SPEED SETPOINT			
W860	CARRIAGE POSITION PID SETPOINT			
W861	CARRIAGE POSITION PID MEASURE(AVERAGE)			
W862	FREE			
W863	FREE			
W864	FREE			
W865	FREE			
W866	FRFR			
W867	FREE			
W868	FREE			
W869	FREE			
W870	SEE WORD BITS			
W871	SEE WORD BITS			
W872	FREE			
W873	FREE			
W874	CORE A SPEED DISPLAY			
W875	CORE B SPEED DISPLAY			
W876	CONTACT ROLL SPEED			
W877	FREE			
W878	FREE			

W879	CORE A CURRENT			
W880	CORE B SPEED DISPLAY			
W881	CONTACT ROLL SPEED			
W882	FREE			
W883	TREATER INPUT PARAMETERS TREATMENT			
W884	LENGTH MEASURE			
W885	TENSION			
W886	SET VALUE			
W887	CONTACT FORCE SETPOINT			
W888	ROLL DIA.			
W889	DENSITY TO PC1 , PC2			
W890	FLAME TREATER TEMPERATURE			
W891	MIXTURE FLOW			
W892	ROLL TEMP			
W893	GAP			
W894	CORONA A- SCADA			
W895	CORONA B- SCADA			
W896	CORONA C- SCADA			
W897	CORONA D- SCADA			
W898	FREE			
W899	FREE			
W900	FREE			
W992	LINE SPEED			
W993	LINE SPEED			
W1000	GAP/CONTACT			
W1003	GAP/CONTACT			
W1004	LENGTH SETPOINT			
W1005	LENGTH MINI			
W1006	LENGTH MAXI			
W1007	TRANSFER TENSION			
W1008	TENSION MAX			
W1009	TENSION MAX/TENSION MAX 2			
W1010	TENSION MAX/TENSION MAX 2			
W1011	FREE			
W1012	FREE			
W1013	FREE			
W1014	FREE			
W1015	FREE			
W1016	FREE			
W1017	FREE			
W1018	FREE			
W1390	FREE			
W1391	FREE			
W1392	FREE			
W1393	FREE			
W1394	FREE			

[illegible]

WINDER FPC KF021 07/07/92

BLOCKS

PLC ADD	Comment		Unit
T0	EMERGENCY STOP		
T1	AEM 411 SLOT 1 CONFIGURATION		
T2			
T3	CORE A START MAXI CURRENT		
T4	CORE B START MAXI CURRENT		
T5	LOADING PUMP CONTACTOR ANSWER		
T6	PB INITIALISATION TIME BETWEEN 2 IMPULS		
T7	AEM 411 SLOT 2 CONFIGURATION		
T8	AEM 411 SLOT 3 CONFIGURATION		
T9			
T10	CARRIAGE MOTORS CONTACTOR ANSWER		
T11	WINDER POSITION CONTACTOR ANSWER		
T12			
T13			
T14			
T15			
M0			
M1	CORE A START		
M2	CORE A STOP		
M3	CORE B START		
M4	CORE B STOP		
M5	TURRET START		
M6	TURRET STOP		
M7	ROLL DIAMETER MAXI		
M8	WEB BREAK		
M9	HORN		
M10	CONTACT ROLL START		
M11	CONTACT ROLL STOP		
M12	LOADING PUMP		
M13			
M14	KNIFE		
M15			
TXT0	AEM 411 SLOT 1 CONFIGURATION		
TXT1			
TXT2			
TXT3	AEM 411 SLOT 2 CONFIGURATION		
TXT4	AEM 411 SLOT 3 CONFIGURATION		
TXT5	CTM100 CONFIGURATION		
TXT6			
TXT7			
TXT8			
TXT9			

FAST		LENGTH COUNTER TREATMENT	MARK
PREL	L10	EMERGENCY STOP	
	L20	POWER SUPPLY APPEARANCE WINDING POSITION INTRODUCTION INIT. SEQUENCE CALL INTI PAGE	
	L40	DEFECTS RESET	
	L50	INITIALISATION	
	L60	STOP AUTO CUT	
	L70	CALL SR3 (CALL CONFIGURATION)	
	L80 & 90	SCALE TREATMENT XBT-V DISPLAY	
	L100	WINDING REGURATION (MEASURED VALUES)	
	L110	ANALOG MEASURE TREATMENT --> DISPLAY IF VAR'S STOPPING	0-
	L120	TURRET POSITION	
	L130	CTM DEFECT RESET	
	L150	CORE B IN WINDING (ZSB) CORE B N MANUAL CUTTING	
	L200	CORE A IN WINDING (ZSB)	
	L230	CORE A IN MANUAL CUTTING (ZSI)	
	L240	WEB BREAK	
	L250	SPOOL DIAMETER TREATMENT(%)	
	L260	LINE RECORDER OUTPUT TREATMENT	
	L270	LENGTH TREATMENT	
	L280	SEGMENTS TREATMENT	
	L290	TENSION FOR WINDING	
	L300	TENSION FOR CUTTING	
	L310	TENSION RAMP	
	L320	TENSION RESULT TRANSFER	
	L330	PRESSURE TREATMENT	
	L340	WINDING PRESSURE	
	L350	PRESSURE RAMP	
	L360	PRESSURE RESULT TRANSFER	
	L370	RADIUS TREATMENT	
	L380	RADIUS RESET REDIUS MEM	
	L390	SR0'S VARIABLES LOADING	
	L400	CALL SR0	
	L410	CONTACT ROLL SPEED REFERENCE	
	L420	LENGTH COUNTER	
	L430	LENGTH COUNTER RESET	
	L440	CARRIAGE ON FORWARD POSITION HYDRAULIC REGULATING	
	L450	ALARMS TREATMENT FAULT MESSAGES TREATMENT	
	L460	CORE A MOTOR	
	L470	CORE B MOTOR	
	L480	TURRET MOTOR	
	L490	CONTACT ROLL MOTOR	
	L500	EMERGENCY STOP	
	L510	CARRIAGE HYDRAULIC PUMP FAULT	

	L520		
	L530		
	L540	PNEUMAYIC PRESSURE FAULT	
	L550	ROLL DIAMETER MAXIMUM	
	L560	FAULT RESET	
	L570	TASK TIME TREATMENT	
CHART	PAGE1	X0 : WINDING X1 : CARRIAGE BACKWARD XM0: INITIALISATION XM1: INIT WEB BREAK XM2: TO CUTTING POS XM3: TO WINDING POS XM4: TURRET ROTATION XM5: AUTO CUTTING XM6: MANUAL CUTTING	
	PAGE2	FUNCTION TEST 11: CARRIAGE FORWARD 12: CARRIAGE BACKWARD 13: CARRIAGE FORWARD FOR MANUAL CUTTING 21 TO 27 : FORWARD TURRET 21 TO 28 : REVERSE TURRET	
XM0	PAGE1	IN: KNIFE RETURN 1) CUT ARM RETURN 2) CARRIAGE REVERSE TO 5) TURRET ROTATION	3
XM1	PAGE1	IN: SPREADER OPEN KNIFE RET CUTTING ARM RET WAIT ORDER CARRIAGE BACKWARD	1 2 3
XM2	PAGE1	IN: WAIT ORDER 1: CCW ROT CCW ROT STOP CCW ROT CCW ROT STOP	2: 3: 4: 5: 6:
XM3	PAGE1	1: CCW ROT CCW ROT STOP	2: 3:
XM4	PAGE1	IN: WAIT ORDER 1: TURRET CCW 2: ROTATION STOP TURRET CARRIAGE FORWARD HIGH SPEED CARRIAGE FORWARD LOW SPEED	3: 4: 5:
XM5	PAGE1	IN : CUT ARM ENGAGE PINNING BAR ON KNIFE ENGAGE PINNING BAR ON KNIFE RETURN : CUT ARM RETURN	1: 2; 3: OUT

XM6	PAGE1	1 TO 3 : CCW ROT STOP MANUAL CUTTING CW ROT OUT : CARRIAGE FORWARD LOW SPEED	4: WAIT 5 TO 7: 8 : STOP
POST	L10	SR0'S RESULT OUTPUT WORDS	
	L20	JOG TREATMENT	
	L30	SLACK TAKE UP CORE A	
	L40	SLACK TAKE UP CORE B	
	L50	START AUTO-CUTTING START MANUAL CUTTING START WEB BREAK SEQUENCE	
	L60	END OF CUTTING	
	L70	RESET CORES CONTROL LOOPS	
	L80	SEMI AUTO CUT CUTTING ARM MANUAL ORDER END OF MANUAL CONTROL CUT	
	L90	WINDING DENSITY TREATMENT	
	L100	OUTPUTS TREATMENT (CALL SR6)	
	L110	MOTORS SEQUENCES (CALL SR2)	
	L120	ASR TREATMENT (CALL SR1)	
	L125	ASCII TREATMENT (CALL SR4)	
	L130	RANGES TREATMENT XBT-V (CALL SR5)	
	L140	ROLL CHANGE ON	
	L150	WEB BREAK BY PASS ON ROLL TRANSFER	
	L160	ON /OFF CORE CALL " PRESS NEXT STEP"	
	L170	END OF SOFTWARE	
SR0	L10	TEST MOTOR OFF +JOG	
	L20	RADIUS TREATMENT	CORE A
	L30	STOP OF MINI RADIUS	CORE A
	L40	STOP OF MAXI RADIUS	CORE A
	L50	START CURRENT	CORE A
	L60	TORQUE TREATMENT.	CORE A
	L70	TREATMENT OF CORRECTION TORQUE	CORE A
	L100	VISUAL	CORE A
	L110	TREATMENT OF WHOLE TORQUE	CORE A
	L120	TREATMENT OF INSTANTANEOUS CURRENT ORDER	CORE A
	L130	NO LOAD CURENT	CORE A
	L170	TREATMENT OF SPEED ORDER	CORE A
	L210	RADIUS TREATMENT	CORE B
	L220	STOP OF MINI RADIUS	CORE B
	L230	STOP OF MAXI RADIUS	CORE B
	L240	START CURRENT	CORE B
	L250	TORQUE TREATMENT.	CORE B
	L260	TREATMENT OF CORRECTION TORQUE	CORE B
	L310	TREATMENT OF WHOLE TORQUE	CORE B
	L320	TREATMENT OF INSTANTANEOUS CURRENT ORDER	CORE B

	L330	NO LOAD CURENT	CORE B
	L360	TREATMENT OF SPEED ORDER	CORE B
SR1	L10	CONFIGURATION	
	L20	INIT	
	L30	LIMITS CONTROL	
	L40	SHIFT-ADDITION	
	L50	UP TO DATE OUTPUTS BRINGING (WZ-> OWXY)	
SR2	L20	MOTOR RUN (CORE A)	
	L30	UNLOCKING	
	L40	STOP/FAULT	
	L110	MOTOR RUN (CORE B)	
	L120	UNLOCKING	
	L130	STOP/FAULT	
	L200	TURRET	
	L210	TURRET MOTOR RUN	
	L220	UNLOCKING	
	L230	STOP /FAULT	
	L300	CONTACT ROLL	
	L310	MOTOR RUN	
	L320	UNLOCKING	
	L330	STOP/FAULT	
SR3		CONFIGURATIONG FOR AEM 411 #1 , #2 , #3 CTM	
SR4		FAST COUNTER	
	L1	CALL PAGE	
	L2	CALL MESSAGE	
SR5	L10	THICKNESS	
	L20	LENGTH	
	L40	PRESSURE	
	L50	TENSION	
	L60	CONTACT ROLL DRAW	
	L70	GAP	
	L80	CALL MESSAGE	
SR6	L10	CARRIAGE HYDRAULIC PUMP	
	L22	AUTOMATIC CONTROL	
	L24	KNIFE MANUAL CONTROL	
	L25	KNIFE MEM	
	L40	KNIFE ORDER	
	L45	PINNING BAR ORDER	
	L49	CUTTING ARM MANUAL CONTRAL INTERLOCK	
	L50	CUTTING ARM MEM	
	L55	CUTTING ARM ORDER	
	L60	LEFT & RIGHT SPREADERS	
	L65	TURN LIGHT	
	L70	HORN	
	L80	CARRIAGE MANUAL CONTROL	
	L90	CARRIAGE REVERSE ORDER	
	L110	CARRIAGE FORWARD ORDER	
	L120	CARRIAGE LOW FORWARD ORDER	
	L125	CARRIAGE RAMP CONTROL	
	L141	TURRET ROTATION CONDITION	
	L142	TURRET CONDITION	
	L145	TURRET AUTO CUTTING	

	L147	TURRET MANUAL ROTATION	
	L148	FUNCTION TEST ROTATION	
	L150	TURRET ROTATION TURRET LOCKING IN WINDING POSITION	
	L154	CORE A ORDER MEM	
	L155	CORE B ORDER MEM	
	L156	CORE A JOG MEM	
	L159	CORE A ORDER	
	L160	CORE A ORDER	
	L161	CORE A IN MANUAL MODE	
	L163	CORE B JOG MEM	
	L164	CORE B ORDER	
	L165	CORE B ORDER	
	L166	CORE B IN MANUAL MODE	
	L167	CONTACT ROLL ORDER	
	L169	STOP ROLL IF WEB BREAK	
	L170	END OF ROLL	
	L175	PNEUMATIC LOCKING DEVICE	
	L180	LINE RECORDER CURRENT	
	L210	CONTACT ROLL CONTROL	
	L220	WINDER DEFECT	
	L230	CHUCKS INTERLOCK	
	L300	CHUCKS ORDER	
SR7	L5	SET POINT - MEASURE	
	L10	PROPORTIONAL ACTION	
	L15	INTEGRAL ACTION	
	L25	$(AP+AI)*XP \rightarrow \text{OUTPUT}$	
SR8	L10	INIT	
	L20	TREATMENT - STORAGE	
	L30	CONTROL OF READ WRITE POINTER	
	L40	CONTROL OF MAIN POINTER	
SR9	L10	CORE A TO WINDING POSITION	
	L20	CORE B TO WINDING POSITION	
SR10	L10	CORE A TO WINDING POSITION	
	L20	CORE B TO WINDING POSITION	
SR11		TURRET MANUAL CUTTING ROTATION	