## **Cucumber Report**

21 Jul, 2022 9:31:08 PM

Started At: Jul 21, 9:31:06.816 PM


Finished At: Jul 21, 9:31:07.305 PM


Duration : 0.489 s


**Features** 

Scenarios

Steps







Passed - ( Failed - 1

Skipped - 0

Passed - C


Failed - 1

Skipped - 0

Passed - 0

Failed - 1


Skipped - 4








### FEATURES SUMMARY 1 - 1



#	Feature Name	Т	P	F	S	Duration
1	Login	1	0	1	0	0.489 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login	Successful Login with Valid Cre	5	0	1	4	0.489 s

# (F) - Login

// Jul 21, 9:31:06.816 PM // Jul 21, 9:31:07.305 PM //


Duration 0.489 s


Duration

0.489 s

#### @Tags -









#### (F) - Login


## (S) - Successful Login with Valid Credentials1

// Jul 21, 9:31:06.816 PM // Jul 21, 9:31:07.305 PM //

@Tags - @Reddy







#	Step / Hook Text	Status	Duration
1	Given Launch the application URL junit.framework.AssertionFailedError: Execution is not enabled for this at junit.framework.Assert.fail(Assert.java:57) at steps.AllSteps.application(AllSteps.java:43) at .Launch the application URL(file:///E:/Selenium/Framework/ReddyR	FAILED	0.015 s
2	When User enters Username and Password	SKIPPED	0.000 s
3	And Click on Login	SKIPPED	0.000 s
4	When User click on Log out link	SKIPPED	0.000 s
5	Then close the browser	SKIPPED	0.000 s
	after - steps.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException at steps.ApplicationHooks.tearDown(ApplicationHooks.java:63)	FAILED	0.011 s