Results and Issues of Burlingame Plugfest

December 6th, 2017

Ryuichi Matsukura

Fujitsu Laboratories Ltd. / Fujitsu Ltd.

See TPAC2017 plugfest github
https://github.com/w3c/wot/blob/master/plugfest/2017-burlingame/preparation.md

Servients diagram on TPAC2017



TPAC2017 Plugfest results



Summary of achievements

- Proxy servients can help to set up a larger scale system
  - Proxy servients aggregate applications and devices to easily connect to each other.
- Connectivity and security
  - Some resolutions had been given for the local and the Internet connections including NAT / Firewall traversal.
- Many devices can connect using WoT framework
  - Sensors and actuators of house, building, factory and vehicle
  - ECHONET Lite, OCF, SmartThings, IPSO, BACnet, KNX, Lemonbeat, Modbus, EtherCAT, and VISS
- Applications are developed on Scripting API and Node-RED
  - Applications are connected to the proxies and the devices using external WoT Interface.

Issues for the next

- Inter-Servient Interface
  - Detailed specification is necessary for the plugfest participants
  - Some mismatches on the implementations: Action vs. Set, payload format, …
- Architecture
  - 3 or 4 layer model should be specified to the architecture document
  - Some conflicts on definitions of proxy servients
- Connectivity and security
  - Interoperable firewall and NAT traversal patterns between remote/local proxies
  - Security consideration
- TD management
  - Thing directory
- Operations
  - Event
  - Action/Set to control the actuators

Action plans

- Plugfest call
  - Resume from the next Wednesday
- Plugfest guideline document
  - Detailed specification for the references
  - Part of them shall merge to WG documents, and others to notes or appendix.
  - Setup the document on IG repository