Scan Report

February 7, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was "Unnamed". The scan started at Sat Feb 7 15:44:19 2026 UTC and ended at Sat Feb 7 16:17:02 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**

2 Results per Host **2**

2.1 192.168.254.130 2

2.1.1 High 80/tcp 2

2.1.2 High 443/tcp 17

2.1.3 High 3306/tcp 32

2.1.4 Medium 80/tcp 34

2.1.5 Medium 443/tcp 50

2.1.6 Medium 135/tcp 72

2.1.7 Low general/icmp 74

1 Result Overview

Host	High	Medium	Low	Log	False Positive
192.168.254.130	22	28	1	0	0
Total: 1	22	28	1	0	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level "Log" are not shown.
Issues with the threat level "Debug" are not shown.
Issues with the threat level "False Positive" are not shown.
Only results with a minimum QoD of 70 are shown.

This report contains all 51 results selected by the filtering described above. Before filtering there were 123 results.

2 Results per Host

2.1 192.168.254.130

Host scan start	Sat Feb 7 15:44:53 2026 UTC
Host scan end	Sat Feb 7 16:16:55 2026 UTC

Service (Port)	Threat Level
80/tcp	High
443/tcp	High
3306/tcp	High
80/tcp	Medium
443/tcp	Medium
135/tcp	Medium
general/icmp	Low

2.1.1 High 80/tcp

High (CVSS: 9.9)

NVT: jQuery End of Life (EOL) Detection - Windows

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

The jQuery version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The "jQuery" version on the remote host has reached the end of life.
CPE:                cpe:/a:jquery:jquery:1.10.2
Installed version: 1.10.2
Location/URL:       Externally hosted
EOL version:        1
EOL date:           unknown
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: src="//code.jquery.com/jquery-1.10.2.min.js
- Referenced at:   http://192.168.254.130/dashboard/
Note: The jQuery library is hosted on a different server and the used version ha
↪s been extracted from the referenced URL.
```

Impact

An EOL version of jQuery is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:

Solution type: VendorFix

Update jQuery on the remote host to a still supported version.

Vulnerability Detection Method

Checks if an EOL version is present on the target host.

Details: `jQuery End of Life (EOL) Detection - Windows`

OID:1.3.6.1.4.1.25623.1.0.117148

Version used: `2024-02-28T14:37:42Z`

References

`url: https://github.com/jquery/jquery.com/pull/163`

High (CVSS: 9.8)

NVT: PHP < 8.1.29, 8.2.x < 8.2.20, 8.3.x < 8.3.8 Multiple Vulnerabilities - Windows

Product detection result

```
cpe:/a:php:php:8.2.12
Detected by PHP Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

Summary

. . . continues on next page . . .

. . . continued from previous page . . .

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 8.2.12
Fixed version:     8.2.20
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.1.29, 8.2.20, 8.3.8 or later.

Affected Software/OS
PHP prior to version 8.1.29, version 8.2.x through 8.2.19 and 8.3.x through 8.3.7.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2024-4577: Argument injection in PHP-CGI (bypass of CVE-2012-1823)
- CVE-2024-5458: Filter bypass in filter_var FILTER_VALIDATE_URL
- CVE-2024-5585: Bypass of CVE-2024-1874
- CVE-2024-2408: Marvin attack in OpenSSL on Windows builds

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.29, 8.2.x < 8.2.20, 8.3.x < 8.3.8 Multiple Vulnerabilities - Windows`
OID:1.3.6.1.4.1.25623.1.0.152368
Version used: `2024-08-09T05:05:42Z`

Product Detection Result
Product: `cpe:/a:php:php:8.2.12`
Method: `PHP Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

References

```
cve: CVE-2024-4577
cve: CVE-2024-5458
cve: CVE-2024-5585
cve: CVE-2024-2408
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://www.php.net/ChangeLog-8.php#8.1.29
url: https://www.php.net/ChangeLog-8.php#8.2.20
url: https://www.php.net/ChangeLog-8.php#8.3.8
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://github.com/php/php-src/security/advisories/GHSA-hh26-4ppw-5864
url: https://github.com/php/php-src/security/advisories/GHSA-9fcc-425m-g385
url: https://github.com/php/php-src/security/advisories/GHSA-w8qr-v226-r27w
url: https://devco.re/blog/2024/06/06/security-alert-cve-2024-4577-php-cgi-argum
↪ent-injection-vulnerability-en/
url: https://blog.orange.tw/2024/06/cve-2024-4577-yet-another-php-rce.html
url: https://labs.watchtowr.com/no-way-php-strikes-again-cve-2024-4577/
url: https://github.com/watchtowrlabs/CVE-2024-4577
url: https://people.redhat.com/~hkario/marvin/
cert-bund: WID-SEC-2024-3196
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1324
cert-bund: WID-SEC-2024-1320
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-1853
dfn-cert: DFN-CERT-2024-1586
dfn-cert: DFN-CERT-2024-1574
dfn-cert: DFN-CERT-2024-1563
dfn-cert: DFN-CERT-2024-1476
```

High (CVSS: 9.8)

NVT: Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Windows

Product detection result

```
cpe:/a:apache:http_server:2.4.58
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 2.4.58
Fixed version:     2.4.60
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.60 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server version 2.4.59 and prior.

Vulnerability Insight
The following flaws exist:
- CVE-2024-36387: Denial of Service (DoS) by Null pointer in websocket over HTTP/2
- CVE-2024-38472: Windows UNC Server-Side Request Forgery (SSRF)
- CVE-2024-38473: Proxy encoding problem
- CVE-2024-38474: Weakness with encoded question marks in backreferences
- CVE-2024-38475: Weakness in mod_rewrite when first segment of substitution matches filesystem path
- CVE-2024-38476: May use exploitable/malicious backend application output to run local handlers via internal redirect
- CVE-2024-38477: Crash resulting in DoS in mod_proxy via a malicious request
- CVE-2024-39573: mod_rewrite proxy handler substitution

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Windows`
OID:1.3.6.1.4.1.25623.1.0.114683
Version used: `2024-08-22T05:05:50Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.58`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2024-36387`
`cve: CVE-2024-38472`
`cve: CVE-2024-38473`
`cve: CVE-2024-38474`
`cve: CVE-2024-38475`
`cve: CVE-2024-38476`
`cve: CVE-2024-38477`
`cve: CVE-2024-39573`
`url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.60`
`cert-bund: WID-SEC-2024-3291`
`cert-bund: WID-SEC-2024-3199`
`cert-bund: WID-SEC-2024-1913`
`cert-bund: WID-SEC-2024-1504`
`dfn-cert: DFN-CERT-2024-2841`
`dfn-cert: DFN-CERT-2024-2787`
`dfn-cert: DFN-CERT-2024-2736`
`dfn-cert: DFN-CERT-2024-2534`
`dfn-cert: DFN-CERT-2024-2342`

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-2214
dfn-cert: DFN-CERT-2024-2201
dfn-cert: DFN-CERT-2024-2180
dfn-cert: DFN-CERT-2024-2110
dfn-cert: DFN-CERT-2024-2017
dfn-cert: DFN-CERT-2024-1963
dfn-cert: DFN-CERT-2024-1920
dfn-cert: DFN-CERT-2024-1919
dfn-cert: DFN-CERT-2024-1911
dfn-cert: DFN-CERT-2024-1907
dfn-cert: DFN-CERT-2024-1893
dfn-cert: DFN-CERT-2024-1816
dfn-cert: DFN-CERT-2024-1811
dfn-cert: DFN-CERT-2024-1784
dfn-cert: DFN-CERT-2024-1741
dfn-cert: DFN-CERT-2024-1699
```

High (CVSS: 9.7)

NVT: PHP < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Multiple Vulnerabilities - Windows

Product detection result

```
cpe:/a:php:php:8.2.12
Detected by PHP Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 8.2.12
Fixed version:     8.2.18
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.1.28, 8.2.18, 8.3.6 or later.

Affected Software/OS

PHP prior to version 8.1.28, version 8.2.x through 8.2.17 and 8.3.x through 8.3.5.

Vulnerability Insight

. . . continues on next page . . .

. . . continued from previous page . . .

The following vulnerabilities exist:
- CVE-2024-1874: Command injection via array-ish $command parameter of proc_open even if bypass_shell option enabled
- CVE-2024-3096: password_verify can erroneously return true, opening ATO risk

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Multiple Vulnerabilities - Windows`
OID:1.3.6.1.4.1.25623.1.0.152119
Version used: `2024-04-16T05:05:31Z`

Product Detection Result
Product: `cpe:/a:php:php:8.2.12`
Method: `PHP Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

References
```
cve: CVE-2024-1874
cve: CVE-2024-3096
url: https://github.com/php/php-src/security/advisories/GHSA-pc52-254m-w9w7
url: https://github.com/php/php-src/security/advisories/GHSA-h746-cjrr-wfmr
url: https://www.php.net/ChangeLog-8.php#8.1.28
url: https://www.php.net/ChangeLog-8.php#8.2.18
url: https://www.php.net/ChangeLog-8.php#8.3.6
cert-bund: WID-SEC-2024-0867
dfn-cert: DFN-CERT-2024-1574
dfn-cert: DFN-CERT-2024-1192
dfn-cert: DFN-CERT-2024-1132
dfn-cert: DFN-CERT-2024-1115
dfn-cert: DFN-CERT-2024-0993
dfn-cert: DFN-CERT-2024-0962
```

High (CVSS: 8.8)

NVT: PHP < 8.1.30, 8.2.x < 8.2.24, 8.3.x < 8.3.12 Multiple Vulnerabilities - Windows

Product detection result
`cpe:/a:php:php:8.2.12`
`Detected by PHP Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

Summary
PHP is prone to multiple vulnerabilities.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 8.2.12
Fixed version:     8.2.24
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.1.30, 8.2.24, 8.3.12 or later.

Affected Software/OS
PHP versions prior to 8.1.30, 8.2.x prior to 8.2.24 and 8.3.x prior to 8.3.12.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2024-8925, CVE-2024-8928: Erroneous parsing of multipart form data
- CVE-2024-8926: Bypass of CVE-2024-4577, Parameter Injection Vulnerability
- CVE-2024-8927: cgi.force_redirect configuration is bypassable due to the environment variable collision
- CVE-2024-9026: Logs from children may be altered

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.30, 8.2.x < 8.2.24, 8.3.x < 8.3.12 Multiple Vulnerabilities - Windows`
OID:1.3.6.1.4.1.25623.1.0.114788
Version used: `2024-10-17T08:02:35Z`

Product Detection Result
Product: `cpe:/a:php:php:8.2.12`
Method: `PHP Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

References

```
cve: CVE-2024-8925
cve: CVE-2024-8926
cve: CVE-2024-8927
cve: CVE-2024-8928
cve: CVE-2024-9026
url: https://www.php.net/ChangeLog-8.php#8.1.30
url: https://www.php.net/ChangeLog-8.php#8.2.24
url: https://www.php.net/ChangeLog-8.php#8.3.12
url: https://github.com/php/php-src/security/advisories/GHSA-9pqp-7h25-4f32
url: https://github.com/php/php-src/security/advisories/GHSA-p99j-rfp4-xqvq
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://github.com/php/php-src/security/advisories/GHSA-94p6-54jq-9mwp
url: https://github.com/php/php-src/security/advisories/GHSA-865w-9rf3-2wh5
url: https://bugzilla.redhat.com/show_bug.cgi?id=2317439
cert-bund: WID-SEC-2024-3116
cert-bund: WID-SEC-2024-2230
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-2591
dfn-cert: DFN-CERT-2024-2550
```

High (CVSS: 7.8)

NVT: PHP 8.1.11 < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Security Update (GHSA-wpj3-hf5j-x4v4) - Windows

Product detection result

```
cpe:/a:php:php:8.2.12
Detected by PHP Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

Summary

PHP is prone to a __Host-/__Secure- cookie bypass vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 8.2.12
Fixed version:     8.2.18
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.1.28, 8.2.18, 8.3.6 or later.

Affected Software/OS

PHP version 8.1.11 through 8.1.27, version 8.2.x through 8.2.17 and 8.3.x through 8.3.5.

Vulnerability Insight

Due to an incomplete fix to CVE-2022-31629, network and same-site attackers can set a standard insecure cookie in the victim's browser which is treated as a __Host- or __Secure- cookie by PHP applications.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP 8.1.11 < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Security Update (GHSA-wpj3-h.`

. . . continues on next page . . .

. . . continued from previous page . . .

↪. .
OID:1.3.6.1.4.1.25623.1.0.152121
Version used: 2024-04-16T05:05:31Z

Product Detection Result
Product: cpe:/a:php:php:8.2.12
Method: PHP Detection (HTTP)
OID: 1.3.6.1.4.1.25623.1.0.800109)

References
cve: CVE-2024-2756
url: https://github.com/php/php-src/security/advisories/GHSA-wpj3-hf5j-x4v4
url: https://www.php.net/ChangeLog-8.php#8.1.28
url: https://www.php.net/ChangeLog-8.php#8.2.18
url: https://www.php.net/ChangeLog-8.php#8.3.6
cert-bund: WID-SEC-2024-0867
dfn-cert: DFN-CERT-2024-1853
dfn-cert: DFN-CERT-2024-1574
dfn-cert: DFN-CERT-2024-1192
dfn-cert: DFN-CERT-2024-1132
dfn-cert: DFN-CERT-2024-1115
dfn-cert: DFN-CERT-2024-0993
dfn-cert: DFN-CERT-2024-0962

High (CVSS: 7.8)

NVT: OpenSSL DoS Vulnerability (20240903) - Windows

Product detection result
cpe:/a:openssl:openssl:3.1.3
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)

Summary
OpenSSL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Installed version: 3.1.3
Fixed version: 3.1.7
Installation
path / port: 80/tcp

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Abnormal termination of an application can a cause a denial of service.

Solution:
Solution type: VendorFix
Update to version 3.0.15, 3.1.7, 3.2.3, 3.3.2 or later.

Affected Software/OS
OpenSSL versions 3.0, 3.1, 3.2 and 3.3.

Vulnerability Insight
Applications performing certificate name checks (e.g., TLS clients checking server certificates) may attempt to read an invalid memory address resulting in abnormal termination of the application process.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL DoS Vulnerability (20240903) - Windows`
OID:1.3.6.1.4.1.25623.1.0.153010
Version used: `2024-09-05T05:05:57Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:3.1.3`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
`cve: CVE-2024-6119`
`url: https://openssl-library.org/news/secadv/20240903.txt`
`url: https://openssl-library.org/news/vulnerabilities/index.html`
`cert-bund: WID-SEC-2024-3201`
`cert-bund: WID-SEC-2024-2040`
`dfn-cert: DFN-CERT-2024-2783`
`dfn-cert: DFN-CERT-2024-2734`
`dfn-cert: DFN-CERT-2024-2322`
`dfn-cert: DFN-CERT-2024-2285`

High (CVSS: 7.5)

NVT: Apache HTTP Server 2.4.0 - 2.4.61 SSRF Vulnerability - Windows

Product detection result
`cpe:/a:apache:http_server:2.4.58`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
Apache HTTP Server is prone to a server-side request forgery (SSRF) vulnerability with mod_rewrite in server/vhost context.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Installed version: 2.4.58
Fixed version:     2.4.62
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.62 or later.

Affected Software/OS
Apache HTTP Server version 2.4.0 through 2.4.61.

Vulnerability Insight
SSRF in Apache HTTP Server on Windows with mod_rewrite in server/vhost context, allows to potentially leak NTML hashes to a malicious server via SSRF and malicious requests.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 - 2.4.61 SSRF Vulnerability - Windows`
OID:1.3.6.1.4.1.25623.1.0.152690
Version used: `2024-08-09T05:05:42Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.58`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2024-40898
url: https://lists.apache.org/thread/pcdvk1qfcqh17dpxz925p7ncy6j2ttwz
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.62
cert-bund: WID-SEC-2024-3196
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1663
dfn-cert: DFN-CERT-2024-2534
dfn-cert: DFN-CERT-2024-1888
```

High (CVSS: 7.5)

NVT: Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Windows

Product detection result
`cpe:/a:apache:http_server:2.4.58`
`Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1`
`↪.0.117232)`

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 2.4.58
Fixed version:     2.4.59
Installation
path / port:       80/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.59 or later.

Affected Software/OS
Apache HTTP Server version 2.4.58 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2023-38709: HTTP response splitting
- CVE-2024-24795: HTTP response splitting in multiple modules
- CVE-2024-27316: HTTP/2 DoS by memory exhaustion on endless continuation frames

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Windows`
OID:1.3.6.1.4.1.25623.1.0.152040
Version used: `2024-06-07T05:05:42Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.58`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2023-38709
cve: CVE-2024-24795
cve: CVE-2024-27316
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.59
url: https://kb.cert.org/vuls/id/421644
url: https://nowotarski.info/http2-continuation-flood/
url: https://nowotarski.info/http2-continuation-flood-technical-details/
cert-bund: WID-SEC-2024-1725
cert-bund: WID-SEC-2024-1643
cert-bund: WID-SEC-2024-1642
cert-bund: WID-SEC-2024-1504
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0801
cert-bund: WID-SEC-2024-0789
dfn-cert: DFN-CERT-2024-2900
dfn-cert: DFN-CERT-2024-2534
dfn-cert: DFN-CERT-2024-2076
dfn-cert: DFN-CERT-2024-1958
dfn-cert: DFN-CERT-2024-1853
dfn-cert: DFN-CERT-2024-1749
dfn-cert: DFN-CERT-2024-1697
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1335
dfn-cert: DFN-CERT-2024-1238
dfn-cert: DFN-CERT-2024-1031
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-0964
dfn-cert: DFN-CERT-2024-0901
dfn-cert: DFN-CERT-2024-0890
```

High (CVSS: 7.5)

NVT: OpenSSL Incorrect Cipher Key & IV Length Processing Vulnerability (20231024) - Windows

Product detection result

```
cpe:/a:openssl:openssl:3.1.3
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)
```

Summary

OpenSSL is prone to an incorrect processing of key and initialisation vector (IV) lengths vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 3.1.3
Fixed version:     3.1.4
Installation
path / port:       80/tcp
```

Impact

A truncation in the IV can result in non-uniqueness, which could result in loss of confidentiality for some cipher modes.

Solution:

Solution type: VendorFix

Update to version 3.0.12, 3.1.4 or later.

Affected Software/OS

OpenSSL version 3.0 and 3.1.

Vulnerability Insight

When calling EVP_EncryptInit_ex2(), EVP_DecryptInit_ex2() or EVP_CipherInit_ex2() the provided OSSL_PARAM array is processed after the key and IV have been established. Any alterations to the key length, via the 'keylen' parameter or the IV length, via the 'ivlen' parameter, within the OSSL_PARAM array will not take effect as intended, potentially causing truncation or overreading of these values. The following ciphers and cipher modes are impacted: RC2, RC4, RC5, CCM, GCM and OCB.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `OpenSSL Incorrect Cipher Key & IV Length Processing Vulnerability (20231024) - . ↪..`

OID:1.3.6.1.4.1.25623.1.0.170622

Version used: `2023-11-10T16:09:31Z`

Product Detection Result

Product: `cpe:/a:openssl:openssl:3.1.3`

Method: `OpenSSL Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.145462)

References

```
cve: CVE-2023-5363
url: https://www.openssl.org/news/secadv/20231024.txt
url: https://www.openssl.org/news/vulnerabilities-3.0.html#CVE-2023-5363
url: https://www.openssl.org/news/vulnerabilities-3.1.html#CVE-2023-5363
cert-bund: WID-SEC-2024-1591
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-1488
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-0869
cert-bund: WID-SEC-2024-0119
cert-bund: WID-SEC-2023-3032
cert-bund: WID-SEC-2023-2741
dfn-cert: DFN-CERT-2024-1799
dfn-cert: DFN-CERT-2024-1601
dfn-cert: DFN-CERT-2024-1413
dfn-cert: DFN-CERT-2024-1067
dfn-cert: DFN-CERT-2024-0744
dfn-cert: DFN-CERT-2024-0491
dfn-cert: DFN-CERT-2024-0285
dfn-cert: DFN-CERT-2024-0253
dfn-cert: DFN-CERT-2024-0191
dfn-cert: DFN-CERT-2024-0127
dfn-cert: DFN-CERT-2023-2624
dfn-cert: DFN-CERT-2023-2615
dfn-cert: DFN-CERT-2023-2610
```

[return to 192.168.254.130]

2.1.2 High 443/tcp

High (CVSS: 9.9)

NVT: jQuery End of Life (EOL) Detection - Windows

Summary

The jQuery version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The "jQuery" version on the remote host has reached the end of life.
CPE:                cpe:/a:jquery:jquery:1.10.2
Installed version: 1.10.2
Location/URL:       Externally hosted
EOL version:        1
EOL date:           unknown
Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info):
- Identified file: src="//code.jquery.com/jquery-1.10.2.min.js
- Referenced at:   https://192.168.254.130/dashboard/
Note: The jQuery library is hosted on a different server and the used version ha
```

. . . continues on next page . . .

. . . continued from previous page . . .

↪s been extracted from the referenced URL.

Impact
An EOL version of jQuery is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:
Solution type: VendorFix
Update jQuery on the remote host to a still supported version.

Vulnerability Detection Method
Checks if an EOL version is present on the target host.
Details: `jQuery End of Life (EOL) Detection - Windows`
OID:1.3.6.1.4.1.25623.1.0.117148
Version used: `2024-02-28T14:37:42Z`

References
`url: https://github.com/jquery/jquery.com/pull/163`

High (CVSS: 9.8)

NVT: PHP < 8.1.29, 8.2.x < 8.2.20, 8.3.x < 8.3.8 Multiple Vulnerabilities - Windows

Product detection result
`cpe:/a:php:php:8.2.12`
`Detected by PHP Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 8.2.12
Fixed version:     8.2.20
Installation
path / port:       443/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.1.29, 8.2.20, 8.3.8 or later.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

PHP prior to version 8.1.29, version 8.2.x through 8.2.19 and 8.3.x through 8.3.7.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2024-4577: Argument injection in PHP-CGI (bypass of CVE-2012-1823)
- CVE-2024-5458: Filter bypass in filter_var FILTER_VALIDATE_URL
- CVE-2024-5585: Bypass of CVE-2024-1874
- CVE-2024-2408: Marvin attack in OpenSSL on Windows builds

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.29, 8.2.x < 8.2.20, 8.3.x < 8.3.8 Multiple Vulnerabilities - Windows`
OID:1.3.6.1.4.1.25623.1.0.152368
Version used: `2024-08-09T05:05:42Z`

Product Detection Result
Product: `cpe:/a:php:php:8.2.12`
Method: `PHP Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

References
```
cve: CVE-2024-4577
cve: CVE-2024-5458
cve: CVE-2024-5585
cve: CVE-2024-2408
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://www.php.net/ChangeLog-8.php#8.1.29
url: https://www.php.net/ChangeLog-8.php#8.2.20
url: https://www.php.net/ChangeLog-8.php#8.3.8
url: https://github.com/php/php-src/security/advisories/GHSA-hh26-4ppw-5864
url: https://github.com/php/php-src/security/advisories/GHSA-9fcc-425m-g385
url: https://github.com/php/php-src/security/advisories/GHSA-w8qr-v226-r27w
url: https://devco.re/blog/2024/06/06/security-alert-cve-2024-4577-php-cgi-argum
↪ent-injection-vulnerability-en/
url: https://blog.orange.tw/2024/06/cve-2024-4577-yet-another-php-rce.html
url: https://labs.watchtowr.com/no-way-php-strikes-again-cve-2024-4577/
url: https://github.com/watchtowrlabs/CVE-2024-4577
url: https://people.redhat.com/~hkario/marvin/
cert-bund: WID-SEC-2024-3196
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1324
cert-bund: WID-SEC-2024-1320
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-1853
dfn-cert: DFN-CERT-2024-1586
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-1574
dfn-cert: DFN-CERT-2024-1563
dfn-cert: DFN-CERT-2024-1476
```

High (CVSS: 9.8)

NVT: Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Windows

Product detection result

```
cpe:/a:apache:http_server:2.4.58
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 2.4.58
Fixed version:     2.4.60
Installation
path / port:       443/tcp
```

Solution:

Solution type: VendorFix

Update to version 2.4.60 or later.

Affected Software/OS

Apache HTTP Server version 2.4.59 and prior.

Vulnerability Insight

The following flaws exist:

- CVE-2024-36387: Denial of Service (DoS) by Null pointer in websocket over HTTP/2
- CVE-2024-38472: Windows UNC Server-Side Request Forgery (SSRF)
- CVE-2024-38473: Proxy encoding problem
- CVE-2024-38474: Weakness with encoded question marks in backreferences
- CVE-2024-38475: Weakness in mod_rewrite when first segment of substitution matches filesystem path
- CVE-2024-38476: May use exploitable/malicious backend application output to run local handlers via internal redirect
- CVE-2024-38477: Crash resulting in DoS in mod_proxy via a malicious request
- CVE-2024-39573: mod_rewrite proxy handler substitution

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Windows`
OID:1.3.6.1.4.1.25623.1.0.114683
Version used: `2024-08-22T05:05:50Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.58`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
`cve: CVE-2024-36387`
`cve: CVE-2024-38472`
`cve: CVE-2024-38473`
`cve: CVE-2024-38474`
`cve: CVE-2024-38475`
`cve: CVE-2024-38476`
`cve: CVE-2024-38477`
`cve: CVE-2024-39573`
`url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.60`
`cert-bund: WID-SEC-2024-3291`
`cert-bund: WID-SEC-2024-3199`
`cert-bund: WID-SEC-2024-1913`
`cert-bund: WID-SEC-2024-1504`
`dfn-cert: DFN-CERT-2024-2841`
`dfn-cert: DFN-CERT-2024-2787`
`dfn-cert: DFN-CERT-2024-2736`
`dfn-cert: DFN-CERT-2024-2534`
`dfn-cert: DFN-CERT-2024-2342`
`dfn-cert: DFN-CERT-2024-2214`
`dfn-cert: DFN-CERT-2024-2201`
`dfn-cert: DFN-CERT-2024-2180`
`dfn-cert: DFN-CERT-2024-2110`
`dfn-cert: DFN-CERT-2024-2017`
`dfn-cert: DFN-CERT-2024-1963`
`dfn-cert: DFN-CERT-2024-1920`
`dfn-cert: DFN-CERT-2024-1919`
`dfn-cert: DFN-CERT-2024-1911`
`dfn-cert: DFN-CERT-2024-1907`
`dfn-cert: DFN-CERT-2024-1893`
`dfn-cert: DFN-CERT-2024-1816`
`dfn-cert: DFN-CERT-2024-1811`
`dfn-cert: DFN-CERT-2024-1784`
`dfn-cert: DFN-CERT-2024-1741`
`dfn-cert: DFN-CERT-2024-1699`

High (CVSS: 9.7)

NVT: PHP < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Multiple Vulnerabilities - Windows

Product detection result
`cpe:/a:php:php:8.2.12`
`Detected by PHP Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.800109)`

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 8.2.12
Fixed version:     8.2.18
Installation
path / port:       443/tcp
```

Solution:
Solution type: VendorFix
Update to version 8.1.28, 8.2.18, 8.3.6 or later.

Affected Software/OS
PHP prior to version 8.1.28, version 8.2.x through 8.2.17 and 8.3.x through 8.3.5.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2024-1874: Command injection via array-ish $command parameter of proc_open even if bypass_shell option enabled
- CVE-2024-3096: password_verify can erroneously return true, opening ATO risk

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Multiple Vulnerabilities - Windows`
OID:1.3.6.1.4.1.25623.1.0.152119
Version used: `2024-04-16T05:05:31Z`

Product Detection Result
Product: `cpe:/a:php:php:8.2.12`
Method: `PHP Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2024-1874
cve: CVE-2024-3096
url: https://github.com/php/php-src/security/advisories/GHSA-pc52-254m-w9w7
url: https://github.com/php/php-src/security/advisories/GHSA-h746-cjrr-wfmr
url: https://www.php.net/ChangeLog-8.php#8.1.28
url: https://www.php.net/ChangeLog-8.php#8.2.18
url: https://www.php.net/ChangeLog-8.php#8.3.6
cert-bund: WID-SEC-2024-0867
dfn-cert: DFN-CERT-2024-1574
dfn-cert: DFN-CERT-2024-1192
dfn-cert: DFN-CERT-2024-1132
dfn-cert: DFN-CERT-2024-1115
dfn-cert: DFN-CERT-2024-0993
dfn-cert: DFN-CERT-2024-0962
```

High (CVSS: 8.8)

NVT: PHP < 8.1.30, 8.2.x < 8.2.24, 8.3.x < 8.3.12 Multiple Vulnerabilities - Windows

Product detection result

```
cpe:/a:php:php:8.2.12
Detected by PHP Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 8.2.12
Fixed version:     8.2.24
Installation
path / port:       443/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.1.30, 8.2.24, 8.3.12 or later.

Affected Software/OS

PHP versions prior to 8.1.30, 8.2.x prior to 8.2.24 and 8.3.x prior to 8.3.12.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2024-8925, CVE-2024-8928: Erroneous parsing of multipart form data

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2024-8926: Bypass of CVE-2024-4577, Parameter Injection Vulnerability
- CVE-2024-8927: cgi.force_redirect configuration is bypassable due to the environment variable collision
- CVE-2024-9026: Logs from children may be altered

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.30, 8.2.x < 8.2.24, 8.3.x < 8.3.12 Multiple Vulnerabilities - Windows`
OID:1.3.6.1.4.1.25623.1.0.114788
Version used: `2024-10-17T08:02:35Z`

Product Detection Result
Product: `cpe:/a:php:php:8.2.12`
Method: `PHP Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

References
`cve: CVE-2024-8925`
`cve: CVE-2024-8926`
`cve: CVE-2024-8927`
`cve: CVE-2024-8928`
`cve: CVE-2024-9026`
`url: https://www.php.net/ChangeLog-8.php#8.1.30`
`url: https://www.php.net/ChangeLog-8.php#8.2.24`
`url: https://www.php.net/ChangeLog-8.php#8.3.12`
`url: https://github.com/php/php-src/security/advisories/GHSA-9pqp-7h25-4f32`
`url: https://github.com/php/php-src/security/advisories/GHSA-p99j-rfp4-xqvq`
`url: https://github.com/php/php-src/security/advisories/GHSA-94p6-54jq-9mwp`
`url: https://github.com/php/php-src/security/advisories/GHSA-865w-9rf3-2wh5`
`url: https://bugzilla.redhat.com/show_bug.cgi?id=2317439`
`cert-bund: WID-SEC-2024-3116`
`cert-bund: WID-SEC-2024-2230`
`dfn-cert: DFN-CERT-2024-2707`
`dfn-cert: DFN-CERT-2024-2591`
`dfn-cert: DFN-CERT-2024-2550`

High (CVSS: 7.8)

NVT: OpenSSL DoS Vulnerability (20240903) - Windows

Product detection result
`cpe:/a:openssl:openssl:3.1.3`
`Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
OpenSSL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 3.1.3
Fixed version:     3.1.7
Installation
path / port:       443/tcp
```

Impact
Abnormal termination of an application can a cause a denial of service.

Solution:
Solution type: VendorFix
Update to version 3.0.15, 3.1.7, 3.2.3, 3.3.2 or later.

Affected Software/OS
OpenSSL versions 3.0, 3.1, 3.2 and 3.3.

Vulnerability Insight
Applications performing certificate name checks (e.g., TLS clients checking server certificates) may attempt to read an invalid memory address resulting in abnormal termination of the application process.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL DoS Vulnerability (20240903) - Windows`
OID:1.3.6.1.4.1.25623.1.0.153010
Version used: `2024-09-05T05:05:57Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:3.1.3`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

References

```
cve: CVE-2024-6119
url: https://openssl-library.org/news/secadv/20240903.txt
url: https://openssl-library.org/news/vulnerabilities/index.html
cert-bund: WID-SEC-2024-3201
cert-bund: WID-SEC-2024-2040
dfn-cert: DFN-CERT-2024-2783
dfn-cert: DFN-CERT-2024-2734
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-2322
dfn-cert: DFN-CERT-2024-2285
```

High (CVSS: 7.8)

NVT: PHP 8.1.11 < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Security Update (GHSA-wpj3-hf5j-x4v4) - Windows

Product detection result

```
cpe:/a:php:php:8.2.12
Detected by PHP Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

Summary

PHP is prone to a __Host-/__Secure- cookie bypass vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 8.2.12
Fixed version:     8.2.18
Installation
path / port:       443/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.1.28, 8.2.18, 8.3.6 or later.

Affected Software/OS

PHP version 8.1.11 through 8.1.27, version 8.2.x through 8.2.17 and 8.3.x through 8.3.5.

Vulnerability Insight

Due to an incomplete fix to CVE-2022-31629, network and same-site attackers can set a standard insecure cookie in the victim's browser which is treated as a __Host- or __Secure- cookie by PHP applications.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `PHP 8.1.11 < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Security Update (GHSA-wpj3-h.`
`↪..`

OID:1.3.6.1.4.1.25623.1.0.152121

Version used: `2024-04-16T05:05:31Z`

Product Detection Result

Product: `cpe:/a:php:php:8.2.12`

. . . continues on next page . . .

. . . continued from previous page . . .

Method: PHP Detection (HTTP)
OID: 1.3.6.1.4.1.25623.1.0.800109)

References

```
cve: CVE-2024-2756
url: https://github.com/php/php-src/security/advisories/GHSA-wpj3-hf5j-x4v4
url: https://www.php.net/ChangeLog-8.php#8.1.28
url: https://www.php.net/ChangeLog-8.php#8.2.18
url: https://www.php.net/ChangeLog-8.php#8.3.6
cert-bund: WID-SEC-2024-0867
dfn-cert: DFN-CERT-2024-1853
dfn-cert: DFN-CERT-2024-1574
dfn-cert: DFN-CERT-2024-1192
dfn-cert: DFN-CERT-2024-1132
dfn-cert: DFN-CERT-2024-1115
dfn-cert: DFN-CERT-2024-0993
dfn-cert: DFN-CERT-2024-0962
```

High (CVSS: 7.5)

NVT: Apache HTTP Server 2.4.0 - 2.4.61 SSRF Vulnerability - Windows

Product detection result

```
cpe:/a:apache:http_server:2.4.58
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary

Apache HTTP Server is prone to a server-side request forgery (SSRF) vulnerability with mod_rewrite in server/vhost context.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 2.4.58
Fixed version:     2.4.62
Installation
path / port:       443/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.62 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
Apache HTTP Server version 2.4.0 through 2.4.61.

Vulnerability Insight
SSRF in Apache HTTP Server on Windows with mod_rewrite in server/vhost context, allows to potentially leak NTML hashes to a malicious server via SSRF and malicious requests.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server 2.4.0 - 2.4.61 SSRF Vulnerability - Windows`
OID:1.3.6.1.4.1.25623.1.0.152690
Version used: `2024-08-09T05:05:42Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.58`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2024-40898
url: https://lists.apache.org/thread/pcdvk1qfcqh17dpxz925p7ncy6j2ttwz
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.62
cert-bund: WID-SEC-2024-3196
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-1663
dfn-cert: DFN-CERT-2024-2534
dfn-cert: DFN-CERT-2024-1888
```

High (CVSS: 7.5)

NVT: Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Windows

Product detection result
```
cpe:/a:apache:http_server:2.4.58
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)
```

Summary
Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Installed version: 2.4.58
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
Fixed version:     2.4.59
Installation
path / port:       443/tcp
```

Solution:
Solution type: VendorFix
Update to version 2.4.59 or later.

Affected Software/OS
Apache HTTP Server version 2.4.58 and prior.

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2023-38709: HTTP response splitting
- CVE-2024-24795: HTTP response splitting in multiple modules
- CVE-2024-27316: HTTP/2 DoS by memory exhaustion on endless continuation frames

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Windows`
OID:1.3.6.1.4.1.25623.1.0.152040
Version used: `2024-06-07T05:05:42Z`

Product Detection Result
Product: `cpe:/a:apache:http_server:2.4.58`
Method: `Apache HTTP Server Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.117232)

References
```
cve: CVE-2023-38709
cve: CVE-2024-24795
cve: CVE-2024-27316
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.59
url: https://kb.cert.org/vuls/id/421644
url: https://nowotarski.info/http2-continuation-flood/
url: https://nowotarski.info/http2-continuation-flood-technical-details/
cert-bund: WID-SEC-2024-1725
cert-bund: WID-SEC-2024-1643
cert-bund: WID-SEC-2024-1642
cert-bund: WID-SEC-2024-1504
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0801
cert-bund: WID-SEC-2024-0789
dfn-cert: DFN-CERT-2024-2900
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-2534
dfn-cert: DFN-CERT-2024-2076
dfn-cert: DFN-CERT-2024-1958
dfn-cert: DFN-CERT-2024-1853
dfn-cert: DFN-CERT-2024-1749
dfn-cert: DFN-CERT-2024-1697
dfn-cert: DFN-CERT-2024-1411
dfn-cert: DFN-CERT-2024-1335
dfn-cert: DFN-CERT-2024-1238
dfn-cert: DFN-CERT-2024-1031
dfn-cert: DFN-CERT-2024-1010
dfn-cert: DFN-CERT-2024-0964
dfn-cert: DFN-CERT-2024-0901
dfn-cert: DFN-CERT-2024-0890
```

High (CVSS: 7.5)

NVT: OpenSSL Incorrect Cipher Key & IV Length Processing Vulnerability (20231024) - Windows

Product detection result

```
cpe:/a:openssl:openssl:3.1.3
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)
```

Summary

OpenSSL is prone to an incorrect processing of key and initialisation vector (IV) lengths vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 3.1.3
Fixed version:     3.1.4
Installation
path / port:       443/tcp
```

Impact

A truncation in the IV can result in non-uniqueness, which could result in loss of confidentiality for some cipher modes.

Solution:

Solution type: VendorFix

Update to version 3.0.12, 3.1.4 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
OpenSSL version 3.0 and 3.1.

Vulnerability Insight
When calling EVP_EncryptInit_ex2(), EVP_DecryptInit_ex2() or EVP_CipherInit_ex2() the provided OSSL_PARAM array is processed after the key and IV have been established. Any alterations to the key length, via the 'keylen' parameter or the IV length, via the 'ivlen' parameter, within the OSSL_PARAM array will not take effect as intended, potentially causing truncation or overreading of these values. The following ciphers and cipher modes are impacted: RC2, RC4, RC5, CCM, GCM and OCB.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL Incorrect Cipher Key & IV Length Processing Vulnerability (20231024) - . ↪..`
OID:1.3.6.1.4.1.25623.1.0.170622
Version used: `2023-11-10T16:09:31Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:3.1.3`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
```
cve: CVE-2023-5363
url: https://www.openssl.org/news/secadv/20231024.txt
url: https://www.openssl.org/news/vulnerabilities-3.0.html#CVE-2023-5363
url: https://www.openssl.org/news/vulnerabilities-3.1.html#CVE-2023-5363
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-1488
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-0869
cert-bund: WID-SEC-2024-0119
cert-bund: WID-SEC-2023-3032
cert-bund: WID-SEC-2023-2741
dfn-cert: DFN-CERT-2024-1799
dfn-cert: DFN-CERT-2024-1601
dfn-cert: DFN-CERT-2024-1413
dfn-cert: DFN-CERT-2024-1067
dfn-cert: DFN-CERT-2024-0744
dfn-cert: DFN-CERT-2024-0491
dfn-cert: DFN-CERT-2024-0285
dfn-cert: DFN-CERT-2024-0253
dfn-cert: DFN-CERT-2024-0191
dfn-cert: DFN-CERT-2024-0127
dfn-cert: DFN-CERT-2023-2624
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2023-2615
dfn-cert: DFN-CERT-2023-2610
```

[return to 192.168.254.130]

2.1.3 High 3306/tcp

High (CVSS: 10.0)

NVT: MariaDB End of Life (EOL) Detection - Windows

Product detection result

```
cpe:/a:mariadb:mariadb:10.4.32
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)
```

Summary

The MariaDB version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The "MariaDB" version on the remote host has reached the end of life.
CPE:                cpe:/a:mariadb:mariadb:10.4.32
Installed version:  10.4.32
EOL version:        10.4
EOL date:           2024-06-18
```

Impact

An EOL version of MariaDB is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:

Solution type: VendorFix

Update the MariaDB version on the remote host to a still supported version.

Vulnerability Detection Method

Checks if an EOL version is present on the target host.

Details: `MariaDB End of Life (EOL) Detection - Windows`

OID:1.3.6.1.4.1.25623.1.0.108187

Version used: `2024-02-28T14:37:42Z`

. . . continues on next page . . .

. . . continued from previous page . . .

Product Detection Result
Product: `cpe:/a:mariadb:mariadb:10.4.32`
Method: `MariaDB / Oracle MySQL Detection (MySQL Protocol)`
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
`url: https://mariadb.org/about/maintenance-policy/`

High (CVSS: 7.5)

NVT: MariaDB DoS Vulnerability (MDEV-26433) - Windows

Product detection result
`cpe:/a:mariadb:mariadb:10.4.32`
`Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.`
`↪25623.1.0.100152)`

Summary
MariaDB is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
Installed version: 10.4.32
Fixed version:     10.5.17
```

Solution:
Solution type: VendorFix
Update to version 10.5.17, 10.6.9, 10.7.5, 10.8.4, 10.9.2 or later.

Affected Software/OS
MariaDB versions prior to 10.5.17, 10.6.x prior to 10.6.9, 10.7.x prior to 10.7.5, 10.8.x prior to 10.8.4 and 10.9.x prior to 10.9.2.

Vulnerability Insight
MariaDB contains an assertion failure at table->get_ref_count() == 0 in dict0dict.cc.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `MariaDB DoS Vulnerability (MDEV-26433) - Windows`
OID:1.3.6.1.4.1.25623.1.0.148360

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2023-02-21T10:19:50Z

Product Detection Result
Product: cpe:/a:mariadb:mariadb:10.4.32
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References
cve: CVE-2022-32082
url: https://jira.mariadb.org/browse/MDEV-26433
url: https://mariadb.com/kb/en/security/#full-list-of-cves-fixed-in-mariadb
cert-bund: WID-SEC-2022-0641
dfn-cert: DFN-CERT-2023-2503
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2132
dfn-cert: DFN-CERT-2022-1980

[return to 192.168.254.130]

2.1.4 Medium 80/tcp

Medium (CVSS: 5.8)

NVT: HTTP Debugging Methods (TRACE/TRACK) Enabled

Summary
The remote web server supports the TRACE and/or TRACK methods. TRACE and TRACK are HTTP methods which are used to debug web server connections.

Quality of Detection (QoD): 99%

Vulnerability Detection Result
The web server has the following HTTP methods enabled: TRACE

Impact
An attacker may use this flaw to trick your legitimate web users to give him their credentials.

Solution:
Solution type: Mitigation
Disable the TRACE and TRACK methods in your web server configuration.
Please see the manual of your web server or the references for more information.

Affected Software/OS

. . . continues on next page . . .

. . . continued from previous page . . .

Web servers with enabled TRACE and/or TRACK methods.

Vulnerability Insight
It has been shown that web servers supporting this methods are subject to cross-site-scripting attacks, dubbed XST for Cross-Site-Tracing, when used in conjunction with various weaknesses in browsers.

Vulnerability Detection Method
Checks if HTTP methods such as TRACE and TRACK are enabled and can be used.
Details: `HTTP Debugging Methods (TRACE/TRACK) Enabled`
OID:1.3.6.1.4.1.25623.1.0.11213
Version used: `2023-08-01T13:29:10Z`

References
cve: CVE-2003-1567
cve: CVE-2004-2320
cve: CVE-2004-2763
cve: CVE-2005-3398
cve: CVE-2006-4683
cve: CVE-2007-3008
cve: CVE-2008-7253
cve: CVE-2009-2823
cve: CVE-2010-0386
cve: CVE-2012-2223
cve: CVE-2014-7883
url: http://www.kb.cert.org/vuls/id/288308
url: http://www.securityfocus.com/bid/11604
url: http://www.securityfocus.com/bid/15222
url: http://www.securityfocus.com/bid/19915
url: http://www.securityfocus.com/bid/24456
url: http://www.securityfocus.com/bid/33374
url: http://www.securityfocus.com/bid/36956
url: http://www.securityfocus.com/bid/36990
url: http://www.securityfocus.com/bid/37995
url: http://www.securityfocus.com/bid/9506
url: http://www.securityfocus.com/bid/9561
url: http://www.kb.cert.org/vuls/id/867593
url: https://httpd.apache.org/docs/current/en/mod/core.html#traceenable
url: https://techcommunity.microsoft.com/t5/iis-support-blog/http-track-and-trac
↪e-verbs/ba-p/784482
url: https://owasp.org/www-community/attacks/Cross_Site_Tracing
cert-bund: CB-K14/0981
dfn-cert: DFN-CERT-2021-1825
dfn-cert: DFN-CERT-2014-1018
dfn-cert: DFN-CERT-2010-0020

Medium (CVSS: 5.5)

NVT: OpenSSL DoS Vulnerability (20240125) - Windows

Product detection result
`cpe:/a:openssl:openssl:3.1.3`
`Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)`

Summary
OpenSSL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 3.1.3
Fixed version:     3.1.5
Installation
path / port:       80/tcp
```

Impact
Applications loading files in the PKCS12 format from untrusted sources might terminate abruptly.

Solution:
Solution type: VendorFix
Update to version 1.0.2zj, 1.1.1x, 3.0.13, 3.1.5, 3.2.1 or later.

Affected Software/OS
OpenSSL versions 1.0.2, 1.1.1, 3.0, 3.1 and 3.2.

Vulnerability Insight
Processing a maliciously formatted PKCS12 file may lead OpenSSL to crash leading to a potential DoS attack.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL DoS Vulnerability (20240125) - Windows`
OID:1.3.6.1.4.1.25623.1.0.114308
Version used: `2024-02-05T05:05:38Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:3.1.3`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2024-0727
url: https://www.openssl.org/news/secadv/20240125.txt
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-3222
cert-bund: WID-SEC-2024-2112
cert-bund: WID-SEC-2024-1696
cert-bund: WID-SEC-2024-1488
cert-bund: WID-SEC-2024-1307
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0769
cert-bund: WID-SEC-2024-0181
dfn-cert: DFN-CERT-2024-2981
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2795
dfn-cert: DFN-CERT-2024-2745
dfn-cert: DFN-CERT-2024-2451
dfn-cert: DFN-CERT-2024-1867
dfn-cert: DFN-CERT-2024-1166
dfn-cert: DFN-CERT-2024-1011
dfn-cert: DFN-CERT-2024-0764
dfn-cert: DFN-CERT-2024-0539
dfn-cert: DFN-CERT-2024-0531
dfn-cert: DFN-CERT-2024-0374
dfn-cert: DFN-CERT-2024-0296
dfn-cert: DFN-CERT-2024-0225
```

Medium (CVSS: 5.3)

NVT: phpinfo() Output Reporting (HTTP)

Summary

Reporting of files containing the output of the phpinfo() PHP function previously detected via HTTP.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following files are calling the function phpinfo() which disclose potentiall
↪y sensitive information:
http://192.168.254.130/dashboard/phpinfo.php
Concluded from:
  <title>PHP 8.2.12 - phpinfo()</title>
  <tr><td class="e">Configuration File (php.ini) Path </td>
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
  <h2>PHP Variables</h2>
http://192.168.254.130/dashboard/phpinfo.php
Concluded from:
  <title>PHP 8.2.12 - phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFO
↪LLOW,NOARCHIVE" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v"><i>no v
↪alue</i> </td></tr>
  <h2>PHP Variables</h2>
```

Impact
Some of the information that can be gathered from this file includes:
The username of the user running the PHP process, if it is a sudo user, the IP address of the host, the web server version, the system version (Unix, Linux, Windows, ...), and the root directory of the web server.

Solution:
Solution type: Workaround
Delete the listed files or restrict access to them.

Affected Software/OS
All systems exposing a file containing the output of the phpinfo() PHP function.
This VT is also reporting if an affected endpoint for the following products have been identified:
- CVE-2008-0149: TUTOS
- CVE-2023-49282, CVE-2023-49283: Microsoft Graph PHP SDK

Vulnerability Insight
Many PHP installation tutorials instruct the user to create a file called phpinfo.php or similar containing the phpinfo() statement. Such a file is often left back in the webserver directory.

Vulnerability Detection Method
This script reports files identified by the following separate VT: 'phpinfo() Output Detection (HTTP)' (OID: 1.3.6.1.4.1.25623.1.0.108474).
Details: `phpinfo() Output Reporting (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.11229
Version used: `2023-12-14T08:20:35Z`

References
`cve: CVE-2008-0149`
`cve: CVE-2023-49282`
`cve: CVE-2023-49283`
`url: https://www.php.net/manual/en/function.phpinfo.php`

Medium (CVSS: 5.3)

NVT: OpenSSL DoS Vulnerability (20231106) - Windows

Product detection result
`cpe:/a:openssl:openssl:3.1.3`
`Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)`

Summary
OpenSSL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 3.1.3
Fixed version:     3.1.5
Installation
path / port:       80/tcp
```

Impact
Where the key or parameters that are being checked have been obtained from an untrusted source this may lead to a denial of service.

Solution:
Solution type: VendorFix
Update to version 1.0.2zj, 1.1.1x, 3.0.13, 3.1.5 or later.

Affected Software/OS
OpenSSL versions 1.0.2, 1.1.1, 3.0 and 3.1.

Vulnerability Insight
Applications that use the functions DH_generate_key() to generate an X9.42 DH key may experience long delays. Likewise, applications that use DH_check_pub_key(), DH_check_pub_key_ex() or EVP_PKEY_public_check() to check an X9.42 DH key or X9.42 DH parameters may experience long delays.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL DoS Vulnerability (20231106) - Windows`
OID:1.3.6.1.4.1.25623.1.0.170676
Version used: `2024-01-30T14:37:03Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:3.1.3`
Method: `OpenSSL Detection Consolidation`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.145462)

References

```
cve: CVE-2023-5678
url: https://www.openssl.org/news/secadv/20231106.txt
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-2112
cert-bund: WID-SEC-2024-2100
cert-bund: WID-SEC-2024-1653
cert-bund: WID-SEC-2024-1488
cert-bund: WID-SEC-2024-1307
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0769
cert-bund: WID-SEC-2023-2838
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2795
dfn-cert: DFN-CERT-2024-1413
dfn-cert: DFN-CERT-2024-1166
dfn-cert: DFN-CERT-2024-1067
dfn-cert: DFN-CERT-2024-0764
dfn-cert: DFN-CERT-2024-0732
dfn-cert: DFN-CERT-2024-0723
dfn-cert: DFN-CERT-2024-0722
dfn-cert: DFN-CERT-2024-0531
dfn-cert: DFN-CERT-2024-0374
dfn-cert: DFN-CERT-2024-0296
dfn-cert: DFN-CERT-2024-0253
dfn-cert: DFN-CERT-2024-0191
dfn-cert: DFN-CERT-2023-2960
dfn-cert: DFN-CERT-2023-2740
```

Medium (CVSS: 5.0)

NVT: OpenSSL DoS Vulnerability (20240115) - Windows

Product detection result

```
cpe:/a:openssl:openssl:3.1.3
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)
```

Summary

OpenSSL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Detection Result

```
Installed version: 3.1.3
Fixed version:     3.1.5
Installation
path / port:       80/tcp
```

Impact

Where the key that is being checked has been obtained from an untrusted source this may lead to a DoS.

Solution:

Solution type: VendorFix

Update to version 3.0.13, 3.1.5, 3.2.1 or later.

Affected Software/OS

OpenSSL versions 3.0, 3.1 and 3.2.

Vulnerability Insight

Applications that use the function EVP_PKEY_public_check() to check RSA public keys may experience long delays.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `OpenSSL DoS Vulnerability (20240115) - Windows`

OID:1.3.6.1.4.1.25623.1.0.114277

Version used: `2024-01-30T14:37:03Z`

Product Detection Result

Product: `cpe:/a:openssl:openssl:3.1.3`

Method: `OpenSSL Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.145462)

References

```
cve: CVE-2023-6237
url: https://www.openssl.org/news/secadv/20240115.txt
cert-bund: WID-SEC-2024-1488
cert-bund: WID-SEC-2024-1307
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0769
cert-bund: WID-SEC-2024-0093
dfn-cert: DFN-CERT-2024-2981
dfn-cert: DFN-CERT-2024-1413
dfn-cert: DFN-CERT-2024-1166
dfn-cert: DFN-CERT-2024-1067
dfn-cert: DFN-CERT-2024-0531
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
dfn-cert: DFN-CERT-2024-0296
dfn-cert: DFN-CERT-2024-0253
dfn-cert: DFN-CERT-2024-0175
dfn-cert: DFN-CERT-2024-0106
```

Medium (CVSS: 5.0)

NVT: OpenSSL DoS Vulnerability (20240408) - Windows

Product detection result

```
cpe:/a:openssl:openssl:3.1.3
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)
```

Summary

OpenSSL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 3.1.3
Fixed version:     3.1.6
Installation
path / port:       80/tcp
```

Impact

An attacker may exploit certain server configurations to trigger unbounded memory growth that would lead to a Denial of Service.

Solution:

Solution type: VendorFix

Update to version 1.1.1y, 3.0.14, 3.1.6, 3.2.2 or later.

Affected Software/OS

OpenSSL versions 1.1.1, 3.0, 3.1 and 3.2.

Vulnerability Insight

Some non-default TLS server configurations can cause unbounded memory growth when processing TLSv1.3 sessions.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `OpenSSL DoS Vulnerability (20240408) - Windows`

OID:1.3.6.1.4.1.25623.1.0.152059

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2024-04-10T05:05:22Z

Product Detection Result
Product: cpe:/a:openssl:openssl:3.1.3
Method: OpenSSL Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
cve: CVE-2024-2511
url: https://www.openssl.org/news/secadv/20240408.txt
cert-bund: WID-SEC-2024-3192
cert-bund: WID-SEC-2024-3191
cert-bund: WID-SEC-2024-2112
cert-bund: WID-SEC-2024-1638
cert-bund: WID-SEC-2024-0813
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2743
dfn-cert: DFN-CERT-2024-2681
dfn-cert: DFN-CERT-2024-2191
dfn-cert: DFN-CERT-2024-2168
dfn-cert: DFN-CERT-2024-1978
dfn-cert: DFN-CERT-2024-1904
dfn-cert: DFN-CERT-2024-1867
dfn-cert: DFN-CERT-2024-1493
dfn-cert: DFN-CERT-2024-0916

Medium (CVSS: 5.0)

NVT: OpenSSL DoS Vulnerability (20240516) - Windows

Product detection result
cpe:/a:openssl:openssl:3.1.3
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)

Summary
OpenSSL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Installed version: 3.1.3
Fixed version: 3.1.6
Installation

. . . continues on next page . . .

. . . continued from previous page . . .

path / port: 80/tcp

Impact
Where the key or parameters that are being checked have been obtained from an untrusted source this may lead to a Denial of Service.

Solution:
Solution type: VendorFix
Update to version 3.0.14, 3.1.6, 3.2.2, 3.3.1 or later.

Affected Software/OS
OpenSSL versions 3.0, 3.1, 3.2 and 3.3.

Vulnerability Insight
Checking excessively long DSA keys or parameters may be very slow.
Applications that use the functions EVP_PKEY_param_check() or EVP_PKEY_public_check() to check a DSA public key or DSA parameters may experience long delays.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: OpenSSL DoS Vulnerability (20240516) - Windows
OID:1.3.6.1.4.1.25623.1.0.152251
Version used: 2024-06-13T05:05:46Z

Product Detection Result
Product: cpe:/a:openssl:openssl:3.1.3
Method: OpenSSL Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
cve: CVE-2024-4603
url: https://www.openssl.org/news/secadv/20240516.txt
url: https://www.openssl.org/news/vulnerabilities.html
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-2112
cert-bund: WID-SEC-2024-1645
cert-bund: WID-SEC-2024-1171
dfn-cert: DFN-CERT-2024-2191
dfn-cert: DFN-CERT-2024-1978
dfn-cert: DFN-CERT-2024-1968
dfn-cert: DFN-CERT-2024-1904
dfn-cert: DFN-CERT-2024-1851
dfn-cert: DFN-CERT-2024-1587
dfn-cert: DFN-CERT-2024-1493

. . . continues on next page . . .

. . . continued from previous page . . .

dfn-cert: DFN-CERT-2024-1330

Medium (CVSS: 5.0)

NVT: OpenSSL Buffer Overread Vulnerability (20240627) - Windows

Product detection result
cpe:/a:openssl:openssl:3.1.3
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)

Summary
OpenSSL is prone to a buffer overread vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version:	3.1.3
Fixed version:	3.1.7
Installation path / port:	80/tcp

Impact
A buffer overread can have a range of potential consequences such as unexpected application behaviour or a crash.

Solution:
Solution type: VendorFix
Update to version 1.0.2zk, 1.1.1za, 3.0.15, 3.1.7, 3.2.3, 3.3.2 or later.

Affected Software/OS
OpenSSL versions 1.0.2, 1.1.1, 3.0, 3.1, 3.2 and 3.3.

Vulnerability Insight
Calling the OpenSSL API function SSL_select_next_proto with an empty supported client protocols buffer may cause a crash or memory contents to be sent to the peer.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: OpenSSL Buffer Overread Vulnerability (20240627) - Windows
OID:1.3.6.1.4.1.25623.1.0.114676
Version used: 2024-10-18T05:05:38Z

Product Detection Result
Product: cpe:/a:openssl:openssl:3.1.3

. . . continues on next page . . .

. . . continued from previous page . . .

Method: OpenSSL Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.145462)

References

```
cve: CVE-2024-5535
url: https://openssl-library.org/news/secadv/20240627.txt
url: https://openssl-library.org/news/vulnerabilities/
cert-bund: WID-SEC-2024-3412
cert-bund: WID-SEC-2024-3192
cert-bund: WID-SEC-2024-3188
cert-bund: WID-SEC-2024-2112
cert-bund: WID-SEC-2024-1469
dfn-cert: DFN-CERT-2024-3013
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2732
dfn-cert: DFN-CERT-2024-2168
dfn-cert: DFN-CERT-2024-1978
dfn-cert: DFN-CERT-2024-1968
dfn-cert: DFN-CERT-2024-1681
```

Medium (CVSS: 5.0)

NVT: OpenSSL OOB Memory Access Vulnerability (20241016) - Windows

Product detection result

```
cpe:/a:openssl:openssl:3.1.3
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)
```

Summary

OpenSSL is prone to an out of bound (OOB) memory access vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 3.1.3
Fixed version:     3.1.8
Installation
path / port:       80/tcp
```

Impact

. . . continues on next page . . .

. . . continued from previous page . . .

Out of bound memory writes can lead to an application crash or even a possibility of a remote code execution, however, in all the protocols involving Elliptic Curve Cryptography that we're aware of, either only 'named curves' are supported, or, if explicit curve parameters are supported, they specify an X9.62 encoding of binary (GF(2^m)) curves that can't represent problematic input values. Thus the likelihood of existence of a vulnerable application is low.

Solution:
Solution type: VendorFix
Update to version 1.0.2zl, 1.1.1zb, 3.0.16, 3.1.8, 3.2.4, 3.3.3 or later.

Affected Software/OS
OpenSSL versions 1.0.2, 1.1.1, 3.0, 3.1, 3.2 and 3.3.

Vulnerability Insight
Use of the low-level GF(2^m) elliptic curve APIs with untrusted explicit values for the field polynomial can lead to out-of-bounds memory reads or writes.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL OOB Memory Access Vulnerability (20241016) - Windows`
OID:1.3.6.1.4.1.25623.1.0.114829
Version used: `2024-10-17T08:02:35Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:3.1.3`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
`cve: CVE-2024-9143`
`url: https://openssl-library.org/news/secadv/20241016.txt`
`url: https://openssl-library.org/news/vulnerabilities/`
`cert-bund: WID-SEC-2024-3230`
`dfn-cert: DFN-CERT-2024-2884`
`dfn-cert: DFN-CERT-2024-2764`

Medium (CVSS: 5.0)

NVT: OpenSSL UAF Vulnerability (20240528) - Windows

Product detection result
`cpe:/a:openssl:openssl:3.1.3`
`Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)`

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
OpenSSL is prone to a use after free (UAF) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 3.1.3
Fixed version:     3.1.6
Installation
path / port:       80/tcp
```

Impact
A use after free can have a range of potential consequences such as the corruption of valid data, crashes or execution of arbitrary code.

Solution:
Solution type: VendorFix
Update to version 1.1.1y, 3.0.14, 3.1.6, 3.2.2, 3.3.1 or later.

Affected Software/OS
OpenSSL versions 1.1.1, 3.0, 3.1, 3.2 and 3.3.

Vulnerability Insight
Calling the OpenSSL API function SSL_free_buffers may cause memory to be accessed that was previously freed in some situations.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL UAF Vulnerability (20240528) - Windows`
OID:1.3.6.1.4.1.25623.1.0.114641
Version used: `2024-06-13T05:05:46Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:3.1.3`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

References

```
cve: CVE-2024-4741
url: https://www.openssl.org/news/secadv/20240528.txt
url: https://www.openssl.org/news/vulnerabilities.html
cert-bund: WID-SEC-2024-3199
cert-bund: WID-SEC-2024-2112
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
cert-bund: WID-SEC-2024-1240
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2736
dfn-cert: DFN-CERT-2024-2681
dfn-cert: DFN-CERT-2024-2191
dfn-cert: DFN-CERT-2024-1978
dfn-cert: DFN-CERT-2024-1968
dfn-cert: DFN-CERT-2024-1904
dfn-cert: DFN-CERT-2024-1587
dfn-cert: DFN-CERT-2024-1423
```

Medium (CVSS: 5.0)

NVT: PHP < 8.1.31, 8.2.x < 8.2.26, 8.3.x < 8.3.14 Multiple Vulnerabilities - Windows

Product detection result

```
cpe:/a:php:php:8.2.12
Detected by PHP Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.800109)
```

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 8.2.12
Fixed version:     8.2.26
Installation
path / port:       80/tcp
```

Solution:

Solution type: VendorFix

Update to version 8.1.31, 8.2.26, 8.3.14 or later.

Affected Software/OS

PHP versions prior to 8.1.31, 8.2.x prior to 8.2.26 and 8.3.x prior to 8.3.14.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2024-8929: Leak partial content of the heap through heap buffer over-read
- CVE-2024-8932: OOB access in ldap_escape
- CVE-2024-11233: Single byte overread with convert.quoted-printable-decode filter
- CVE-2024-11234: Configuring a proxy in a stream context might allow for CRLF injection in URIs

. . . continues on next page . . .

. . . continued from previous page . . .

- CVE-2024-11236: Integer overflow in the firebird/dblib quoter causing OOB writes
- No CVE: Heap-Use-After-Free in sapi_read_post_data Processing in CLI SAPI Interface

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.31, 8.2.x < 8.2.26, 8.3.x < 8.3.14 Multiple Vulnerabilities - Windows`
OID:1.3.6.1.4.1.25623.1.0.153496
Version used: `2024-11-22T05:05:35Z`

Product Detection Result
Product: `cpe:/a:php:php:8.2.12`
Method: `PHP Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

References
```
cve: CVE-2024-8929
cve: CVE-2024-8932
cve: CVE-2024-11233
cve: CVE-2024-11234
cve: CVE-2024-11236
url: https://www.php.net/ChangeLog-8.php#8.1.31
url: https://www.php.net/ChangeLog-8.php#8.2.26
url: https://www.php.net/ChangeLog-8.php#8.3.14
url: https://github.com/php/php-src/security/advisories/GHSA-h35g-vwh6-m678
url: https://github.com/php/php-src/security/advisories/GHSA-g665-fm4p-vhff
url: https://github.com/php/php-src/security/advisories/GHSA-r977-prxv-hc43
url: https://github.com/php/php-src/security/advisories/GHSA-c5f2-jwm7-mmq2
url: https://github.com/php/php-src/security/advisories/GHSA-5hqh-c84r-qjcv
url: https://github.com/php/php-src/security/advisories/GHSA-4w77-75f9-2c8w
cert-bund: WID-SEC-2024-3519
dfn-cert: DFN-CERT-2024-3108
```

[return to 192.168.254.130]

2.1.5 Medium 443/tcp

Medium (CVSS: 5.8)

NVT: HTTP Debugging Methods (TRACE/TRACK) Enabled

Summary
The remote web server supports the TRACE and/or TRACK methods. TRACE and TRACK are HTTP methods which are used to debug web server connections.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 99%

Vulnerability Detection Result
`The web server has the following HTTP methods enabled: TRACE`

Impact
An attacker may use this flaw to trick your legitimate web users to give him their credentials.

Solution:
Solution type: Mitigation
Disable the TRACE and TRACK methods in your web server configuration.
Please see the manual of your web server or the references for more information.

Affected Software/OS
Web servers with enabled TRACE and/or TRACK methods.

Vulnerability Insight
It has been shown that web servers supporting this methods are subject to cross-site-scripting attacks, dubbed XST for Cross-Site-Tracing, when used in conjunction with various weaknesses in browsers.

Vulnerability Detection Method
Checks if HTTP methods such as TRACE and TRACK are enabled and can be used.
Details: `HTTP Debugging Methods (TRACE/TRACK) Enabled`
OID:1.3.6.1.4.1.25623.1.0.11213
Version used: `2023-08-01T13:29:10Z`

References
`cve: CVE-2003-1567`
`cve: CVE-2004-2320`
`cve: CVE-2004-2763`
`cve: CVE-2005-3398`
`cve: CVE-2006-4683`
`cve: CVE-2007-3008`
`cve: CVE-2008-7253`
`cve: CVE-2009-2823`
`cve: CVE-2010-0386`
`cve: CVE-2012-2223`
`cve: CVE-2014-7883`
`url: http://www.kb.cert.org/vuls/id/288308`
`url: http://www.securityfocus.com/bid/11604`
`url: http://www.securityfocus.com/bid/15222`
`url: http://www.securityfocus.com/bid/19915`
`url: http://www.securityfocus.com/bid/24456`
`url: http://www.securityfocus.com/bid/33374`
`url: http://www.securityfocus.com/bid/36956`

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: http://www.securityfocus.com/bid/36990
url: http://www.securityfocus.com/bid/37995
url: http://www.securityfocus.com/bid/9506
url: http://www.securityfocus.com/bid/9561
url: http://www.kb.cert.org/vuls/id/867593
url: https://httpd.apache.org/docs/current/en/mod/core.html#traceenable
url: https://techcommunity.microsoft.com/t5/iis-support-blog/http-track-and-trac
↪e-verbs/ba-p/784482
url: https://owasp.org/www-community/attacks/Cross_Site_Tracing
cert-bund: CB-K14/0981
dfn-cert: DFN-CERT-2021-1825
dfn-cert: DFN-CERT-2014-1018
dfn-cert: DFN-CERT-2010-0020
```

Medium (CVSS: 5.5)

NVT: OpenSSL DoS Vulnerability (20240125) - Windows

Product detection result

```
cpe:/a:openssl:openssl:3.1.3
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)
```

Summary

OpenSSL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 3.1.3
Fixed version:     3.1.5
Installation
path / port:       443/tcp
```

Impact

Applications loading files in the PKCS12 format from untrusted sources might terminate abruptly.

Solution:

Solution type: VendorFix

Update to version 1.0.2zj, 1.1.1x, 3.0.13, 3.1.5, 3.2.1 or later.

Affected Software/OS

OpenSSL versions 1.0.2, 1.1.1, 3.0, 3.1 and 3.2.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
Processing a maliciously formatted PKCS12 file may lead OpenSSL to crash leading to a potential DoS attack.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL DoS Vulnerability (20240125) - Windows`
OID:1.3.6.1.4.1.25623.1.0.114308
Version used: `2024-02-05T05:05:38Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:3.1.3`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
```
cve: CVE-2024-0727
url: https://www.openssl.org/news/secadv/20240125.txt
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-3222
cert-bund: WID-SEC-2024-2112
cert-bund: WID-SEC-2024-1696
cert-bund: WID-SEC-2024-1488
cert-bund: WID-SEC-2024-1307
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0769
cert-bund: WID-SEC-2024-0181
dfn-cert: DFN-CERT-2024-2981
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2795
dfn-cert: DFN-CERT-2024-2745
dfn-cert: DFN-CERT-2024-2451
dfn-cert: DFN-CERT-2024-1867
dfn-cert: DFN-CERT-2024-1166
dfn-cert: DFN-CERT-2024-1011
dfn-cert: DFN-CERT-2024-0764
dfn-cert: DFN-CERT-2024-0539
dfn-cert: DFN-CERT-2024-0531
dfn-cert: DFN-CERT-2024-0374
dfn-cert: DFN-CERT-2024-0296
dfn-cert: DFN-CERT-2024-0225
```

Medium (CVSS: 5.3)

NVT: SSL/TLS: Server Certificate / Certificate in Chain with RSA keys less than 2048 bits

Summary
The remote SSL/TLS server certificate and/or any of the certificates in the certificate chain is using a RSA key with less than 2048 bits.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
```
The remote SSL/TLS server is using the following certificate(s) with a RSA key w
↪ith less than 2048 bits (public-key-size:public-key-algorithm:serial:issuer):
1024:RSA:00B5C752C98781B503:CN=localhost (Server certificate)
```

Impact
Using certificates with weak RSA key size can lead to unauthorized exposure of sensitive information.

Solution:
Solution type: Mitigation
Replace the certificate with a stronger key and reissue the certificates it signed.

Vulnerability Insight
SSL/TLS certificates using RSA keys with less than 2048 bits are considered unsafe.

Vulnerability Detection Method
Checks the RSA keys size of the server certificate and all certificates in chain for a size < 2048 bit.
Details: `SSL/TLS: Server Certificate / Certificate in Chain with RSA keys less than 2048. ↪..`
OID:1.3.6.1.4.1.25623.1.0.150710
Version used: `2021-12-10T12:48:00Z`

References
`url: https://www.cabforum.org/wp-content/uploads/Baseline_Requirements_V1.pdf`

Medium (CVSS: 5.3)

NVT: phpinfo() Output Reporting (HTTP)

Summary
Reporting of files containing the output of the phpinfo() PHP function previously detected via HTTP.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following files are calling the function phpinfo() which disclose potentiall
↪y sensitive information:
https://192.168.254.130/dashboard/phpinfo.php
Concluded from:
  <title>PHP 8.2.12 - phpinfo()</title>
  <tr><td class="e">Configuration File (php.ini) Path </td>
  <h2>PHP Variables</h2>
https://192.168.254.130/dashboard/phpinfo.php
Concluded from:
  <title>PHP 8.2.12 - phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFO
↪LLOW,NOARCHIVE" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v"><i>no v
↪alue</i> </td></tr>
  <h2>PHP Variables</h2>
```

Impact

Some of the information that can be gathered from this file includes:
The username of the user running the PHP process, if it is a sudo user, the IP address of the host, the web server version, the system version (Unix, Linux, Windows, ...), and the root directory of the web server.

Solution:

Solution type: Workaround

Delete the listed files or restrict access to them.

Affected Software/OS

All systems exposing a file containing the output of the phpinfo() PHP function.
This VT is also reporting if an affected endpoint for the following products have been identified:
- CVE-2008-0149: TUTOS
- CVE-2023-49282, CVE-2023-49283: Microsoft Graph PHP SDK

Vulnerability Insight

Many PHP installation tutorials instruct the user to create a file called phpinfo.php or similar containing the phpinfo() statement. Such a file is often left back in the webserver directory.

Vulnerability Detection Method

This script reports files identified by the following separate VT: 'phpinfo() Output Detection (HTTP)' (OID: 1.3.6.1.4.1.25623.1.0.108474).
Details: `phpinfo() Output Reporting (HTTP)`
OID:1.3.6.1.4.1.25623.1.0.11229
Version used: `2023-12-14T08:20:35Z`

References

. . . continues on next page . . .

. . . continued from previous page . . .

```
cve: CVE-2008-0149
cve: CVE-2023-49282
cve: CVE-2023-49283
url: https://www.php.net/manual/en/function.phpinfo.php
```

Medium (CVSS: 5.3)

NVT: OpenSSL DoS Vulnerability (20231106) - Windows

Product detection result

```
cpe:/a:openssl:openssl:3.1.3
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)
```

Summary

OpenSSL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 3.1.3
Fixed version:     3.1.5
Installation
path / port:       443/tcp
```

Impact

Where the key or parameters that are being checked have been obtained from an untrusted source this may lead to a denial of service.

Solution:

Solution type: VendorFix

Update to version 1.0.2zj, 1.1.1x, 3.0.13, 3.1.5 or later.

Affected Software/OS

OpenSSL versions 1.0.2, 1.1.1, 3.0 and 3.1.

Vulnerability Insight

Applications that use the functions DH_generate_key() to generate an X9.42 DH key may experience long delays. Likewise, applications that use DH_check_pub_key(), DH_check_pub_key_ex() or EVP_PKEY_public_check() to check an X9.42 DH key or X9.42 DH parameters may experience long delays.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `OpenSSL DoS Vulnerability (20231106) - Windows`

. . . continues on next page . . .

. . . continued from previous page . . .

OID:1.3.6.1.4.1.25623.1.0.170676
Version used: 2024-01-30T14:37:03Z

Product Detection Result
Product: cpe:/a:openssl:openssl:3.1.3
Method: OpenSSL Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
cve: CVE-2023-5678
url: https://www.openssl.org/news/secadv/20231106.txt
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-2112
cert-bund: WID-SEC-2024-2100
cert-bund: WID-SEC-2024-1653
cert-bund: WID-SEC-2024-1488
cert-bund: WID-SEC-2024-1307
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0769
cert-bund: WID-SEC-2023-2838
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2795
dfn-cert: DFN-CERT-2024-1413
dfn-cert: DFN-CERT-2024-1166
dfn-cert: DFN-CERT-2024-1067
dfn-cert: DFN-CERT-2024-0764
dfn-cert: DFN-CERT-2024-0732
dfn-cert: DFN-CERT-2024-0723
dfn-cert: DFN-CERT-2024-0722
dfn-cert: DFN-CERT-2024-0531
dfn-cert: DFN-CERT-2024-0374
dfn-cert: DFN-CERT-2024-0296
dfn-cert: DFN-CERT-2024-0253
dfn-cert: DFN-CERT-2024-0191
dfn-cert: DFN-CERT-2023-2960
dfn-cert: DFN-CERT-2023-2740

Medium (CVSS: 5.0)

NVT: SSL/TLS: Certificate Expired

Product detection result
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25
↪623.1.0.103692)

. . . continues on next page . . .

. . . continued from previous page . . .

Summary
The remote server's SSL/TLS certificate has already expired.

Quality of Detection (QoD): 99%

Vulnerability Detection Result

```
The certificate of the remote service expired on 2019-11-08 23:48:47.
Certificate details:
fingerprint (SHA-1)             | B0238C547A905BFA119C4E8BACCAEACF36491FF6
fingerprint (SHA-256)           | 016973380C0F1DF00BD9593ED8D5EFA3706CD6DF7993F6
↪141272B80522ACDD23
issued by                       | CN=localhost
public key algorithm            | RSA
public key size (bits)          | 1024
serial                          | 00B5C752C98781B503
signature algorithm             | sha1WithRSAEncryption
subject                         | CN=localhost
subject alternative names (SAN) | None
valid from                      | 2009-11-10 23:48:47 UTC
valid until                     | 2019-11-08 23:48:47 UTC
```

Solution:
Solution type: Mitigation
Replace the SSL/TLS certificate by a new one.

Vulnerability Insight
This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any have already expired.

Vulnerability Detection Method
Details: `SSL/TLS: Certificate Expired`
OID:1.3.6.1.4.1.25623.1.0.103955
Version used: `2024-06-14T05:05:48Z`

Product Detection Result
Product: `cpe:/a:ietf:transport_layer_security`
Method: `SSL/TLS: Collect and Report Certificate Details`
OID: 1.3.6.1.4.1.25623.1.0.103692)

Medium (CVSS: 5.0)

NVT: OpenSSL DoS Vulnerability (20240115) - Windows

Product detection result
`cpe:/a:openssl:openssl:3.1.3`
`Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)`

Summary
OpenSSL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 3.1.3
Fixed version:     3.1.5
Installation
path / port:       443/tcp
```

Impact
Where the key that is being checked has been obtained from an untrusted source this may lead to a DoS.

Solution:
Solution type: VendorFix
Update to version 3.0.13, 3.1.5, 3.2.1 or later.

Affected Software/OS
OpenSSL versions 3.0, 3.1 and 3.2.

Vulnerability Insight
Applications that use the function EVP_PKEY_public_check() to check RSA public keys may experience long delays.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL DoS Vulnerability (20240115) - Windows`
OID:1.3.6.1.4.1.25623.1.0.114277
Version used: `2024-01-30T14:37:03Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:3.1.3`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

. . . continues on next page . . .

. . . continued from previous page . . .

References

```
cve: CVE-2023-6237
url: https://www.openssl.org/news/secadv/20240115.txt
cert-bund: WID-SEC-2024-1488
cert-bund: WID-SEC-2024-1307
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-0769
cert-bund: WID-SEC-2024-0093
dfn-cert: DFN-CERT-2024-2981
dfn-cert: DFN-CERT-2024-1413
dfn-cert: DFN-CERT-2024-1166
dfn-cert: DFN-CERT-2024-1067
dfn-cert: DFN-CERT-2024-0531
dfn-cert: DFN-CERT-2024-0296
dfn-cert: DFN-CERT-2024-0253
dfn-cert: DFN-CERT-2024-0175
dfn-cert: DFN-CERT-2024-0106
```

Medium (CVSS: 5.0)

NVT: OpenSSL DoS Vulnerability (20240408) - Windows

Product detection result

```
cpe:/a:openssl:openssl:3.1.3
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)
```

Summary

OpenSSL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 3.1.3
Fixed version:     3.1.6
Installation
path / port:       443/tcp
```

Impact

An attacker may exploit certain server configurations to trigger unbounded memory growth that would lead to a Denial of Service.

Solution:

Solution type: VendorFix

Update to version 1.1.1y, 3.0.14, 3.1.6, 3.2.2 or later.

. . . continues on next page . . .

. . . continued from previous page . . .

Affected Software/OS
OpenSSL versions 1.1.1, 3.0, 3.1 and 3.2.

Vulnerability Insight
Some non-default TLS server configurations can cause unbounded memory growth when processing TLSv1.3 sessions.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL DoS Vulnerability (20240408) - Windows`
OID:1.3.6.1.4.1.25623.1.0.152059
Version used: `2024-04-10T05:05:22Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:3.1.3`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
`cve: CVE-2024-2511`
`url: https://www.openssl.org/news/secadv/20240408.txt`
`cert-bund: WID-SEC-2024-3192`
`cert-bund: WID-SEC-2024-3191`
`cert-bund: WID-SEC-2024-2112`
`cert-bund: WID-SEC-2024-1638`
`cert-bund: WID-SEC-2024-0813`
`dfn-cert: DFN-CERT-2024-2884`
`dfn-cert: DFN-CERT-2024-2743`
`dfn-cert: DFN-CERT-2024-2681`
`dfn-cert: DFN-CERT-2024-2191`
`dfn-cert: DFN-CERT-2024-2168`
`dfn-cert: DFN-CERT-2024-1978`
`dfn-cert: DFN-CERT-2024-1904`
`dfn-cert: DFN-CERT-2024-1867`
`dfn-cert: DFN-CERT-2024-1493`
`dfn-cert: DFN-CERT-2024-0916`

Medium (CVSS: 5.0)

NVT: OpenSSL DoS Vulnerability (20240516) - Windows

Product detection result
`cpe:/a:openssl:openssl:3.1.3`

. . . continues on next page . . .

. . . continued from previous page . . .

Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)

Summary
OpenSSL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 3.1.3
Fixed version:     3.1.6
Installation
path / port:       443/tcp
```

Impact
Where the key or parameters that are being checked have been obtained from an untrusted source this may lead to a Denial of Service.

Solution:
Solution type: VendorFix
Update to version 3.0.14, 3.1.6, 3.2.2, 3.3.1 or later.

Affected Software/OS
OpenSSL versions 3.0, 3.1, 3.2 and 3.3.

Vulnerability Insight
Checking excessively long DSA keys or parameters may be very slow.
Applications that use the functions EVP_PKEY_param_check() or EVP_PKEY_public_check() to check a DSA public key or DSA parameters may experience long delays.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: OpenSSL DoS Vulnerability (20240516) - Windows
OID:1.3.6.1.4.1.25623.1.0.152251
Version used: 2024-06-13T05:05:46Z

Product Detection Result
Product: cpe:/a:openssl:openssl:3.1.3
Method: OpenSSL Detection Consolidation
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
cve: CVE-2024-4603
url: https://www.openssl.org/news/secadv/20240516.txt

. . . continues on next page . . .

. . . continued from previous page . . .

```
url: https://www.openssl.org/news/vulnerabilities.html
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-2112
cert-bund: WID-SEC-2024-1645
cert-bund: WID-SEC-2024-1171
dfn-cert: DFN-CERT-2024-2191
dfn-cert: DFN-CERT-2024-1978
dfn-cert: DFN-CERT-2024-1968
dfn-cert: DFN-CERT-2024-1904
dfn-cert: DFN-CERT-2024-1851
dfn-cert: DFN-CERT-2024-1587
dfn-cert: DFN-CERT-2024-1493
dfn-cert: DFN-CERT-2024-1330
```

Medium (CVSS: 5.0)

NVT: OpenSSL Buffer Overread Vulnerability (20240627) - Windows

Product detection result

```
cpe:/a:openssl:openssl:3.1.3
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)
```

Summary

OpenSSL is prone to a buffer overread vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 3.1.3
Fixed version:     3.1.7
Installation
path / port:       443/tcp
```

Impact

A buffer overread can have a range of potential consequences such as unexpected application behaviour or a crash.

Solution:

Solution type: VendorFix

Update to version 1.0.2zk, 1.1.1za, 3.0.15, 3.1.7, 3.2.3, 3.3.2 or later.

Affected Software/OS

OpenSSL versions 1.0.2, 1.1.1, 3.0, 3.1, 3.2 and 3.3.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
Calling the OpenSSL API function SSL_select_next_proto with an empty supported client protocols buffer may cause a crash or memory contents to be sent to the peer.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL Buffer Overread Vulnerability (20240627) - Windows`
OID:1.3.6.1.4.1.25623.1.0.114676
Version used: `2024-10-18T05:05:38Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:3.1.3`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

References
```
cve: CVE-2024-5535
url: https://openssl-library.org/news/secadv/20240627.txt
url: https://openssl-library.org/news/vulnerabilities/
cert-bund: WID-SEC-2024-3412
cert-bund: WID-SEC-2024-3192
cert-bund: WID-SEC-2024-3188
cert-bund: WID-SEC-2024-2112
cert-bund: WID-SEC-2024-1469
dfn-cert: DFN-CERT-2024-3013
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2732
dfn-cert: DFN-CERT-2024-2168
dfn-cert: DFN-CERT-2024-1978
dfn-cert: DFN-CERT-2024-1968
dfn-cert: DFN-CERT-2024-1681
```

Medium (CVSS: 5.0)

NVT: OpenSSL OOB Memory Access Vulnerability (20241016) - Windows

Product detection result
```
cpe:/a:openssl:openssl:3.1.3
Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)
```

Summary
OpenSSL is prone to an out of bound (OOB) memory access vulnerability.

. . . continues on next page . . .

. . . continued from previous page . . .

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 3.1.3
Fixed version:     3.1.8
Installation
path / port:       443/tcp
```

Impact

Out of bound memory writes can lead to an application crash or even a possibility of a remote code execution, however, in all the protocols involving Elliptic Curve Cryptography that we're aware of, either only 'named curves' are supported, or, if explicit curve parameters are supported, they specify an X9.62 encoding of binary (GF(2^m)) curves that can't represent problematic input values. Thus the likelihood of existence of a vulnerable application is low.

Solution:

Solution type: VendorFix

Update to version 1.0.2zl, 1.1.1zb, 3.0.16, 3.1.8, 3.2.4, 3.3.3 or later.

Affected Software/OS

OpenSSL versions 1.0.2, 1.1.1, 3.0, 3.1, 3.2 and 3.3.

Vulnerability Insight

Use of the low-level GF(2^m) elliptic curve APIs with untrusted explicit values for the field polynomial can lead to out-of-bounds memory reads or writes.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: `OpenSSL OOB Memory Access Vulnerability (20241016) - Windows`

OID:1.3.6.1.4.1.25623.1.0.114829

Version used: `2024-10-17T08:02:35Z`

Product Detection Result

Product: `cpe:/a:openssl:openssl:3.1.3`

Method: `OpenSSL Detection Consolidation`

OID: 1.3.6.1.4.1.25623.1.0.145462)

References

```
cve: CVE-2024-9143
url: https://openssl-library.org/news/secadv/20241016.txt
url: https://openssl-library.org/news/vulnerabilities/
cert-bund: WID-SEC-2024-3230
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2764
```

Medium (CVSS: 5.0)

NVT: OpenSSL UAF Vulnerability (20240528) - Windows

Product detection result
`cpe:/a:openssl:openssl:3.1.3`
`Detected by OpenSSL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.145462)`

Summary
OpenSSL is prone to a use after free (UAF) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Installed version: 3.1.3
Fixed version:     3.1.6
Installation
path / port:       443/tcp
```

Impact
A use after free can have a range of potential consequences such as the corruption of valid data, crashes or execution of arbitrary code.

Solution:
Solution type: VendorFix
Update to version 1.1.1y, 3.0.14, 3.1.6, 3.2.2, 3.3.1 or later.

Affected Software/OS
OpenSSL versions 1.1.1, 3.0, 3.1, 3.2 and 3.3.

Vulnerability Insight
Calling the OpenSSL API function SSL_free_buffers may cause memory to be accessed that was previously freed in some situations.

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `OpenSSL UAF Vulnerability (20240528) - Windows`
OID:1.3.6.1.4.1.25623.1.0.114641
Version used: `2024-06-13T05:05:46Z`

Product Detection Result
Product: `cpe:/a:openssl:openssl:3.1.3`
Method: `OpenSSL Detection Consolidation`
OID: 1.3.6.1.4.1.25623.1.0.145462)

. . . continues on next page . . .

. . . continued from previous page . . .

References
cve: CVE-2024-4741
url: https://www.openssl.org/news/secadv/20240528.txt
url: https://www.openssl.org/news/vulnerabilities.html
cert-bund: WID-SEC-2024-3199
cert-bund: WID-SEC-2024-2112
cert-bund: WID-SEC-2024-1240
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2736
dfn-cert: DFN-CERT-2024-2681
dfn-cert: DFN-CERT-2024-2191
dfn-cert: DFN-CERT-2024-1978
dfn-cert: DFN-CERT-2024-1968
dfn-cert: DFN-CERT-2024-1904
dfn-cert: DFN-CERT-2024-1587
dfn-cert: DFN-CERT-2024-1423

Medium (CVSS: 5.0)

NVT: PHP < 8.1.31, 8.2.x < 8.2.26, 8.3.x < 8.3.14 Multiple Vulnerabilities - Windows

Product detection result
cpe:/a:php:php:8.2.12
Detected by PHP Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.800109)

Summary
PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Installed version: 8.2.12
Fixed version: 8.2.26
Installation
path / port: 443/tcp

Solution:
Solution type: VendorFix
Update to version 8.1.31, 8.2.26, 8.3.14 or later.

Affected Software/OS
PHP versions prior to 8.1.31, 8.2.x prior to 8.2.26 and 8.3.x prior to 8.3.14.

. . . continues on next page . . .

. . . continued from previous page . . .

Vulnerability Insight
The following vulnerabilities exist:
- CVE-2024-8929: Leak partial content of the heap through heap buffer over-read
- CVE-2024-8932: OOB access in ldap_escape
- CVE-2024-11233: Single byte overread with convert.quoted-printable-decode filter
- CVE-2024-11234: Configuring a proxy in a stream context might allow for CRLF injection in URIs
- CVE-2024-11236: Integer overflow in the firebird/dblib quoter causing OOB writes
- No CVE: Heap-Use-After-Free in sapi_read_post_data Processing in CLI SAPI Interface

Vulnerability Detection Method
Checks if a vulnerable version is present on the target host.
Details: `PHP < 8.1.31, 8.2.x < 8.2.26, 8.3.x < 8.3.14 Multiple Vulnerabilities - Windows`
OID:1.3.6.1.4.1.25623.1.0.153496
Version used: `2024-11-22T05:05:35Z`

Product Detection Result
Product: `cpe:/a:php:php:8.2.12`
Method: `PHP Detection (HTTP)`
OID: 1.3.6.1.4.1.25623.1.0.800109)

References
```
cve: CVE-2024-8929
cve: CVE-2024-8932
cve: CVE-2024-11233
cve: CVE-2024-11234
cve: CVE-2024-11236
url: https://www.php.net/ChangeLog-8.php#8.1.31
url: https://www.php.net/ChangeLog-8.php#8.2.26
url: https://www.php.net/ChangeLog-8.php#8.3.14
url: https://github.com/php/php-src/security/advisories/GHSA-h35g-vwh6-m678
url: https://github.com/php/php-src/security/advisories/GHSA-g665-fm4p-vhff
url: https://github.com/php/php-src/security/advisories/GHSA-r977-prxv-hc43
url: https://github.com/php/php-src/security/advisories/GHSA-c5f2-jwm7-mmq2
url: https://github.com/php/php-src/security/advisories/GHSA-5hqh-c84r-qjcv
url: https://github.com/php/php-src/security/advisories/GHSA-4w77-75f9-2c8w
cert-bund: WID-SEC-2024-3519
dfn-cert: DFN-CERT-2024-3108
```

Medium (CVSS: 5.0)

NVT: SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection

Product detection result
`cpe:/a:ietf:transport_layer_security`

. . . continues on next page . . .

. . . continued from previous page . . .

```
Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25
↪623.1.0.103692)
```

Summary
The service is using an SSL/TLS certificate from a known untrusted and/or dangerous certificate authority (CA).

Quality of Detection (QoD): 99%

Vulnerability Detection Result

```
The certificate of the remote service is signed by the following untrusted and/o
↪r dangerous CA:
Issuer: CN=localhost
Certificate details:
fingerprint (SHA-1)              | B0238C547A905BFA119C4E8BACCAEACF36491FF6
fingerprint (SHA-256)            | 016973380C0F1DF00BD9593ED8D5EFA3706CD6DF7993F6
↪141272B80522ACDD23
issued by                        | CN=localhost
public key algorithm             | RSA
public key size (bits)           | 1024
serial                           | 00B5C752C98781B503
signature algorithm              | sha1WithRSAEncryption
subject                          | CN=localhost
subject alternative names (SAN)  | None
valid from                       | 2009-11-10 23:48:47 UTC
valid until                      | 2019-11-08 23:48:47 UTC
```

Impact
An attacker could use this for man-in-the-middle (MITM) attacks, accessing sensible data and other attacks.

Solution:
Solution type: Mitigation
Replace the SSL/TLS certificate with one signed by a trusted CA.

Vulnerability Detection Method
The script reads the certificate used by the target host and checks if it was signed by a known untrusted and/or dangerous CA.
Details: `SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection`
OID:1.3.6.1.4.1.25623.1.0.113054
Version used: `2024-06-14T05:05:48Z`

Product Detection Result
Product: `cpe:/a:ietf:transport_layer_security`
Method: `SSL/TLS: Collect and Report Certificate Details`

. . . continues on next page . . .

. . . continued from previous page . . .

OID: 1.3.6.1.4.1.25623.1.0.103692)

Medium (CVSS: 4.0)

NVT: SSL/TLS: Certificate Signed Using A Weak Signature Algorithm

Summary
The remote service is using a SSL/TLS certificate in the certificate chain that has been signed using a cryptographically weak hashing algorithm.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following certificates are part of the certificate chain but using insecure
↪signature algorithms:
Subject:              CN=localhost
Signature Algorithm:  sha1WithRSAEncryption
```

Solution:
Solution type: Mitigation
Servers that use SSL/TLS certificates signed with a weak SHA-1, MD5, MD4 or MD2 hashing algorithm will need to obtain new SHA-2 signed SSL/TLS certificates to avoid web browser SSL/TLS certificate warnings.

Vulnerability Insight
The following hashing algorithms used for signing SSL/TLS certificates are considered cryptographically weak and not secure enough for ongoing use:
- Secure Hash Algorithm 1 (SHA-1)
- Message Digest 5 (MD5)
- Message Digest 4 (MD4)
- Message Digest 2 (MD2)
Beginning as late as January 2017 and as early as June 2016, browser developers such as Microsoft and Google will begin warning users when visiting web sites that use SHA-1 signed Secure Socket Layer (SSL) certificates.
NOTE: The script preference allows to set one or more custom SHA-1 fingerprints of CA certificates which are trusted by this routine. The fingerprints needs to be passed comma-separated and case-insensitive:
Fingerprint1
or
fingerprint1, Fingerprint2

Vulnerability Detection Method
Check which hashing algorithm was used to sign the remote SSL/TLS certificate.
Details: `SSL/TLS: Certificate Signed Using A Weak Signature Algorithm`
OID:1.3.6.1.4.1.25623.1.0.105880

. . . continues on next page . . .

. . . continued from previous page . . .

Version used: 2021-10-15T11:13:32Z

References
url: https://blog.mozilla.org/security/2014/09/23/phasing-out-certificates-with-
↪sha-1-based-signature-algorithms/

Medium (CVSS: 4.0)

NVT: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability

Summary
The SSL/TLS service uses Diffie-Hellman groups with insufficient strength (key size < 2048).

Quality of Detection (QoD): 80%

Vulnerability Detection Result
Server Temporary Key Size: 1024 bits

Impact
An attacker might be able to decrypt the SSL/TLS communication offline.

Solution:
Solution type: Workaround
Deploy (Ephemeral) Elliptic-Curve Diffie-Hellman (ECDHE) or use a 2048-bit or stronger Diffie-Hellman group (see the references).
For Apache Web Servers: Beginning with version 2.4.7, mod_ssl will use DH parameters which include primes with lengths of more than 1024 bits.

Vulnerability Insight
The Diffie-Hellman group are some big numbers that are used as base for the DH computations. They can be, and often are, fixed. The security of the final secret depends on the size of these parameters. It was found that 512 and 768 bits to be weak, 1024 bits to be breakable by really powerful attackers like governments.

Vulnerability Detection Method
Checks the DHE temporary public key size.
Details: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerabili.
↪..
OID:1.3.6.1.4.1.25623.1.0.106223
Version used: 2024-09-30T08:38:05Z

References
url: https://weakdh.org/
url: https://weakdh.org/sysadmin.html

[return to 192.168.254.130]

2.1.6 Medium 135/tcp

Medium (CVSS: 5.0)

NVT: DCE/RPC and MSRPC Services Enumeration Reporting

Summary
Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Here is the list of DCE/RPC or MSRPC services running on this host via the TCP p
↪rotocol:
Port: 49664/tcp
     UUID: d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1
     Endpoint: ncacn_ip_tcp:192.168.254.130[49664]
Port: 49665/tcp
     UUID: 3473dd4d-2e88-4006-9cba-22570909dd10, version 5
     Endpoint: ncacn_ip_tcp:192.168.254.130[49665]
     Annotation: WinHttp Auto-Proxy Service
     UUID: 3c4728c5-f0ab-448b-bda1-6ce01eb0a6d5, version 1
     Endpoint: ncacn_ip_tcp:192.168.254.130[49665]
     Annotation: DHCP Client LRPC Endpoint
     UUID: 3c4728c5-f0ab-448b-bda1-6ce01eb0a6d6, version 1
     Endpoint: ncacn_ip_tcp:192.168.254.130[49665]
     Annotation: DHCPv6 Client LRPC Endpoint
     UUID: f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1
     Endpoint: ncacn_ip_tcp:192.168.254.130[49665]
     Annotation: Event log TCPIP
Port: 49666/tcp
     UUID: 0497b57d-2e66-424f-a0c6-157cd5d41700, version 1
     Endpoint: ncacn_ip_tcp:192.168.254.130[49666]
     Annotation: AppInfo
     UUID: 0d3c7f20-1c8d-4654-a1b3-51563b298bda, version 1
     Endpoint: ncacn_ip_tcp:192.168.254.130[49666]
     Annotation: UserMgrCli
     UUID: 201ef99a-7fa0-444c-9399-19ba84f12a1a, version 1
     Endpoint: ncacn_ip_tcp:192.168.254.130[49666]
     Annotation: AppInfo
     UUID: 2e6035b2-e8f1-41a7-a044-656b439c4c34, version 1
     Endpoint: ncacn_ip_tcp:192.168.254.130[49666]
     Annotation: Proxy Manager provider server endpoint
     UUID: 3a9ef155-691d-4449-8d05-09ad57031823, version 1
     Endpoint: ncacn_ip_tcp:192.168.254.130[49666]
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
      UUID: 552d076a-cb29-4e44-8b6a-d15e59e2c0af, version 1
      Endpoint: ncacn_ip_tcp:192.168.254.130[49666]
      Annotation: IP Transition Configuration endpoint
      UUID: 58e604e8-9adb-4d2e-a464-3b0683fb1480, version 1
      Endpoint: ncacn_ip_tcp:192.168.254.130[49666]
      Annotation: AppInfo
      UUID: 5f54ce7d-5b79-4175-8584-cb65313a0e98, version 1
      Endpoint: ncacn_ip_tcp:192.168.254.130[49666]
      Annotation: AppInfo
      UUID: 86d35949-83c9-4044-b424-db363231fd0c, version 1
      Endpoint: ncacn_ip_tcp:192.168.254.130[49666]
      UUID: a398e520-d59a-4bdd-aa7a-3c1e0303a511, version 1
      Endpoint: ncacn_ip_tcp:192.168.254.130[49666]
      Annotation: IKE/Authip API
      UUID: b18fbab6-56f8-4702-84e0-41053293a869, version 1
      Endpoint: ncacn_ip_tcp:192.168.254.130[49666]
      Annotation: UserMgrCli
      UUID: c36be077-e14b-4fe9-8abc-e856ef4f048b, version 1
      Endpoint: ncacn_ip_tcp:192.168.254.130[49666]
      Annotation: Proxy Manager client server endpoint
      UUID: c49a5a70-8a7f-4e70-ba16-1e8f1f193ef1, version 1
      Endpoint: ncacn_ip_tcp:192.168.254.130[49666]
      Annotation: Adh APIs
      UUID: fd7a0523-dc70-43dd-9b2e-9c5ed48225b1, version 1
      Endpoint: ncacn_ip_tcp:192.168.254.130[49666]
      Annotation: AppInfo
Port: 49667/tcp
      UUID: 0b6edbfa-4a24-4fc6-8a23-942b1eca65d1, version 1
      Endpoint: ncacn_ip_tcp:192.168.254.130[49667]
      UUID: 12345678-1234-abcd-ef00-0123456789ab, version 1
      Endpoint: ncacn_ip_tcp:192.168.254.130[49667]
      Named pipe : spoolss
      Win32 service or process : spoolsv.exe
      Description : Spooler service
      UUID: 4a452661-8290-4b36-8fbe-7f4093a94978, version 1
      Endpoint: ncacn_ip_tcp:192.168.254.130[49667]
      UUID: 76f03f96-cdfd-44fc-a22c-64950a001209, version 1
      Endpoint: ncacn_ip_tcp:192.168.254.130[49667]
      UUID: ae33069b-a2a8-46ee-a235-ddfd339be281, version 1
      Endpoint: ncacn_ip_tcp:192.168.254.130[49667]
Port: 49668/tcp
      UUID: 367abb81-9844-35f1-ad32-98f038001003, version 2
      Endpoint: ncacn_ip_tcp:192.168.254.130[49668]
Port: 49676/tcp
      UUID: 12345778-1234-abcd-ef00-0123456789ac, version 1
      Endpoint: ncacn_ip_tcp:192.168.254.130[49676]
      Named pipe : lsass
```

. . . continues on next page . . .

. . . continued from previous page . . .

```
     Win32 service or process : lsass.exe
     Description : SAM access
Port: 49774/tcp
     UUID: 6b5bdd1e-528c-422c-af8c-a4079be4fe48, version 1
     Endpoint: ncacn_ip_tcp:192.168.254.130[49774]
     Annotation: Remote Fw APIs
Note: DCE/RPC or MSRPC services running on this host locally were identified. Re
↪porting this list is not enabled by default due to the possible large size of
↪this list. See the script preferences to enable this reporting.
```

Impact
An attacker may use this fact to gain more knowledge about the remote host.

Solution:
Solution type: Mitigation
Filter incoming traffic to this ports.

Vulnerability Detection Method
Details: `DCE/RPC and MSRPC Services Enumeration Reporting`
OID:1.3.6.1.4.1.25623.1.0.10736
Version used: `2022-06-03T10:17:07Z`

[return to 192.168.254.130]

2.1.7 Low general/icmp

Low (CVSS: 2.1)

NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0
```

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

. . . continues on next page . . .

. . . continued from previous page . . .

Solution:
Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method
Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: `ICMP Timestamp Reply Information Disclosure`
OID:1.3.6.1.4.1.25623.1.0.103190
Version used: `2023-05-11T09:09:33Z`

References
`cve: CVE-1999-0524`
`url: https://datatracker.ietf.org/doc/html/rfc792`
`url: https://datatracker.ietf.org/doc/html/rfc2780`
`cert-bund: CB-K15/1514`
`cert-bund: CB-K14/0632`
`dfn-cert: DFN-CERT-2014-0658`

[return to 192.168.254.130]