

AISCN26 Minor Project 1

Anand Chahar

CSE (AI & ML)

Task 1 – Know Your Machine

I collected my system information using Windows commands. I noted the OS version, processor, RAM and network details to understand my machine.

```
C:\Users\hp>systeminfo

Host Name:                               LAPTOP-AADFA1MB
OS Name:                                 Microsoft Windows 11 Pro
OS Version:                             10.0.26200 N/A Build 26200
OS Manufacturer:                       Microsoft Corporation
OS Configuration:                      Standalone Workstation
OS Build Type:                          Multiprocessor Free
Registered Owner:                       hp
Registered Organization:                HP
Product ID:                             00330-80000-00000-AA228
Original Install Date:                  05-10-2025, 17:55:31
System Boot Time:                       29-05-2026, 15:03:39
System Manufacturer:                   HP
System Model:                           Victus by HP Gaming Laptop 15-fb0xxx
System Type:                            x64-based PC
Processor(s):                           1 Processor(s) Installed.
                                           [01]: AMD64 Family 25 Model 80 Stepping 0 AuthenticAMD ~1908 Mhz
BIOS Version:                           AMI F.23, 14-10-2024
Windows Directory:                     C:\WINDOWS
System Directory:                       C:\WINDOWS\system32
Boot Device:                            \Device\HarddiskVolume1
System Locale:                           en-us;English (United States)
Input Locale:                           00004009
Time Zone:                              (UTC+05:30) Chennai, Kolkata, Mumbai, New Delhi
Total Physical Memory:                  15,710 MB
Available Physical Memory:               7,775 MB
Virtual Memory: Max Size:                18,142 MB
Virtual Memory: Available:               7,943 MB
Virtual Memory: In Use:                  10,199 MB
Page File Location(s):                  C:\pagefile.sys
Domain:                                 WORKGROUP
```

```
C:\Users\hp>systeminfo

Host Name:                               LAPTOP-AADFA1MB
OS Name:                                 Microsoft Windows 11 Pro
OS Version:                             10.0.26200 N/A Build 26200
OS Manufacturer:                       Microsoft Corporation
OS Configuration:                      Standalone Workstation
OS Build Type:                          Multiprocessor Free
Registered Owner:                       hp
Registered Organization:                HP
Product ID:                             00330-80000-00000-AA228
Original Install Date:                  05-10-2025, 17:55:31
System Boot Time:                       29-05-2026, 15:03:39
System Manufacturer:                   HP
System Model:                           Victus by HP Gaming Laptop 15-fb0xxx
System Type:                            x64-based PC
Processor(s):                           1 Processor(s) Installed.
                                           [01]: AMD64 Family 25 Model 80 Stepping 0 AuthenticAMD ~1908 Mhz
BIOS Version:                           AMI F.23, 14-10-2024
Windows Directory:                     C:\WINDOWS
System Directory:                       C:\WINDOWS\system32
Boot Device:                            \Device\HarddiskVolume1
System Locale:                           en-us;English (United States)
Input Locale:                           00004009
Time Zone:                              (UTC+05:30) Chennai, Kolkata, Mumbai, New Delhi
Total Physical Memory:                  15,710 MB
Available Physical Memory:               7,775 MB
Virtual Memory: Max Size:                18,142 MB
Virtual Memory: Available:               7,943 MB
Virtual Memory: In Use:                  10,199 MB
Page File Location(s):                  C:\pagefile.sys
Domain:                                 WORKGROUP
```

```

Wireless LAN adapter Wi-Fi:

Connection-specific DNS Suffix  . : 
Description . . . . . : MediaTek MT7921 Wi-Fi 6 802.11ax PCIe Adapter
Physical Address. . . . . : 28-D0-43-FA-ED-09
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes
IPv6 Address. . . . . : 2409:4085:9e0f:cea7:3586:e459:7d38:d6fb(Preferred)
Temporary IPv6 Address. . . . . : 2409:4085:9e0f:cea7:49f6:a1e8:3f8b:d131(Preferred)
Link-local IPv6 Address . . . . . : fe80::5824:30e3:2064:6e34%13(Preferred)
IPv4 Address. . . . . : 192.168.171.43(Preferred)
Subnet Mask . . . . . : 255.255.255.0
Lease Obtained. . . . . : 26 June 2026 01:43:51
Lease Expires . . . . . : 26 June 2026 02:43:49
Default Gateway . . . . . : fe80::e48d:4fff:fed3:a93b%13
                             192.168.171.233
DHCP Server . . . . . : 192.168.171.233
DHCPv6 IAID . . . . . : 204001347
DHCPv6 Client DUID. . . . . : 00-01-00-01-2E-EF-4E-F4-48-EA-62-2E-1B-C7
DNS Servers . . . . . : 192.168.171.233
                             2409:4085:9e0f:cea7::a
NetBIOS over Tcpip. . . . . : Enabled

Ethernet adapter Ethernet:


Media State . . . . . : Media disconnected
Connection-specific DNS Suffix  . : kiet.edu
Description . . . . . : Realtek Gaming GbE Family Controller
Physical Address. . . . . : 48-EA-62-2E-1B-C7
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes

C:\Users\hp>

```

Task 2 – Network Analysis using Wireshark

I captured DNS, TCP and HTTPS packets in Wireshark. This helped me understand how devices communicate securely over a network.



No.	Time	Source	Destination	Protocol	Length	Info
33617	141.052556400	192.168.171.43	192.168.171.233	DNS	91	Standard query 0x002c HTTPS px.ads.linkedin.com
24387	118.778562700	192.168.171.43	192.168.171.233	DNS	87	Standard query 0x0033 HTTPS ep2.adtrafficquality.g
30071	138.194518800	192.168.171.43	192.168.171.233	DNS	125	Standard query 0x0100 A zndjy7yfl0wgtyzea-ciscocx.
36543	143.452712300	192.168.171.43	192.168.171.233	DNS	99	Standard query 0x0280 A analytics.ziftsolutions.co
20711	111.310396200	192.168.171.43	192.168.171.233	DNS	80	Standard query 0x034f A adservice.google.com
13518	102.237985500	2409:4085:9e0f:cea7...	2409:4085:9e0f:cea7...	DNS	104	Standard query 0x03a1 AAAA 531-ocs-018.mktoresp.co
31361	139.305693300	192.168.171.43	192.168.171.233	DNS	92	Standard query 0x0442 A cdnssl.clicktale.net
31185	139.148922800	192.168.171.43	192.168.171.233	DNS	92	Standard query 0x0453 A connect.facebook.net
14722	103.327659800	192.168.171.43	192.168.171.233	DNS	84	Standard query 0x0456 A geolocation.onetrust.com
11609	100.243846500	192.168.171.43	192.168.171.233	DNS	84	Standard query 0x0526 HTTPS www.paloaltonetworks.c
33972	141.275906600	192.168.171.43	192.168.171.233	DNS	94	Standard query 0x0541 AAAA sp.analytics.yahoo.com
19849	109.943555000	192.168.171.43	192.168.171.233	DNS	80	Standard query 0x065b A analytics.google.com
29863	138.156154900	2409:4085:9e0f:cea7...	2409:4085:9e0f:cea7...	DNS	106	Standard query 0x06e3 HTTPS dpm.demdex.net
36742	143.658082200	2409:4085:9e0f:cea7...	2409:4085:9e0f:cea7...	DNS	104	Standard query 0x071c AAAA id.cisco.com

▶ Frame 33617: Packet, 91 bytes on wire (728 bits), 91 bytes captured on interface \Device\NPF...
 ▶ Ethernet II, Src: AzureWaveTec_fa:ed:09 (28:d0:43:fa:ed:09), Dst: e6:8d:4f:d3:a9:3b (e6:8d:4f:d3:a9:3b)
 ▶ Internet Protocol Version 4, Src: 192.168.171.43, Dst: 192.168.171.233
 ▶ Transmission Control Protocol, Src Port: 3205, Dst Port: 53, Seq: 3, Ack: 1, Len: 37
 ▶ [2 Reassembled TCP Segments (39 bytes): #33616(2), #33617(37)]
 ▶ Domain Name System (query)

Wireshark · Packet 33617 · Wi-Fi

▶ Frame 33617: Packet, 91 bytes on wire (728 bits), 91 bytes captured (728 bits) on interface \Device\NPF...
 ▶ Ethernet II, Src: AzureWaveTec_fa:ed:09 (28:d0:43:fa:ed:09), Dst: e6:8d:4f:d3:a9:3b (e6:8d:4f:d3:a9:3b)
 ▶ Internet Protocol Version 4, Src: 192.168.171.43, Dst: 192.168.171.233
 ▶ Transmission Control Protocol, Src Port: 3205, Dst Port: 53, Seq: 3, Ack: 1, Len: 37
 ▶ [2 Reassembled TCP Segments (39 bytes): #33616(2), #33617(37)]
 ▶ Domain Name System (query)

0000	e6 8d 4f d3 a9 3b 28 d0	43 fa ed 09 08 00 45 00	...O...;...C...E...
0010	00 4d 03 6d 40 00 80 06	1e d8 c0 a8 ab 2b c0 a8	...M...m@...+...
0020	ab e9 0c 85 00 35 28 bd	dd 77 82 a2 e6 64 50 18	...-5(...-w...dP...
0030	00 ff ab c6 00 00 00 2c	01 00 00 01 00 00 00 00	..., ...
0040	00 00 02 70 78 03 61 64	73 08 6c 69 6e 6b 65 64	...px:ad s linked
0050	69 6e 03 63 6f 6d 00 00	41 00 01	in-com... A...

Packet (91 bytes)
Reassembled TCP (39 bytes)

No: 33617 · Time: 141.052556400 · Source: 192.168.171.43 · Destination: 192.168.171.233 · Protocol: DNS · Length: 91 · Info: Standard query 0x002c HTTPS px.ads.linkedin.com

☒ Show packet bytes
 Layout: Vertical (Stacked)

Close
Help

No.	Time	Source	Destination	Protocol	Length	Info
26450	126.735773600	2606:4700:90c3:3663...	2409:4085:9e0f:cea7...	TLSv1.3	1434	Application Data
26451	126.735879700	2606:4700:90c3:3663...	2409:4085:9e0f:cea7...	TCP	1434	443 → 8038 [ACK] Seq=115702 Ack=2485 Win=139264 Le
26452	126.735904800	2409:4085:9e0f:cea7...	2606:4700:90c3:3663...	TCP	74	8038 → 443 [ACK] Seq=2485 Ack=117062 Win=130816 Le
26453	126.736028700	2606:4700:90c3:3663...	2409:4085:9e0f:cea7...	TCP	1434	443 → 8038 [PSH, ACK] Seq=117062 Ack=2485 Win=1392
26454	126.736161000	2606:4700:90c3:3663...	2409:4085:9e0f:cea7...	TLSv1.3	1434	Application Data
26455	126.736184400	2409:4085:9e0f:cea7...	2606:4700:90c3:3663...	TCP	74	8038 → 443 [ACK] Seq=2485 Ack=119782 Win=130816 Le
26456	126.736292000	2606:4700:90c3:3663...	2409:4085:9e0f:cea7...	TCP	1434	443 → 8038 [PSH, ACK] Seq=119782 Ack=2485 Win=1392
26457	126.736425800	2606:4700:90c3:3663...	2409:4085:9e0f:cea7...	TCP	1434	443 → 8038 [ACK] Seq=121142 Ack=2485 Win=139264 Le
26458	126.736453900	2409:4085:9e0f:cea7...	2606:4700:90c3:3663...	TCP	74	8038 → 443 [ACK] Seq=2485 Ack=122502 Win=130816 Le
26459	126.736564800	2606:4700:90c3:3663...	2409:4085:9e0f:cea7...	TLSv1.3	1434	Application Data
26460	126.736704800	2606:4700:90c3:3663...	2409:4085:9e0f:cea7...	TCP	1434	443 → 8038 [ACK] Seq=123862 Ack=2485 Win=139264 Le
26461	126.736741000	2409:4085:9e0f:cea7...	2606:4700:90c3:3663...	TCP	74	8038 → 443 [ACK] Seq=2485 Ack=125222 Win=130816 Le
26462	126.736851300	2606:4700:90c3:3663...	2409:4085:9e0f:cea7...	TCP	1434	443 → 8038 [PSH, ACK] Seq=125222 Ack=2485 Win=1392
26463	126.737001000	2600:140f:dc00:1a9:...	2409:4085:9e0f:cea7...	TCP	1444	443 → 1815 [ACK] Seq=885024 Ack=6606 Win=75776 Le

Frame 33617: Packet, 91 bytes on wire (728 bits), 91 bytes captured on interface 0	0000	e6 8d 4f d3 a9 3b 28 d0 43 fa ed 09 08 00 45 00	...
Ethernet II, Src: AzureWaveTec_fa:ed:09 (28:d0:43:fa:ed:09), Dst: 00:10:00:00:00:00	0010	00 4d 03 6d 40 00 80 06 1e d8 c0 a8 ab 2b c0 a8	M...
Internet Protocol Version 4, Src: 192.168.171.43, Dst: 192.168.1.1	0020	ab e9 0c 85 00 35 28 bd dd 77 82 a2 e6 64 50 18	...
Transmission Control Protocol, Src Port: 3205, Dst Port: 53, Seq: 123862	0030	00 ff ab c6 00 00 00 2c 01 00 00 01 00 00 00 00	...
[2 Reassembled TCP Segments (39 bytes): #33616(2), #33617(37)]	0040	00 00 02 70 78 03 61 64 73 08 6c 69 6e 6b 65 64	...
Domain Name System (query)	0050	69 6e 03 63 6f 6d 00 00 41 00 01	in...

Task 3 – TryHackMe

I completed the Offensive Security Intro room. I learned about hidden pages, directory discovery and basic web security concepts.

Dashboard
Learn
Practice
Compete

Go Premium
0
0
A

Pre Security > Introduction to Cyber Security > Offensive Security Intro

Offensive Security Intro

Hack your first website (legally in a safe environment) and experience an ethical hacker's job.

10 min 1,114,511

Save Room
3215 Recommend
Connectivity
Options




Room progress: 0%

Task 1
☐ Think like a Hacker!

Task 2
☐ Starting the Lab

Task 3
☐ Find Hidden Pages

Task 4
☐ Attack the Admin Page



Task 4 – Career Reflection

After completing the tasks, I found the SOC Analyst role interesting because it focuses on monitoring systems and detecting threats.

View Site

After clicking the above "View Site" button, we will begin using the terminal. The terminal is used to interact with the device and cybersecurity tools.

One common mistake websites make is leaving hidden pages accessible. We'll use the terminal to run a command that can look for these.

Inside the terminal, copy and paste the `dirb` command below and wait for it to finish. Any lines from the output that start with `404` are pages that have been found.

```
dirb http://fakebank.thm
```

Dirb will find two URLs. Use this information to answer the question below.

Answer the questions below

Dirb found one URL, `http://fakebank.thm/images`.

What is the other hidden URL?

Check ?

Terminal

```
Welcome to TryHackMe OS v3.0.1 LTS (GNU/Linux 6.8.0-1017-x86_64)
© 2026 TryHackMe LTD. All rights reserved.
user@thm:~#
```



You started a streak, let's go!

Complete a question every day to build your streak, earn badges and streak freezes!

Mo Tu We Th Fr Sa Su

● ● ● ● ● ● ●

How long can you keep your skills sharp?

3 Days

Good

7 Days

Amazing


30 Days

Unstoppable



You started a streak, let's go!

Complete a question every day to build your streak, earn badges and streak freezes!



How long can you keep your skills sharp?

3 Days Good ☐


7 Days Amazing ☐

30 Days Unstoppable ☐



You started a streak, let's go!

Complete a question every day to build your streak, earn badges and streak freezes!



How long can you keep your skills sharp?

3 Days Good ☐

7 Days Amazing ☐

30 Days Unstoppable ☐