

"Interconnected Realities: Exploring the Dynamics of Development, Environment, and Pollution"

Data Visualization Project Report

Theme: **Environment**

Github : <https://github.com/ANANTKACHOLIA/Data-Visualization-Project.git>
(code and reoprt)

Motivation

In today's rapidly evolving world, understanding and addressing environmental challenges is more critical than ever. With factors such as climate change, deforestation, and resource depletion impacting ecosystems worldwide, there is an urgent need for effective tools and methodologies to analyse and comprehend the complex dynamics at play.

Data visualization offers a powerful means to translate raw data into insightful visual representations that are easily understandable and actionable. By harnessing the visual medium, we can uncover hidden patterns, trends, and relationships within vast datasets, thereby gaining valuable insights into environmental phenomena.

Through visually compelling representations, we aim to illuminate the intricate interplay between various environmental factors, such as tree cover, rainfall patterns, and their correlations with broader developmental and ecological trends, enabling informed decisions guided by evidence-based insights derived from comprehensive data analysis.

In essence, the motivation behind this project is rooted in the belief that data visualization serves as a catalyst for informed action, enabling us to navigate the complexities of environmental challenges with clarity, precision, and foresight. Through our efforts, we aspire to catalyse positive change and foster a deeper appreciation for the intricate beauty and interconnectedness of our natural world.

Objective:

Through comprehensive visualizations, our objective is to discern significant insights and trends within environmental factors, including forest cover, non-forest tree cover, geographical area, rainfall, air pollution, and developmental indicators like Gross State Domestic Product (GSDP).

Key Relationships to be Explored:

- **Correlation between a state's geographical area and its green space.**
 - **Hypothesis 1:** States with larger geographical areas tend to have a lower percentage of their total area covered by forest, suggesting an inverse relationship between geographical area and forest coverage percentage.
- **Relationship between rainfall patterns and forest cover.**
 - **Hypothesis 2:** States experiencing higher rainfall tend to exhibit a corresponding increase in the percentage of forest coverage across their total area, indicating a direct positive correlation between rainfall and forest coverage percentage.
- **Impact of green areas on air pollution levels.**
 - **Hypothesis 3:** High forest coverage in states correlates with lower pollutant concentrations, suggesting an inverse relationship between green area percentage and air pollution levels.
- **Examination of development's environmental costs, such as forest reserves and pollution.**
 - **Hypothesis 4:** High forest coverage in states correlates with lower Gross State Domestic Product (GSDP), highlighting an inverse relationship between green area percentage and economic development, underscoring the imperative for sustainable development practices.
- **Assessment of the balance between developmental gains and environmental costs.**
 - **Hypothesis 5:** States experiencing robust Gross State Domestic Product (GSDP) tend to face heightened Air Pollution (PM10 Concentration), underscoring the inherent correlation between development and environmental degradation. Despite this, these dynamic states are actively pursuing measures to combat air pollution, highlighting the imperative for sustainable development practices.

Further Assessment to Derive Additional Insights:

- **Hypothesis 5+:** States with higher Gross State Domestic Product (GSDP) are endeavouring to offset air pollution by augmenting non-forest tree cover, a premise supported by Hypothesis 4. This strategic approach underscores a concerted effort towards achieving environmental equilibrium amidst developmental strides.
- **Hypothesis 3+:** Reinstating Hypothesis 3, over the years we can see Air Pollution decreasing with an increase in Forest Cover, suggesting an inverse relationship between green percentage and air pollution levels.

Our aim is to illuminate the path towards sustainable development by evaluating if the environmental cost of progress is being effectively mitigated or counteracted, possibly through measures like increasing green areas to restore ecological balance.

Datasets :

The data has been sourced from data.gov.in from the following datasets


- State/UT wise TreeCover (Non-Forest) data
- State/UTs wise ISFR 2021 - Total Forest Cover data
- State wise Rainfall data
- City-wise State/UT Annual Average Concentration of PM10 ($\mu\text{g}/\text{m}^3$) - National Standard (Annual Average): 60 $\mu\text{g}/\text{m}^3$
- State/UT wise Gross State Domestic Product (GSDP)
- India Air pollution data PM10 ($\mu\text{g}/\text{m}^3$) concentration
- India State of Forest Report Total Forest cover

Visualization and Analytics

1. Visualization: Total Tree Cover ISFR - 2021

The bar plot illustrates the distribution of forest cover (in square kilometres) across various states and union territories in India, as reported in the Indian State of Forest Report (ISFR) for the year 2021. For each state and union territory, the bar plot displays three bars representing:

1. Union Territory (Light Green)
2. State (Dark Green)



Primary Observations:

- Madhya Pradesh emerges as the state with the highest forest cover.
- J&K (+Ladakh) is the union territory with highest forest cover.

Plot type: A bar plot is chosen for this visualization due to its effectiveness in comparing the magnitudes of different categories (in this case, forest cover in different states/UTs). The length of

each bar provides a straightforward comparison of forest cover between states, making it easy to identify the states with the highest and lowest forest cover. Additionally, the categorical nature of the data (states and union territories) makes a bar plot an appropriate choice for this visualization.

2. Visualization: Total Geographical Area, Forest Area and non-Forest Tree cover


This bar plot presents a comparative analysis of three key metrics – total geographical area, total forest cover, and non-forest tree cover – for each state and union territory in India.

For each state and union territory, the bar plot displays three bars representing:

1. Total geographical area (**Mud Brown**)
2. Total forest cover (**Dark Green**)
3. Non-forest tree cover (**Lemon Yellow**)

The height of each bar corresponds to the magnitude of the respective metric, allowing for a visual comparison of the geographical distribution of forest and non-forest tree cover relative to the total land area in each region.

Total geographical area, forest area and non-forest tree cover of States/UTs



Primary Observations:

- Rajasthan is the biggest state in terms of Area .
- Madhya Pradesh is the state with the highest forest cover.
- J&K (+Ladakh) is the biggest union territory and also has the highest forest cover area .
- Maharashtra has the highest non forest tree cover.

Plot Type: A grouped bar plot is chosen for this visualization as it facilitates the comparison of multiple categories (geographical area, forest cover, and non-forest tree cover) across different states and union territories. By displaying these metrics side by side, the plot enables us to discern patterns and discrepancies in forest and non-forest tree cover relative to the total land area in each region.

3. Visualization: Ratio of Forest and Non-Forest Tree Cover to Geographical Area for States/UTs


While the previous bar plot provided a comparative analysis of forest cover, non-forest tree cover, and geographical area for each state and union territory, the absolute values of forest and non-forest tree cover were often small relative to the total geographical area. Therefore, the inclusion of this additional plot, depicting the ratios of forest cover and non-forest tree cover to geographical area, offers a more nuanced perspective by normalizing the data to account for variations in geographical size.

For each state and union territory, the plot consists of two bars representing:

1. Ratio of forest cover to total geographical area (**Dark Green**)
2. Mean forest cover ratio (---)
3. Ratio of non-forest tree cover to total geographical area (**Lemon Yellow**)
4. Mean non-forest tree cover (---)

The height of each bar indicates the proportion of forest cover or non-forest tree cover relative to the total geographical area for the respective region.

Ratio of Forest/Tree Cover to Total Area for States/UTs



Primary Observations:

The absolute numbers could be misleading so we are analysing the ratios

- Lakshadweep emerges as the with the highest forest cover ratio amongst all states/UTs.
- Madhya Pradesh the state with highest forest cover stands at just 0.25.
- Chandigarh turns out to have the highest non-forest tree cover ratio.
- Mean forest cover ratio is only 0.36 (this is not a weighted mean else it would go even lower).
- Mean non -forest tree cover ration 0.03.

Plot Type : A grouped bar plot is selected to allow for a direct comparison between the ratios of forest cover and non-forest tree cover to the total geographical area for each state and union


territory. This visualization effectively highlights the relative density of forest and non-forest tree cover in relation to the size of each region .

Hypothesis 1

States with larger geographical areas tend to have a lower percentage of their total area covered by forest, suggesting an inverse relationship between geographical area and forest coverage percentage.

4. Visualization: Scatter Plot of Scaled Geographical Area vs. Total Tree Cover Ratio

The scatter plot showcases each state and union territory as a data point, with the x-axis representing the min-max scaled geographical area and the y-axis indicating the total tree cover ratio. The total tree cover ratio is calculated as the combined percentage of forest cover and non-forest tree cover relative to the total geographical area for each region. Additionally, a smoothing line with the loess method is overlaid on the scatter plot to visualize the general trend of the relationship between geographical area and total tree cover ratio.



Observation & Support for Hypothesis 1:

The scatter plot provides empirical evidence supporting Hypothesis 1, which posits that states with larger geographical areas tend to have a lower percentage of their total area covered by forest. The observed trend of the smoothing line decreasing with increasing geographical area suggests an inverse relationship between geographical area and forest coverage percentage. This finding underscores the importance of considering geographical size when assessing forest cover and highlights potential implications for environmental conservation and management strategies.

Plot Type: A scatter plot is chosen to visualize the relationship between two continuous variables, namely the min-max scaled geographical area and the total tree cover ratio. This plot type allows for the identification of potential patterns or trends in the data. The inclusion of a smoothing line with


the loess method helps to highlight the overall trend in the relationship between geographical area and total tree cover ratio, aiding in the interpretation of the data.

5. Visualization: Double Bar Plot of Total and Average Rainfall

This double bar plot illustrates both the total and average rainfall for each state and union territory in India. For each state and union territory, the plot displays two sets of bars:

1. Total rainfall: Represents the total amount of rainfall received by each region over a specific period. (Sky Blue)
2. Mean actual rainfall (---)
3. Average rainfall: Indicates the average rainfall amount calculated over a defined time frame.(Navy Blue)
4. Mean Normal rainfall (---)

The height of each bar corresponds to the magnitude of rainfall, providing a visual comparison of total and average rainfall across different regions.



Primary Observations:

- Goa emerges as the state to receive highest rainfall.
- Mean actual rainfall 1077.
- Mean normal rainfall 1144.
- The rainfall in 2021 was less than the average rainfall received.

Plot Type: A double bar plot is chosen to facilitate a comparative analysis of total and average rainfall for each state and union territory. This plot type allows viewers to visually assess both absolute and relative rainfall levels, providing insights into variations in rainfall patterns across different regions. By presenting these metrics side by side, the plot enables viewers to identify outliers or anomalies in rainfall data and gain a comprehensive understanding of regional rainfall characteristics.

Hypothesis 2


States experiencing higher rainfall tend to exhibit a corresponding increase in the percentage of forest coverage across their total area, indicating a direct positive correlation between rainfall and forest coverage percentage.

6. Visualization: Scatter Plot of Min-Max Scaled Rainfall vs. Total Green Area Ratio

This scatter plot investigates the relationship between the min-max scaled rainfall and the total green area ratio (combining forest cover and non-forest tree cover) for each state and union territory in India.

Each state and union territory is represented as a data point on the scatter plot. The x-axis depicts the min-max scaled rainfall, representing the variation in rainfall levels across regions, while the y-axis indicates the total green area ratio, representing the combined percentage of forest cover and non-forest tree cover relative to the total geographical area for each region. Additionally, a smoothing line with the loess method is included to visualize the overall trend in the relationship between rainfall and total green area ratio.

Relationship between Rainfall and Greenry (Tree Cover) Ratio



Observations & Support for Hypothesis 2:


The scatter plot provides empirical evidence supporting Hypothesis 2, which suggests a positive correlation between rainfall and forest coverage percentage. The observed trend of the smoothing line increasing with min-max scaled rainfall implies a direct relationship between rainfall levels and the percentage of green area coverage, indicating that states experiencing higher rainfall tend to exhibit a corresponding increase in the proportion of forest and non-forest tree cover across their total area and vice versa.

Plot Type: A scatter plot is employed to visualize the relationship between two continuous variables: min-max scaled rainfall and total green area ratio. This plot type enables the identification of potential patterns or trends in the data, allowing for the assessment of the relationship between rainfall and green area coverage across different regions. The inclusion of a smoothing line with the loess method enhances the visualization by highlighting the general trend in the relationship between rainfall and green area ratio, aiding in the interpretation of the data.

7. Visualization: Box Plot of PM10 Concentration Across States/UTs

This box plot illustrates the distribution of PM10 concentration levels across different states in India. The data is grouped by states/UTs, with each box representing the range of PM10 concentrations observed within a specific region.

- **Box Plot:** Each box in the plot represents the interquartile range (IQR) of PM10 concentrations within a state, with the median value depicted as a horizontal line within the box. The whiskers extend to the minimum and maximum observed concentrations, excluding outliers.
- **National Standard Line:** A dashed line is included to represent the national standard for PM10 concentration. This standard serves as a reference point for assessing the air quality levels across different states.
- **Color Gradient:** The color gradient within each box is determined by the deviation of the state's median PM10 concentration from the national average. Shades of red indicate concentrations higher than the standard, shades of green indicate concentrations lower than the standard, and white indicates concentrations within the standard range.



Primary Observations:

- A&I Islands emerges to have the lowest PM10 concentrations (as of median).
- Delhi emerges to have the highest PM10 concentrations (due to median).
- However, the most polluted place (in terms of PM10 concentrations) exists in Haryana .
- National Standard for Annual PM10 concentrations is 60.

Plot Type: A box plot is chosen to visualize the distribution of PM10 concentrations across states, as it effectively displays summary statistics such as the median, quartiles, and outliers. This plot type allows for a comparative analysis of PM10 concentration levels between different regions, enabling viewers to identify outliers and assess the variability in air quality across states. The inclusion of the national standard line and color gradient enhances the interpretation of the data by providing context regarding each state's adherence to air quality standards.


Hypothesis 3

High forest coverage in states correlates with lower PM10 concentrations, suggesting an inverse relationship between green area percentage and air pollution levels.

8. Visualization: Scatter Plot of PM10 Concentration vs. Greenery Ratio

This scatter plot examines the relationship between PM10 concentration (a measure of air pollution) and the greenery ratio (percentage of green area, including forest cover and non-forest tree cover) across different states in India.

Each state is represented as a data point on the scatter plot, with PM10 concentration depicted on the x-axis and the greenery ratio on the y-axis. The greenery ratio reflects the proportion of green area relative to the total geographical area for each region. Additionally, a smoothing line with the loess method is included to visualize the overall trend in the relationship between PM10 concentration and greenery ratio.



Observations & Support for Hypothesis 3:


The scatter plot provides empirical evidence supporting Hypothesis 3, which suggests an inverse relationship between green area percentage and air pollution levels. The observed downtrend in the smoothing line implies that states with higher greenery ratios tend to have lower PM10 concentrations, indicating a potential association between vegetation cover and air quality. This finding underscores the importance of green spaces in mitigating air pollution and highlights the potential benefits of environmental conservation efforts in reducing public health risks associated with poor air quality.

Plot Type: A scatter plot is chosen to visualize the relationship between two continuous variables: PM10 concentration and greenery ratio. This plot type enables the identification of potential patterns or trends in the data, allowing for the assessment of the relationship between air pollution levels and the extent of green area coverage across different regions. The inclusion of a smoothing line with the loess function enhances the visualization by highlighting the general trend in the relationship between PM10 concentration and greenery ratio, aiding in the interpretation of the data.

9. Visualization: Bar Plot of Gross State Domestic Product (GSDP) by State/UT

This bar plot illustrates the Gross State Domestic Product (GSDP) for each state and union territory (UT) in India. The color of each bar is determined by the growth rate of the GSDP, with shades of green indicating positive growth, shades of red indicating negative growth, and white representing zero growth.

- Each bar in the plot represents the GSDP of a specific state or UT.
- The height of each bar corresponds to the magnitude of the GSDP.
- The color of each bar reflects the growth rate of the GSDP, with shades of green indicating positive growth, shades of red indicating negative growth, and white representing zero growth.



Primary Observations:

- Maharashtra emerges to have the highest GSDP.
- Kerala emerges to have the highest GDSP growth rate.
- Unfortunately Mizoram has the lowest GSDP growth rate (negative).

Plot Type: A bar plot is selected to visualize the GSDP of different states and UTs, as it effectively presents categorical data and facilitates comparisons between regions. The use of color to represent the growth rate of the GSDP enhances the interpretation of the data, allowing viewers to quickly identify states/UTs with positive, negative, or stagnant economic growth. This plot type enables policymakers, economists, and stakeholders to assess the economic performance of each region and identify areas for intervention or development.


Hypothesis 4

High forest coverage in states correlates with lower Gross State Domestic Product (GSDP), highlighting an inverse relationship between green area percentage and economic development, underscoring the imperative for sustainable development practices.

10. Visualization: Scatter Plot of Log-Scaled Gross State Domestic Product (GSDP) vs. Greenery Ratio

This scatter plot examines the relationship between the log-scaled Gross State Domestic Product (GSDP), a measure of economic development, and the greenery ratio (percentage of green area, including forest cover and non-forest tree cover) across different states and union territories in India.

- Each state or union territory is represented as a data point on the scatter plot.
- The log-scaled GSDP is depicted on the x-axis, allowing for a wider range of economic values to be displayed.
- The greenery ratio, representing the proportion of green area relative to the total geographical area for each region, is shown on the y-axis.
- A smoothing line with the loess method is included to visualize the overall trend in the relationship between log-scaled GSDP and greenery ratio.



Observations & Support for Hypothesis 4:

The scatter plot provides empirical evidence supporting Hypothesis 4, which suggests an inverse relationship between green area percentage and Gross State Domestic Product (GSDP). The observed trend in the smoothing line indicates that states with higher greenery ratios tend to have lower log-scaled GSDP values, suggesting that a higher proportion of green area may be associated with lower levels of economic development. This finding underscores the importance of sustainable development practices that balance economic growth with environmental conservation efforts.

Plot Type: A scatter plot is chosen to visualize the relationship between two continuous variables: log-scaled GSDP and greenery ratio. This plot type enables the identification of potential patterns or trends in the data, allowing for the assessment of the relationship between economic development and the extent of green area coverage across different regions. The inclusion of a smoothing line with the loess method enhances the visualization by highlighting the general trend in the relationship between log-scaled GSDP and greenery ratio, aiding in the interpretation of the data.


Hypothesis 5

States experiencing robust Gross State Domestic Product (GSDP) tend to face heightened Air Pollution (PM10 Concentration), underscoring the inherent correlation between development and environmental degradation. Despite this, these dynamic states are actively pursuing measures to combat air pollution, highlighting the imperative for sustainable development practices.

11. Visualization: Scatter Plot of Scaled Gross State Domestic Product (GSDP) vs. PM10 Concentration

This scatter plot examines the relationship between scaled Gross State Domestic Product (GSDP), a measure of economic development, and PM10 concentration, an indicator of air pollution, across different states and union territories in India.

- Each state or union territory is represented as a data point on the scatter plot.
- The scaled GSDP is depicted on the x-axis, allowing for a standardized representation of economic values.
- PM10 concentration, a measure of air pollution, is shown on the y-axis.
- A smoothing line with the loess method is included to visualize the overall trend in the relationship between scaled GSDP and PM10 concentration.



Observations & Support for Hypothesis 5:

The scatter plot provides empirical evidence supporting Hypothesis 5, which suggests a correlation between robust economic development (as indicated by scaled GSDP) and heightened PM10 concentration (indicative of air pollution). The observed trend in the smoothing line indicates that states with higher scaled GSDP values tend to exhibit higher PM10 concentrations, underscoring the potential environmental degradation associated with economic growth. Despite this correlation, some states may be actively pursuing measures to combat air pollution, as evidenced by slight decreases in PM10 concentration towards the higher end of scaled GSDP values. This finding highlights the imperative for sustainable development practices that prioritize environmental conservation alongside economic growth.

Plot Type: A scatter plot is chosen to visualize the relationship between two continuous variables: scaled GSDP and PM10 concentration. This plot type enables the identification of potential patterns

or trends in the data, allowing for the assessment of the relationship between economic development and air pollution levels across different regions.

The inclusion of a smoothing line with the loess method enhances the visualization by highlighting the general trend in the relationship between scaled GSDP and PM10 concentration, aiding in the interpretation of the data.


Hypothesis 5+

States with higher Gross State Domestic Product (GSDP) are endeavouring to offset air pollution by augmenting non-forest tree cover, a premise supported by Hypothesis 5. This strategic approach underscores a concerted effort towards achieving environmental equilibrium amidst developmental strides.

12. Visualization: Scatter Plot of Gross State Domestic Product (GSDP) vs. Non-Forest Tree Cover

This scatter plot explores the relationship between Gross State Domestic Product (GSDP), an indicator of economic development, and non-forest tree cover across different states and union territories in India.

- Each state or union territory is represented as a data point on the scatter plot.
- GSDP is depicted on the x-axis, showcasing the economic prosperity of each region.
- Non-forest tree cover, which includes trees outside of forest areas, is shown on the y-axis.
- A smoothing line with the loess method is included to visualize the overall trend in the relationship between GSDP and non-forest tree cover.



Observations & Support for Hypothesis 5+:

The scatter plot provides empirical evidence supporting Hypothesis 5+, which suggests that states with higher GSDP values are endeavouring to offset air pollution by augmenting non-forest tree cover. The observed trend in the smoothing line indicates that as GSDP increases, there is a corresponding increase in non-forest tree cover, indicating a strategic approach towards achieving environmental equilibrium amidst developmental strides. This finding aligns with Hypothesis 5, which highlights the states are actively pursuing measures to combat air pollution, highlighting the imperative for sustainable development practices. Overall, the plot underscores a concerted effort by economically developed states to mitigate air pollution through measures such as increasing


non-forest tree cover, thereby contributing to environmental sustainability alongside economic growth.

Plot Type: A scatter plot is chosen to visualize the relationship between two continuous variables: GSDP and non-forest tree cover. This plot type allows for the identification of potential patterns or trends in the data, enabling the assessment of the relationship between economic development and efforts to augment non-forest tree cover. The inclusion of a smoothing line with the loess method enhances the visualization by highlighting the general trend in the relationship between GSDP and non-forest tree cover, aiding in the interpretation of the data.

13. Visualization: Heatmap of Correlation Between Environmental and Developmental Aspects

This heatmap illustrates the correlation between various environmental and developmental aspects across different states and union territories in India.

- The heatmap displays a grid of squares, with each square representing the correlation coefficient between two variables.
- The correlation coefficient ranges from -1 to 1



Plot Type: A heatmap is chosen to visualize the correlation matrix between multiple variables. This plot type allows for the identification of relationships and patterns amongst multiple variables with

clearly defined correlations . The use of color intensity effectively highlights the strength and direction of correlations, aiding in the interpretation of the data.


Hypothesis 3+

Reinstating Hypothesis 3 over the years we can see Air Pollution decreasing with increase in Forest Cover, suggesting an inverse relationship between green percentage and air pollution levels.

14. Visualization: Line Plot of Total Forest Cover vs. PM10 Concentration Over Time

This line plot depicts the relationship between total forest cover in India and PM10 concentration levels across three years: 2017, 2019, and 2021.

- The x-axis represents the total forest cover in India.
- The y-axis represents PM10 concentration levels.
- The line plot shows the trend in PM10 concentration levels over the three-year period.
- Each point on the line represents the PM10 concentration level for the corresponding year.



Observations & Support for Hypothesis 3+:

The downward trend in PM10 concentrations observed over the years provides empirical support for Hypothesis 3+, suggesting that air pollution decreases with an increase in forest cover. The simultaneous increase in total forest cover and decrease in PM10 concentrations indicate a potential inverse relationship between greenery and air pollution levels, reinforcing the hypothesis 3. This trend underscores the role of forests and green spaces in mitigating air pollution, highlighting the importance of environmental conservation efforts in promoting cleaner air and healthier environments.

Plot Type: A line plot is chosen to visualize changes in PM10 concentration levels over time. This plot type allows for the representation of continuous data (PM10 concentrations) across discrete time points (years). By plotting PM10 concentration levels over multiple years, trends and patterns in air pollution levels can be observed and analysed.

Observations Summarized :

- 1. (Hypothesis 1) Geographical Area vs. Greenery Ratio:** States with larger geographical areas tend to have a lower percentage of their total area covered by forest, suggesting an inverse relationship between geographical area and forest coverage percentage.
- 2. (Hypothesis 2) Rainfall and Forest Cover:** States experiencing higher rainfall tend to exhibit a corresponding increase in the percentage of forest coverage across their total area, indicating a direct positive correlation between rainfall and forest coverage percentage.
- 3. (Hypothesis 3) Greenery Ratio vs. Air Pollution:** Higher forest coverage in states correlates with lower pollutant concentrations, indicating an inverse relationship between green area percentage and air pollution levels.
- 4. (Hypothesis 4) Economic Development vs. Greenery:** States with higher Gross State Domestic Product (GSDP) tend to have lower greenery ratios, suggesting an inverse relationship between economic development and green area percentage.
- 5. (Hypothesis 5) Economic Development vs. Air Pollution:** States with robust economic development tend to face heightened air pollution levels, indicating a correlation between development and environmental degradation.
- 6. (Hypothesis 5+) Economic Development Efforts:** States with higher GSDP values are actively increasing non-forest tree cover, potentially to offset air pollution, highlighting efforts towards achieving environmental equilibrium amidst developmental strides.
- 7. (Hypothesis 3+) Temporal Trends:** Over the years, there's a visible decrease in PM10 concentrations alongside an increase in total forest cover, supporting the notion that air pollution decreases with an increase in forest cover, reinforcing the imperative of environmental conservation efforts.

Concluding Remarks:

The findings of this report shed light on the intricate interplay between environmental factors and developmental indicators, offering valuable insights into the dynamics shaping India's ecological and economic landscape. Through comprehensive analysis and visualization, several key observations have emerged, each contributing to a nuanced understanding of the relationships between various factors.

It is evident that environmental conservation and sustainable development are intertwined, with actions in one domain often impacting outcomes in the other. The inverse relationships observed between forest cover and air pollution levels, as well as between economic development and greenery, underscore the delicate balance between growth and conservation.

Furthermore, the temporal trends highlight the potential for positive environmental outcomes with concerted efforts towards increasing green cover. As seen in the decrease in air pollution levels alongside an increase in forest cover over time, there is room for optimism regarding the effectiveness of environmental conservation measures.

Ultimately, these findings underscore the imperative for holistic and integrated approaches to development that prioritize environmental sustainability alongside economic growth. By leveraging these insights, policymakers and stakeholders can inform evidence-based decision-making and craft strategies that promote both prosperity and environmental well-being for current and future generations.

- Anant Kacholia