
bp$gini_multimodal
0.10
0.15
0.20
0.25
0.00
0.05
0.10
0.15
0.20
0.25
bp$gini_walk15


bp$gini_house_multimodal
0.15
0.20
0.25
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.35
bp$gini_house_walk15


45
40
35
30
25
madrid$weighted_gini_multi
20
25
30
35
40
45
madrid$weighted_gini_walk


helsinki$weighted_gini_multi
0.24
0.26
0.28
0.30
0.32
0.34
0.20
0.25
0.30
0.35
helsinki$weighted_gini_walk


Histogram of bp$gini_multimodal − bp$gini_walk15
Frequency
0
500
1000
1500
2000
−0.15
−0.10
−0.05
0.00
0.05
0.10
0.15
0.20
bp$gini_multimodal − bp$gini_walk15


Histogram of bp$gini_house_multimodal − bp$gini_house_walk15
Frequency
0
500
1000
1500
2000
2500
3000
−0.2
−0.1
0.0
0.1
0.2
bp$gini_house_multimodal − bp$gini_house_walk15


Histogram of madrid$weighted_gini_multi − madrid$weighted_gini_walk
Frequency
0
500
1000
1500
2000
2500
−10
−5
0
5
10
madrid$weighted_gini_multi − madrid$weighted_gini_walk


Histogram of helsinki$weighted_gini_multi − helsinki$weighted_gini_wal
Frequency
0
200
400
600
800
1000
−0.05
0.00
0.05
0.10
helsinki$weighted_gini_multi − helsinki$weighted_gini_walk


helsinki$area_difference
helsinki$area
0
5
10
15
0
5
10
15


bp$ellipticity
0.0
0.2
0.4
0.6
0.8
1.0
−3
−2
−1
0
1
2
3
log(bp$distance_betweenness)


madrid$ellipticity
0.0
0.2
0.4
0.6
0.8
1.0
−4
−3
−2
−1
0
1
2
3
log(madrid$distance_betweenness)


helsinki$ellipticity
0.0
0.2
0.4
0.6
0.8
−3
−2
−1
0
1
2
3
log(helsinki$distance_betweenness)


bp$stop_lat[bp$distance_betweenness > quantile(bp$distance_betweenness, 0.25)]
47.40
47.45
47.50
47.55
47.60
19.0
19.1
19.2
19.3
bp$stop_lon[bp$distance_betweenness > quantile(bp$distance_betweenness, 0.25)]


40.55
40.50
40.45
40.40
40.35
−3.80
−3.75
−3.70
−3.65
−3.60
−3.55
madrid$stop_lat[madrid$distance_betweenness > quantile(madrid$distance_betweenness, 0.2
madrid$stop_lon[madrid$distance_betweenness > quantile(madrid$distance_betweenness, 0.


helsinki$stop_lat[helsinki$distance_betweenness > quantile(helsinki$distance_betweenness, 0.2
60.15
60.20
60.25
24.9
25.0
25.1
25.2
helsinki$stop_lon[helsinki$distance_betweenness > quantile(helsinki$distance_betweenness, 0