

MySQL Workbench

unconnected x campus - Warning - not supp...

File Edit View Query Database Server Tools Scripting Help

Navigator: ipl ipl x

Limit to 1000 rows

1 • **SELECT * FROM campusx.ipl;**

SCHEMAS

Filter objects

campusx

- Tables
 - airports
 - flights
 - ipl
 - marks
 - null_sample
 - smartphones
 - users
- Views
- Stored Procedures
- Functions

flights

flipkart

indigo

ipl

maang

mydb

phpmyadmin

sample

sql_ox_live

- Tables
- Views
- Stored Procedures
- Functions

sql_tasks

swiggy

temp_db

Administration Schemas

Information

No object selected

Object Info Session

Result Grid

	innings	overs	ballnumber	batter	bowler	non-striker	extra_type	batsman_run	extras_run	total_run	non_boundary	isWicketDelivery	player_out	kind	fielders_involved	BattingTeam	
▶	2200	1	0	1	YBK Jaiswal	Mohammed Shami	JC Buttler	NA	0	0	0	0	0	NA	NA	NA	Rajasthan Royals
	2200	1	0	2	YBK Jaiswal	Mohammed Shami	JC Buttler	legbyes	0	1	1	0	0	NA	NA	NA	Rajasthan Royals
	2200	1	0	3	JC Buttler	Mohammed Shami	YBK Jaiswal	NA	1	0	1	0	0	NA	NA	NA	Rajasthan Royals
	2200	1	0	4	YBK Jaiswal	Mohammed Shami	JC Buttler	NA	0	0	0	0	0	NA	NA	NA	Rajasthan Royals
	2200	1	0	5	YBK Jaiswal	Mohammed Shami	JC Buttler	NA	0	0	0	0	0	NA	NA	NA	Rajasthan Royals
	2200	1	0	6	YBK Jaiswal	Mohammed Shami	JC Buttler	NA	0	0	0	0	0	NA	NA	NA	Rajasthan Royals

ipl 1 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 15	11:16:22	SELECT ID,SUM(batsman_run), SUM(SUM(batsman_run)) OVER(ORDER BY ID ROWS BETWEEN UNBOU...	215 row(s) returned	0.359 sec / 0.000 sec
✓ 16	11:18:32	SELECT ID,SUM(batsman_run), SUM(SUM(batsman_run)) OVER(ORDER BY ID ROWS BETWEEN UNBOU...	215 row(s) returned	0.282 sec / 0.000 sec
✓ 17	14:11:29	SELECT * FROM campusx.airports LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
✓ 18	14:23:22	USE campusx	0 row(s) affected	0.000 sec
✓ 19	14:24:26	USE campusx	0 row(s) affected	0.000 sec
✓ 20	14:26:34	SELECT * FROM campusx.ipl LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.016 sec

MySQL Workbench

campusx - Warning - not supp...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

campusx

- airports
- flights
- ipl
- marks
- null_sample
- smartphones
- users
- Views
- Stored Procedures
- Functions

flights

flipkart

indigo

ipl

maang

mydb

phpmyadmin

sample

sql_ox_live

- Tables
- Views
- Stored Procedures
- Functions

sql_tasks

swiggy

temp_db

Administration Schemas

Information

No object selected

Object Info Session

ipl

Limit to 1000 rows

```
1 • SELECT * FROM campusx.ipl;
2
3 • SELECT BattingTeam,batter,SUM(batsman_run) AS 'total_runs',
4 DENSE_RANK() OVER(PARTITION BY BattingTeam ORDER BY SUM(batsman_run) DESC)
5 FROM ipl
6 GROUP BY BattingTeam,batter
7
```

Result Grid

BattingTeam	batter	total_runs	DENSE_RANK() OVER(PARTITION BY BattingTeam ORDER BY SUM(batsman_run) DESC)
Chennai Super Kings	A Flintoff	62	34
Chennai Super Kings	A Mukund	A Flintoff	61
Chennai Super Kings	A Nehra	1	60
Chennai Super Kings	AS Rajpoot	2	59
Chennai Super Kings	AT Rayudu	1774	4

Result 3

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 18	14:23:22	USE campusx	0 row(s) affected	0.000 sec
✓ 19	14:24:26	USE campusx	0 row(s) affected	0.000 sec
✓ 20	14:26:34	SELECT * FROM campusx.ipl LIMIT 0, 1000	1000 row(s) returned	0.000 sec / 0.016 sec
✗ 21	14:29:04	SELECT BattingTeam,batter,SUM(batsman_runs) FROM ipl GROUP BY BattingTeam,batter LIMIT 0, 1000	Error Code: 1054. Unknown column 'batsman_runs' in 'field list'	0.000 sec
✓ 22	14:29:14	SELECT BattingTeam,batter,SUM(batsman_run) FROM ipl GROUP BY BattingTeam,batter LIMIT 0, 1000	1000 row(s) returned	0.984 sec / 0.000 sec
✓ 23	14:30:36	SELECT BattingTeam,batter,SUM(batsman_run) AS total_runs', DENSE_RANK() OVER(PARTITION BY Batti...	1155 row(s) returned	1.094 sec / 0.000 sec

MySQL Workbench

unconnected x campus - Warning - not supp...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

campus

- Tables
 - airports
 - flights
 - ipl
 - marks
 - null_sample
 - smartphones
 - users
- Views
- Stored Procedures
- Functions

flights

flipkart

indigo

ipl

maang

mydb

phpmyadmin

sample

sql_ox_live

- Tables
- Views
- Stored Procedures
- Functions

sql_tasks

swiggy

temp_db

Administration Schemas

Information

No object selected

Limit to 1000 rows

```
2
3 • SELECT * FROM (SELECT BattingTeam,batter,SUM(batsman_run) AS 'total_runs',
4 DENSE_RANK() OVER(PARTITION BY BattingTeam ORDER BY SUM(batsman_run) DESC) AS '
5 FROM ipl
6 GROUP BY BattingTeam,batter) t
7 WHERE t.rank_within_team < 6
8 ORDER BY t.BattingTeam,t.rank_within_team
9
```

Result Grid

	BattingTeam	batter	total_runs	rank_within_team
▶	Chennai Super Kings	SK Pina	4695	1
	Chennai Super Kings	MS Dhoni	4404	2
	Chennai Super Kings	F du Plessis	2721	3
	Chennai Super Kings	AT Rayudu	1774	4
	Chennai Super Kings	MEK Hussey	1768	5
	Deccan Chargers	AC Gilchrist	1220	1
	Deccan Chargers	RG Sharma	1170	2

Result 6 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch	
✖	21	14:29:04	SELECT BattingTeam.batter,SUM(batsman_run) FROM ipl GROUP BY BattingTeam.batter LIMIT 0, 1000	Error Code: 1054. Unknown column 'batsman_run' in 'field list'	0.000 sec
✔	22	14:29:14	SELECT BattingTeam.batter,SUM(batsman_run) FROM ipl GROUP BY BattingTeam.batter LIMIT 0, 1000	1000 row(s) returned	0.984 sec / 0.000 sec
✔	23	14:30:36	SELECT BattingTeam.batter,SUM(batsman_run) AS 'total_runs', DENSE_RANK() OVER(PARTITION BY Batti...	1155 row(s) returned	1.094 sec / 0.000 sec
✔	24	14:31:17	SELECT * FROM (SELECT BattingTeam.batter,SUM(batsman_run) AS 'total_runs', DENSE_RANK() OVER(PA...	1155 row(s) returned	1.078 sec / 0.000 sec
✔	25	14:31:47	SELECT * FROM (SELECT BattingTeam.batter,SUM(batsman_run) AS 'total_runs', DENSE_RANK() OVER(PA...	90 row(s) returned	1.079 sec / 0.000 sec
✔	26	14:32:22	SELECT * FROM (SELECT BattingTeam.batter,SUM(batsman_run) AS 'total_runs', DENSE_RANK() OVER(PA...	90 row(s) returned	1.062 sec / 0.000 sec

Object Info Session

MySQL Workbench

unconnected x campusx - Warning - not supp... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

campusx

- Tables
 - airports
 - flights
 - ipl
 - marks
 - null_sample
 - smartphones
 - users
- Views
- Stored Procedures
- Functions

ipl

```
7 WHERE t.rank_within_team < 6
8 ORDER BY t.BattingTeam,t.rank_within_team;
9
10 • SELECT
11 CONCAT("Match-",CAST(ROW_NUMBER() OVER(ORDER BY ID) AS CHAR)) AS 'match_no',
12 SUM(batsman_run) AS 'runs_scored',
13 SUM(SUM(batsman_run)) OVER(ROWS BETWEEN UNBOUNDED PRECEDING AND CURRENT ROW) AS
14 FROM ipl
```

Result Grid

	match_no	runs_scored	career_runs
▶	Match-1	1	1
	Match-2	23	24
	Match-3	13	37
	Match-4	12	49
	Match-5	1	50
	Match-6	9	59
	Match-7	34	93

Result 22 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 39	14:50:37	SELECT CONCAT("Match-",CAST(ROW_NUMBER() OVER(ORDER BY ID) AS CHAR)) AS 'match_no', SU...	215 row(s) returned	0.234 sec / 0.000 sec
✗ 40	14:52:05	SELECT CONCAT("Match-",CAST(ROW_NUMBER() OVER(ORDER BY ID) AS CHAR)) AS 'match_no', SU...	Error Code: 1111. Invalid use of group function	0.000 sec
✓ 41	14:52:22	SELECT CONCAT("Match-",CAST(ROW_NUMBER() OVER(ORDER BY ID) AS CHAR)) AS 'match_no', SU...	215 row(s) returned	0.234 sec / 0.000 sec
✓ 42	14:52:50	SELECT CONCAT("Match-",CAST(ROW_NUMBER() OVER(ORDER BY ID) AS CHAR)) AS 'match_no', SU...	215 row(s) returned	0.235 sec / 0.000 sec
✓ 43	14:54:08	SELECT CONCAT("Match-",CAST(ROW_NUMBER() OVER(ORDER BY ID) AS CHAR)) AS 'match_no', SU...	215 row(s) returned	0.250 sec / 0.000 sec
✓ 44	14:54:27	SELECT CONCAT("Match-",CAST(ROW_NUMBER() OVER(ORDER BY ID) AS CHAR)) AS 'match_no', SU...	215 row(s) returned	0.265 sec / 0.000 sec

Object Info Session

MySQL Workbench

campusx - Warning - not supp...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

campusx

- Tables
 - airports
 - flights
 - ipl
 - marks
 - null_sample
 - smartphones
 - users
- Views
- Stored Procedure
- Functions

flights

flipkart

indigo

ipl

maang

mydb

phpmyadmin

sample

sql_ox_live

- Tables
- Views
- Stored Procedure
- Functions

sql_tasks

swiggy

Administration Schemas

Information:

No object selected

```
9
10 • SELECT * FROM (SELECT
11   CONCAT("Match-",CAST(ROW_NUMBER() OVER(ORDER BY ID) AS CHAR)) AS 'match_no',
12   SUM(batsman_run) AS 'runs_scored',
13   SUM(SUM(batsman_run)) OVER(ROWS BETWEEN UNBOUNDED PRECEDING AND CURRENT ROW) AS 'c
14 FROM ipl
15 WHERE batter = 'V Kohli'
16 GROUP BY ID
17 WINDOW w AS ()) t
18 WHERE match_no = 'Match-50' OR match_no = 'Match-100' OR match_no = 'Match-200'
19
```

Result Grid

match_no	runs_scored	career_runs
Match-50	11	1131
Match-100	13	2650
Match-200	41	6334

Result 26 x

Output

Action Output

Time Action Message Duration / Fetch

43 14:54:08 SELECT CONCAT("Match-",CAST(ROW_NUMBER() OVER(ORDER BY ID) AS CHAR)) AS 'match_no', SUM(bat... 215 row(s) returned 0.250 sec / 0.000

MySQL Workbench

unconnected x campus - Warning - not supp...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

campusx

- Tables
 - airports
 - flights
 - ipl
 - marks
 - null_sample
 - smartphones
 - users
- Views
- Stored Procedure
- Functions

flights

flipkart

indigo

ipl

maang

mydb

phpmyadmin

sample

sql_ox_live

- Tables
- Views
- Stored Procedure
- Functions

sql_tasks

swiggy

Administration Schemas

Information

No object selected

```
5 FROM ipl
6 GROUP BY BattingTeam,batter) t
7 WHERE t.rank_within_team < 6
8 ORDER BY t.BattingTeam,t.rank_within_team;
9
10 • SELECT * FROM (SELECT
11   CONCAT("Match-",CAST(ROW_NUMBER() OVER(ORDER BY ID) AS CHAR)) AS 'match_no',
12   SUM(batsman_run) AS 'runs_scored',
13   SUM(SUM(batsman_run)) OVER(ROWS BETWEEN UNBOUNDED PRECEDING AND CURRENT ROW) AS 'c
14   AVG(SUM(batsman_run)) OVER(ROWS BETWEEN UNBOUNDED PRECEDING AND CURRENT ROW) AS 'c
15 FROM ipl
```

Result Grid

	match_no	runs_scored	career_runs	career_avg
▶	Match-1	1	1	1.0000
	Match-2	23	24	12.0000
	Match-3	13	37	12.3333
	Match-4	12	49	12.2500
	Match-5	1	50	10.0000
	Match-6	9	59	9.8333

Result 30 x

Output

Action Output

Time Action Message Duration / Fetch

51 15:06:40 SELECT * FROM (SELECT CONCAT("Match-",CAST(ROW_NUMBER() OVER(ORDER BY ID) AS CHAR)) AS 'm... 215 row(s) returned 0.265 sec / 0.000 sec

MySQL Workbench

Warning - not supp...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

campusx

- airports
- flights
- ipl
- marks
- null_sample
- smartphones
- users
- Views
- Stored Procedure
- Functions
- flights
- flipkart
- indigo
- ipl
- maang
- mydb
- phpmyadmin
- sample
- sql_ox_live
 - Tables
 - Views
 - Stored Procedure
 - Functions
- sql_tasks
- swiggy

Limit to 1000 rows

```
8 ORDER BY t.BattingTeam,t.rank_within_team;
9
10 • SELECT * FROM (SELECT
11   CONCAT("Match-",CAST(ROW_NUMBER() OVER(ORDER BY ID) AS CHAR)) AS 'match_no',
12   SUM(batsman_run) AS 'runs_scored',
13   SUM(SUM(batsman_run)) OVER w AS 'career_runs',
14   AVG(SUM(batsman_run)) OVER w AS 'career_avg'
15 FROM ipl
16 WHERE batter = 'V Kohli'
17 GROUP BY ID
18 WINDOW w AS (ROWS BETWEEN UNBOUNDED PRECEDING AND CURRENT ROW)) t
```

Result Grid

	match_no	runs_scored	career_runs	career_avg
▶	Match-1	1	1	1.0000
	Match-2	23	24	12.0000
	Match-3	13	37	12.3333
	Match-4	12	49	12.2500
	Match-5	1	50	10.0000
	Match-6	9	59	9.8333

Result 31

Output

Action Output

#	Time	Action	Message	Duration / Fetch
52	15:07:04	SELECT * FROM (SELECT CONCAT("Match-",CAST(ROW_NUMBER() OVER(ORDER BY ID) AS CHAR)) AS 'm...	215 row(s) returned	0.250 sec / 0.000 sec

MySQL Workbench

unconnected x campusx - Warning - not supp... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

campusx

- Tables
 - airports
 - flights
 - ipl
 - marks
 - null_sample
 - smartphones
 - users
- Views
- Stored Procedure
- Functions

flights

flipkart

indigo

ipl

maang

mydb

phpmyadmin

sample

sql_ox_live

- Tables
- Views
- Stored Procedure
- Functions

sql_tasks

swiggy

Administration Schemas

Information

No object selected

```
7 RE t.rank_within_team < 6
8 ER BY t.BattingTeam,t.rank_within_team;
9
10 • SELECT * FROM (SELECT
11   CONCAT("Match-",CAST(ROW_NUMBER() OVER(ORDER BY ID) AS CHAR)) AS 'match_no',
12   (batsman_run) AS 'runs_scored',
13   (SUM(batsman_run)) OVER w AS 'career_runs',
14   (SUM(batsman_run)) OVER w AS 'career_avg',
15   (SUM(batsman_run)) OVER(ROWS BETWEEN 9 PRECEDING AND CURRENT ROW) AS 'rolling_avg'
16   inl
```

Result Grid

	match_no	runs_scored	career_runs	career_avg	rolling_avg
	Match-5	1	50	10.0000	10.0000
	Match-6	9	59	9.8333	9.8333
	Match-7	34	93	13.2857	13.2857
	Match-8	0	93	11.6250	11.6250
	Match-9	21	114	12.6667	12.6667
	Match-10	3	117	11.7000	11.7000

Result 36 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
60	15:21:14	SELECT * FROM (SELECT CONCAT("Match-",CAST(ROW_NUMBER() OVER(ORDER BY ID) AS CHAR)) AS 'm...	215 row(s) returned	0.250 sec / 0.000 sec
61	15:41:52	SELECT * FROM (SELECT CONCAT("Match-",CAST(ROW_NUMBER() OVER(ORDER BY ID) AS CHAR)) AS 'm...	Error Code: 1054. Unknown column 'batsman_runs' in 'field list'	0.000 sec
62	15:41:57	SELECT * FROM (SELECT CONCAT("Match-",CAST(ROW_NUMBER() OVER(ORDER BY ID) AS CHAR)) AS 'm...	215 row(s) returned	0.235 sec / 0.000 sec

Object Info Session

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator: ipl order_details

SCHEMAS

Filter objects

- Views
- Stored Procedure
- Functions
- flights
- flipkart
- indigo
- ipl
- maang
- mydb
- phpmyadmin
- sample
- sql_ox_live
 - Tables
 - Views
 - Stored Procedure
 - Functions
- sql_tasks
- swiggy
 - Tables
 - food
 - menu
 - order_details
 - orders
 - restaurants
 - users
 - Views
 - Stored Procedure

Administration Schemas

Information

No object selected

Object Info Session

```
1 USE swiggy;
2
3 • SELECT * FROM orders
```

Result Grid

	order_id	user_id	r_id	amount	date
▶	1001	1	1	550	2022-05-10
	1002	1	2	415	2022-05-26
	1003	1	3	240	2022-06-15
	1004	1	3	240	2022-06-29
	1005	1	3	220	2022-07-10
	1006	2	1	950	2022-06-10

orders 18 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
84	16:46:52	SELECT * FROM swiggy.food LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec
85	16:47:12	SELECT * orders	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MariaDB serv...	0.000 sec
86	16:47:19	SELECT * FROM orders LIMIT 0, 1000	25 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

unconnected x campus - Warning - not supp...

File Edit View Query Database Server Tools Scripting Help

Navigator ipl order_details x

Limit to 1000 rows

```
3 • SELECT f_name,
4 (total_value/SUM(total_value) OVER())*100 AS 'percent_of_total'
5 FROM (SELECT f_id,SUM(amount) AS 'total_value' FROM orders t1
6 JOIN order_details t2
7 ON t1.order_id = t2.order_id
8 WHERE r_id = 1
9 GROUP BY f_id) t
10 JOIN food t3
11 ON t.f_id = t3.f_id
```

Result Grid

	f_name	percent_of_total
▶	Veg Pizza	14.3939
	Non-veg Pizza	46.2121
	Choco Lava cake	39.3939

Administration Schemas

Information

No object selected

Result 31 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 98	16:51:01	SELECT *, (total_value/SUM(total_value) OVER())*100 FROM (SELECT f_id,SUM(amount) AS total_value' FROM...	3 row(s) returned	0.016 sec / 0.000 sec
✓ 99	16:51:13	SELECT f_name, (total_value/SUM(total_value) OVER())*100 FROM (SELECT f_id,SUM(amount) AS total_value' ...	3 row(s) returned	0.000 sec / 0.000 sec
✓ 100	16:51:26	SELECT f_name, (total_value/SUM(total_value) OVER())*100 AS 'percent_of_total' FROM (SELECT f_id,SUM(am...	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Warning - not supp...

File Edit View Query Database Server Tools Scripting Help

Navigator ipl order_details youtube_views

SCHEMAS

Filter objects

campusx

- Tables
 - airports
 - flights
 - ipl
 - marks
 - null_sample
 - smartphones
 - users
 - youtube_view
- Views
- Stored Procedure
- Functions

flights

flipkart

indigo

ipl

maang

mydb

phpmyadmin

sample

sql_ox_live

Tables

Views

Stored Procedure

Functions

sql_tasks

```
14 PERCENTILE_DISC(0.5) WITHIN GROUP(ORDER BY marks) OVER(PARTITION BY branch) AS 'me
15 PERCENTILE_CONT(0.5) WITHIN GROUP(ORDER BY marks) OVER(PARTITION BY branch) AS 'me
16 FROM marks;
17
18 • SELECT * FROM (SELECT *,
19 PERCENTILE_CONT(0.25) WITHIN GROUP(ORDER BY marks) OVER() AS 'Q1',
20 PERCENTILE_CONT(0.75) WITHIN GROUP(ORDER BY marks) OVER() AS 'Q3'
21 FROM marks) t
22 WHERE t.marks <= t.Q1 - (1.5*(t.Q3 - t.Q1))
```

Result Grid

	student_id	name	branch	marks	Q1	Q3
▶	17	Abhi	EEE	1	55.0000000000	91.0000000000

Administration Schemas

Information:

No object selected

Result 79 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 196	11:48:54	SELECT * FROM (SELECT *, PERCENTILE_CONT(0.25) WITHIN GROUP(ORDER BY marks) OVER() AS 'Q1', P...	0 row(s) returned	0.000 sec / 0.000 sec
✗ 197	11:49:03	SELECT * FROM (SELECT *, PERCENTILE_CONT(0.25) WITHIN GROUP(ORDER BY marks) OVER() AS 'Q1', P...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MariaDB serv...	0.000 sec
✓ 198	11:49:07	SELECT * FROM (SELECT *, PERCENTILE_CONT(0.25) WITHIN GROUP(ORDER BY marks) OVER() AS 'Q1', P...	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

unconnected x campus - Warning - not supp... x

File Edit View Query Database Server Tools Scripting Help

Navigator ipl order_details youtube_views x flights

SCHEMAS

Filter objects

campus

- Tables
 - airports
 - flights
 - ipl
 - marks
 - null_sample
 - smartphones
 - users
 - youtube_view
- Views
- Stored Procedure
- Functions

flights

flipkart

indigo

ipl

maang

mydb

phpmyadmin

sample

sql_ox_live

- Tables
- Views
- Stored Procedure
- Functions

sql_tasks

Administration Schemas

Information

No object selected

```
28 • SELECT brand_name,model,price,
29 CASE
30     WHEN bucket = 1 THEN 'budget'
31     WHEN bucket = 2 THEN 'mid-range'
32     WHEN bucket = 3 THEN 'premium'
33 END AS 'phone_type'
34 FROM (SELECT brand_name,model,price,
35     NTILE(3) OVER(ORDER BY price) AS 'bucket'
36 FROM smartphones) t
37
```

Result Grid

brand_name	model	price	phone_type
motorola	Motorola Moto E32	8999	budget
oppo	OPPO A16e (4GB RAM + ...	8999	budget
realme	Realme Narzo 50i (4GB R...	8999	budget
xiaomi	Xiaomi Redmi 9	8999	budget
realme	Realme Narzo 50i (4GB R...	8999	budget
realme	Realme Narzo 50i (4GB R...	8999	budget

Result 104 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 223	12:55:09	SELECT brand_name,model,price, NTILE(3) OVER(ORDER BY price) FROM smartphones	980 row(s) returned	0.015 sec / 0.000 sec
✓ 224	12:55:30	SELECT * FROM (SELECT brand_name,model,price, NTILE(3) OVER(ORDER BY price) FROM smartphones) t	980 row(s) returned	0.016 sec / 0.000 sec
✓ 225	12:57:04	SELECT brand_name,model,price, CASE WHEN bucket = 1 THEN 'budget' WHEN bucket = 2 THEN 'mid-ran...	980 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

MySQL Workbench

unconnected x campusx - Warning - not supp... x

File Edit View Query Database Server Tools Scripting Help

Navigator ipl order_details youtube_views flights

SCHEMAS

Filter objects

campusx

- Tables
 - airports
 - flights
 - ipl
 - marks
 - null_sample
 - smartphones
 - users
 - youtube_view
- Views
- Stored Procedure
- Functions

flights

flipkart

indigo

ipl

maang

mydb

phpmyadmin

sample

sql_ox_live

Tables

Views

Stored Procedure

Functions

sql_tasks

Administration Schemas

Information

No object selected

```
33 END AS 'phone_type'
34 FROM (SELECT brand_name,model,price,
35 NTILE(3) OVER(PARTITION BY brand_name ORDER BY price) AS 'bucket'
36 FROM smartphones) t;
37
38 SELECT * FROM (SELECT *,
39 CUME_DIST() OVER(ORDER BY marks) AS 'Percentile_Score'
40 FROM marks) t
41 WHERE t.Percentile_Score > 0.90
42
```

Result Grid

	student_id	name	branch	marks	Percentile_Score
▶	8	Arpan	CSE	95	0.9411764706
	9	Vinay	ECE	95	0.9411764706
	12	Rohit	ECE	95	0.9411764706
	7	Deepak	CSE	98	1.0000000000

Result 113 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
233	15:13:08	SELECT *, CUME_DIST() OVER(ORDER BY marks) AS 'Percentile_Score' FROM marks WHERE CUME_DIST() ...	Error Code: 4015. Window function is allowed only in SELECT list and ORDER BY clause	0.000 sec
234	15:13:50	SELECT * FROM (SELECT *, CUME_DIST() OVER(ORDER BY marks) AS 'Percentile_Score' FROM marks) t WH...	1 row(s) returned	0.015 sec / 0.000 sec
235	15:13:55	SELECT * FROM (SELECT *, CUME_DIST() OVER(ORDER BY marks) AS 'Percentile_Score' FROM marks) t WH...	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

unconnected x campus - Warning - not supp... x

File Edit View Query Database Server Tools Scripting Help

Navigator ipl order_details youtube_views flights

SCHEMAS

Filter objects

- campus
 - airports
 - flights
 - ipl
 - marks
 - null_sample
 - smartphones
 - users
 - youtube_view
- Views
- Stored Procedure
- Functions

flights

```
1 • SELECT * FROM (SELECT source,destination,airline,AVG(price) AS 'avg_fare',  
2 DENSE_RANK() OVER(PARTITION BY source,destination ORDER BY AVG(price)) AS 'rank'  
3 FROM flights  
4 GROUP BY source,destination,airline) t  
5 WHERE t.rank < 2
```

Limit to 1000 rows

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: |

	source	destination	airline	avg_fare	rank
▶	Banglore	Delhi	SpiceJet	4012.8394	1
	Banglore	New Delhi	Air Asia	5791.9444	1
	Chennai	Kolkata	SpiceJet	3993.5234	1
	Delhi	Cochin	SpiceJet	5916.3563	1
	Kolkata	Banglore	SpiceJet	4642.8833	1
	Mumbai	Hyderabad	SpiceJet	2511.1066	1

Result 14 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 248	16:23:25	SELECT * FROM (SELECT source,destination,airline,AVG(price) AS 'avg_fare', DENSE_RANK() OVER(PARTITIO...	45 row(s) returned	0.093 sec / 0.000 sec
✗ 249	16:23:33	SELECT * FROM (SELECT source,destination,airline,AVG(price) AS 'avg_fare', DENSE_RANK() OVER(PARTITIO...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MariaDB serv...	0.016 sec
✓ 250	16:23:41	SELECT * FROM (SELECT source,destination,airline,AVG(price) AS 'avg_fare', DENSE_RANK() OVER(PARTITIO...	6 row(s) returned	0.093 sec / 0.000 sec

Object Info Session

No object selected

Administration Schemas

Information

Read Only

Result Grid

Form Editor