

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

KEYSTROCKS

Operating System: Windows 7 / Windows 10

IDE : Python

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

Table of Contents

1. Introduction	3
1.1 Purpose	3
1.2 Scope	3
1.3 Definitions, Acronyms and Abbreviations	3
1.4 References	4
1.5 Overview	4
2. Overall Description	5
2.1 Product Perspective	5
2.2 product Functions	6
2.3 User Characteristics	7
2.4 Constraints	8
2.5 Assumptions and Dependencies	9
2.6 Requirements subsets	10
3. Specific Requirements	11
3.1 Functionality	11
3.2 Usability	12
3.3 Reliability	14
3.4 Supportability	16
3.5 Design Constraints	18
3.6 On-line User Documentation and Help System Requirements	20
3.7 Purchased Components	21
3.8 Interfaces	22
3.8.1 User Interfaces	22
3.8.2 Hardware Interfaces	23
3.8.3 Software Interfaces	24

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

Introduction

1. Introduction

Key loggers also known as keystroke loggers, may be defined as the recording of the key pressed on a system and saved it to a file, and the that file is accessed by the person using this malware. Key logger can be software or can be hardware. Working: Mainly key-loggers are used to steal password or confidential details such as bank information etc. First key-logger was invented in 1970's and was a hardware key logger and first software key-logger was developed in 1983.

1.1 Purpose

- Parental Monitoring: Keyloggers can be used by parents to monitor their children's online activities, ensuring their safety and protecting them from potentially harmful content or interactions.
- Employee Monitoring: In a corporate environment, keyloggers can be employed to monitor employee activity on company-owned devices to ensure compliance with company policies and prevent data breaches or unauthorized activities.
- Data Recovery: Keyloggers can help in recovering lost or unsaved data by logging keystrokes, thus enabling users to retrieve accidentally deleted information.
- Password Recovery: In situations where a user has forgotten their password, keyloggers can be used to capture the keystrokes and recover the lost password.
- User Behavior Analysis: Keyloggers can be utilized by researchers and psychologists to analyze user behavior and interaction patterns with software applications or websites.
- Security Testing: Ethical hackers and security professionals often use keyloggers to test the security of systems and identify vulnerabilities that could be exploited by malicious actors. This helps in strengthening the security posture of systems and networks.
- Accessibility: Keyloggers can assist individuals with disabilities who may have difficulty typing or navigating a computer interface by capturing their keystrokes and enabling alternative methods of input or control.
- Law Enforcement: Keyloggers can be used by law enforcement agencies as part of their investigations to gather evidence related to criminal activities such as cybercrime or fraud.

1.2 Scope

- Keyloggers are not always illegal to install and use:
 - Corporations use them for troubleshooting or monitoring employees.
 - Parents may monitor their children's activities.
- The concern arises when malicious actors use keyloggers without owning the device they infect.
- Unauthorized keyloggers can steal passwords, take screenshots, record web pages, and collect sensitive financial information, sending it to remote servers for criminal purposes.

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

- Install reputable **antivirus software** that detects and removes keyloggers.
- Be cautious when downloading software or clicking on suspicious links.
- Regularly update your operating system and applications.
- Use **two-factor authentication** to enhance security.

1.3 Definitions, Acronyms and Abbreviations

1. Keylogger Definition:

- A **keylogger** is a **software or hardware component** that records everything typed on your computer's keyboard.

2. Brief History of Keyloggers:

- In the 1970s and early 1980s, keyloggers served various purposes, including secret government operations.
- Notably, Soviet spies used a clever hardware keylogger to monitor IBM Selectric typewriters in US Embassy and Consulate buildings.
- Commercial keyloggers proliferated in the late 1990s, leading to a wide variety of products available today.

3. Ethical Perspectives:

- The morality, legality, and consequences of using a keylogger depend on factors like consent, intent, and local regulations.
- Keyloggers can be categorized as **legitimate**, **illegitimate**, or existing in a 'grey area'.

1.4 References

1. Ethical Hacking - KeyLoggers (GeeksforGeeks):

- This article provides insights into keyloggers, their types (software and hardware), and their uses. It also discusses protection techniques and features to look for in keylogger software. The post covers both legitimate and illegitimate use cases.

2. GitHub Repositories on Keyloggers:

- GitHub hosts numerous public repositories related to keyloggers. Developers and researchers share code, tools, and resources related to keylogging. You can explore these repositories to learn more.

3. Avast Definition of Keyloggers:

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

- Avast explains that a keylogger is a type of malicious software that records every keystroke made on a computer. It's one of the most invasive forms of malware, capturing everything you type. The article emphasizes the importance of protecting against keyloggers.

4. Norton Insights on Keyloggers:

- Norton discusses how keyloggers are commonly spread online via phishing scams, Trojan viruses, and fake websites. The goal is often to obtain victims' passwords, personal information, and banking details. The article distinguishes between software and hardware keyloggers.

5. Fortinet Explanation of Keyloggers:

- Fortinet defines keyloggers as malware or hardware that tracks and records keystrokes as users type. The captured information is then sent to a hacker via a command-and-control server. The article provides insights into their functioning.

1.5 Overview

- **Legality and Use Cases:**
 - Malicious keyloggers can:
 - Steal passwords.
 - Periodically take screenshots.
 - Record web pages visited.
 - Capture sent emails and instant messaging sessions.
 - Collect sensitive financial information (credit card numbers, PIN codes, bank accounts).
 - Send all this data over the network to a remote computer or web server.

2.Overall Description

2.1. product perspective

Keyloggers, also known as **keystroke loggers**, are tools designed to record every keystroke made on a device. While some legitimate and legal uses exist for keyloggers, they are often associated with malicious activities. Here's what you need to know:

1. Functionality:

- A keylogger silently captures and logs every keystroke entered by a user.

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

- It records information typed on keyboards, including sensitive data like passwords, credit card numbers, and messages.
- Keyloggers operate in the background, often without the user's knowledge.

2. Malicious Uses:

- Cybercriminals deploy keyloggers to steal sensitive information.
- An infamous example is the **DarkHotel** attack, where hackers exploit unsecured hotel Wi-Fi networks. They prompt users to download software that acts as a keylogger, recording keystrokes and sending them to the attackers.
- DarkHotel then self-deletes after a certain number of recorded keystrokes to avoid detection.

3. Legitimate Uses:

- Not all keyloggers are malicious. Some legal scenarios include:
 - **Parental Monitoring:** Parents may use keyloggers to track their child's screen time and online activity.
 - **Employee Monitoring:** Companies use keyloggers as part of employee monitoring software to enhance productivity.
 - **IT Troubleshooting:** IT departments employ keyloggers to troubleshoot issues on devices.

4. Information Captured:

- Keyloggers capture a wide range of data:
 - **Credit Card Information:** If you enter credit card details, a keylogger can record them.
 - **Websites Visited:** It tracks the URLs you visit.
 - **Passwords:** Any password you type is vulnerable.

5. Protection Measures:

- To safeguard against keylogger attacks:
 - **Stay Vigilant:** Be cautious when downloading software or using public Wi-Fi.
 - **Use Security Software:** Regularly update and run antivirus and anti-malware tools.
 - **Monitor Your Accounts:** Regularly check your accounts for any suspicious activity.

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

2.2. product functions

1. Keystroke Logging:

- The primary function of a keylogger is to **record every keystroke** made by a user on a device.
- It captures information entered via the keyboard, including:
 - **Passwords:** Keyloggers can track login credentials, PINs, and other sensitive data.
 - **Messages:** They record messages typed in chat applications, emails, and other communication platforms.
 - **Commands:** Keyloggers capture commands executed in the command prompt or terminal.

2. Data Collection:

- Keyloggers collect a wide range of data beyond keystrokes:
 - **Websites Visited:** They track URLs visited by the user.
 - **Applications Launched:** Keyloggers record which programs are opened.
 - **File Operations:** Changes to files (creation, modification, deletion) are logged.

3. Stealth Mode:

- Keyloggers operate silently in the background, often without the user's awareness.
- They avoid detection by:
 - **Hiding Processes:** Keyloggers don't appear in the task manager or process list.
 - **Low Resource Usage:** They minimize CPU and memory usage.

4. Persistence:

- Keyloggers aim for longevity:
 - **Auto-Start:** They configure themselves to start automatically with the operating system.
 - **Survival Tactics:** Keyloggers resist removal attempts by reinstalling or restoring themselves.

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

5. Data Exfiltration:

- Once captured, keystrokes are sent to a remote server controlled by the attacker.
- Keyloggers use various channels for data exfiltration:
 - **Internet:** Sending data over HTTP/HTTPS.
 - **Email:** Mailing logs to a predefined address.
 - **FTP:** Uploading logs to an FTP server.

6. Legitimate Uses:

- Not all keyloggers are malicious:
 - **Parental Monitoring:** Parents track children's online activity.
 - **Employee Monitoring:** Companies monitor productivity and security.
 - **IT Troubleshooting:** Diagnosing issues on devices.

2.3.user characteristics

1. General Users:

- **Unaware Victims:** Most users are unaware when their devices are infected with keyloggers.
- **Varied Motivations:** Users can fall victim to keyloggers due to various motivations, including curiosity, ignorance, or negligence.
- **Lack of Technical Knowledge:** Many users lack the technical expertise to detect or prevent keyloggers.

2. Targeted Individuals:

- **High-Value Targets:** Cybercriminals often target individuals with valuable information:
 - **Business Executives:** Keyloggers aim to steal corporate secrets or sensitive data.
 - **Government Officials:** Spies may use keyloggers to gain access to classified information.
 - **Celebrities:** High-profile individuals are at risk due to their public status.

3. Specific Scenarios:

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

- **Business Employees:**
 - **Insider Threats:** Disgruntled employees or insiders may deploy keyloggers for malicious purposes.
 - **Monitoring:** Employers may use keyloggers to monitor employee productivity or detect policy violations.
- **Parents and Guardians:**
 - **Parental Control:** Parents may install keyloggers to monitor their children's online activities.
 - **Safety Concerns:** Keyloggers help parents protect their children from potential dangers online.
- **Jealous Partners:**
 - **Suspicious Spouses:** Individuals in relationships may use keyloggers to monitor their partner's communication.
 - **Privacy Invasion:** This can lead to privacy violations and trust issues.

4. **Technical Proficiency:**

- **Novice Users:** Some users inadvertently download keyloggers without realizing the risks.
- **Advanced Users:** Skilled users may intentionally deploy keyloggers for specific purposes (e.g., ethical hacking, testing).

5. **Awareness and Vigilance:**

- **Security-Conscious Users:** Those who actively protect their devices are less likely to fall victim.
- **Educated Users:** Awareness campaigns and education help users recognize keylogger threats.

6. **Legal and Ethical Considerations:**

- **Authorized Users:** Legitimate keylogger users include:
 - **IT Administrators:** Troubleshooting technical issues.
 - **Parents:** Monitoring children's online behavior.
 - **Employers:** Ensuring workplace security.

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

2.4. constraints

1. Legal and Ethical Boundaries:

- **Privacy Laws:** Keyloggers must comply with privacy laws and regulations. Unauthorized use of keyloggers can violate privacy rights.
- **Informed Consent:** Employers, parents, or any users deploying keyloggers must obtain informed consent from individuals being monitored.
- **Ethical Use:** Keyloggers should only be used for legitimate purposes, such as monitoring employee productivity or parental control.

2. Detection Challenges:

- **Software Keyloggers:** Traditional antivirus software can detect software-based keyloggers. However, some advanced variants evade detection.
- **Hardware Keyloggers:** Hardware keyloggers are harder to detect because they don't interact with the operating system. Regular security tools may miss them.

3. False Positives and Negatives:

- **False Positives:** Security software may flag legitimate keylogging tools (used for monitoring) as malicious.
- **False Negatives:** Some keyloggers may escape detection due to their stealthy behavior.

4. Physical Access Requirement:

- **Hardware Keyloggers:** These require physical access to the target device for installation.
- **Software Keyloggers:** They can be remotely deployed but often need initial access for installation.

5. Risk of Exposure:

- **Data Leakage:** Keyloggers can expose sensitive information (passwords, financial data) if compromised.
- **Corporate Espionage:** Keyloggers pose a risk to businesses if attackers gain access to confidential data.

6. Legitimate Use Cases:

- **Employee Monitoring:** Employers can use keyloggers to track employee activity during work hours.
- **Parental Control:** Parents monitor children's online behavior.

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

- **IT Troubleshooting:** Keyloggers help diagnose technical issues.

7. Security Measures:

- **Antivirus and Anti-Malware:** Regularly update security software to detect and prevent keyloggers.
- **User Education:** Educate users about the risks and signs of keyloggers.
- **Secure Tokens:** Use two-factor authentication to mitigate keylogger threats.

2.5 assumptions and dependencies

1. Assumptions:

- **User Behavior:** Keyloggers assume that users will continue typing on the keyboard.
- **Operating System Compatibility:** Keyloggers assume compatibility with specific operating systems (e.g., Windows 10, Windows 8, Windows 7).
- **Email Configuration:** For email functionality, keyloggers assume that users have a valid Gmail account and have allowed less secure apps to sign in.
- **Ethical Use:** Assumptions include using keyloggers for legitimate purposes (e.g., parental control, employee monitoring).

2. Dependencies:

- **Supported Operating Systems:** Keyloggers depend on specific operating systems (e.g., Windows 10, Windows 8, Windows 7).
- **Email Client (Gmail):** To send logs via email, keyloggers rely on Gmail as the supported email client.
- **Google Account Settings:** Users must configure their Google Account settings to allow less secure apps for the email feature.
- **Code::Blocks and MinGW:** Keyloggers require Code::Blocks with MinGW for development and compilation.
- **C++11 Support:** Keyloggers depend on C++11 features.
- **SMTP Server:** Keyloggers rely on SMTP servers to securely send log files via email.
- **Encryption Algorithm:** Dependencies include the chosen encryption algorithm for securing log files.

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

2.5. requirements subsets

1. Functional Requirements:

- **Keystroke Logging:** The keylogger must accurately record every keystroke made by the user.
- **Data Storage:** It should store the captured keystrokes in a secure and efficient manner.
- **Stealth Mode:** The keylogger must operate silently without alerting the user.
- **Data Exfiltration:** Keyloggers need a mechanism to send the logged data to a remote server or storage location.

2. Non-Functional Requirements:

- **Security and Encryption:** Ensure that the captured data is encrypted during storage and transmission.
- **Resource Efficiency:** Keyloggers should minimize CPU and memory usage to avoid detection.
- **Compatibility:** Keyloggers must work across different operating systems (Windows, macOS, Linux).
- **Persistence:** They should auto-start with the system and survive reboots.
- **Detection Avoidance:** Keyloggers must evade detection by security software.

3. Legal and Ethical Requirements:

- **Informed Consent:** If used legally, keyloggers must obtain consent from users being monitored.
- **Privacy Compliance:** Ensure compliance with privacy laws and regulations.
- **Authorized Use:** Keyloggers should only be deployed for legitimate purposes (e.g., parental control, employee monitoring).

4. Usability Requirements:

- **User Interface:** If applicable, provide a user-friendly interface for configuration and management.
- **Minimal User Impact:** Keyloggers should not disrupt normal user activities.

5. Performance Requirements:

- **Real-Time Logging:** Keystrokes must be captured promptly without delays.
- **Low Latency:** Minimize any delay in data transmission.

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

- **Low Overhead:** Keyloggers should not significantly impact system performance.

6. Scalability Requirements:

- **Multiple Users:** If used in an enterprise setting, keyloggers should handle multiple users simultaneously.
- **Data Volume:** Accommodate large volumes of logged data.

3.1 Specific Requirements

3.1.1 Functionality

1. Keystroke Logging:

- A keylogger captures and records every keystroke made by the user.
- It tracks information typed on keyboards, including:
 - **Passwords:** Keyloggers can record login credentials, PINs, and other sensitive data.
 - **Messages:** They log messages typed in chat applications, emails, and other communication platforms.
 - **Commands:** Keyloggers capture commands executed in the command prompt or terminal.

2. Data Collection:

- Keyloggers collect a wide range of data beyond keystrokes:
 - **Websites Visited:** They track URLs visited by the user.
 - **Applications Launched:** Keyloggers record which programs are opened.
 - **File Operations:** Changes to files (creation, modification, deletion) are logged.

3. Stealth Mode:

- Keyloggers operate silently in the background, often without the user's awareness.
- They avoid detection by:
 - **Hiding Processes:** Keyloggers don't appear in the task manager or process list.
 - **Low Resource Usage:** They minimize CPU and memory usage.

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

4. Data Exfiltration:

- Once captured, keystrokes are sent to a remote server controlled by the attacker.
- Keyloggers use various channels for data exfiltration:
 - **Internet:** Sending data over HTTP/HTTPS.
 - **Email:** Mailing logs to a predefined address.
 - **FTP:** Uploading logs to an FTP server.

5. Legitimate Uses:

- Not all keyloggers are malicious:
 - **Parental Monitoring:** Parents track children's online activity.
 - **Employee Monitoring:** Companies monitor productivity and security.
 - **IT Troubleshooting:** Diagnosing issues on devices.

3.2 Usability

1. Stealthy Operation:

- **Usability Goal:** Keyloggers should operate silently without disrupting the user experience.
- **Details:**
 - Users should not be aware of the keylogger's presence.
 - Minimal impact on system performance ensures seamless usability.

2. Resource Efficiency:

- **Usability Goal:** Keyloggers should consume minimal system resources.
- **Details:**
 - Low CPU and memory usage prevent slowdowns.
 - Efficient operation ensures a smooth user experience.

3. User Interface (if applicable):

- **Usability Goal:** Provide a user-friendly interface for configuration and management.
- **Details:**
 - Users should easily customize settings.

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

- Clear options for enabling/disabling features enhance usability.

4. **Compatibility:**

- **Usability Goal:** Keyloggers should work across different operating systems.
- **Details:**
 - Ensure compatibility with Windows, macOS, Linux, and other platforms.
 - Adapt to variations in system configurations.

5. **Detection Avoidance:**

- **Usability Goal:** Keyloggers should evade detection by security software.
- **Details:**
 - Regular antivirus scans may not identify advanced keyloggers.
 - Stealthy behavior ensures usability.

6. **Ethical Use and Consent:**

- **Usability Goal:** Legally deployed keyloggers must adhere to ethical guidelines.
- **Details:**
 - Obtain informed consent from users being monitored.
 - Comply with privacy laws and regulations.

3.3 Reliability

1. **Undetectability:**

- **Reliability Goal:** Keyloggers aim to remain undetected while recording user input.
- **Details:**
 - Due to their nature, keyloggers operate silently, making detection challenging.
 - Users may not realize their system is infected until symptoms appear (similar to malware infection).

2. **False Positives and Negatives:**

- **Reliability Goal:** Minimize false positives and negatives.
- **Details:**
 - False positives: Security software mistakenly flagging legitimate keyloggers.
 - False negatives: Some keyloggers escaping detection due to advanced techniques.

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

3. Resource Efficiency:

- **Reliability Goal:** Keyloggers should not impact system performance.
- **Details:**
 - Reliable keyloggers operate efficiently without causing slowdowns.
 - Low resource usage ensures seamless usability.

4. Survivability:

- **Reliability Goal:** Keyloggers should persist over time.
- **Details:**
 - Auto-start with the system and survive reboots.
 - Avoid self-deletion to maintain continuous monitoring.

5. Encryption and Data Integrity:

- **Reliability Goal:** Ensure captured data remains secure.
- **Details:**
 - Reliable keyloggers encrypt logged data during storage and transmission.
 - Data integrity prevents corruption or loss.

6. Ethical Use and Legal Compliance:

- **Reliability Goal:** Adhere to ethical guidelines and legal requirements.
- **Details:**
 - Obtain informed consent for legitimate use.
 - Comply with privacy laws and regulations.

3.4 Supportability

1. Detection and Removal:

- **Supportability Goal:** Users should be able to detect and remove keyloggers effectively.
- **Details:**
 - Reliable and up-to-date antivirus software is the best defense against keyloggers.
 - Regularly run full or deep scans using antivirus tools.
 - Dedicated keylogger scanners within antivirus software can specifically target keyloggers.
 - When a keylogger is found, users should be given the option to remove it.

2. User Education:

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

- **Supportability Goal:** Educate users on keylogger risks and preventive measures.
- **Details:**
 - Awareness campaigns can help users recognize signs of keyloggers.
 - Understand how keyloggers operate and the importance of privacy protection.

3. Legal and Ethical Guidance:

- **Supportability Goal:** Provide guidance on legal and ethical use of keyloggers.
- **Details:**
 - Keyloggers are legal if used by device owners (e.g., parents, employers).
 - Compliance with privacy laws and informed consent is crucial.

4. Support Channels:

- **Supportability Goal:** Users should have access to support channels for keylogger-related queries.
- **Details:**
 - Online forums, FAQs, and customer support can address common issues.
 - Clear documentation on keylogger detection and removal procedures.

5. Updates and Patches:

- **Supportability Goal:** Ensure keylogger software receives updates and patches.
- **Details:**
 - Regularly update keylogger software to address vulnerabilities.
 - Patch security flaws promptly to prevent exploitation.

6. Community Resources:

- **Supportability Goal:** Users should find community resources for keylogger-related discussions.
- **Details:**
 - Online communities, blogs, and security forums provide insights and solutions.
 - Sharing experiences and best practices enhances supportability.

3.5 Design Constraints

1. Legal and Ethical Boundaries:

- **Constraint:** Keyloggers must comply with privacy laws and regulations.
- **Details:**
 - Unauthorized use of keyloggers can violate privacy rights.

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

- Ethical deployment requires informed consent from users being monitored.

2. Detection Challenges:

- **Constraint:** Keyloggers should avoid detection by security software.
- **Details:**
 - Regular antivirus scans may not always identify advanced keyloggers.
 - Stealthy behavior and encryption help evade detection.

3. False Positives and Negatives:

- **Constraint:** Minimize false positives and negatives.
- **Details:**
 - False positives: Security software mistakenly flagging legitimate keyloggers.
 - False negatives: Some keyloggers escaping detection due to advanced techniques.

4. Resource Efficiency:

- **Constraint:** Keyloggers should operate with minimal impact on system performance.
- **Details:**
 - Low CPU and memory usage prevent slowdowns.
 - Efficient operation ensures usability.

5. Ethical Use and Consent:

- **Constraint:** Legally deployed keyloggers must adhere to ethical guidelines.
- **Details:**
 - Obtain informed consent for legitimate use.
 - Comply with privacy laws and regulations.

3.6 On-line User Documentation and Help System Requirements

1. User-Friendly Documentation:

- **Requirement:** Provide clear and concise documentation accessible online.
- **Details:**
 - Create user guides, manuals, and FAQs explaining keylogger installation, configuration, and usage.
 - Include step-by-step instructions, screenshots, and troubleshooting tips.
 - Ensure documentation is easy to navigate and search.

2. Installation Instructions:

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

- **Requirement:** Explain how to install the keylogger.
- **Details:**
 - Specify system requirements (operating system, hardware).
 - Describe installation steps, including any prerequisites.
 - Address common installation issues.

3. Configuration Guidance:

- **Requirement:** Help users configure keylogger settings.
- **Details:**
 - Explain available options (e.g., logging frequency, data storage location).
 - Provide examples of optimal configurations.
 - Warn against unethical or illegal settings.

4. Usage Guidelines:

- **Requirement:** Educate users on keylogger functionality.
- **Details:**
 - Describe keystroke logging, data collection, and data exfiltration.
 - Highlight legitimate use cases (parental control, employee monitoring).
 - Emphasize ethical boundaries.

5. Troubleshooting and FAQs:

- **Requirement:** Include troubleshooting tips and frequently asked questions.
- **Details:**
 - Address common issues (e.g., false positives by antivirus software).
 - Provide solutions for unexpected behavior.
 - Offer contact information for further assistance.

6. Legal and Privacy Notices:

- **Requirement:** Inform users about legal and privacy implications.
- **Details:**
 - Clearly state legal requirements (consent, compliance).
 - Explain privacy risks and responsibilities.
 - Include disclaimers about misuse.

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

7. Version Control and Updates:

- **Requirement:** Maintain up-to-date documentation.
- **Details:**
 - Version-specific documentation helps users match their keylogger version.
 - Notify users of any changes, updates, or patches.

3.7 Purchased Components

1. Software Keyloggers:

- **Definition:** Software keyloggers are computer programs designed to capture keystrokes from a victim's computer.
- **Functionality:**
 - **Password Theft:** Software keyloggers steal passwords and sensitive data.
 - **Monitoring:** Legitimate use cases include IT troubleshooting and employee monitoring.
 - **Variants:**
 - **JavaScript-based Keyloggers:** Malicious scripts installed on web pages that listen for key events.
 - **Form-based Keyloggers:** Activate when a person submits an online form, capturing all entered data.
 - **API-based Keyloggers:** Embedded in running applications, recording keystrokes.
- **Prevention Measures:**
 - **Anti-Keyloggers:** Software designed to detect and prevent keyloggers.
 - **Antivirus Software:** Many antivirus tools identify and remove keyloggers.

3.8 Interfaces

1. API-Based Keyloggers:

- **Definition:** These keyloggers directly eavesdrop between the signals sent from each keypress to the program you're typing into.
- **Functionality:**
 - **Communication Link:** API-based keyloggers create a communication link between two computers.
 - **Keystroke Monitoring:** They intercept keystrokes using APIs and record them.
 - **Stealthy Operation:** By integrating with APIs, they avoid direct system interactions.
- **Use Cases:**

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

- **Malicious Attacks:** Hackers use API-based keyloggers to track user actions without their knowledge.
- **Data Theft:** Capturing sensitive information (passwords, credit card details) via APIs.

2. Hardware Keyloggers Interfaces:

- **Definition:** Hardware keyloggers are independent of software and directly intercept keystrokes.
- **Types:**
 - **USB Keyloggers:** Connected externally via USB ports to record keystrokes.
 - **Built-in Keyboard Circuits:** Some keyboards have embedded keyloggers.
 - **Smartphone Sensors:** Android accelerometer sensors can sense vibrations near keyboards.
- **Use Cases:**
 - **Covert Surveillance:** Hardware keyloggers are used for discreet monitoring.
 - **Malicious Attacks:** Some attackers physically install hardware keyloggers.

3.8.1 User Interfaces

1. Graphical User Interface (GUI):

- **Description:** Some keyloggers come with a graphical interface for user interaction and configuration.
- **Functionality:**
 - **Settings Customization:** Users can adjust logging parameters (e.g., frequency, data storage location).
 - **View Logs:** GUIs allow users to view captured keystrokes and other logged data.
 - **Stealth Mode Toggle:** Some GUIs provide an option to enable or disable stealth mode.
- **Examples:**
 - **Python Keylogger with Tkinter:** A GUI-based keylogger using Python's Tkinter library¹.
 - **Swift-Keylogger:** A macOS keylogger written in Swift with a graphical interface².

2. Command-Line Interface (CLI):

- **Description:** CLI-based keyloggers operate without a graphical interface.
- **Functionality:**
 - **Silent Operation:** CLI keyloggers run in the background without user interaction.
 - **Configuration via Commands:** Users configure settings through command-line arguments.

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

- **Minimal Resource Usage:** CLI keyloggers avoid GUI-related overhead.
- **Examples:**
 - **Python Keylogger with pynput:** A command-line keylogger using Python's pynput library.
 - **C++ Keylogger:** A CLI-based keylogger written in C++.

3. Mobile App Interfaces:

- **Description:** Keyloggers designed for mobile devices may have app interfaces.
- **Functionality:**
 - **Mobile Monitoring:** Users can track keystrokes on smartphones or tablets.
 - **App Settings:** Configure keylogger behavior through the app.
 - **Secure Access:** Authenticate using PIN or biometrics.
- **Examples:**
 - **Android Keyloggers:** Some Android apps provide keylogging features for parental control or security purposes.

3.8.2 Hardware Interfaces

1. USB Keyloggers:

- **Description:** These keyloggers are external devices connected via USB ports.
- **Functionality:**
 - **Physical Connection:** USB keyloggers plug directly into a computer's USB port.
 - **Keystroke Capture:** They intercept keystrokes between the keyboard and the computer.
 - **Stealthy Operation:** USB keyloggers are discreet and often go unnoticed.
- **Use Cases:**
 - **Covert Surveillance:** Employed for monitoring without user awareness.
 - **Forensics and Security Audits:** Used by security professionals for investigations.

2. Built-in Keyboard Circuits:

- **Description:** Some keyboards have embedded keyloggers.
- **Functionality:**
 - **Integrated Design:** Keyloggers are part of the keyboard's hardware.
 - **Undetectable:** Difficult to identify as they operate within the keyboard.
 - **Keystroke Logging:** Built-in circuits capture keystrokes directly.

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

- **Use Cases:**
 - **Malicious Attacks:** Some attackers manipulate keyboard hardware to log keystrokes.

3. Smartphone Sensors:

- **Description:** Android accelerometer sensors can sense vibrations near keyboards.
- **Functionality:**
 - **Vibration Monitoring:** Detects vibrations caused by keystrokes.
 - **Indirect Keylogging:** Captures keystrokes indirectly through vibrations.
 - **Challenges:** Accuracy depends on sensor sensitivity and placement.
- **Use Cases:**
 - **Mobile Keyloggers:** Used for monitoring smartphone input.

3.8.3 Software Interfaces

1. API-Based Keyloggers:

- **Description:** These keyloggers directly eavesdrop between the signals sent from each keypress to the program you're typing into.
- **Functionality:**
 - **Communication Link:** API-based keyloggers create a communication link between two computers.
 - **Keystroke Monitoring:** They intercept keystrokes using APIs and record them.
 - **Stealthy Operation:** By integrating with APIs, they avoid direct system interactions.
- **Use Cases:**
 - **Malicious Attacks:** Hackers use API-based keyloggers to track user actions without their knowledge.
 - **Data Theft:** Capturing sensitive information (passwords, credit card details) via APIs.

2. Web-Based Interfaces:

- **Description:** Some keyloggers provide web-based dashboards for remote monitoring.
- **Functionality:**
 - **Remote Access:** Users can view logs from any device with internet access.
 - **Data Visualization:** Web interfaces display captured data in charts or tables.
 - **Alerts and Notifications:** Users receive alerts for specific events (e.g., new keystrokes).
- **Examples:**

KEYSTROCKS	Version: <1.0>
PYTHON	Date: <08/03/2024>

- **Remote Administration Tools (RATs):** RATs often include web-based interfaces for keylogging functionality.
- **Cloud-Based Keyloggers:** Some services offer web dashboards for monitoring.