

<app here:<="" logo="" th=""><th>Application</th><th>name</th><th></th><th></th><th colspan="4">Concur contact</th></app>	Application	name			Concur contact					
	Form no.	Form no. [Form num			Date   Time	[Date   Time]				
Company infor	mation									
Company name										
Company address				City		Country				
				State/Province		ZIP/postal code				
				Company phone	9					
Travel supplier ty	ype	☐ Air	☐ Hotel	☐ Car	☐ Services	☐ Other ☐ N/A				
Company conta	acts									
	Business contac	:t			Technical contact					
	A business contact is required. This person w notices and will be contacted for all agreemer marketing promotions.				A technical contact is req address technical issues.	uired. This person will be contacted to				
Name										
Job title										
Phone										
Email address										
Support										
Who should Concur contact in your organization to notify about issues that could impact the performance of your app?										
Describe how yo	our organization p	provides supp	oort for adn	ninistrators in a g	obal organization:					
Describe how yo	our organization p	provides supp	oort for end	l users in a globa	organization:					

Application information						
Primary purpose						
Benefits of your app						
Use cases – mandatory, please specify or attach						
Provide the URL to your privacy policy that applies to this application (required):						
What countries is the app fully functional?						
What countries do you have a physical presence /office location (Sales & Support)?						
What language does the app support?						
Hosting Vendor Location & length of terms						
Development environment						
☐ Java ☐ PHP ☐ JSON ☐ Visual C ☐ MySQL ☐ SQL Server ☐ Oracle ☐ Force.com ☐ Other						
Authentication (OAuth)						
□ Authenticate and authorize access for all end users.						
□ Authenticate and authorize access only for Web Services Administrator user						
OAuth flow:  Native Web App Center note: Web & App Center flow are both required for all Apps for Me.						
Please document all API endpoints used: Example - /api/v3.0/expense/receiptimages or /api/travel/trip/v1.1/						
Access tokens and refresh tokens						
☐ My app requests and stores one access token and one refresh token for each person.						
☐ My app anticipates and responds to expired tokens.						
Error handling						
Refer to Section 10 page 57, "Status Code Definitions" in the <i>Hypertext Transfer Protocol HTTP/1.1</i> specification at <a href="http://www.ietf.org/rfc/rfc2616.txt">http://www.ietf.org/rfc/rfc2616.txt</a>						
How will your application handle 400 class error codes?						

How will your application handle 500 class error codes?												
Scheduled Walkthrough – Preferred Availability												
☐ Tuesdays (PST)	□ 09:00 AM	□ 10:00 AM	□ 11:00 AM	□ 12:00 PM								
☐ Thursdays (PST)	□ 09:00 AM	□ 10:00 AM	□ 11·00 AM	□ 12·00 PM								