

Derivatives Service BureauUAT Product Definitions

May 2018

Preface

Change History

| Date | Change | Version | Author | Revision Details |
|--------------|------------|---------|---------------|--|
| 31/03/2017 | Creation | 0.1 | Tony Birrell | Initial Version |
| 21/04/2017 | Update | 0.2 | Natalia | Added normalization rules for FX |
| | | | Kozlovich | |
| 12/06/2017 | Update | 0.3 | Tony Birrell | Reference Rate for Commodities added |
| / / | | | | to enumeration table, dates amended |
| 23/06/2017 | Update | 0.4 | Tony Birrell | Enumerations table updated |
| 13/07/2017 | Update | 0.5 | Tony Birrell | Added Other fields for Commodities |
| 31/07/2017 | Update | 0.6 | Tony Birrell | Added Data type to the enumerations |
| | | | | table Added additional normalisation for FX |
| | | | | Options & Commods |
| | | | | Added array products |
| 08/08/2017 | Update | 0.7 | Tony Birrell | Amended normalisation rules for FX |
| 15/08/2017 | Update | 0.8 | Natalia | Amended normalisation rules for |
| 25, 55, 252, | | 0.0 | Kozlovich | Commodities |
| 16/08/2017 | Update | 0.9 | Tony Birrell | Add Index enumeration explanation & |
| | | | • | Non-Standard clarification |
| 22/09/2017 | Update | 1.0 | Tony Birrell | Add validations & enrich enumerations |
| | | | | table |
| 11/10/2017 | Update | 1.1 | Tony Birrell | Added normalisation & validation for FX |
| | | | | Swaps |
| | | | | Added additional clarity on Basis |
| | | | | normalisation |
| 15/11/2017 | Update | 1.2 | Tony Birrell | Inserted Credit & Commodities Index |
| 27/44/2047 | I I a data | 1.3 | TBiII | source |
| 27/11/2017 | Update | 1.3 | Tony Birrell | Amended Cross Currency normalisation rules to include new products & |
| | | | | included Equity Index normalisation |
| 13/12/2017 | Update | 1.4 | Tony Birrell | Added Non-Standard Validations |
| 12/04/2018 | Update | 1.5 | Nathan Dagg | Reference Rate – Validation Section 8 - |
| 12,01,2010 | opuate | 1.5 | Tractian Bugg | SONIA |
| | | | | Inclusion of undocumented validations |
| | | | | which appear in PROD document |
| 18/04/2018 | Update | 1.6 | Nathan Dagg | Rates CapFloor – Validation section |
| | | | | 8.15 – SONIA |
| 10/05/2018 | Update | 1.7 | Nathan Dagg | Section 8.14 / 8.15 – SOFR validation |
| 22/05/2018 | Update | 1.8 | Nathan Dagg | Section 8.16 – New ISO 4217 Currency |
| | | | | code validation (VES) |

1 Introduction

- This document and the accompanying annexes are designed to act as a manual for users to interpret and utilize the provisional Product Definitions in the Derivatives Service Bureau (DSB) User Acceptance Testing (UAT) environment
- This document provides the user with a description of the Product Definition content, product sequencing, attribute enumerations and validation, where applicable
- The accompanying asset class annexes will provide all the Product Definitions within an asset class and the specific attributes that comprise each definition
- The appendix specifies the normalization approach the DSB is employing within the ISIN engine
- Any feedback or queries in relation to Product Definition design or UAT functionality should be directed to secretariat@ANNA-DSB.com

Contents

| Pı | reface | | 2 |
|----|--------|--|----|
| | Change | e History | 2 |
| 1 | Intro | oduction | 3 |
| 2 | Orga | nization of this report | 6 |
| 3 | Prov | risional Product Definitions | 6 |
| | 3.1 | Product Definition Selection | 6 |
| | 3.2 | Product Definition Input Attributes | 6 |
| | 3.3 | Product Definition Derived Attributes | 7 |
| | 3.4 | Asset Class Product Definition Annexes | 7 |
| | 3.5 | UAT Implementation | 7 |
| | 3.6 | Non-Standard Product Definitions | 7 |
| 4 | Attri | bute Data Dictionary | 8 |
| 5 | Attri | bute Arrays | 13 |
| 6 | Inde | x Enumerations | 13 |
| | 6.1 | Standard Market Indices | 13 |
| | 6.2 | Proprietary Indices | 14 |
| 7 | Арр | endix 1 - Normalisation | 15 |
| | 7.1 | Common Normalization | 15 |
| | 7.2 | Basis Swap/Cross Currency Swap normalization | 15 |
| | 7.2.2 | L Basis Swap | 15 |
| | 7.2.2 | 2 Cross Currency Basis Swap | 16 |
| | 7.2.3 | 3 Cross Currency Swaps | 18 |
| | 7.3 | FX normalization | 18 |
| | 7.4 | FX Swap Normalization | 19 |
| | 7.5 | FX Option Normalization | 19 |
| | 7.6 | Commodities Basis Normalization | 21 |
| | 7.7 | Equity Index normalization | 22 |
| 8 | Арр | endix II - Validations | 23 |
| | 8.1 | General Validations | 23 |
| | 8.2 | Notional/Other Notional Currency | 24 |
| | 8.3 | FX Swap Validations | 24 |
| | 8.4 | FX Non-Deliverable Validations | 24 |
| | 8.5 | Commodities Basis Swap | 24 |
| | 8.6 | Underlying Instrument Index Prop | 24 |
| | 8.7 | Debt Seniority – Credit Product Definitions | 24 |
| | 8.8 | Credit Index Term Value, Series & Version | 24 |
| | 8.9 | Credit Non-Standard SWAP Validations | 25 |

| | 8.10 | Credit Non-Standard OPTION Validations | .25 |
|---|------|--|------|
| | 8.11 | Equity Non-Standard SWAP Validations | . 26 |
| | | Equity Non-Standard OPTION Validations | |
| | 8.13 | Equity Non-Standard FORWARD Validations | . 27 |
| | 8.14 | Rates - Reference Rate or Other Leg Reference Rate Validations | . 28 |
| | 8.15 | Rates CapFloor – Underlying Instrument Index | . 28 |
| | 8.16 | New ISO 4217 Currency code validation | . 29 |
| 9 | Арр | endix III: Licensing | .30 |
| | 9.1 | FpML Exhibit A | .30 |
| | | | |

2 Organization of this report

The document is organized as follows:

- Section 3 outlines the structure and attributes contained within the Product Definitions
- Section 4 outlines the enumerations and validations, where applicable, of each of the attributes contained within the provisional Product Definitions

3 Provisional Product Definitions

A Product Definition is a unique representation of the population of attributes applicable to a specific OTC Derivative product within an asset class.

Each Product Definition has been grouped into four distinct sections:

Product Definition Selection: Set of fields to identify the product specific schema. This schema defines the full set of attributes for that product
 Product Definition Input Attributes: User input fields
 Product Definition Defaulted Input: The set of attributes that contain defaulted values which are valid for ISIN creation however the user can engage and select a different value if required
 Product Definition Derived Attributes: Attributes that will be inferred by the combination of Product Definition Selection & Product Definition Input Attributes and will be returned to the user as part of the full ISIN record

The combination of the above 4 sections comprise the record of the ISIN that will be returned to the requester.

3.1 Product Definition Selection

The Product Definition Selection fields will identify the product specific schema. This schema defines the full set of attributes for that product.

Product Definition selection interface is comprised of the below fields:

- Asset Class: ISO 10962 CFI Letter #2
- Instrument Type: ISO 10962 CFI #1
- Product: Unique human readable label that defines the product (this is based on the ISDA 2.0 Taxonomy combination of Sub product and Transaction Type, where applicable)
- Level: Label assigned to the ISIN to describe its level in the hierarchy the day 1 level will be
 'InstRefDataReporting' to satisfy the technical requirements articulated by MiFID II / MiFIR
 RTS 23 Annex 1 while bearing in mind the requirements for future implementation of CPMIIOSCO's UPI

3.2 Product Definition Input Attributes

Product Definition Input Attributes are the population of attributes that require user input when requesting an ISIN.

Attributes can be populated by either selecting a value from an enumerated list e.g FpML Floating Rate Index List or entering text in a specific format e.g. Expiry date YYYYMMDD. The full list of attributes and their enumerations can be found in section 4 below.

3.3 Product Definition Derived Attributes

Product Definition Derived Attributes are those which are inferred by the combination of Product Definition Selection & Product Definition Input Attributes. These will be auto populated by the DSB ISIN engine and returned to the user as part of the ISIN record.

3.4 Asset Class Product Definition Annexes

A Product Definition annex is available for each asset class containing the population of products implemented into UAT. These will be made available to users per the schedule below:

| Order | Asset Class Annex | Date of Annex publication |
|-------|-------------------|---------------------------|
| 1 | Rates | 25-09-2017 |
| 2 | Credit | 25-09-2017 |
| 3 | FX | 25-09-2017 |
| 4 | Equity | 25-09-2017 |
| 5 | Commodities | 25-09-2017 |

3.5 UAT Implementation

The new product definitions for all asset classes will be implemented into UAT environment on 25th September 2017.

3.6 Non-Standard Product Definitions

The Product Definition attributes have been the subject of multiple consultations by the Product Committee and various industry bodies and are no longer subject to change.

The DSB Product Committee is further developing Non-Standard Product Definitions to capture instruments not defined by the existing flow products. The current set of Non-Standard templates in UAT can be found below:

Non-Standard:

Other.Non_Standard_Swap.InstRefDataReporting.V1.json Other.Non_Standard_Option.InstRefDataReporting.V1.json Other.Non_Standard_Other.InstRefDataReporting.V1.json

4 Attribute Data Dictionary

- Alongside each attribute in the table below, the Source has been assigned which specifies the exact reference (where applicable) of that attribute within the respective taxonomy¹.
- The Data type specific to that attribute is also provided and aligns with the ISO standard
- These attributes will be presented in UAT as enumerated lists where applicable.
- It should be noted that the JSON messaging schema the DSB is employing will contain all attributes listed below and their associated enumerations.

| Full Name | Source | Type (ISO 20022 Standard) |
|--------------------------------|--|--|
| Additional sub product | https://www2.swift.com/mystandards/#/mx/DRAFT6auth.036.001.01#content%2FFinancialInstrument%2FNewRecord%2FDerivativeInstrumentAttributes%2FAssetClassSpecificAttributes%2FCommodity%2FProduct%2FAgricultural%2FGrainOilSeed%2FAdditionalSubProduct | Max35Text (based on string) minLength: 1 maxLength: 35 |
| Asset Class | CFI Code (ISO 10962: 2015) Text associated with Character #2 | Max35Text (based on string) minLength: 1 maxLength: 35 |
| Base product | https://www2.swift.com/mystandards/#/mx/DRAFT6auth.036.001.01#content%2FFinancialInstrument%2FNewRecord%2FDerivativeInstrumentAttributes%2FAssetClassSpecificAttributes%2FCommodity%2FProduct%2FAgricultural%2FGrainOilSeed%2FBaseProduct | Max35Text (based on string) minLength: 1 maxLength: 35 |
| Classification Type | CFI Code (ISO 10962: 2015) Full Code | CFIOct2015Identifier (based on string) pattern: [A-Z]{6,6} |
| Commodity Derivative Indicator | Boolean | TrueFalseIndicator (based on boolean) |
| Debt Seniority | http://www.fpml.org/spec/coding- scheme/fpml-schemes.html#s5.63 | Max35Text (based on string) minLength: 1 maxLength: 35 |
| Delivery type | CFI Code (ISO 10962: 2015) Character #6 | Max35Text (based on string) minLength: 1 maxLength: 35 |
| Expiry Date | Date YYYY-MM-DD (Expiry Date of the financial instrument) Syntactic validation: - Date format as above - Between 1970 & 2500 - Expected to be Adjusted Date | ISODate (based on date) |
| Final price type | https://www2.swift.com/mystandards/#/mx/ DRAFT6auth.036.001.01#content%2FFinancial Instrument%2FNewRecord%2FDerivativeInstr | Max35Text (based on string) minLength: 1 maxLength: 35 |

¹ To access the relevant reference links below to the ISO20022 messages within swift/mystandards, users are required to create a free account by following the link below and clicking 'Login to MyStandards' in the top right of the homepage: https://mystandards.swift.com/

Once an account has been created and login is successful, the links below will direct users to the correct reference.

| | umentAttributes%2FAssetClassSpecificAttribut | |
|---|---|---|
| | es%2FCommodity%2FFinalPriceType | |
| Full Name | Full Name of the instrument defined by DSB | |
| FX Type | https://www2.swift.com/mystandards/#/mx/ DRAFT6auth.036.001.01#content%2FFinancial Instrument%2FNewRecord%2FDerivativeInstrumentAttributes%2FAssetClassSpecificAttributes%2FForeignExchange%2FFXType | Max35Text (based on string) minLength: 1 maxLength: 35 |
| Identification (ISIN) | ISO 6166: 2013 | Max12Text (based on string) Pattern: [A-Z]{2,2}[A-Z0- 9]{9,9}[0-9]{1,1} |
| Instrument Type | CFI Code (ISO 10962: 2015) Character #1 | Max35Text (based on string) minLength: 1 maxLength: 35 |
| ISO Reference Rate | https://www2.swift.com/mystandards/#/mx/ DRAFT6auth.036.001.01#content%2FFinancial Instrument%2FNewRecord%2FDerivativeInstrumentAttributes%2FUnderlyingInstrument%2 FSingle%2FIndex%2FName%2FReferenceRate | Max25Text (based on string) minLength: 1 maxLength: 25 |
| ISO Other Leg Reference Rate | https://www2.swift.com/mystandards/#/mx/ DRAFT6auth.036.001.01#content%2FFinancial Instrument%2FNewRecord%2FDerivativeInstrumentAttributes%2FUnderlyingInstrument%2 FSingle%2FIndex%2FName%2FReferenceRate | Max25Text (based on string) minLength: 1 maxLength: 25 |
| ISO Place of Settlement (applicable to Non-Standard Product Defintions) | ISO 3166 | Max2Text (based on string) minLength: 0 maxLength: 2 |
| | https://www2.swift.com/mystandards/#/mp/ mx/_LHnxgEdKEeam3NbiLvWnrw/_ju17AYy7E ea01uQ- eS5IPQ#content%2FReferenceData%2FDerivat iveInstrumentAttributes%2FUnderlyingInstru ment%2FSingle%2FIndex%2FName%2FRefere | |
| ISO Underlying Instrument Index | eS5IPQ#content%2FReferenceData%2FDerivat iveInstrumentAttributes%2FUnderlyingInstru ment%2FSingle%2FIndex%2FName%2FRefere | Max25Text (based on string) minLength: 1 maxLength: 25 |
| | eS5IPQ#content%2FReferenceData%2FDerivat iveInstrumentAttributes%2FUnderlyingInstru | minLength: 1 |
| Index Issuer or operator of the trading | eS5IPQ#content%2FReferenceData%2FDerivat iveInstrumentAttributes%2FUnderlyingInstru ment%2FSingle%2FIndex%2FName%2FRefere nceRate | minLength: 1 maxLength: 25 Max2Text (based on string) minLength: 1 |
| Index Issuer or operator of the trading venue identifier | eS5IPQ#content%2FReferenceData%2FDerivat iveInstrumentAttributes%2FUnderlyingInstru ment%2FSingle%2FIndex%2FName%2FRefere nceRate "NA" https://www.iso.org/iso-8601-date-and-time- | minLength: 1 maxLength: 25 Max2Text (based on string) minLength: 1 maxLength: 2 Date YYYY-MM- DDTHH:MM:SS Max35Text (based on string) minLength: 1 |
| Index Issuer or operator of the trading venue identifier Last Update DateTime | eS5IPQ#content%2FReferenceData%2FDerivat iveInstrumentAttributes%2FUnderlyingInstrument%2FSingle%2FIndex%2FName%2FReferenceRate "NA" https://www.iso.org/iso-8601-date-and-timeformat.html "InstRefDataReporting" (Label assigned to the | minLength: 1 maxLength: 25 Max2Text (based on string) minLength: 1 maxLength: 2 Date YYYY-MM- DDTHH:MM:SS Max35Text (based on string) |
| Issuer or operator of the trading venue identifier Last Update DateTime Level | eS5IPQ#content%2FReferenceData%2FDerivat iveInstrumentAttributes%2FUnderlyingInstru ment%2FSingle%2FIndex%2FName%2FRefere nceRate "NA" https://www.iso.org/iso-8601-date-and-time- format.html "InstRefDataReporting" (Label assigned to the ISIN to describe its level in the ISIN hierarchy) | minLength: 1 maxLength: 25 Max2Text (based on string) minLength: 1 maxLength: 2 Date YYYY-MM- DDTHH:MM:SS Max35Text (based on string) minLength: 1 maxLength: 35 |

| Option type | CFI Code (ISO 10962: 2015) Character #4 (Options – second part) | Max35Text (based on string) minLength: 1 maxLength: 35 |
|--|--|---|
| Other Base product https://www2.swift.com/mystandards/#/mx/ DRAFT6auth.036.001.01#content%2FFinancial Instrument%2FNewRecord%2FDerivativeInstr umentAttributes%2FAssetClassSpecificAttribut es%2FCommodity%2FProduct%2FAgricultural %2FGrainOilSeed%2FBaseProduct | | Max35Text (based on string) minLength: 1 maxLength: 35 |
| https://www2.swift.com/mystandards/#/mx/ DRAFT6auth.036.001.01#content%2FFinancial Instrument%2FNewRecord%2FDerivativeInstr umentAttributes%2FAssetClassSpecificAttribut es%2FCommodity%2FProduct%2FAgricultural %2FGrainOilSeed%2FSubProduct | | Max35Text (based on string) minLength: 1 maxLength: 35 |
| Other Additional sub product | https://www2.swift.com/mystandards/#/mx/ DRAFT6auth.036.001.01#content%2FFinancial Instrument%2FNewRecord%2FDerivativeInstr umentAttributes%2FAssetClassSpecificAttribut es%2FCommodity%2FProduct%2FAgricultural %2FGrainOilSeed%2FAdditionalSubProduct | Max35Text (based on string) minLength: 1 maxLength: 35 |
| Other Reference Rate | Commodities: ISDA 2.0 taxonomy | Max350Text (based on string) minLength: 1 maxLength: 350 |
| Other Leg Reference Rate Rates: http://www.fpml.org/spec/coding-scheme/fpml-schemes.html#s5.96² Rates CPI: http://www.fpml.org/spec/coding-scheme/fpml-schemes.html#s5.105 | | Max350Text (based on string) minLength: 1 maxLength: 350 |
| Other Leg Reference Rate Term Unit | https://www2.swift.com/mystandards/#/mx/ DRAFT6auth.036.001.01#content%2FFinancial Instrument%2FNewRecord%2FDerivativeInstrumentAttributes%2FUnderlyingInstrument%2 FSingle%2FIndex%2FName%2FTerm%2FUnit | Max35Text (based on string) minLength: 1 maxLength: 35 |
| Other Leg Reference Rate Term Value Integer – Positive or negative but not 0 | | Max3Number (based on decimal) fractionDigits: 0 totalDigits: 3 |
| Other Notional Currency Parent | ISO 4217: 2015 ISO 6166: 2013 (where relevant, <null> otherwise)</null> | Pattern: [A-Z]{3,3} Max35Text (based on string) minLength: 1 maxLength: 35 |
| Place of Settlement (applicable to Non-Standard Product Definitions) | ndard Product ISO 3166 | |
| Price Multiplier | Double (0 or positive) | DECIMAL {15/14} - FractionDigits: 14 - TotalDigits: 15 |
| Product | Unique human readable instrument label, created by the DSB PC and based on ISDA 2.0 taxonomy | Max50Text (based on string) minLength: 1 maxLength: 50 |
| Reference Rate Rates: http://www.fpml.org/spec/coding-scheme/fpml-schemes.html#s5.95² | | Max350Text (based on string) minLength: 1 |

| | Rates CPI: http://www.fpml.org/spec/coding- | maxLength: 350 |
|-----------------------------------|--|-------------------------------|
| scheme/fpml-schemes.html#s5.105 | | |
| | Commodities: ISDA 2.0 taxonomy | |
| | https://www2.swift.com/mystandards/#/mx/DRAFT6auth.036.001.01#content%2FFinancial | Max35Text (based on string) |
| Reference Rate Term Unit | Instrument%2FNewRecord%2FDerivativeInstr | minLength: 1 |
| Reference Nate Term Offic | umentAttributes%2FUnderlyingInstrument%2 | maxLength: 35 |
| | FSingle%2FIndex%2FName%2FTerm%2FUnit | maxeengin. 33 |
| | | Max3Number (based on |
| Reference Rate Term Value | Integer – Positive or negative but not 0 | decimal) |
| Reference Rate Ferrit Value | Integer – Positive of negative but not o | fractionDigits: 0 |
| | | totalDigits: 3 |
| | CFI Code (ISO 10962: 2015) Character #4 | Max35Text (based on string) |
| Return or payout Trigger | (Swaps); Character #5 (Forwards) | minLength: 1 |
| | (Swaps), character its (Forwards) | maxLength: 35 |
| | | Max35Text (based on string) |
| Short Name | ISO 18774: 2015 | minLength: 1 |
| | | maxLength: 35 |
| Settlement Currency | ISO 4217: 2015 | Pattern: [A-Z]{3,3} |
| | CFI Code (ISO 10962: 2015) Character #5 | Max35Text (based on string) |
| Single or Multi currency | (Rates only) | minLength: 1 |
| | (************************************** | maxLength: 35 |
| | | Max35Text (based on string) |
| Status | New, Updated, Deleted, Expired | minLength: 1 |
| | | maxLength: 35 |
| S | | Max350Text (based on string) |
| Status Reason | Text string | minLength: 1 |
| | {DECIMAL-18/13} in case the price is | maxLength: 350 |
| | expressed as monetary value | |
| | {DECIMAL-11/10} in case the price is | NonNegativeDecimalNumber |
| Strike Price | expressed as percentage or yield | (based on decimal) |
| Strike Frice | {DECIMAL-18/17} in case the price is | - FractionDigits: 17 |
| | expressed as basis points | - TotalDigits: 18 |
| | 'PNDG' in case the price is not available | |
| Strike Price Currency (applicable | The state of the price of the state of the s | |
| to Non-Standard Product | ISO 4217: 2015 | Pattern: [A-Z]{3,3} |
| Defintions) | | 2 30 7 3 |
| | https://www2.swift.com/mystandards/#/mx/ | |
| | DRAFT6auth.036.001.01#content%2FFinancial | Max35Text (based on string) |
| Sub product | Instrument%2FNewRecord%2FDerivativeInstr | |
| Sub product | <u>umentAttributes%2FAssetClassSpecificAttribut</u> | minLength: 1 maxLength: 35 |
| | es%2FCommodity%2FProduct%2FAgricultural | maxengui. 33 |
| | %2FGrainOilSeed%2FSubProduct | |
| | https://www2.swift.com/mystandards/#/mx/ | |
| | DRAFT6auth.036.001.01#content%2FFinancial | Max35Text (based on string) |
| Transaction type | Instrument%2FNewRecord%2FDerivativeInstr | minLength: 1 |
| | umentAttributes%2FAssetClassSpecificAttribut | maxLength: 35 |
| | es%2FCommodity%2FTransactionType | |
| Hadadah da Assat T | CEL Co. do. (ICO 40003, 2045) Cl | Max35Text (based on string) |
| Underlying Asset Type | CFI Code (ISO 10962: 2015) Character #3 | minLength: 1 |
| | | maxLength: 35 |

| Underlying credit index series (RTS2 Annex IV Field 35) | Positive Integer – 1 to 999 | Max3Number fractionDigits: 0 totalDigits: 3 |
|--|---|---|
| Underlying credit index version (RTS2 Annex IV Field 36) | Positive Integer – 1 to 999 | Max3Number fractionDigits: 0 totalDigits: 3 |
| Rates: http://www.fpml.org/spec/coding-scheme/fpml-schemes.html#s5.95² Rates CPI: http://www.fpml.org/spec/coding-scheme/fpml-schemes.html#s5.105 Credit: Markit Index legal long name Equities: ESMA TTC Dataset Commodities: Standard Market Indices | | Max350Text (based on string) minLength: 1 maxLength: 350 |
| Underlying Instrument Index Term Unit https://www2.swift.com/mystandards/#/mx/ DRAFT6auth.036.001.01#content%2FFinancial Instrument%2FNewRecord%2FDerivativeInstrumentAttributes%2FUnderlyingInstrument%2 FSingle%2FIndex%2FName%2FTerm%2FUnit | | Max35Text (based on string) minLength: 1 maxLength: 35 |
| Underlying Instrument Index Term Value | Integer – Positive or negative but not 0 | Max3Number (based on decimal) fractionDigits: 0 totalDigits: 3 |
| Underlying instrument ISIN | ISO 6166: 2013 Syntactic validation: - 1st 2 characters = e.g. "EZ" - Next 9 are characters alphanumeric (caps) - Check Sum | Max12Text (based on string) Pattern: [A-Z]{2,2}[A-Z0- 9]{9,9}[0-9]{1,1} |
| Underlying instrument LEI | ISO 17442: 2012 Syntactic validation: - Alphanumeric - Check sum | Max20Text (based on string) minLength: 1 maxLength: 20 |
| Underlying Issuer Type | CFI Code (ISO 10962: 2015) Character #5 (Swaps: Credit) | Max35Text (based on string) minLength: 1 maxLength: 35 |
| Valuation Method or Trigger | ISO 10962: 2015. Character #5 (options) | Max35Text (based on string) minLength: 1 maxLength: 35 |
| Version | Positive Integer – 1 to 999 | Max3Number fractionDigits: 0 totalDigits: 3 |

² Any additional Reference Rates can be added to FpML following the submission to and acceptance by ISDA of a specific legal definition for the rate in question. Submissions are made by ISDA members.

5 Attribute Arrays

The following attributes allow for multiple values to be input when they are part of Product Definitions that require multiple underliers:

- Underlying Instrument ISIN
- Underlying Instrument Index
- Reference Rate

The following Product Definitions allow for an array to be input into the relevant attribute listed above:

| Asset Class | Instrument | Product Definitions |
|-------------|------------|---|
| Equity | Swap | Price_Return_Basic_Performance_Basket |
| Equity | Swap | Parameter_Return_Dividend_Basket |
| Equity | Swap | Parameter_Return_Variance_Basket |
| Equity | Swap | Parameter_Return_Volatility_Basket |
| Equity | Swap | Price_Return_Basic_Performance_Basket_CFD |
| Equity | Swap | Portfolio_Swap |
| Equity | Forward | Price_Return_Basic_Performance_Basket_CFD |
| Equity | Forward | Price_Return_Basic_Performance_Basket |
| Equity | Option | Basket |
| Commodities | Swap | Multi Exotic Swap |
| Commodities | Forward | Multi Exotic Forward |
| Commodities | Option | Multi Exotic Option |

6 Index Enumerations

Underlying Index can be broken down into 2 categories:

- Standard Market Indices
- Proprietary Indices

6.1 Standard Market Indices

| Asset Class | RTS 23 Field | Owner | Source |
|-------------|-----------------------------|--------|--|
| Rates | Reference Rate | FpML | http://www.fpml.org/spec/coding-scheme/fpml-schemes.html#s5.95 |
| Rates - CPI | Reference Rate | FpML | http://www.fpml.org/spec/coding-scheme/fpml-schemes.html#s5.105 |
| Commodities | Underlying Instrument Index | | Standard Market Indices |
| Commodities | Reference Rate | FpML | ISDA Taxonomy 2.0 |
| Credit | Underlying Instrument Index | Markit | Markit Index Legal Long name |
| Equities | Underlying Instrument Index | ESMA | https://www.esma.europa.eu/sites/default/files/equity_derivatives_i.xlsx |

6.2 Proprietary Indices

The DSB has developed a change workflow for Proprietary Indices that is being published on Wednesday 25th September.

The workflow with allow authorised requesters to submit proprietary indices to the DSB for use as underlying references for ISIN creation.

| Asset Class | RTS 23 Field | Owner | Source |
|-------------|--------------------------------|-------|---|
| Commodities | Underlying Instrument Index | DSB | Proprietary Index list comprised of industry submission & maintained by the DSB |
| Credit | Underlying Instrument Index | DSB | Proprietary Index list comprised of industry submission & maintained by the DSB |
| Equities | Underlying Instrument Index | DSB | Proprietary Index list comprised of industry submission & maintained by the DSB |

7 Appendix 1 - Normalisation

7.1 Common Normalization

This normalization is applicable all instruments. For both legs:

1. If Reference Rate Term Unit = "DAYS" and Reference Rate Term Value is divisible by 7, record it in weeks:

| Reference Rate Term Value | 7 | | 1 |
|---------------------------|------|---|------|
| Reference Rate Term Unit | DAYS | 7 | WEEK |

2. If Reference Rate Term Unit = "MNTH" and Reference Rate Term Value is divisible by 12, record it in years:

| Reference Rate Term Value | 12 | _ | 1 |
|---------------------------|------|---|------|
| Reference Rate Term Unit | MNTH | 7 | YEAR |

The above normalization does not apply for negative reference rate values/units. The DSB has received a request to enhance this normalization and will revert to industry with relevant timelines. In the interim, users should not expect normalization to occur for negative term value & unit and so should input -7 DAYS as -1 WEEK, -14 DAYS as -2 WEEK etc and -12 MNTH as -1 YEAR, -24 MNTH as -2 YEAR etc.

7.2 Basis Swap/Cross Currency Swap normalization

The purpose of this appendix is to specify normalization for Basis Swap, Cross Currency Basis Swap and Cross Currency Fixed Fixed Swap products.

7.2.1 Basis Swap

For a Basis Swap the user provides the following input:

| Attribute | Sample Value |
|-------------------------------------|--------------------------------|
| Notional Currency | USD |
| Expiry date | 20211231 |
| Reference Rate | USD-LIBOR-BBA |
| Reference Rate Term Value | 3 |
| Reference Rate Term Unit | MNTH |
| Other Leg Reference Rate | USD-SIFMA Municipal Swap Index |
| Other Leg Reference Rate Term Value | 9 |
| Other Leg Reference Rate Term Unit | MNTH |
| Notional Schedule | C - Constant |

Regardless of the order in which the reference legs are supplied, the DSB assumes the same ISIN would be allocated to the instrument, i.e. the instrument in the example above is the same as if it were entered as follows:

| Attribute | Sample Value |
|-------------------------------------|---------------------------------------|
| Notional Currency | USD |
| Expiry date | 20211231 |
| Reference Rate | USD-SIFMA Municipal Swap Index |
| Reference Rate Term Value | 9 |
| Reference Rate Term Unit | MNTH |
| Other Leg Reference Rate | USD-LIBOR-BBA |
| Other Leg Reference Rate Term Value | 3 |
| Other Leg Reference Rate Term Unit | MNTH |
| Notional Schedule | C - Constant |

The DSB will normalize data submitted by the user to ensure that the same ISIN is returned for a given set of attributes.

Normalization rules:

- 1. Order alphabetically "Reference Rate" and "Other Leg Reference Rate"
- 2. If "Reference Rate" is first alphabetically, record it as "Reference Rate"
- 3. If "Reference Rate" is not first alphabetically, then record the following fields as:

| Other Leg Reference Rate | | Reference Rate |
|-------------------------------------|---------------|---------------------------|
| Other Leg Reference Rate Term Value | \rightarrow | Reference Rate Term Value |
| Other Leg Reference Rate Term Unit | | Reference Rate Term Unit |

And record the following fields as:

| Reference Rate | | Other Leg Reference Rate |
|---------------------------|---------------|-------------------------------------|
| Reference Rate Term Value | \rightarrow | Other Leg Reference Rate Term Value |
| Reference Rate Term Unit | | Other Leg Reference Rate Term Unit |

Should the Reference Rate and Other Leg Reference rate be identical then the DSB will normalize the term value & unit to ensure a singular ISIN for any given basis combination.

Normalization rules:

- 1. If the term unit is the same, then order Term Value numerically from lowest to highest
- 2. If the term unit is different, then retain the respective Term Unit with the Term Value as input by the user and order chronologically by Term unit (ie DAY, WEEK, MNTH, YEAR)

7.2.2 Cross Currency Basis Swap

For a Cross Currency Basis Swap the user is required to provide the following input:

| Attribute | Sample Value |
|---------------------------|---------------|
| Notional Currency | GBP |
| Expiry date | 20180211 |
| Reference Rate | GBP-LIBOR-BBA |
| Reference Rate Term Value | 3 |

| Reference Rate Term Unit | MNTH |
|-------------------------------------|---------------|
| Other Notional Currency | USD |
| Other Leg Reference Rate | USD-LIBOR-BBA |
| Other Leg Reference Rate Term Value | 3 |
| Other Leg Reference Rate Term Unit | MNTH |
| Notional Schedule | C - Constant |

The Notional Currency is always associated with the Reference Rate and Other Currency with the Other Reference Rate.

Regardless of the order in which the notional currencies are supplied, the DSB assumes the same ISIN would be allocated to the instrument, i.e. the instrument in the example above is the same as if it was entered as follows:

| Attribute | Sample Value |
|-------------------------------------|---------------|
| Notional Currency | USD |
| Expiry date | 20180211 |
| Reference Rate | USD-LIBOR-BBA |
| Reference Rate Term Value | 3 |
| Reference Rate Term Unit | MNTH |
| Other Notional Currency | GBP |
| Other Leg Reference Rate | GBP-LIBOR-BBA |
| Other Leg Reference Rate Term Value | 3 |
| Other Leg Reference Rate Term Unit | MNTH |
| Notional Schedule | C - Constant |

The DSB will normalize data submitted by the user to ensure that the same ISIN is returned for a given set of attributes.

Normalization rules:

- 1. Order alphabetically "Notional Currency" and "Other Notional Currency".
- 2. If "Notional Currency" is first alphabetically, record it as "Notional Currency"
- 3. If "Notional Currency" is not first alphabetically, then record the following fields as:

| Other Notional Currency | | Notional Currency |
|-------------------------------------|---|---------------------------|
| Other Leg Reference Rate | _ | Reference Rate |
| Other Leg Reference Rate Term Value | 7 | Reference Rate Term Value |
| Other Leg Reference Rate Term Unit | | Reference Rate Term Unit |

And record the following fields as:

| Notional Currency | | Other Notional Currency |
|---------------------------|---|-------------------------------------|
| Reference Rate | _ | Other Leg Reference Rate |
| Reference Rate Term Value | 7 | Other Leg Reference Rate Term Value |
| Reference Rate Term Unit | | Other Leg Reference Rate Term Unit |

7.2.3 Cross Currency Swaps

For a Cross Currency Fixed Float Swap the user is required to provide the following input:

| Attribute | Sample Value |
|---------------------------|---------------|
| Notional Currency | USD |
| Expiry date | 20211231 |
| Reference Rate | USD-LIBOR-BBA |
| Reference Rate Term Value | 6 |
| Reference Rate Term Unit | MNTH |
| Other Notional Currency | EUR |
| Notional Schedule | C - Constant |

Regardless of the order in which the notional currencies are supplied, the DSB assumes the same ISIN would be allocated to the instrument, i.e. the instrument in the example above is the same as if it were entered as follows:

| Attribute | Sample Value | |
|---------------------------|---------------|--|
| Notional Currency | EUR | |
| Expiry date | 20211231 | |
| Reference Rate | USD-LIBOR-BBA | |
| Reference Rate Term Value | 6 | |
| Reference Rate Term Unit | MNTH | |
| Other Notional Currency | USD | |
| Notional Schedule | C - Constant | |

The DSB will normalize data submitted by the user to ensure that the same ISIN is returned for a given set of attributes.

Normalization rules:

- 1. Order alphabetically "Notional Currency" and "Other Notional Currency".
- 2. If "Notional Currency" is first alphabetically, record it as "Notional Currency"
- 3. If "Notional Currency" is not first alphabetically, record the following fields as:

| Other Notional Currency | | Notional Currency |
|-------------------------|---|-------------------------|
| Notional Currency | / | Other Notional Currency |

The above currency normalization applies the following templates:

- Cross Currency Zero Coupon
- Cross Currency Fixed Float
- Cross Currency Inflation Swap
- Cross Currency Fixed Float NDS
- Cross Currency Fixed Fixed

7.3 FX normalization

The purpose of this section is to specify normalization for FX Forward products, including:

- NDF
- Forward
- Vol Var
- Rolling_Spot
- Contract for Difference
- Spread-bet
- FX Non-Standard Forward

Regardless of the order in which the reference legs are supplied, the DSB assumes the same ISIN would be allocated to the instrument, i.e. the following user entries will be considered the same instrument:

| Asset Class | Foreign_Exchange | Foreign_Exchange | |
|-------------------------|--|-------------------------|--|
| Instrument Type | Forward | Forward | |
| Product | Contract_for_Difference | Contract_for_Difference | |
| Notional Currency | GBP CONTRACTOR OF THE CONTRACT | USD | |
| Other Notional Currency | <mark>USD</mark> | GBP | |
| Expiry Date | 20170421 | 20170421 | |

The DSB will normalize data submitted by the user to ensure that the same ISIN is returned for a given set of attributes.

Normalization rules:

The DSB has adopted an alphabetical normalization approach.

For example, for a EURUSD currency pair

- User submits Notional Currency = EUR, Other Notional Currency = USD.
 Action No change, user receives ISIN record of Notional Currency = EUR, Other Notional Currency = USD
- User submits Notional Currency = USD, Other Notional Currency = EUR.
 Action Reorder alphabetically, amend Notional Currency = EUR, Other Notional currency = USD, user receives ISIN record of Notional Currency = EUR, Other Notional Currency = USD

7.4 FX Swap Normalization

The underlying inputs for an FX Swap have been defined to be two FX Forward Trades that are over the same currency pair. The DSB will reject any FX Swap requests for which this is not true.

Normalization rules:

- 1. Analyze the two FX Forward ISINs within the DSB to determine the respective expiry dates and if they are different then order the closest date into the 'Underlying Instrument Near Leg' attribute and the furthest date into the 'Underlying Instrument Far Leg' attribute
- 2. Analyze the two FX Forward ISINs within the DSB to determine the respective expiry dates and if they are the same then order the underlying ISINs numerically into 'Underlying Instrument Near Leg' attribute and 'Underlying Instrument Far Leg' attribute respectively.

7.5 FX Option Normalization

This normalization covers the following Product Definitions:

- NDO
- Vanilla_Option
- Barrier_Option
- Digital Option
- Target_Option
- Forward_Vol_Agreement

For an FX Option, the user is required to provide the following input:

| Attribute | Sample Value | |
|-------------------------|--------------|--|
| Notional Currency | EUR | |
| Expiry date | 20211231 | |
| Option type | Put Put | |
| Option exercise style | European | |
| Other Notional Currency | USD | |

To ensure only one ISIN can be generated for a put or call option on a common currency pair, the DSB has adopted an alphabetical normalization approach.

Additionally, the option type is always associated with the Notional currency.

For example, for a EURUSD currency pair

- User submits Notional Currency = EUR, Other Notional Currency = USD, Option Type = Put.
 Action No change, user receives ISIN record of EUR put
- User submits Notional Currency = USD, Other Notional Currency = EUR, Option Type = Call.
 Action Reorder alphabetically, amend Notional Currency = EUR AND flip Option Type from Call to Put. Other Notional currency = USD. User receives ISIN record of EUR put

The below two user inputs below are the same instrument and the same ISIN record is returned to the user:

| Attribute | User Input 1 | ISIN Record 1 | User Input 2 | ISIN Record 2 |
|-------------------------|------------------|------------------|-------------------|------------------|
| Notional Currency | EUR | <mark>EUR</mark> | <mark>USD</mark> | EUR |
| Expiry date | 20211231 | 20211231 | 20211231 | 20211231 |
| Option type | <mark>Put</mark> | <mark>Put</mark> | <mark>Call</mark> | <mark>Put</mark> |
| Option exercise style | European | European | European | European |
| Other Notional Currency | USD | USD | EUR | USD |

7.6 Commodities Basis Normalization

For a Commodities Basis Swap, the user is required to provide the following input:

| Attribute | Sample Value |
|------------------------------|--|
| Notional Currency | GBP |
| Expiry date | 2017-06-30 |
| Return or Payout Trigger | C - Contract for Difference |
| Base Product | NRGY |
| Sub Product | NGAS |
| Additional Sub Product | GASP |
| Other Base Product | AGRI |
| Other Sub Product | GROS |
| Other Additional Sub Product | FWHT Property of the second se |
| Transaction Type | SWAP |
| Final Price type | OTHR |
| Reference Rate | NATURAL GAS-CHICAGO CITY-GATES-INSIDE FERC |
| Other Reference Rate | WHEAT FEED-NYSE Liffe |

Regardless of the order in which the reference legs are supplied, the DSB assumes the same ISIN would be allocated to the instrument, i.e. the following user entries will be considered the same instrument:

| Base Product | NRGY | AGRI |
|------------------------------|---------------------------|---------------------------|
| Sub Product | NGAS | GROS |
| Additional Sub Product | GASP | FWHT |
| Other Base Product | AGRI | NRGY |
| Other Sub Product | GROS | NGAS |
| Other Additional Sub Product | FWHT | GASP |
| | NATURAL GAS-CHICAGO CITY- | |
| Reference Rate | GATES-INSIDE FERC | WHEAT FEED-NYSE Liffe |
| | | NATURAL GAS-CHICAGO CITY- |
| Other Reference Rate | WHEAT FEED-NYSE Liffe | GATES-INSIDE FERC |

The DSB will normalize data submitted by the user to ensure that the same ISIN is returned for a given set of attributes.

Normalization rules:

Order alphabetically the combination string of "Base Product + Sub Product + Additional Sub Product + Reference Rate" and "Other Base Product + Other Sub Product + Other Additional Sub Product + Other Reference Rate":

• If "Base Product" and "Other Base Product" are different – alphabetically order them. The Base Product should be the first alphabetically and Other Base Product the second alphabetically. The associated attributes (Sub Product + Additional Sub Product + Reference Rate) are then moved as part of the normalization.

- Otherwise if Base Product and Other Base Product are the same, and if "Sub product" and
 "Other Sub product" are different alphabetically order them. The Sub Product should be
 the first alphabetically and Other Sub Product the second alphabetically. The associated
 attributes (Additional Sub Product + Reference Rate) are then moved as part of the
 normalization.
- Otherwise if Base Product and Sub Product are the same as Other Base Product and Other Sub Product, and if "Additional Sub Product" and "Other Additional Sub product" are different – alphabetically order them. The Additional Sub Product should be the first alphabetically and Other Additional Sub Product the second alphabetically. The associated Reference Rate is then moved as part of the normalization.
- If "Base Product/ Sub Product/ Additional Sub Product" and "Other Base Product/ Other Sub Product/ Other Additional Sub Product" are the same, alphabetically order Reference Rate and Other Reference Rate.

7.7 Equity Index normalization

For any given submission of an Equity Index name, the DSB will validate against the existence of an ISIN and return the Index ISIN as part of the record in place of the Index name. If a valid ISIN is not on record, the Index name will be returned as input by the user. List of Equity Indices and associated ISINs can be found in Annex 7 – Indices on our GitHub.

8 Appendix II - Validations

8.1 General Validations

| Field | Error message |
|---|--|
| Expiry Date | Expiry Date must be in the "YYYY-MM-DD" format. Expiry Date cannot be less than "1970-01-01". Expiry Date cannot be greater than "2500-12-31". |
| Notional Currency | Must be different to Other Notional Currency |
| Other Leg Reference Rate Term Value | Other Leg Reference Rate Term Value cannon be less than -999. Other Leg Reference Rate Term Value cannon be greater than 999. Other Leg Reference Rate Term Value must not be 0 (except for non-standard definitions where there is more than 1 underlying rate). |
| Other Notional Currency | Must be different to Notional Currency |
| Price Multiplier | Price Multiplier must be greater than 0. Price Multiplier cannot be greater 999999999999999999999999999999999999 |
| Reference Rate Term Value | Reference Rate Term Value cannon be less than -999. Reference Rate Term Value cannon be greater than 999. Reference Rate Term Value must not be 0 0 (except for nonstandard definitions where there is more than 1 underlying rate). |
| Strike Price | Std Products: Strike Price must be greater than 0. Non-Std Products: Strike Price can be a positive or negative integers including 0. Strike Price cannot be greater 999999999999999999999999999999999999 |
| Underlying Credit Index Series | Underlying Credit Index Series must be a positive integer (except for non-standard definitions where there is more than 1 underlying index) |
| Underlying Credit Index Version | Underlying Credit Index Version must be a positive integer (except for non-standard definitions where there is more than 1 underlying index) |
| Underlying Instrument Index Term Value | Underlying Instrument Index Term Value cannon be less than - 999. Underlying Instrument Index Term Value cannon be greater than 999. Underlying Instrument Index Term Value must not be 0 (except for non-standard definitions where there is more than 1 underlying index). |
| Underlying Instrument ISIN | Underlying Instrument ISIN is not valid. (Syntactic validation only is performed by the DSB) |
| Underlying instrument ISIN or LEI | Underlying instrument ISIN or LEI must be a valid ISIN or LEI (Syntactic validation only is performed by the DSB) |

8.2 Notional/Other Notional Currency

Notional Currency and Other Notional Currency cannot be identical.

8.3 FX Swap Validations

- The Underlying ISINs must be for FX Forward products generated by the DSB using the following template: Foreign_Exchange.Forward.Forward
- The underlying Forward products must be over the same currency pair
- The underlying forward ISINs must be unique

8.4 FX Non-Deliverable Validations

For both NDO & NDF Product Definitions, the only acceptable delivery type will be 'CASH' given that the cash flows themselves are non-deliverable.

8.5 Commodities Basis Swap

The current validation rule regarding Reference Rate in the Basis template is that the rates must be different for each leg.

A use case has been submitted to the DSB that requires the same Reference Rate to be submitted for both legs. The DSB acknowledges this required enhancement and will confirm delivery timelines with industry in the coming weeks. This change is considered backwardly compatible.

8.6 Underlying Instrument Index Prop

User input is validated against a list of Proprietary indices that must have been pre-submitted to the DSB in line with the DSB Proprietary Index workflow published <a href="https://example.com/here/bases

Index submissions are made per asset class and are only relevant for product definitions within that asset class. The exception is asset class 'Other' which is acceptable in all asset classes.

8.7 Debt Seniority – Credit Product Definitions

- Debt Seniority must be one of (SNDB, MZZD, SBOD, JUND) if Underlying Instrument ISIN/LEI is selected.
- Debt Seniority cannot be one of (SNDB, MZZD, SBOD, JUND) if Underlying Instrument index is selected.

8.8 Credit Index Term Value, Series & Version

Term Value, Index Series and Index Version can only be zero if there are more than 1 Underlying Instrument Indices or at least 1 Index Prop.

8.9 Credit Non-Standard SWAP Validations

Scenario 1 - single ISIN ONLY

Underlying Asset Type can only be 'Single name' or 'Other' (CFI 3rd character: U & M respectively)

Scenario 2 - single LEI ONLY

- Underlying Asset Type only 'Single name' or 'Other' (CFI 3rd character: U & M respectively)

Scenario 3 - single Index ONLY

Underlying Asset Type only 'Index', 'Index Tranche' or 'Other' (CFI 3rd character: I/V & M respectively)

Scenario 4 - single Index Prop ONLY

Underlying Asset Type only 'Index', 'Index Tranche' or 'Other' (CFI 3rd character: I/V & M respectively)

Scenario 5 - multiple ISIN ONLY

Underlying Asset Type can only be 'Basket' or 'Other' (CFI 3rd character: B & M respectively)

Scenario 6 - multiple LEI ONLY

- Underlying Asset Type can only be 'Basket' or 'Other' (CFI 3rd character: B & M respectively)

Scenario 7 - multiple Index ONLY

- Underlying Asset Type can only be 'Basket' or 'Other' (CFI 3rd character: B & M respectively)

Scenario 8 - multiple Index Prop ONLY

Underlying Asset Type can only be 'Basket' or 'Other' (CFI 3rd character: B & M respectively)

Scenario 9 - multiple ISIN and LEI ONLY

Underlying Asset Type can only be 'Basket' or 'Other' (CFI 3rd character: B & M respectively)

Scenario 10 - multiple Index and Index Prop ONLY

- Underlying Asset Type can only be 'Basket' or 'Other' (CFI 3rd character: B & M respectively)

Scenario 11 - Any combination of ISIN/LEI and Index/Index Prop above

- Underlying Asset Type can only be 'Basket' or 'Other' (CFI 3rd character: B & M respectively)

8.10 Credit Non-Standard OPTION Validations

Scenario 1 - single ISIN ONLY

 Underlying Asset Type can only be 'CDS on Single name', 'Swaps' or 'Other' (CFI 3rd character: U/W & M respectively)

Scenario 2 - single LEI ONLY

Underlying Asset Type only 'CDS on Single name' or 'Other' (CFI 3rd character: U & M respectively)

Scenario 3 - single Index ONLY

Underlying Asset Type only 'CDS on Index', 'CDS on Index Tranche' or 'Other' (CFI 3rd character: I/V & M respectively)

Scenario 4 - single Index Prop ONLY

- Underlying Asset Type only 'CDS on Index', 'CDS on Index Tranche' or 'Other' (CFI 3rd character: I/V & M respectively)

Scenario 5 - multiple ISIN ONLY

- Underlying Asset Type can only be 'Swaps' or 'Other' (CFI 3rd character: W & M respectively)

Scenario 6 - multiple LEI ONLY

- Underlying Asset Type can only be 'Swaps' or 'Other' (CFI 3rd character: W & M respectively)

Scenario 7 - multiple Index ONLY

- Underlying Asset Type can only be 'Other' (CFI 3rd character: M)

Scenario 8 - multiple Index Prop ONLY

- Underlying Asset Type can only be 'Other' (CFI 3rd character: M)

Scenario 9 - multiple ISIN and LEI ONLY

- Underlying Asset Type can only be 'Other' (CFI 3rd character: M)

Scenario 10 - multiple Index and Index Prop ONLY

- Underlying Asset Type can only be 'Other' (CFI 3rd character: M)

Scenario 11 - Any combination of ISIN/LEI and Index/Index Prop above

- Underlying Asset Type can only be 'Other' (CFI 3rd character: M)

8.11 Equity Non-Standard SWAP Validations

Scenario 1 - Single Index ONLY

- Underlying Asset Type can only be 'Index' (CFI 3rd character: I)

Scenario 2 - Single Index Prop ONLY

- Underlying Asset Type can only be 'Index' (CFI 3rd character: I)

Scenario 3 - Single ISIN ONLY

Underlying Asset Type only be 'Single Stock', 'Index' or 'Other' (CFI 3rd character: S/I/M respectively)

Scenario 4 - multiple Index ONLY

Underlying Asset Type only 'Basket' (CFI 3rd character: B respectively)

Scenario 5 - multiple Index Prop ONLY

- Underlying Asset Type only 'Basket' (CFI 3rd character: B only)

Scenario 6 - multiple ISIN ONLY

Underlying Asset Type only be 'Basket' (CFI 3rd character: B only)

Scenario 7 - Any combination of ISIN and Index/Index Prop above

- Underlying Asset Type can only be 'Basket' (CFI 3rd character: B only)

8.12 Equity Non-Standard OPTION Validations

Scenario 1 - Single Index ONLY

- Underlying Asset Type can only be 'Index' (CFI 3rd character: I only)

Scenario 2 - Single Index Prop ONLY

- Underlying Asset Type can only be 'Index' (CFI 3rd character: I only)

Scenario 3 - Single ISIN ONLY

- Underlying Asset Type only be 'Single Stock', 'Index', 'Options', 'Forwards', 'Futures' or 'Other' (CFI 3rd character: S/I/O/R/F/M respectively)

Scenario 4 - multiple Index ONLY

Underlying Asset Type only 'Basket' (CFI 3rd character: B only)

Scenario 5 - multiple Index Prop ONLY

- Underlying Asset Type only 'Basket' (CFI 3rd character: B only)

Scenario 6 - multiple ISIN ONLY

Underlying Asset Type only be 'Basket', 'Options', 'Forwards', 'Futures' or 'Other' (CFI 3rd character: B/O/R/F/M respectively)

Scenario 7 - Any combination of ISIN and Index/Index Prop above

- Underlying Asset Type can only be 'Basket' (CFI 3rd character: B only)

8.13 Equity Non-Standard FORWARD Validations

Scenario 1 - Single Index ONLY

- Underlying Asset Type can only be 'Index' (CFI 3rd character: I)

Scenario 2 - Single Index Prop ONLY

- Underlying Asset Type can only be 'Index' (CFI 3rd character: I)

Scenario 3 - Single ISIN ONLY

- Underlying Asset Type only be 'Single Stock', 'Index', 'Options' or 'Futures' (CFI 3rd character: S/I/O/F respectively)

Scenario 4 - multiple Index ONLY

- Underlying Asset Type only 'Basket' (CFI 3rd character: B respectively)

Scenario 5 - multiple Index Prop ONLY

- Underlying Asset Type only 'Basket' (CFI 3rd character: B respectively)

Scenario 6 - multiple ISIN ONLY

Underlying Asset Type only be 'Basket', 'Options' or 'Futures' (CFI 3rd character: B/O/F respectively)

Scenario 7 - Any combination of ISIN and Index/Index Prop above

Underlying Asset Type can only be 'Basket' (CFI 3rd character: B only)

8.14 Rates - Reference Rate or Other Leg Reference Rate Validations

The below table represents a list of reference rates where a minimum acceptable expiry date will be applied for newly created reference rates. The minimum expiry date will typically match the first date on which the reference rate is made available.

| Rate | Available Date | Minimum Expiry Date | Error Message |
|------------------------|-----------------------------|-----------------------------|---|
| GBP-SONIA- COMPOUND | 23 rd April 2018 | 23 rd April 2018 | Error: This reference rate is invalid for the given expiry date |
| USD-SOFR- COMPOUND | 3 rd April 2018 | 3 rd April 2018 | Error: This reference rate is invalid for the given expiry date |

8.15 Rates CapFloor – Underlying Instrument Index

For the Rates CapFloor template, Underlying Instrument Index references the same list of enumerations as 'Reference Rate' and 'Other Leg Reference Rate'.

The below table represents a list of Underlying Instrument Index values used in the Rates CapFloor template, where a minimum acceptable expiry date will be applied for newly created reference rates. The minimum expiry date will typically match the first date on which the reference rate is made available.

| Rate | Available Date | Minimum Expiry Date | Error Message |
|------------------------|-----------------------------|-----------------------------|---|
| GBP-SONIA- COMPOUND | 23 rd April 2018 | 23 rd April 2018 | Error: This reference rate is invalid for the given expiry date |
| USD-SOFR- COMPOUND | 3 rd April 2018 | 3 rd April 2018 | Error: This reference rate is invalid for the given expiry date |

8.16 New ISO 4217 Currency code validation

The below table represents a list of currency codes where a minimum acceptable expiry date will be applied for a newly introduced currency code to the ISO 4217 currency code list. The minimum expiry date will typically match the first date on which the currency code is made available.

The validations in the below table impact the following fields in the DSB product definition templates:

- Notional Currency
- Other Notional Currency
- Settlement Currency
- Strike Price Currency

| Currency Code | Available Date | Minimum Expiry Date | Error Message |
|---------------|---------------------------|---------------------------|---|
| VES | 4 th June 2018 | 4 th June 2018 | Error: This currency is invalid for the given expiry date |

9 Appendix III: Licensing

9.1 FpML Exhibit A

- The FpML Specifications of this document are subject to the FpML Public License (the "License"); you may not use the FpML Specifications except in compliance with the License. You may obtain a copy of the License at http://www.FpML.org.
- The FpML Specifications distributed under the License are distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.
- The Licensor of the FpML Specifications is the International Swaps and Derivatives Association, Inc. All Rights Reserved.