NAME: ANNAPOORNIMA S

ROLL NO: 225229101

Question1. Perform CRUD operations on Student Table as outlined in the reference

(https://medium.com/analytics-vidhya/programming-with-databases-in-python-using-sqlite4cecbef51ab9 (https://medium.com/analytics-vidhya/programming-with-databases-in-python-using-sqlite4cecbef51ab9)).

In [13]:
```
import sqlite3
conn = sqlite3.connect('students.db')
cursor = conn.cursor()
cursor.execute("DROP TABLE IF EXISTS STUDENT")
query = """CREATE TABLE STUDENT(
        ID INT PRIMARY KEY NOT NULL,
        NAME CHAR(20) NOT NULL,
        ROLL CHAR(20),
        ADDRESS CHAR(50),
        CLASS CHAR(20) )"""
cursor.execute(query)
conn.commit()
conn.close()
```

In [14]:
```
import sqlite3
conn = sqlite3.connect('students.db')
conn.execute("INSERT INTO STUDENT (ID,NAME,ROLL,ADDRESS,CLASS) "
             "VALUES (1, 'JESY', '001', 'Bangalore', 'M.Sc.DS')")
conn.execute("INSERT INTO STUDENT (ID,NAME,ROLL,ADDRESS,CLASS) "
             "VALUES (2, 'VINI', '002', 'Hyd', 'B.SC.CS')")
conn.execute("INSERT INTO STUDENT (ID,NAME,ROLL,ADDRESS,CLASS)"
             "VALUES(3, 'MURALI','003', 'Delhi','B.Sc.Maths')")
conn.commit()
conn.close()
```

In [15]:
```
import sqlite3
conn = sqlite3.connect('students.db')
cursor = conn.execute("SELECT * from STUDENT")
print(cursor.fetchall())
conn.close()
```

```
[(1, 'JESY', '001', 'Bangalore', 'M.Sc.DS'), (2, 'VINI', '002', 'Hyd', 'B.SC.C
S'), (3, 'MURALI', '003', 'Delhi', 'B.Sc.Maths')]
```

In [16]:
```
import sqlite3
conn = sqlite3.connect('students.db')
conn.execute("UPDATE STUDENT set ROLL = 005 where ID = 1")
conn.commit()
cursor = conn.execute("SELECT * from STUDENT")
print(cursor.fetchall())
conn.close()
```

```
[(1, 'JESY', '5', 'Bangalore', 'M.Sc.DS'), (2, 'VINI', '002', 'Hyd', 'B.SC.C
S'), (3, 'MURALI', '003', 'Delhi', 'B.Sc.Maths')]
```

In [17]:
```
import sqlite3
conn = sqlite3.connect('students.db')
conn.execute("DELETE from STUDENT where ID = 3;")
conn.commit()
cursor = conn.execute("SELECT * from STUDENT")
print(cursor.fetchall())
conn.close()
```

```
[(1, 'JESY', '5', 'Bangalore', 'M.Sc.DS'), (2, 'VINI', '002', 'Hyd', 'B.SC.C
S')]
```

Question2. Open the table MyRestaurants.db that you have created for NoSQL course

In [10]:
```
!pip install cx_Oracle
```

```
Requirement already satisfied: cx_Oracle in c:\users\hp\anaconda3\lib\site-pack
ages (8.3.0)
```

In [11]:
```
import cx_Oracle
conn=cx_Oracle.connect("system/admin")
sql="select * from myrestaurants"
cursor=conn.cursor()
cursor.execute(sql)
for row in cursor.execute("select * from myrestaurants"):
    print("name",row[0])
    print("foodtype",row[1])
    print("distance",row[2])
    print("lastvisit",row[3])
    print("ilike",row[4])
conn.commit()
conn.close()
```

```
name Apple_leaf
foodtype non veg
distance 15
lastvisit 01-jan-2020
ilike 1
name sowmays
foodtype veg
distance 18
lastvisit 20-mar-2021
ilike 1
name thinnappa
foodtype non veg
distance 25
lastvisit 20-nov-2019
ilike 0
name sribhavan
foodtype veg
distance 18
lastvisit 20-dec-2019
ilike 0
name chinaworld
foodtype chinese
distance 14
lastvisit 05-mar-2020
ilike 1
name littlechina
foodtype chinese
distance 30
lastvisit 10-mar-2020
ilike 0
name munivilas
foodtype nonveg
distance 20
lastvisit 05-feb-2019
ilike None
name dosacorner
foodtype nonveg
distance 10
lastvisit 05-feb-2020
ilike 1
```

Question3. Write a SQL query that returns all restaurants in your table MyRestaurants.db.

In [13]:
```
import cx_Oracle
conn=cx_Oracle.connect("system/admin")
sql="select * from myrestaurants"
cursor=conn.cursor()
cursor.execute(sql)
for row in cursor.execute("select * from myrestaurants"):
    print("Name : ",row[0])
conn.commit()
conn.close()
```

```
Name :  Apple_leaf
Name :  sowmays
Name :  thinnappa
Name :  sribhavan
Name :  chinaworld
Name :  littlechina
Name :  munivilas
Name :  dosacorner
```

Question4. Write a SQL query that returns the names of restaurants in descending order that makes Chinese foods.

In [15]:
```
import cx_Oracle
conn=cx_Oracle.connect("system/admin")
sql="select * from myrestaurants"
cursor=conn.cursor()
cursor.execute(sql)
for row in cursor.execute("select  name,foodtype from myrestaurants where foodtyp
    print("name",row[0])
    print("foodtype",row[1])
    print("\n")
conn.commit()
conn.close()
```

```
name chinaworld
foodtype chinese


name littlechina
foodtype chinese
```

In [ ]:
```

```