

8. Execute and display the results for the following Nmap service version and OS detection commands in Kali Linux operating systems:


i) detect the version of services running

ii) aggressive scan

iii) detect operating system of the target






(kali㉿kali)-[~]
$ nmap -O scanne.nmap.org
Starting Nmap 7.98 (https://nmap.org) at 2026-10-09 04:42 -0400
Nmap scan report for scanne.nmap.org (50.116.1.184)
Host is up (0.12s latency).
Other addresses for scanne.nmap.org (not scanned): 2600:3c01:e000:3e6::6d4e:7
061
rDNS record for 50.116.1.184: ack.nmap.org
Not shown: 997 filtered tcp ports (no-response)
PORT STATE SERVICE
80/tcp open http
113/tcp closed ident
443/tcp open https
Device type: VoIP adapter|bridge|general purpose
Running (JUST GUESSING): AT&T embedded (90%), Oracle Virtualbox (88%), Slirp
(88%), QEMU (86%)
OS CPE: cpe:/o:oracle:virtualbox cpe:/a:danny_gasparovski:slirp cpe:/a:qemu:q
emu
Aggressive OS guesses: AT&T BGW210 voice gateway (90%), Oracle Virtualbox Sli
rp NAT bridge (88%), QEMU user mode network gateway (86%)
No exact OS matches for host (test conditions non-ideal).
OS detection performed. Please report any incorrect results at https://nmap.o
rg/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 24.03 seconds
(kali㉿kali)-[~]
$