



# HTML CheatSheet

## Color Picker

## Tags

### Attributes

#### SYNTAX

`<tag attributename="value" />`

- lowercase attributes, quote values

#### Global attributes

accesskey, class, contenteditable, data-\*, dir, draggable, hidden, id, lang, spellcheck, style, tabindex, title

```
<div id="demo" class="big" dir="ltr" lang="en" style="color: red;" tabindex="0" title="Tooltip" contenteditable="true" spellcheck="true" data-htmlcheat="99">Hello World!</div>
```

#### Internationalization: dir, lang, xml:lang

`<html lang="en-US">`

... `<p dir="rtl">Right to left (Arabic)</p>`

... `</html>`

#### Link: download, href, hreflang, media, rel, target, type

```
<a href="https://htmlg.com/" target="_blank" rel="external" Link</a>
```

#### Image: src, alt, height, ismap, longdesc, src, srcset, usemap, width

```

```

#### All attributes

accept	form, input
accept-charset	form
accesskey	Global attribute
action	form
align	applet, caption, col, colgroup, hr, iframe, img, table, tbody, td, tfoot, th, thead, tr
alt	applet, area, img, input
async	script
autocomplete	form, input
autofocus	button, input, keygen, select, textarea
autoplay	audio, video
autosave	input
bgcolor	body, col, colgroup, marquee, table, tbody, tfoot, td, th, tr
buffered	audio, video
challenge	keygen
charset	meta, script
checked	command, input
cite	blockquote, del, ins, q
class	Global attribute

CE5937

1

CE5937;

Text color

background-color:#CE5937;

Background

3px solid #CE5937;

Box border

shadow: 1px 2px 2px #CE5937;

Text shadow

shadow: 2px 2px 7px 1px #CE5937;

Box shadow

#### Div Section

```
<div>Block element</div>
```

#### Headings

```
<h1>Page title</h1>
<h2>Subheading</h2>
<h3>Tertiary heading</h3>
<h4>Quaternary heading</h4>
```

#### Paragraph

```
<p style="text-align: center;">
```

#### Image

```

```

#### Outbound Link

Get your online assignment here  
Best and reliable paper writing service  
Read reliable essay writing service at least company.

```
<a href="https://htmlg.com/">
```

```
<a href="mailto:me@ruwix.com">
```

#### Inner anchor (jump on page)

```
<#footer">Jump to footer</a>
```

```
<#footer"></a>Footer</div>
```

```
<strong>Bold text</strong>
```

```
<em>Italic text</em>
```

#### Underlined text

```
style="text-decoration: underline;">
```

```
src="link.html" />
```

```
ion
```

```
title="Hypertext Markup Language">
```

#### Comment

```
<!-- HTML Comment -->
```

```
Line
```

```
<
```

```
<
```

```
<q>Success is a journey, not a destination.
```

```
<blockquote cite="https://www.rubikscube.com/">
```

```
The Rubik's Cube is the most popular puzzle in the world.
```

```
</blockquote>
```

```
width="200" height="100">
```

```
<source src="video.mp4" type="video/mp4">
```

```
<source src="video.mp4" type="video/mp4">
```

```
No video support
```

```
<controls>
```

```
src src="sound.ogg" type="audio/ogg">
```

```
src src="sound.mp3" type="audio/mpeg">
```

```
audio support.
```

[Download Package](#)

## Gibberish text

Lorem ipsum

Cupcake ipsum

Random English

Chinese

Spanish

## Create iframe

URL:

Width:  % Height:  px

Scrolling:  Border:

Generate iframe

## Create Table

Cols:  Rows:

Border:  Border Collapse:

Width:  % Cellpadding:

Generate table

Div Tables

## Create Link

URL:

Same tab

Link

## Blank Page

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <title>Page Title</title>
  <a name="description" content="Roughly 155 characters">
  <link rel="stylesheet" type="text/css" href="mystyle.css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.7.1/jquery.min.js">
  </script>
</head>
<body>
  <div id="content">
    Content
  </div>
</body>
```

[Download Package](#)

## HTML5 Page Structure

header, nav, main, article, section, aside, footer, address

```
<header>
  <div id="logo">HTML</div>
</header>
```

## Head Tags

```
<html>
```

```
lang="en" class="no-js">
```

```
<head>
```

```
<a charset="utf-8">
```

## Create Image

Source:

Description:

Style:

Width:  % Height:  px

Float:

Generate image

## .htaccess

#### Force HTTPS

```
RewriteEngine on
RewriteCond %{HTTPS} !on
RewriteRule (.*) https://%{HTTP_HOST}%{REQUEST_URI}
```

#### Force www

```
RewriteEngine on
RewriteCond %{HTTP_HOST} ^htmlg\.com [NC]
RewriteRule ^(.*)$ http://www.htmlg.com/$1 [L,R=301,NC]
```

#### Force non-www

```
RewriteEngine on
RewriteCond %{HTTP_HOST} ^www\.htmlg\.com [NC]
RewriteRule ^(.*)$ http://htmlg.com/$1 [L,R=301]
```

#### Custom Error Pages

```
ErrorDocument 500 "Sorry, something went wrong!"
ErrorDocument 401 https://htmlg.com/404/
ErrorDocument 404 404error.html
```

<div>Redirect Entire Site</div> <div>Redirect 301 / <b>https://htmlg.com/</b></div>	<div>&lt;nav&gt;</div> <div>&lt;ul&gt;</div> <div>&lt;li&gt;&lt;a href="/"&gt;Home&lt;/a&gt;</div> <div>&lt;li&gt;&lt;a href="/link"&gt;Page&lt;/a&gt;</div> <div>&lt;/ul&gt;</div> <div>&lt;/nav&gt;</div> <div>&lt;/header&gt;</div> <div>&lt;main role="main"&gt;</div> <div>&lt;article&gt;</div> <div>&lt;h2&gt;Title 1&lt;/h2&gt;</div> <div>&lt;p&gt;Content 1&lt;/p&gt;</div> <div>&lt;/article&gt;</div> <div>&lt;article&gt;</div> <div>&lt;h2&gt;Title 2&lt;/h2&gt;</div> <div>&lt;p&gt;Content 2&lt;/p&gt;</div> <div>&lt;/article&gt;</div> <div>&lt;/main&gt;</div> <div>&lt;section&gt;</div> <div>A group of related content</div> <div>&lt;/section&gt;</div> <div>&lt;aside&gt;</div> <div>Sidebar</div> <div>&lt;/aside&gt;</div> <div>&lt;footer&gt;</div> <div>&lt;p&gt;&amp;copy; HTML CheatSheet&lt;/p&gt;</div> <div>&lt;address&gt;</div> <div>Contact &lt;a href="mailto:me@htmlg.com"&gt;me&lt;/a&gt;</div> <div>&lt;/address&gt;</div> <div>&lt;/footer&gt;</div>	<div>a http-equiv="x-ua-on"</div> <div>a name="viewport"</div> <div>k rel="canonical"</div> <div>le&gt;HTML CheatSheet</div> <div>a name="description"</div> <div>a name="keywords"</div> <div>a property="fb:app_id"</div> <div>a property="og:title"</div> <div>a property="og:type"</div> <div>a property="og:url"</div> <div>a property="og:image"</div> <div>a property="og:description"</div> <div>k rel="apple-touch-icon"</div> <div>k rel="alternate" type="text/css" href="/stylesheets/main.css" media="all"</div> <div>ipt src="/script.js" type="text/javascript"&gt;</div>
<div>Permanent Page Redirect</div> <div>Redirect 301 /oldlink.html <b>https://htmlg.com/help/</b></div> <div>Redirect 301 /oldlink <b>https://htmlg.com/about/</b></div>		
<div>Alias Directory</div> <div>RewriteEngine On</div> <div>RewriteRule ^<b>source_directory</b>/(.*) <b>target_directory</b>/\$1</div>		
<div>Remove .php Extension</div> <div>RewriteEngine On</div> <div>RewriteCond %{SCRIPT_FILENAME} !-d</div> <div>RewriteRule ^([^.]+)\$ \$1.php [NC,L]</div>		
<div>Block IP Address</div> <div>Order deny,allow</div> <div>Allow from all</div> <div>Deny from <b>123.123.123.123</b></div> <div>Deny from <b>123.123.123.123</b></div>		
<div>Allow Access From Only One IP</div> <div># Require all denied</div> <div># Require ip <b>123.123.123.123</b></div>		

Free HTML Templates