

test-report.html

Report generated on 19-Aug-2026 at 15:46:50 by `pytest-html` v4.1.1

Environment (hide details)

Python	3.13.3
Platform	Windows-11-10.0.26200-SP0
Packages	- pytest: 9.1.1 - pluggy: 1.6.0
Plugins	- anyio: 4.11.0 - cov: 4.1.0 - flask: 1.3.0 - html: 4.1.1 - metadata: 3.1.1 - xdist: 3.3.1

Summary

56 tests took 82 ms.

(Un)check the boxes to filter the results.

☒ 10 Failed, ☒ 46 Passed, ☒ 0 Skipped, ☒ 0 Expected failures, ☒ 0 Unexpected passes, ☒ 0 Errors, ☒ 0 Reruns

[Show all details](#) / [Hide all details](#)

Result	ケース ID	Test	Duration	Links
Failed	TC-13	tests/common/test_important_customer.py::test_accepts_20_digit_customer_code[TC-13-accepts-20-digit-customer-code]	1 ms	
<pre>customer_code = '00000000000000000001' @pytest.mark.parametrize("customer_code", [pytest.param(IMPORTANT_CUSTOMER_CODE, id="TC-13-accepts-20-digit-customer-code")],) def test_accepts_20_digit_customer_code(customer_code: str) -> None: > code = common.CustomerCode(customer_code) ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^ E AttributeError: module 'estimate_management.common' has no attribute 'CustomerCode' tests\common\test_important_customer.py:15: AttributeError</pre> expand [+]				
Failed	TC-14	tests/common/test_important_customer.py::test_rejects_customer_code_other_than_20_digit_string[TC-14-rejects-19-digit-customer-code]	2 ms	
<pre>customer_code = '00000000000000000000' @pytest.mark.parametrize("customer_code", [pytest.param("0" * 19, id="TC-14-rejects-19-digit-customer-code"), pytest.param("0" * 21, id="TC-15-rejects-21-digit-customer-code"), pytest.param("0" * 19 + "A", id="TC-16-rejects-non-digit-customer-code"), pytest.param(12_345_678_901_234_567_890, id="TC-17-rejects-non-string-customer- code"),],) def test_rejects_customer_code_other_than_20_digit_string(customer_code: object) -> None: with pytest.raises((TypeError, ValueError)): > common.CustomerCode(customer_code) ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^ E AttributeError: module 'estimate_management.common' has no attribute 'CustomerCode' tests\common\test_important_customer.py:15: AttributeError</pre> expand [+]				
Failed	TC-15	tests/common/test_important_customer.py::test_rejects_customer_code_other_than_20_digit_string[TC-15-rejects-21-digit-customer-code]	1 ms	
expand [+]				

Result	ケースID	Test	Duration	Links
		<pre>pytest.param(12_345_678_901_234_567_890, id="TC-17-rejects-non-string-customer-code"),],) def test_rejects_customer_code_other_than_20_digit_string(customer_code: object) -> None: with pytest.raises((TypeError, ValueError)): common.CustomerCode(customer_code) ^^^^^^^^^^^^^^^^^^^ E AttributeError: module 'estimate_management.common' has no attribute 'CustomerCode' tests\common\test_important_customer.py:31: AttributeError</pre>		
Failed	TC-16	tests/common/test_important_customer.py::test_rejects_customer_code_other_than_20_digit_string[TC-16-rejects-non-digit-customer-code]	1 ms	
<pre>customer_code = '000000000000000000A' @pytest.mark.parametrize("customer_code", [pytest.param("0" * 19, id="TC-14-rejects-19-digit-customer-code"), pytest.param("0" * 21, id="TC-15-rejects-21-digit-customer-code"), pytest.param("0" * 19 + "A", id="TC-16-rejects-non-digit-customer-code"), pytest.param(12_345_678_901_234_567_890, id="TC-17-rejects-non-string-customer-code"),],) def test_rejects_customer_code_other_than_20_digit_string(customer_code: object) -> None: with pytest.raises((TypeError, ValueError)): common.CustomerCode(customer_code) ^^^^^^^^^^^^^^^^^^^ E AttributeError: module 'estimate_management.common' has no attribute 'CustomerCode' tests\common\test_important_customer.py:31: AttributeError</pre> expand [+]				
Failed	TC-17	tests/common/test_important_customer.py::test_rejects_customer_code_other_than_20_digit_string[TC-17-rejects-non-string-customer-code]	1 ms	
<pre> pytest.param("0" * 19, id="TC-14-rejects-19-digit-customer-code"), pytest.param("0" * 21, id="TC-15-rejects-21-digit-customer-code"), pytest.param("0" * 19 + "A", id="TC-16-rejects-non-digit-customer-code"), pytest.param(12_345_678_901_234_567_890, id="TC-17-rejects-non-string-customer-code"),],) def test_rejects_customer_code_other_than_20_digit_string(customer_code: object) -> None: with pytest.raises((TypeError, ValueError)): common.CustomerCode(customer_code) ^^^^^^^^^^^^^^^^^^^ E AttributeError: module 'estimate_management.common' has no attribute 'CustomerCode' tests\common\test_important_customer.py:31: AttributeError</pre> expand [+]				
Failed	TC-18	tests/common/test_important_customer.py::test_identifies_important_customer[TC-18-identifies-important-customer]	1 ms	
<pre>@pytest.mark.parametrize(("customer_code", "expected"), [pytest.param(IMPORTANT_CUSTOMER_CODE, True, id="TC-18-identifies-important-customer"), pytest.param(REGULAR_CUSTOMER_CODE, False, id="TC-19-identifies-regular-customer"),],) def test_identifies_important_customer(customer_code: str, expected: bool) -> None: > result = common.is_important_customer(common.CustomerCode(customer_code)) ^^^^^^^^^^^^^^^^^^^ E AttributeError: module 'estimate_management.common' has no attribute 'is_important_customer' tests\common\test_important_customer.py:42: AttributeError</pre> expand [+]				
Failed	TC-19	tests/common/test_important_customer.py::test_identifies_important_customer[TC-19-identifies-regular-customer]	1 ms	
expand [+]				

Result	ケース ID	Test	Duration	Links
		<pre>pytest.param(IMPORTANT_CUSTOMER_CODE, True, id="TC-18-identifies-important-customer"), pytest.param(REGULAR_CUSTOMER_CODE, False, id="TC-19-identifies-regular-customer"),],) def test_identifies_important_customer(customer_code: str, expected: bool) -> None: > result = common.is_important_customer(common.CustomerCode(customer_code)) ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^ E AttributeError: module 'estimate_management.common' has no attribute 'is_important_customer' tests\common\test_important_customer.py:42: AttributeError</pre>		
Failed	TC-20	tests/common/test_important_customer.py::test_judges_quality_test_for_important_customer[TC-20-important-customer-below-amount-threshold]	1 ms	
<pre>discount = Discount(amount=Decimal('20')) important_customer = True, expected = True @pytest.mark.parametrize(("discount", "important_customer", "expected"), [pytest.param(Discount.discount(20), True, True, id="TC-20-important-customer-below-amount-threshold",), pytest.param(None, True, True, id="TC-20-important-customer-below-amount-threshold",),],)</pre>				
Failed	TC-21	tests/common/test_important_customer.py::test_judges_quality_test_for_important_customer[TC-21-important-customer-with-discount-unset]	2 ms	
<pre>discount = None, important_customer = True expected = True @pytest.mark.parametrize(("discount", "important_customer", "expected"), [pytest.param(Discount.discount(20), True, True, id="TC-20-important-customer-below-amount-threshold",), pytest.param(None, True, True, id="TC-20-important-customer-below-amount-threshold",),],)</pre>				
Failed	TC-22	tests/common/test_important_customer.py::test_judges_quality_test_for_important_customer[TC-22-unset-important-customer-flag]	2 ms	
<pre>discount = Discount(amount=Decimal('20')) important_customer = None, expected = False @pytest.mark.parametrize(("discount", "important_customer", "expected"), [pytest.param(Discount.discount(20), True, True, id="TC-20-important-customer-below-amount-threshold",), pytest.param(None, True, True, id="TC-20-important-customer-below-amount-threshold",),],)</pre>				
Passed	—	tests/common/test_discount.py::test_calculates_discount_amount	1 ms	

Result	Test ID	Test Name	Duration	Links
Passed	—	tests/common/test_discount.py::test_accepts_discount_rate_boundaries[0]	1 ms	
No log output captured.			expand [+]	
Passed	—	tests/common/test_discount.py::test_accepts_discount_rate_boundaries[100]	1 ms	
No log output captured.			expand [+]	
Passed	—	tests/common/test_discount.py::test_rejects_invalid_discount_rate[below-minimum]	1 ms	
No log output captured.			expand [+]	
Passed	—	tests/common/test_discount.py::test_rejects_invalid_discount_rate[above-maximum]	1 ms	
No log output captured.			expand [+]	
Passed	—	tests/common/test_discount.py::test_rejects_invalid_discount_rate[not-integer]	1 ms	
No log output captured.			expand [+]	
Passed	—	tests/common/test_discount.py::test_rejects_invalid_discount_rate[none]	1 ms	
No log output captured.			expand [+]	
Passed	—	tests/common/test_discount.py::test_rejects_invalid_discount_rate[empty]	1 ms	
No log output captured.			expand [+]	
Passed	—	tests/common/test_discount.py::test_direct_creation_also_rejects_fractional_rate	1 ms	
No log output captured.			expand [+]	

Result 	ケース ID	Test	Duration	Links
Passed	—	tests/common/test_estimate_number.py::test_issues_estimate_number	1 ms	
No log output captured.			expand [+]	
Passed	—	tests/common/test_estimate_number.py::test_rejects_out_of_range_sequence[0]	1 ms	
No log output captured.			expand [+]	
Passed	—	tests/common/test_estimate_number.py::test_rejects_out_of_range_sequence[10000]	1 ms	
No log output captured.			expand [+]	
Passed	—	tests/common/test_estimate_number.py::test_rejects_invalid_format	1 ms	
No log output captured.			expand [+]	
Passed	TC-01	tests/common/test_estimate_rules.py::test_judges_quality_test_from_amount_and_discount[TC-01-both-below-threshold]	1 ms	
No log output captured.			expand [+]	
Passed	TC-02	tests/common/test_estimate_rules.py::test_judges_quality_test_from_amount_and_discount[TC-02-discount-not-above-threshold]	1 ms	
No log output captured.			expand [+]	
Passed	TC-03	tests/common/test_estimate_rules.py::test_judges_quality_test_from_amount_and_discount[TC-03-discount-above-threshold]	1 ms	
No log output captured.			expand [+]	
Passed	TC-04	tests/common/test_estimate_rules.py::test_judges_quality_test_from_amount_and_discount[TC-04-discount-unset]	1 ms	
			expand [+]	

Result	ケース	Test	Duration	Links
Failed	TC-04	tests/common/test_estimate_rules.py::test_judges_quality_test_from_amount_and_discount[TC-04-amount-at-threshold] ----- Captured log call ----- WARNING estimate management.common.estimate_rules:estimate_rules.py:104 値引率が未設定です。金額条件による判定結果を採用します: estimate_amount=999999, requires_quality_test=False	1 ms	
Passed	TC-05	tests/common/test_estimate_rules.py::test_judges_quality_test_from_amount_and_discount[TC-05-amount-at-threshold]	1 ms	
No log output captured.				expand [+]
Passed	TC-06	tests/common/test_estimate_rules.py::test_judges_quality_test_from_amount_and_discount[TC-06-amount-at-discount-not-above]	1 ms	
No log output captured.				expand [+]
Passed	TC-07	tests/common/test_estimate_rules.py::test_judges_quality_test_from_amount_and_discount[TC-07-discount-above-at-amount]	1 ms	
No log output captured.				expand [+]
Passed	TC-08	tests/common/test_estimate_rules.py::test_judges_quality_test_from_amount_and_discount[TC-08-discount-unset-at-amount]	1 ms	
----- Captured log call ----- WARNING estimate management.common.estimate_rules:estimate_rules.py:104 値引率が未設定です。金額条件による判定結果を採用します: estimate_amount=1000000, requires_quality_test=True				expand [+]
Passed	TC-09	tests/common/test_estimate_rules.py::test_judges_quality_test_from_amount_and_discount[TC-09-amount-above-threshold]	1 ms	
No log output captured.				expand [+]
Passed	TC-10	tests/common/test_estimate_rules.py::test_judges_quality_test_from_amount_and_discount[TC-10-amount-above-discount-not-above]	1 ms	
No log output captured.				expand [+]
Passed	TC-11	tests/common/test_estimate_rules.py::test_judges_quality_test_from_amount_and_discount[TC-11-both-above-threshold]	1 ms	
No log output captured.				expand [+]

Result 	ケースID	Test	Duration	Links
▲				
Passed	TC-12	tests/common/test_estimate_rules.py::test_judges_quality_test_from_amount_and_discount[TC-12-discount-unset-above-amount]	1 ms	▲
----- Captured log call ----- WARNING estimate_management.common.estimate_rules:estimate_rules.py:104 値引率が未設定です。金額条件による判定結果を採用します: estimate_amount=1000001, requires_quality_test=True				expand [+] ▼
Passed	—	tests/common/test_estimate_rules.py::test_uses_threshold_from_config_file	6 ms	▲
No log output captured.				expand [+] ▼
Passed	—	tests/common/test_estimate_rules.py::test_can_reuse_loaded_rules	4 ms	▲
No log output captured.				expand [+] ▼
Passed	—	tests/common/test_estimate_rules.py::test_uses_discount_threshold_from_config_file[below-configured-discount-threshold]	4 ms	▲
No log output captured.				expand [+] ▼
Passed	—	tests/common/test_estimate_rules.py::test_uses_discount_threshold_from_config_file[at-configured-discount-threshold]	5 ms	▲
No log output captured.				expand [+] ▼
Passed	—	tests/common/test_estimate_rules.py::test_uses_discount_threshold_from_config_file[above-configured-discount-threshold]	5 ms	▲
No log output captured.				expand [+] ▼
Passed	—	tests/common/test_estimate_rules.py::test_does_not_require_quality_test_when_minimum_amount_is_unset	4 ms	▲
----- Captured log call ----- WARNING estimate_management.common.estimate_rules:estimate_rules.py:91 quality_test.minimum_amountが未設定のため品管テスト対象外です				expand [+] ▼
Passed	—	tests/common/test_estimate_rules.py::test_rejects_config_without_discount_threshold	4 ms	

Result 	ケース ID	Test	Duration	Links
		No log output captured.	expand [+]	▲ ▼
Passed	—	tests/common/test_estimate_rules.py::test_rejects_unset_estimate_amount[None]	1 ms	
		No log output captured.	expand [+]	▲ ▼
Passed	—	tests/common/test_estimate_rules.py::test_rejects_unset_estimate_amount[]	1 ms	
		No log output captured.	expand [+]	▲ ▼
Passed	—	tests/common/test_estimate_rules.py::test_rejects_unset_discount[None]	1 ms	
		No log output captured.	expand [+]	▲ ▼
Passed	—	tests/common/test_estimate_rules.py::test_rejects_unset_discount[]	1 ms	
		No log output captured.	expand [+]	▲ ▼
Passed	—	tests/common/test_money.py::test_adds_money	1 ms	
		No log output captured.	expand [+]	▲ ▼
Passed	—	tests/common/test_money.py::test_rounds_fractional_yen_half_up	1 ms	
		No log output captured.	expand [+]	▲ ▼
Passed	—	tests/common/test_money.py::test_calculates_tax	1 ms	
		No log output captured.	expand [+]	▲ ▼
Passed	—	tests/common/test_money.py::test_rejects_negative_amount	1 ms	

Result 	ケース ID	Test	Duration	Links
		No log output captured.		expand [+]
Passed	—	tests/common/test_money.py::test_applies_selected_rounding_mode[down-123.45]	1 ms	
		No log output captured.		expand [+]
Passed	—	tests/common/test_money.py::test_applies_selected_rounding_mode[up-123.46]	1 ms	
		No log output captured.		expand [+]
Passed	—	tests/common/test_money.py::test_applies_selected_rounding_mode[half_up-123.46]	2 ms	
		No log output captured.		expand [+]
Passed	—	tests/common/test_money.py::test_keeps_selected_number_of_decimal_places	1 ms	
		No log output captured.		expand [+]
Passed	—	tests/common/test_money.py::test_applies_rounding_policy_to_tax_calculation	1 ms	
		No log output captured.		expand [+]
Passed	—	tests/common/test_money.py::test_rejects_negative_decimal_places	1 ms	
		No log output captured.		expand [+]