Lab Programlo

```
import java ant ovent *;
class Ruce entends Frame nigoloments Action historier 2
    Dielay of;
    Toutfield to to, to;
    Rutton comp;
Public Prac 1 2
       Let Layout ( new Flowlayout ());
       Let Lize (500,500);
        #1 2 new Tent Field (10);
        +2 = new Tent Field (10);
        +3 = new Tent Field (10);
        Comp = new Britton ("Compute");
       add | New Jobel 1" Enter rum!: "));
        add (ti);
        add ( New Jabel ( " tenter mann ? ! "));
        alla (tz);
         add ( New Jabel (" fault: "));
        oald (+3);
        add ( cup);
         comp. add Action Listener (this);
         set Vijible (true);
         add Window Listener ( new Window Adapter () ?
               public wind windswellseing ( Window Event we) ?
                         Lyden · evil (0);
```

V public void action Corpraned (Adio's Givent ac) ? 13 if (ac-getlewice() = sup) 1 1 the 3. 1d Tent (Ruleger: 11 Chang (Tuntoges parse but (the get Text () - bun (1)) 13 3 Catch (Niethunder Euprassism acr) (13 Dia d2 = new Dia 1" Number format Enception"/ 012 Let Ukilele (true); 13 cotch (Number Tommat Enception Me) & 6 Dia d2 = rew Dia ("Number 7 ormat Ruception"); 1 de set Ville (time /) 13 V public static void man (Amig ang (3) (how Reach; Class Dia Entend biolog l'explements Actionfistemen 2 Dia (String et 1/2 Ruper & How (new France (1, sty, true); set Layout (new 7 law Layout ()); set lige (300, 2001) add hlindswhitener (new hlindsw Alapter () 2 public void window Closing (Window Event well System - enit (0) ; 3) ;

public void action Rengement (Acteon Revent & C.) & set Unible 1 true); public void paint (Graphics 9/6 9 chandling ("Error!", 10, 70/;