Table 1: Detailed results for ISO 9798-2-6 - Nonces and keys

Case	Nonce	$IA_A$	$IA_B$	NIA_A	NIA_B	
No misgeneration	N/A	1	1	1	1	
Leak Always	$R_B$	1	1	1	<b>√</b>	
Leak Always	$R_A$	1	1	1	<b>✓</b>	
Leak Always	$k_{AB}$	X	Х	X	Х	
Leak Always	$R_{A2}$	1	1	1	<b>✓</b>	
Reuse Always	$R_B$	1	Х	1	<b>✓</b>	
Reuse Always	$R_A$	1	1	1	<b>✓</b>	
Reuse Always	$k_{AB}$	X	X	X	X	
Reuse Always	$R_{A2}$	1	1	1	1	
Reuse Once	$R_B = R_B$	1	X	1	1	
Reuse Once	$R_B = R_A$	1	1	1	<b>✓</b>	
Reuse Once	$R_B = k_{AB}$	Х	Х	X	Х	
Reuse Once	$R_B = R_{A2}$	1	1	1	1	
Reuse Once	$R_A = R_A$	1	1	1	1	
Reuse Once	$R_A = k_{AB}$	X	X	X	X	
Reuse Once	$R_A = R_{A2}$	1	1	1	1	
Reuse Once	$k_{AB} = k_{AB}$	X	X	X	X	
Reuse Once	$k_{AB} = R_{A2}$	X	X	X	X	
Reuse Once	$R_{A2} = R_{A2}$	1	1	1	1	