





Line#	Name	Description	Designator	Quantity	Manufacturer 1	Manufacturer Part Number 1	Manufacturer Lifecycle 1	Supplier 1	Supplier Part Number 1	Supplier Unit Price 1	Supplier Subtotal 1
LITIO #	1000uF 25v	Description	C1, C14, C19	3	Manaracturer	Wallarded of Full Wallber 1	Wandracturer Errecycle 1	оприст т	Supplier Fair (Valliber 1	Supplier Giller Fiee 1	Supplier Subtotal 1
	1000di 250		C2, C3, C4, C6,								
			C7, C8, C10,								
	100n		C12, C13, C20,	12							
			C21, C25								
			C5, C15, C18,								
	1uF			5							
	40.5		C23, C24	-							
	10uF		C9	1							
	22uF 25V		C11	1							
	10uF 16v		C16	1							
	100uF 16v		C17	1							
	100uF 16v		C22	1							
	AMS1117-3.3v	LDO	D1	1							
	INA226		DA1	1							
	DI 1 101		FB1, FB2, FB3,								
	BLM21		FB4	4							
	PJ-307	KEY	J1	1							
	PJ-307	LIN	J2	1							
	PJ-307	OUT_SPEAKERS	J3	1			1	1	1	1	1
	PJ-307	PTT_IN	J4	1							<u> </u>
	PJ-307	TX	J5	1		<del> </del>		1		<del> </del>	1
	HF49FD	IA		1		+					
			K1				<del> </del>	-	-	-	+
	5.6k		R1, R20	2							
	24R		R2, R3, R4, R5	4							
	1M / 0		R6	1							
	NONE / 24R		R7, R8	2							
	4x0.1R		R9	1							
	0		R10, R11	2							
	22R		R12, R13	2							
	101.		R14, R15, R16,	5							
	10k		R30, R31	5							
	30k		R17, R21, R24	3							
	39k		R18	1							
	1k		R19	1							
	2k		R22	1							
	OR / NONE		R23	1							
	2.2k		R25, R28	2							
	15k		R26, R27	2							
	5.1k		R29, R32	2							
	0/None		R33	1							
	NONE	ļ	R34	1			1	<b> </b>	-	-	-
	"Connect"	6x6 mm	SB1	1							
	ADUM4160BRWZ	Isolator USB	U1	1			ļ	ļ	ļ	ļ	
	LD1117DT50TR		U2	1			ļ	ļ	ļ	ļ	
	TDA1519		U3	1							
	Bluetoth AC20BP		U4	1							
			VD1, VD2,								
	SMAJ5.0A-TR		VD3, VD4,	6			1	1			
			VD5, VD7				1	1			
	1N4148w		VD6	1							
	Blue		VD8	1				İ		1	
	1N4148W		VD9	1				1			
	NONE / BAT46JFILM		VD10	1			1				
	BSS123		VT1, VT2	2							
	IRLML9301	Mosfet	VT1, V12	1		<del> </del>					1
		INDREE		1		-	1	1	-	-	
	USB Type-C-m12	1	X1	1			1	-	-	1	<u> </u>
	FRONT		X2	1			ļ	ļ			
	FRONT_LIN		Х3	1			ļ	ļ			
	FRONT_I2C		X4	1				ļ		ļ	
	L_SPEAK		Х5	1							
	R_SPEAK		Х6	1							
	OUT_13.8V	1	Х8	1							

