



```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Emergency Service</title>

  <script
src="https://cdn.jsdelivr.net/npm/@tailwindcss/browser@4"></script>
```

```

    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/7.0.1/css/all.min.css" integrity="sha512-
2SwdPD6INvrV/1HTZb02nodKhrnDdJK9/kg2XD1r9uGqPo1cUbuJc+IYdlYdEErWNu69gV
cYgdxlmVmzTWnetw==" crossorigin="anonymous" referrerpolicy="no-
referrer" />

</head>
<body>
    <!-- ! nav bar -->
    <nav class=" h-[100px] " >
        <div class="my-[20px] mx-[50px] h-[60px] flex justify-between
">
            <div class="flex items-center gap-[10px]">
                <div class="">
                    
                </div>
                <div >
                    <p class="text-[20px] text-[#006747] font-
extrabold">Emergency <br> Service</p>
                </div>
            </div>
            <div class="flex gap-[20px]">
                <div class="w-[123px] h-[52px] bg-[#41ff6b1a] p-[12px]
justify-center rounded-[20px] flex items-center gap-[10px]">
                    <p id="love-count" class="font-bold">0</p>
                    
                </div>
                <div class=" w-[123px] h-[52px] bg-[#41ff6b1a] p-
[12px] justify-center rounded-[20px] flex items-center gap-[10px]">
                    <p class="font-bold">100</p>
                    
                </div>
                <div class=" w-[123px] h-[52px] bg-[#00a63e] p-[12px]
justify-center rounded-[20px] flex text-white font-semibold items-
center ga gap-[10px]">

```

```

        <p>0</p>
        <p>copy</p>
    </div>
</div>
</div>
</nav >
<!-- ! banner section -->
<section class=" bg-gradient-to-r from-[#013223] via-[#006747] to-
[#013223] text-center h-[240px] ">
    
    <p class=" text-white font-extrabold text-[30px] h-
[55px]">Emergency Service Directory</p>
    <p class=" text-white font-bold h-[30px] mb-[21px]">Government
Emergency Services at Your Fingertip – A Project by Government of the
People’s Republic of Bangladesh</p>
</section>
<!-- !main sectrion -->
<section class="bg-[#41ff6b1a] pt-[30px] pb-[30px]">
    <div class=" w-[1460px] h-[300px] mx-auto flex ">
        <!-- !cart section -->
        <div class="w-3/4 gap-5 grid grid-cols-3">

            <div class=" p-[20px] bg-white rounded-[10px] shadow-
md">

                <div class="flex justify-between items-center">
                    <div class="h-[50px] w-[50px] rounded-[12px]
bg-[#FFE3E2]">

                        
                    </div>
                    <i id="love-icon-1" class=" love-icon fa-
regular fa-heart "></i>

                </div>
                <p class="text-[20px] mt-[10px] font-
bold">National Emergency Number</p>
                <p>National Emergency</p>
                <p class="text-[30px] mt-[15px] font-bold">999</p>

```

```

        <p class=" w-[50px] text-center h-[30px] rounded-
[20px] bg-slate-200">All</p>
        <div class="flex mt-[14px] justify-between">
            <button class=" border-1 gap-2 border-gray-400
rounded-[10px] h-[40px] w-[120px] flex items-center justify-center">
                <i class="fa-regular fa-copy"></i>
                <p>Copy</p>
            </button>
            <button id="call-button-1" class="text-white
gap-2 bg-[#00A63E] rounded-[10px] h-[40px] w-[160px] flex items-center
justify-center">
                <i class="fa-solid fa-phone"></i>
                <p>Call</p>
            </button>
        </div>
    </div>

    <div class=" p-[20px] bg-white rounded-[10px] shadow-
md">
        <div class="flex justify-between items-center">
            <div class="h-[50px] w-[50px] rounded-[12px]
bg-[#FFE3E2]">
                
            </div>
            <i id="love-icon-2" class=" love-icon fa-
regular fa-heart "></i>
        </div>
        <p class="text-[20px] mt-[10px] font-bold">Police
Helpline Number</p>
        <p>Police</p>
        <p class="text-[30px] mt-[15px] font-bold">999</p>
        <p class=" w-[70px] text-center h-[30px] rounded-
[20px] bg-slate-200">Police</p>
        <div class="flex mt-[14px] justify-between">
            <button class=" border-1 gap-2 border-gray-400
rounded-[10px] h-[40px] w-[120px] flex items-center justify-center">
                <i class="fa-regular fa-copy"></i>

```

```

        <p>Copy</p>
    </button>
    <button id="call-button-2" class="text-white
gap-2 bg-[#00A63E] rounded-[10px] h-[40px] w-[160px] flex items-center
justify-center">
        <i class="fa-solid fa-phone"></i>
        <p>Call</p>
    </button>
</div>
</div>

<div class=" p-[20px] bg-white rounded-[10px] shadow-
md">
    <div class="flex justify-between items-center">
        <div class="h-[50px] w-[50px] rounded-[12px]
bg-[#FFE3E2]">
            
        </div>
        <i id="love-icon-3" class=" love-icon fa-
regular fa-heart "></i>

    </div>
    <p class="text-[20px] mt-[10px] font-
bold">National Emergency Number</p>
    <p>National Emergency</p>
    <p class="text-[30px] mt-[15px] font-bold">999</p>
    <p class=" w-[50px] text-center h-[30px] rounded-
[20px] bg-slate-200">All</p>
    <div class="flex mt-[14px] justify-between">
        <button class=" border-1 gap-2 border-gray-400
rounded-[10px] h-[40px] w-[120px] flex items-center justify-center">
            <i class="fa-regular fa-copy"></i>
            <p>Copy</p>
        </button>
        <button id="call-button-3" class="text-white
gap-2 bg-[#00A63E] rounded-[10px] h-[40px] w-[160px] flex items-center
justify-center">
            <i class="fa-solid fa-phone"></i>

```

```

        <p>Call</p>
      </button>
    </div>
  </div>

</div>
<!-- !history section -->
<div class="w-1/4 pt-[30px] px-[20px] bg-white mr-[10px]
rounded-[10px] ml-[30px]">
  <div class="border-2 flex justify-between items-
center h-[50px]">
    <div class="flex items-center gap-2">
      <i class="fa-regular fa-clock"></i>
      <p>Call History</p>
    </div>
    <button class="bg-[#00A63E] h-[50px] w-[114px]
rounded-[25px] text-white font-bold ">Clear</button>
  </div>
</div>

</div>
</div>
</section>

<script src="main.js"></script>

</body>
</html>

```

```

console.log(" js file connected");

document.getElementById("love-icon-
1").addEventListener("click",function(){

```

```
    console.log("love clicked");
    const love_count = parseInt(document.getElementById("love-
count").innerText);
    //console.log(love_count)
    const updated_love_count = love_count + 1;
    //console.log(updated_love_count)
    document.getElementById("love-count").innerText =
updated_love_count ;
  })
```

```
document.getElementById("love-icon-
2").addEventListener("click",function(){
    console.log("love clicked");
    const love_count = parseInt(document.getElementById("love-
count").innerText);
    //console.log(love_count)
    const updated_love_count = love_count + 1;
    //console.log(updated_love_count)
    document.getElementById("love-count").innerText =
updated_love_count ;
  })
```

```
document.getElementById("love-icon-
3").addEventListener("click",function(){
    console.log("love clicked");
    const love_count = parseInt(document.getElementById("love-
count").innerText);
    //console.log(love_count)
    const updated_love_count = love_count + 1;
    //console.log(updated_love_count)
    document.getElementById("love-count").innerText =
updated_love_count ;
  })
```

```
document.getElementById("call-button-
1").addEventListener("click",function(){
```

```
    alert("Calling ...");
})

document.getElementById("call-button-
2").addEventListener("click",function(){

    alert("Calling ...");
})

document.getElementById("call-button-
3").addEventListener("click",function(){

    alert("Calling ...");
})
```