

st.header

Display text in header formatting.

Function signature	[source]
<pre>st.header(body, anchor=None, *, help=None, divider=False, width="stretch", text_alignment="left")</pre>	
Parameters	
body (<i>str</i>)	
The text to display as GitHub-flavored Markdown. Syntax information can be found at: https://github.github.com/gfm. See the <code>body</code> parameter of st.markdown for additional, supported Markdown directives.	
anchor (<i>str or False</i>)	
The anchor name of the header that can be accessed with <code>#anchor</code> in the URL. If omitted, it generates an anchor using the body. If <code>False</code>, the anchor is not shown in the UI.	

help (*str or None*)

keyword-only

A tooltip that gets displayed next to the header. If this is `None` (default), no tooltip is displayed.

The tooltip can optionally contain GitHub-flavored Markdown, including the Markdown directives described in the `body` parameter of `st.markdown`.

divider (*bool, "blue", "green", "orange", "red", "violet", "yellow", "gray"/"grey", or "rainbow"*)

keyword-only

Shows a colored divider below the header. If this is `True`, successive headers will cycle through divider colors, except gray and rainbow. That is, the first header will have a blue line, the second header will have a green line, and so on. If this is a string, the color can be set to one of the following: blue, green, orange, red, violet, yellow, gray/grey, or rainbow.

width (*"stretch", "content", or int*)

keyword-only

The width of the header element. This can be one of the following:

- `"stretch"` (default): The width of the element matches the width of the parent container.
- `"content"`: The width of the element matches the width of its content, but doesn't exceed the width of the parent container.
- An integer specifying the width in pixels: The element has a fixed width. If the specified width is greater than the width of the parent container, the width of the element matches the width of the parent container.

text_alignment ("left", "center", "right", or "justify")

keyword-only

The horizontal alignment of the text within the element. This can be one of the following:

- "left" (default): Text is aligned to the left edge.
- "center": Text is centered.
- "right": Text is aligned to the right edge.
- "justify": Text is justified (stretched to fill the available width with the last line left-aligned).

Note

For text alignment to have a visible effect, the element's width must be wider than its content. If you use `width="content"` with short text, the alignment may not be noticeable.

Examples

PYTHON



```
import streamlit as st

st.header("_Streamlit_ is :blue[cool] :sunglasses:")
st.header("This is a header with a divider", divider="gray")
st.header("These headers have rotating dividers", divider=True)
st.header("One", divider=True)
```

```
st.header("Two", divider=True)
st.header("Three", divider=True)
st.header("Four", divider=True)
```

Built with Streamlit 

Fullscreen 

← **Previous:** st.title

Next: st.subheader →



Still have questions?  Ask AI

Our [forums](#) are full of helpful information and Streamlit experts.