




Some **Key areas that can be protected by private FP&S service providers or businesses**

FP&S: Fire prevention and safety

AREA OF APPLICATION

Targeted installation and commissioning done much earlier for these customers or departments

Solo use of FP&S equipment or systems is on a purchase, training and/or AMC basis

These service providers serve incidences and requirement more than impactful needs for RS&A - RCS

- **Pharmaceutical sector**
 - **Govt. sector**
 - **Industrial sector**
 - **Banks**
 - **Commercial malls**
 - **Oil & Gas Sector**
 - **Defence sector**
- **Residential apartments**
- **Transportation sector**
 - **Warehouses**
- **High-rise buildings**
- **Power Sector**

DCAL Research also done for
Educational institutions,
Maternity & Child Care providers,
Impacted or Mission-critical
Hospitals/Nursing
Homes/Diagnostic Centres
Business critical Bank institutions
Clustered business locations

These service providers are dependent on case scenario relative response

These service providers use products based approaches

But can instantiate RSA-RCS packaging for FES

For this issue detection is RSA-RCS EOCC linked priority or intelligence based as Prepared FP&A systems may not be available

Critical locations are often protected by governmental departments of Fire & Emergency Services but soon could use Future Forward Contracting by (EOCC) Ease of channelized Care Linked Providers


- ☐ Roads & Road Systems
- ☐ Road Arboriculture
- ☐ Road Infrastructure
- ☐ Traffic Engineering (TE)
- ☐ Traffic Control deployments
- ☐ Immersive TE deployments
- ☐ Commuter safety deployments
- ☐ Goods transportation networks/supply chains
- ☐ BSNL/TELECOM/similar deployments
- ☐ BESCOM /similar deployments
- ☐ BWSSB / similar deployments
- ☐ Healthcare services deployments
- ☐ Medical supply services
- ☐ Educational institutions/in-situ sites/campuses
- ☐ EV Infrastructure/Flexi-fuel pumps
- ☐ Automobile dealer networks
- ☐ Automobile service centres/businesses
- ☐ Mobile Vehicle Assistance Units (MVAU)
- ☐ MSME Manufacturers
- ☐ MSME Service deployments
- ☐ Corporate offices/campuses
- ☐ KSFES deployments
- ☐ FESA auditable buildings/sites/complexes
- ☐ Fast Track PRM deployments

These FES service providers are dependent on Responsive Commuting Services all the time

These service providers use packaging of FES response and need to design right approaches

These service providers are called upon or expected to respond to instantiate RSA-RCS packaging for FES

For this, issue detection needs to be developed through a policy called Unsecured Responsiveness



For both unsecured responsiveness and RSA-RCS EOCC linked responsiveness, the implementation of Future Forward Contracting (FFC) for RS&A V2R effectiveness needs to be developed in specific interests such as

FFC Site, or Location, or Instantiated Afflicted / Dependent Risk Mitigation Intelligence staged across Production – Instantiation – Trained or Tested Responsiveness – Advanced Alpha Assistance – Call to attention Services & Assistance

To do this, the FCC RSA-RCS teams will need to package the responsive services and assistance using case scenario based

- Target bands for Instantiated V2R effectiveness for Ease of Channelized Csre for FP&S/FES
- Decisions to opt for FCC Linked RS&A-RCS packages
- FCC Sources of information
- FCC Methodology Hypothesis via earlier Hypothesis Testing using case studies, empirical studies or surveys
- SMART Methodology Tabulations
- SMART Methodology Training data
- SMART Methodology Testing data
- SMART Methodology Deprecated data
- SMART Methodology Future Forward Contracting or EOCC linked RS&A-RCS

Future Forward Contracting for planning EOCC Linked RS&A-RCS packaging



FFC Site, or Location, or Instantiated Afflicted / Dependent Risk Mitigation Intelligence



Smart Connect



Deep Interaction initiatives are often a framework to sensitize, initiate and further projects or solutions, to mitigate risks, catalyze and revive sustainable brand development and growth options

Future Forward Contracting for planning EOCC Linked RS&A-RCS packaging

Vital Dependencies, or Variations or Failures to address Call to attention Services & Assistance



**Changing limitations in Fire & Emergency Response Services to
FCC based EOCC Linked FP&S/FES/RS&A-RCS package enablers**



Future Forward Contracting for planning EOCC Linked RS&A-RCS packaging

Responsive Services & Assistance Analytics can convert disparate and unstructured data for FP&S/FES/SMART RS&A-RCS packages into structured data that can be incorporated into FCC based EOCC learning models, selection or recommendation, compliance & risk management, instantiated FP&S/FES surveillance or topic-modelled FP&S/FES surveillance, and issue detection

RS&A Suraksha Planning departments can find a lot of undetermined information resides in textual content like real-world studies/complaints/reports/notes, first investigation reports, accident spot reports, expected safety follow-up “notes, emails, newsletters, instant messaging, RSS feeds, social media data etc”. This data can be leveraged.

This need for SMART RS&A-RCS PACKAGING opens the door to FCC based EOCC Linked RS&A-RCS Topic Modelling, Analytical Application Development, Prediction and Recommendation Systems in Services & Assistance Learning.

AOEC's idea: For the Responsive Services and Assistance experienced today and diversity existing with more novel expectations, assisted delayering is emerging to be the value addition in the RS&A Suraksha domain

Assisted Delayering via a Foundation for FCC based EOCC Linked RS&A-RCS Learning -> Juran Trilogy -> RS&A Suraksha domain unification -> Safety Assist Actuation

RS&A Suraksha domain unification can help RS&A-RCS providers/dependent links showcase their RS&A-RCS Bulletin boards in different cities, locations and for road responsiveness or ease of driving conditions, this is because the accentuated discipline for safe commuting is not the same for all showcasing.

It could shift to driving at faster speeds or FCC based EOCC Links that need domain unification for sustainable or deep interaction quality planning, quality control and quality improvement

	The insight of FCC based EOCC Linked RS&A-RCS Assist Actuation, via a NSSR Academy brings the Juran Trilogy to the different socially involved clusters where either Voice of Customer reviews/complaints/feedback or Value Education Theme Learning to Actuation experiences, help manage cost of poor quality or where quality recognition / responsiveness is INCORPORATED VIA INFERENCING AND NOT BY DOMAIN UNIFICATION
--	---

Case scenario-based FFC evaluated EOCC inclusions in the RS&A-RCS packaging

Ticked as appropriate

- For the RS&A Network or departments, the decision making for V2R effectiveness can need to identify, assess and address
- 1. RS&A RCS Vehicle Parts/Components/Systems/Panels classification and codification
- 2. RS&A RCS V2R Process planning, Process variation
- 3. Discrete Events and RS&A PI factors
- 4. Human factors
- 5. Machine utilization factors
- 6. RS&A PI control/Process parameters
- 7. Movement / Motion study
- 8. SMART RS&A Packaging / V2R codification (basic functions)
- 9. Working range of RS&A Packaged workflows/lifecycles/processes/functions
- 10. Guidelines for RS&A PI conformity
- 11. Factors adding to RS&A Package Setup time
- 12. RS&A Packaged Workflow or V2R Lifecycle Sequence/EOCC Sequence
- 13. RS&A PI efficiency factors or V2R effectiveness
- 14. NADL standardized *Diagnostics to control variance in responsiveness - /improve RS&A packaging quality*

Case scenario-based deviations are mitigated in the FCC Evaluated EOCC Linked RS&A packaging

Ticked as appropriate

- ☐ • MTTD: Mean Time to Detection ☐ • MTTP: Mean Time to Prioritize
- ☐ • MTTN: Mean Time to Network needed Engineering infrastructure and resources
- ☐ • MTTR: Mean Time to Resolution
- ☐ • MTTCPQ: Mean Time to Cost of Poor Quality
- ☐ • MTAAR: Mean Time to Alpha Assistance Resolution (for afflicted or aged commuters)


Case scenarios-based issues for road system understanding are included in the FCC Evaluated EOCC Linked RS&A-RCS packaging

Ticked as appropriate

- ☐ 1. Unplanned Lanes, Road Medians
- ☐ 2. Unplanned Bordering Road Barricades
- ☐ 3. Unplanned Speed breakers or Road Humps
- ☐ 4. Unplanned or poorly constructed Pavements
- ☐ 5. Poorly maintained Manholes & Sewer systems
- ☐ 6. Impediment causing Elevated or Tube Railway infrastructure
- ☐ 7. Unmanned or poorly maintained Railway crossings
- ☐ 8. Poorly maintained Bridges and Tunnels*
- ☐ 9. Poorly maintained Trees and Greenery
- ☐ 10. Hotspots (locations that need converged administration to address the need to mitigate climate change, rising pollution levels, rising CO2 levels, poor air quality, accident trends, traffic problems, incidences of crime, issues with road system arboriculture)
- ☐ 11. No Road Infrastructure Transformation evaluations to minimize RADIUS OF COVERAGE inefficiencies

Dependent elements used to design/prepare FCC evaluated EOCC Linked RS&A-RCS packaging, where these elements help V2R effectiveness, responsiveness and agility

Tick as appropriate



Dashboard/report model elements used to design/prepare FFC evaluated EOCC Linked RS&A-RCS packaging, where these elements help V2R effectiveness, responsiveness and agility

Tick as appropriate

- (1) Package category: Descriptive name for the Package Code
- (2) Package Code: Package-provider-code or Package-Provider-code.Package-EOCCProvider-code
- (3) PrevV2R: V2R Effectiveness for the previous experiences
- (4) PrevV2RMin: Minimum Target Band for V2R Effectiveness for the previous experience
- (5) PrevV2RMax: Maximum Target Band for V2R Effectiveness for the previous experience
- (6) PrevV2RAmbiguity: Whether this Packaging for V2R effectiveness was clear or ambiguous
- (7) PrevV2RConsensus: Whether this Packaging for V2R effectiveness had a consensual agreement
- (8) PrevV2RAvailability: Whether this Packaging for V2R effectiveness was consistently available
- (9) CurrentV2R: V2R Effectiveness for the current year
- (10) CurrentV2RMin: Minimum Target Band for V2R Effectiveness for the current year
- (11) CurrentV2RMax: Maximum Target Band for V2R Effectiveness for the current year
- (12) CurrentV2RAmbiguity: Whether this Packaging for V2R effectiveness is clear or ambiguous
- (13) CurrentV2RConsensus: Whether this Packaging for V2R effectiveness has a consensual agreement
- (14) CurrentV2RAvailability: Whether this Packaging for V2R effectiveness is consistently available
- (15) FilterV2RTopic: Whether this Packaging for V2R effectiveness is mandatory or filtered for topic analytics
- (16) FilterV2RTopic-Subtopic: Whether this Packaging for V2R effectiveness is mandatory or filtered for topic-subtopic analytics
- (17) Dept-responsible-for-V2RTopic: The name of the department/team responsible for Packaging for V2R effectiveness for topic analytics
- (18) Dept-responsible-for-V2RTopic-Subtopic: The name of the department/team responsible for Packaging for V2R effectiveness for topic-subtopic analytics

