Formalization, Mechanization and Automation of Gödel's Proof of God's Existence*

Christoph Benzmüller 1 and Bruno Woltzenlogel Paleo 2

¹ Dahlem Center for Intelligent Systems, Freie Universität Berlin, Germany c.benzmueller@gmail.com

Update (31/08/2017): The abstract below, uploaded to arXiv on 21/08/2013, was the first communication of the computer-assisted formalization of Gödel's ontological proof. Since then, the following longer papers have been published: [13, 12, 19, 14, 9, 7, 5, 16, 15, 10, 17, 6, 18, 8, 4, 38, 28, 11, 27].

Attempts to prove the existence (or non-existence) of God by means of abstract ontological arguments are an old tradition in philosophy and theology. Gödel's proof [30, 29] is a modern culmination of this tradition, following particularly the footsteps of Leibniz. Gödel defines God as a being who possesses all *positive* properties. He does not extensively discuss what positive properties are, but instead he states a few reasonable (but debatable) axioms that they should satisfy. Various slightly different versions of axioms and definitions have been considered by Gödel and by several philosophers who commented on his proof (cf. [37, 2, 26, 1, 25]).

Dana Scott's version of Gödel's proof [36] employs the following axioms (**A**), definitions (**D**), corollaries (**C**) and theorems (**T**), and it proceeds in the following order:³

```
\forall \phi [P(\neg \phi) \leftrightarrow \neg P(\phi)]
A1 Either a property or its negation is positive, but not both:
A2 A property necessarily implied
                                                                              \forall \phi \forall \psi [(P(\phi) \land \Box \forall x [\phi(x) \to \psi(x)]) \to P(\psi)]
     by a positive property is positive:
                                                                                                             \forall \varphi [P(\varphi) \to \Diamond \exists x \varphi(x)]
T1 Positive properties are possibly exemplified:
                                                                                                        G(x) \leftrightarrow \forall \phi [P(\phi) \to \phi(x)]
D1 A God-like being possesses all positive properties:
A3 The property of being God-like is positive:
C Possibly, God exists:
                                                                                                                               \Diamond \exists x G(x)
                                                                                                                \forall \phi [P(\phi) \to \Box P(\phi)]
A4 Positive properties are necessarily positive:
D2 An essence of an individual is
     a property possessed by it and
     necessarily implying any of its properties: \phi ess. x \leftrightarrow \phi(x) \land \forall \psi(\psi(x) \rightarrow \Box \forall y(\phi(y) \rightarrow \psi(y)))
Being God-like is an essence of any God-like being: \forall x[G(x) \rightarrow G \text{ ess. } x]
T2 Being God-like is an essence of any God-like being:
D3 Necessary existence of an individual is
                                                                                 NE(x) \leftrightarrow \forall \phi [\phi \ ess. \ x \rightarrow \Box \exists y \phi(y)]
     the necessary exemplification of all its essences:
A5 Necessary existence is a positive property:
                                                                                                                                  P(NE)
                                                                                                                               \Box \exists x G(x)
T3 Necessarily, God exists:
```

Scott's version of Gödel's proof has now been analysed for the first-time with an unprecedent degree of detail and formality with the help of theorem provers; cf. [40, 39]. The following has been done (and in this order):

A detailed natural deduction proof.

² Theory and Logic Group, Vienna University of Technology, Austria bruno@logic.at

^{*} This work has been supported by the German Research Foundation under grant BE2501/9-1.

³ A1, A2, A5, D1, D3 are logically equivalent to, respectively, axioms 2, 5 and 4 and definitions 1 and 3 in Gödel's notes [30, 29]. A3 was introduced by Scott [36] and could be derived from Gödel's axiom 1 and D1 in a logic with infinitary conjunction. A4 is a weaker form of Gödel's axiom 3. D2 has an extra conjunct $\phi(x)$ lacking in Gödel's definition 2; this is believed to have been an oversight by Gödel [31].

- A formalization of the axioms, definitions and theorems in the TPTP THF syntax [33].
- Automatic verification of the consistency of the axioms and definitions with Nitpick [22].
- Automatic demonstration of the theorems with the provers LEO-II [24] and Satallax [23].
- A step-by-step formalization using the Coq proof assistant [20].
- A formalization using the Isabelle proof assistant [35], where the theorems (and some additional lemmata) have been automated with Sledgehammer [21] and Metis [32].

Gödel's proof is challenging to formalize and verify because it requires an expressive logical language with modal operators (possibly and necessarily) and with quantifiers for individuals and properties. Our computer-assisted formalizations rely on an embedding of the modal logic into classical higher-order logic with Henkin semantics [34, 3]. The formalization is thus essentially done in classical higher-order logic where quantified modal logic is emulated.

In our ongoing computer-assisted study of Gödel's proof we have obtained the following results:

- The basic modal logic K is sufficient for proving T1, C and T2.
- Modal logic S5 is not needed for proving T3; the logic KB is sufficient.
- Without the first conjunct $\phi(x)$ in D2 the set of axioms and definitions would be inconsistent.
- For proving theorem T1, only the left to right direction of axiom A1 is needed. However, the backward direction of A1 is required for proving T2.

This work attests the maturity of contemporary interactive and automated deduction tools for classical higher-order logic and demonstrates the elegance and practical relevance of the embeddings-based approach. Most importantly, our work opens new perspectives for a computer-assisted theoretical philosophy. The critical discussion of the underlying concepts, definitions and axioms remains a human responsibility, but the computer can assist in building and checking rigorously correct logical arguments. In case of logico-philosophical disputes, the computer can check the disputing arguments and partially fulfill Leibniz' dictum: Calculemus — Let us calculate!

References

- [1] R. Adams. "Introductory Note to *1970". In: Kurt Gödel: Collected Works Vol. 3: Unpublished Essays and Letters. Oxford University Press, 1995.
- [2] A. Anderson and M. Gettings. "Gödel Ontological Proof Revisited". In: Gödel'96: Logical Foundations of Mathematics, Computer Science, and Physics: Lecture Notes in Logic 6. Springer, 1996, pp. 167–172.
- [3] C. Benzmüller and L. Paulson. "Exploring Properties of Normal Multimodal Logics in Simple Type Theory with LEO-II". In: Festschrift in Honor of Peter B. Andrews on His 70th Birthday. College Publications, 2008, pp. 386–406.
- [4] M. Bentert et al. "Analysis of an Ontological Proof Proposed by Leibniz". In: Death and Anti-Death, Volume 14: Four Decades after Michael Polanyi, Three Centuries after G.W. Leibniz. Ed. by C. Tandy. Ria University Press, 2016. DOI: 10.1007/978-3-319-45062-9_18.
- [5] C. Benzmüller. "Gödel's Ontological Argument Revisited Findings from a Computer-supported Analysis (invited)". In: *Handbook of the 1st World Congress on Logic and Religion, João Pessoa, Brazil.* Ed. by R. S. Silvestre and J.-Y. Béziau. (Invited abstract). 2015, p. 13.
- [6] C. Benzmüller, L. Weber, and B. Woltzenlogel Paleo. "Computer-Assisted Analysis of the Anderson-Hájek Controversy". In: Logica Universalis 11.1 (2017), pp. 139–151. DOI: 10. 1007/s11787-017-0160-9.
- [7] C. Benzmüller, L. Weber, and B. Woltzenlogel Paleo. "Computer-Assisted Analysis of the Anderson-Hájek Ontological Controversy". In: *Handbook of the 1st World Congress on Logic and Religion, Joao Pessoa, Brasil.* Ed. by R. S. Silvestre and J.-Y. Béziau. (superseded by 2016 article in Logica Universalis). 2015, pp. 53–54.
- [8] C. Benzmüller and B. Woltzenlogel Paleo. "An Object-Logic Explanation for the Inconsistency in Gödel's Ontological Theory (Extended Abstract, Sister Conferences)". In: KI 2016: Advances in Artificial Intelligence, Proceedings. Ed. by M. Helmert and F. Wotawa. LNCS. Berlin, Germany: Springer, 2016, pp. 244–250. DOI: 10.1007/978-3-319-46073-4.

- [9] C. Benzmüller and B. Woltzenlogel Paleo. "Automating Gödel's Ontological Proof of God's Existence with Higher-order Automated Theorem Provers". In: ECAI 2014. Ed. by T. Schaub, G. Friedrich, and B. O'Sullivan. Vol. 263. Frontiers in Artificial Intelligence and Applications. IOS Press, 2014, pp. 93–98. DOI: 10.3233/978-1-61499-419-0-93.
- [10] C. Benzmüller and B. Woltzenlogel Paleo. "Experiments in Computational Metaphysics: Gödel's Proof of God's Existence". In: Science & Spiritual Quest, Proceedings of the 9th All India Students' Conference, 30th October 1 November, 2015, IIT Kharagpur, India. Ed. by S. C. Mishram, R. Uppaluri, and V. Agarwal. (Invited paper, superseded by article in Savijnanam). Bhaktivedanta Institute, Kolkata, www.binstitute.org, 2015, pp. 23–40.
- [11] C. Benzmüller and B. Woltzenlogel Paleo. "Experiments in Computational Metaphysics: Gödel's Proof of God's Existence". In: Savijnanam: scientific exploration for a spiritual paradigm. Journal of the Bhaktivedanta Institute 9 (2017), pp. 43–57.
- [12] C. Benzmüller and B. Woltzenlogel Paleo. "Gödel's God in Isabelle/HOL". In: Archive of Formal Proofs (2013). (Formally verified).
- [13] C. Benzmüller and B. Woltzenlogel Paleo. "Gödel's God on the Computer". In: *Proceedings of the 10th International Workshop on the Implementation of Logics*. Ed. by S. Schulz, G. Sutcliffe, and B. Konev. (Invited paper). 2013.
- [14] C. Benzmüller and B. Woltzenlogel Paleo. "Gödel's Proof of God's Existence". In: *Handbook of the World Congress on the Square of Opposition IV*. Ed. by J.-Y. Beziau and K. Gan-Krzywoszynska. (superseded by ECAI-2014 paper). 2014, pp. 22–23.
- [15] C. Benzmüller and B. Woltzenlogel Paleo. "Higher-Order Modal Logics: Automation and Applications". In: Reasoning Web. Web Logic Rules 11th International Summer School 2015, Berlin, Germany, July 31 August 4, 2015, Tutorial Lectures. Ed. by A. Paschke and W. Faber. LNCS 9203. Berlin, Germany: Springer, 2015, pp. 32–74. DOI: 10.1007/978-3-319-21768-0_2.
- [16] C. Benzmüller and B. Woltzenlogel Paleo. "Interacting with Modal Logics in the Coq Proof Assistant". In: Computer Science Theory and Applications 10th International Computer Science Symposium in Russia, CSR 2015, Listvyanka, Russia, July 13-17, 2015, Proceedings. Ed. by L. D. Beklemishev and D. V. Musatov. Vol. 9139. LNCS. Springer, 2015, pp. 398-411. DOI: 10.1007/978-3-319-20297-6_25.
- [17] C. Benzmüller and B. Woltzenlogel Paleo. "On Logic Embeddings and Gödel's God". In: Recent Trends in Algebraic Development Techniques: 22nd International Workshop, WADT 2014, Sinaia, Romania, September 4-7, 2014, Revised Selected Papers. Ed. by M. Codescu, R. Diaconescu, and I. Tutu. LNCS 9563. (Invited paper). Sinaia, Romania: Springer, 2015, pp. 3-6. DOI: 10.1007/978-3-319-28114-8_1.
- [18] C. Benzmüller and B. Woltzenlogel Paleo. "The Inconsistency in Gödel's Ontological Argument: A Success Story for AI in Metaphysics". In: *IJCAI 2016*. Ed. by S. Kambhampati. Vol. 1-3. AAAI Press, 2016, pp. 936–942.
- [19] C. Benzmüller and B. Woltzenlogel Paleo. "The Modal Collapse as a Collapse of the Modal Square of Opposition". In: The Square of Opposition: A Cornerstone of Thought (Collection of papers related to the World Congress on the Square of Opposition IV, Vatican, 2014), http://www.springer.com/us/book/9783319450612. Ed. by J.-Y. Béziau and G. Basti. Studies in Universal Logic. Springer International Publishing Switzerland, 2016. DOI: 10.1007/978-3-319-45062-9_18.
- [20] Y. Bertot and P. Casteran. Interactive Theorem Proving and Program Development. Springer, 2004.
- [21] J. Blanchette, S. Böhme, and L. Paulson. "Extending Sledgehammer with SMT Solvers". English. In: *Journal of Automated Reasoning* 51.1 (2013), pp. 109–128. DOI: 10.1007/s10817-013-9278-5.
- [22] J. Blanchette and T. Nipkow. "Nitpick: A Counterexample Generator for Higher-Order Logic Based on a Relational Model Finder". In: Proc. of ITP 2010. LNCS 6172. Springer, 2010, pp. 131–146.
- [23] C. Brown. "Satallax: An Automated Higher-Order Prover". In: *Proc. of IJCAR 2012*. LNAI 7364. Springer, 2012, pp. 111–117.

- [24] C. Benzmüller et al. "LEO-II A Cooperative Automatic Theorem Prover for Higher-Order Logic". In: *Proc. of IJCAR 2008*. Vol. 5195. LNAI. Springer, 2008, pp. 162–170.
- [25] R. Corazzon. Contemporary Bibligraphy on the Ontological Proof (http://www.ontology.co/biblio/ontological-proof-contemporary-biblio.htm).
- [26] M. Fitting. Types, Tableaux and Gödel's God. Kluver Academic Press, 2002.
- [27] D. Fuenmayor and C. Benzmüller. "Automating Emendations of the Ontological Argument in Intensional Higher-Order Modal Logic". In: KI 2017: Advances in Artificial Intelligence 40th Annual German Conference on AI. LNAI. Springer, 2017.
- [28] D. Fuenmayor and C. Benzmüller. "Types, Tableaus and Gödel's God in Isabelle/HOL". In: Archive of Formal Proofs (2017). Formally verified with Isabelle/HOL.
- [29] K. Gödel. "Appendix A. Notes in Kurt Gödel's Hand". In: J. Sobel. Logic and Theism: Arguments for and Against Beliefs in God. Cambridge U. Press, 2004, pp. 144–145.
- [30] K. Gödel. "Ontological Proof". In: Kurt Gödel: Collected Works Vol. 3: Unpublished Essays and Letters. Oxford University Press, 1970.
- [31] A. Hazen. "On Gödel's Ontological Proof". In: Australasian Journal of Philosophy 76 (1998), pp. 361–377.
- [32] J. Hurd. "First-order proof tactics in higher-order logic theorem provers". In: Design and Application of Strategies/Tactics in Higher Order Logics, NASA Tech. Rep. NASA/CP-2003-212448. 2003, pp. 56-68.
- [33] G. Sutcliffe and C. Benzmüller. "Automated Reasoning in Higher-Order Logic using the TPTP THF Infrastructure." In: *Journal of Formalized Reasoning* 3.1 (2010), pp. 1–27.
- [34] C. Benzmüller and L. Paulson. "Quantified Multimodal Logics in Simple Type Theory". In: Logica Universalis (Special Issue on Multimodal Logics) 7.1 (2013), pp. 7–20.
- [35] T. Nipkow, L. Paulson, and M. Wenzel. Isabelle/HOL: A Proof Assistant for Higher-Order Logic. LNCS 2283. Springer, 2002.
- [36] D. Scott. "Appendix B. Notes in Dana Scott's Hand". In: J. Sobel. *Logic and Theism:*Arguments for and Against Beliefs in God. Cambridge U. Press, 2004, pp. 145–146.
- [37] J. Sobel. Logic and Theism: Arguments for and Against Beliefs in God. Cambridge U. Press, 2004.
- [38] B. Woltzenlogel Paleo. "Leibniz's Characteristica Universalis and Calculus Ratiocinator Today". In: Death and Anti-Death, Volume 14: Four Decades after Michael Polanyi, Three Centuries after G. W. Leibniz. Ed. by C. Tandy. Ria University Press, 2016.
- [39] B. Woltzenlogel Paleo and C. Benzmüller. Computational Philosophy Repository (https://gitlab.com/aossie/ComputationalPhilosophy/).
- [40] B. Woltzenlogel Paleo and C. Benzmüller. Formal Theology Repository (https://github.com/FormalTheology/GoedelGod).