

<https://usedautoparts.pro/>

Critical

The visual label must appear in the accessible name of links and controls.

Label "Unlock Enhanced Performance: Engine Assembly Done Right! Elevate your vehicle's power with our meticulously crafted and quality-tested Used Engine Assemblies for sale. Designed to seamlessly integrate into your vehicle, our assemblies ensure optimal performance and a perfect fit. Say goodbye to compatibility worries – each assembly not only works but excels, boosting both power and efficiency. Revitalize your ride today!" not in name "Unlock Enhanced Performance: Engine Assembly Done Right! Elevate your vehicle's power with our meticulously crafted and quality-tested Used Engine Assemblies for sale. Designed to seamlessly integrate into your vehicle, our assemblies ensure optimal performance and a perfect fit. Explore our used auto parts marketplace of Car Say goodbye to compatibility worries – each assembly not only works but excels, boosting both power and efficiency. Revitalize your ride today!"

```
<a href='/used-engines'><div class=' min-w-[340px]
h...'><h3 class=' mb-2 text-[28px...'>Unlock
Enhanced...</h3><span class=' inline-flex
ite...'>...</span>...</div></a>
```

Label "Seamless Shifting: Elevate Your Drive with Our Transmission Assemblies! Upgrade your driving experience with our precision-engineered and quality-tested Used Transmission Assemblies for sale. Designed to deliver smooth shifting and exceptional performance, our assemblies ensure a perfect fit for your vehicle. Say goodbye to compatibility concerns – each assembly not only works flawlessly but also enhances your driving pleasure and efficiency. Transform your vehicle's performance today!" not in name "Seamless Shifting: Elevate Your Drive with Our Transmission Assemblies! Upgrade your driving experience with our precision-engineered and quality-tested Used Transmission Assemblies for sale. Designed to deliver

smooth shifting and exceptional performance, our assemblies ensure a perfect fit for your vehicle. Explore our used auto parts marketplace of Car Say goodbye to compatibility concerns – each assembly not only works flawlessly but also enhances your driving pleasure and efficiency. Transform your vehicle's performance today!"

```
<a href='/used-transmissions'><div class=' min-w-[340px] h...'><h3 class=' mb-2 text-[28px...'>Seamless Shifting:...</h3><span class=' inline-flex ite...'>...</span>...</div></a>
```

Critical

HTML form control has no accessible name.

```
<select id='year' name='year' class=' bg-[#F5F5F5] w-...'><option value='Year'>Year</option><option value='2023'>2023</option><option value='2022'>2022</option>...</select>
```

```
<select id='make' name='make' class=' rounded-md bg-[...'><option value='Choose Your Car' selected>Choose Your Car</option><option value='Acura'>Acura</option>...</select>
```

```
<select id='model' name='model' class=' rounded-md bg-[...'><option value='Choose Model'>Choose Model</option></select>
```

```
<select id='part' name='part' class=' rounded-md bg-[...'><option value='Choose Part' selected>Choose Part</option><option value='Engine Assembly'>En...</option>...</select>
```

```
<select id='engine_size' name='engine_size' class=' bg-[#F5F5F5] w-...'><option value='Engine Size'>Engine Size</option><option value='1.5L'>1.5L</option><option value='1.6L'>1.6L</option>...</select>
```

Critical

The label element is blank.

```
<label for='year'></label>
```

```
<label for='model'></label>
```

```
<label for='engine_size'></label>
```

```
<label for='fullname'></label>
```

```
<label for='phone_number'></label>
```

Critical

Links must have an accessible name.

```
<a class='call_blink' href='tel:8779827774'><i class=' Phone  
is-animat...'></i></a>
```

Critical

Use semantic markup like strong instead of using the CSS font-weight property.

```
font-weight: 700
```

```
<span class=' font-bold italic '>Heidi Gardner from  
TX</span>
```

```
font-weight: 700
```

```
<span class=' font-bold italic '>Robert S from NY</span>
```

```
font-weight: 700
```

```
<span class=' font-bold italic '>online used auto  
parts</span>
```

```
font-weight: 700
```

```
<span class=' font-bold italic '>Mateo Apaestegui from  
PA</span>
```

```
font-weight: 700
```

```
<span class=' font-bold italic '>online used car  
parts</span>
```

Critical

This link is broken. The url scheme is unrecognized.

Link: <fax:+13124859711>

Critical

Bad value for attribute href.

Expected /, but got \

```
<link rel='icon' href='\favicon.ico'>
```

Critical

Element a not allowed as child element in this context.

```
<ul class=' flex flex-col ...'><a>...</a></ul>
```

```
<ul class=' flex flex-col ...'><a>...</a></ul>
```

```
<ul class=' flex flex-col ...'><a>...</a></ul>
```

```
<ul class=' flex flex-col ...'><a>...</a></ul>
```

Critical

Text not allowed.

```
<a></a>
```

```
<a></a>
```

```
<a></a>
```

Critical

Invalid data or text not allowed.

```
<ul class=' flex flex-col ...'><a class=' flex flex-  
cente...' href='/' aria-current='page'>Home</a><a class='  
block py-2 pl-...' href='/used-auto-parts' aria-  
current='page'>Used Auto Parts</a>...</ul>
```

Very Important

Ensure that text and background colors have enough contrast.

The text color to background color contrast ratio after composition is:

4.38 with color: rgb(255,255,255)background: rgb(237,28,36)
font-size: 9.75ptfont-weight: 500

```
<a class=' flex flex-cente...' href='/' aria-  
current='page'>Home</a>
```

4.38 with color: rgb(255,255,255)background: rgb(237,28,36)
font-size: 15ptfont-weight: 400

```
<button class=' bg-primary text...'>Find My Part</button>
```

Very Important

Omitting img width or height attributes makes the page layout jump about as images load.

```
<img class=' object-center o...' src='/home.webp?q=50'  
alt='bg' title='bgTitle'>
```

Very Important

An active 'Home' link on the home page makes some users think that it's not the home page.

```
<a class=' flex flex-cente...' href='/' aria-  
current='page'>Home</a>
```

```
<a href='/'>Home</a>
```

Very Important

On long pages, provide a list of contents with links that take users to the corresponding content farther down the page.

Important

Ensure that text and background colors have a 7:1 contrast ratio.

The text color to background color contrast ratio after composition is:

4.38 with color: rgb(255,255,255)background: rgb(237,28,36)font-size: 21ptfont-weight: 700

```
<h4 class=' bg-primary text... '>(877) 982-7774</h4>
```

4.38 with color: rgb(237,28,36)background: rgb(255,255,255)font-size: 18ptfont-weight: 600

```
<a class=' text-primary fo...' href='tel:8779827774'>(877) 982-7774</a>
```

Important

Search engines may penalize invisible text where text color is nearly identical to the background color.

The colors used are:

color: rgb(255,255,255);background-color: rgb(255,255,255);

```
<h3 class=' text-white font...'>Welcome to Used Auto Parts Pro - Your Premier Source for Quality Vehicle Components!</h3>
```

color: rgb(255,255,255);background-color: rgb(255,255,255);

```
<p class=' text-white text...'>Discover the pinnacle of convenience and expertise with<span class=' font-bold italic '>online used auto...</span>and<span class=' font-bold italic '>online used car parts</span>at Used Auto Parts Pro. Whether you're seeking...</p>
```

color: rgb(255,255,255);background-color: rgb(255,255,255);

```
<p class=' text-white text...'>Trust meets affordability here. We blend competitive pricing with uncompromised value, ensuring you receive the best.</p>
```

color: rgb(255,255,255);background-

```
color:  rgb(255,255,255);
```

```
<p class=' text-white  text...'>Ready to step into  
excellence? Dial<a class=' text-primary  fo...'>  
href='tel:8779827774'>(877) 982-7774</a>to join the...</p>
```

```
color:  rgb(255,255,255);background-  
color:  rgb(255,255,255);
```

```
<p class=' text-white  text...'>Elevate your auto parts  
journey today - where quality and convenience collide!</p>
```

Important

Use option groups when a drop down list has more than 10 items.

```
<select id='make' name='make' class=' rounded-md  bg-  
[...]'><option value='Choose Your Car' selected>Choose Your  
Car</option><option value='Acura'>Acura</option>...</select>
```

```
<select id='engine_size' name='engine_size' class=' bg-  
[#F5F5F5]  w-...'><option value='Engine Size'>Engine  
Size</option><option value='1.5L'>1.5L</option><option  
value='1.6L'>1.6L</option>...</select>
```

Important

Radio buttons are easier to use than drop-downs when there are 6 choices or fewer.

```
<select id='model' name='model' class=' rounded-md  bg-  
[...]'><option value='Choose Model'>Choose  
Model</option></select>
```

```
<select id='transmission' name='transmission' class='  
rounded-md  bg-[...]'><option value='Choose  
Transmission'>Choose Transmission</option><option value='2WD  
/ Automatic T...'>2WD / Automatic  
Transmission</option>...</select>
```

https://usedautoparts.pro/_next/static/css/65d38af08eb87175.css

Critical

CSS Validation Error.

unicode-range: ?

?

?

unicode-range: ?

Critical

Too many values for CSS property.

font-weight

font-weight

font-weight

font-weight

font-weight

<https://usedautoparts.pro/used-auto-parts>

Critical

HTML form control has no accessible name.

```
<select id='year' name='year' class=' bg-[#F5F5F5] w-... '><option value='Year'>Year</option><option
```

Critical

The label element is blank.

```
value='2023'>2023</option><option
value='2022'>2022</option>...</select>
```

```
<select id='make' name='make' class=' rounded-md bg-
[...'><option value='Choose Your Car' selected>Choose Y
Car</option><option value='Acura'>Acura</option>...</se
```

```
<select id='model' name='model' class=' rounded-md bg-
[...'><option value='Choose Model'>Choose
Model</option></select>
```

```
<select id='part' name='part' class=' rounded-md bg-
[...'><option value='Choose Part' selected>Choose
Part</option><option value='Engine
Assembly'>En...</option>...</select>
```

```
<select id='engine_size' name='engine_size' class=' bg-
[#F5F5F5] w-...'><option value='Engine Size'>Engine
Size</option><option value='1.5L'>1.5L</option><option
value='1.6L'>1.6L</option>...</select>
```

```
<label for='year'></label>
```

```
<label for='make'></label>
```

```
<label for='model'></label>
```

```
<label for='part'></label>
```

```
<label for='engine_size'></label>
```

Critical

Links must have an accessible name.

```
<a class='call_blink' href='tel:8779827774'><i class='
is-animat...'></i></a>
```

Critical

Use semantic markup like strong instead of using the C font-weight property.

```
font-weight: 700
```

```
<span class='font-bold'>used auto parts stores</span>
```

```
font-weight: 700
```


	<pre>buy used car parts</pre> <pre>font-weight: 700</pre> <pre>car parts for sale</pre> <pre>font-weight: 700</pre> <pre>quality used auto parts.</pre>
Critical	<p>This link is broken. The url scheme is unrecognized.</p> <p>Link: fax:+13124859711</p>
Critical	<p>Bad value for attribute href.</p> <p>Expected /, but got \</p> <pre><link rel='icon' href='\favicon.ico'></pre>
Critical	<p>Element a not allowed as child element in this context.</p> <pre><ul class=' flex flex-col ...'><a>...</pre> <pre><ul class=' flex flex-col ...'><a>...</pre> <pre><ul class=' flex flex-col ...'><a>...</pre> <pre><ul class=' flex flex-col ...'><a>...</pre>
Critical	<p>Text not allowed.</p> <pre><a></pre> <pre><a></pre> <pre><a></pre>
Critical	<p>Invalid data or text not allowed.</p> <pre><ul class=' flex flex-col ...'>Home<a class block py-2 pl-...' href='/used-auto-parts' aria-current='page'>Used Auto Parts...</pre>
Very Important	<p>Ensure that text and background colors have enough contrast.</p>

	<p>The text color to background color contrast ratio after composition is:</p> <p>4.38 with color: rgb(255,255,255)background: rgb(237,237,237)font-size: 9.75ptfont-weight: 500</p> <pre>Home</pre>
	<p>4.38 with color: rgb(255,255,255)background: rgb(237,237,237)font-size: 15ptfont-weight: 400</p> <pre><button class=' bg-primary text...'>Find My Part</butt</pre>
Very Important	<p>Omitting img width or height attributes makes the page layout jump about as images load.</p> <pre></pre>
Very Important	<p>On long pages, provide a list of contents with links that take users to the corresponding content farther down the page.</p>
Important	<p>Ensure that text and background colors have a 7:1 contrast ratio.</p> <p>The text color to background color contrast ratio after composition is:</p> <p>4.38 with color: rgb(255,255,255)background: rgb(237,237,237)font-size: 21ptfont-weight: 700</p> <pre><h4 class=' bg-primary text...'>(877) 982-7774</h4></pre>
Important	<p>Search engines may penalize invisible text where text color is nearly identical to the background color.</p> <p>The colors used are:</p> <pre>color: rgb(255,255,255);background-color: rgb(255,255,255);</pre> <pre><h1 class=' text-white font...'>Revive Your Ride: Explore a Wide Selection of Reliable Used Auto Parts</h1></pre> <pre>color: rgb(255,255,255);background-color: rgb(255,255,255);</pre> <pre><h2 class=' text-white text...'>Unlock Quality, Saving</pre>

and Performance with Affordable Used Auto Parts</h2>

Important

Use option groups when a drop down list has more than 6 items.

```
<select id='make' name='make' class=' rounded-md bg-[...]'><option value='Choose Your Car' selected>Choose Your Car</option><option value='Acura'>Acura</option>...</select>
```

```
<select id='engine_size' name='engine_size' class=' bg-[#F5F5F5] w-[...]'><option value='Engine Size'>Engine Size</option><option value='1.5L'>1.5L</option><option value='1.6L'>1.6L</option>...</select>
```

Important

Radio buttons are easier to use than drop-downs when there are 6 choices or fewer.

```
<select id='model' name='model' class=' rounded-md bg-[...]'><option value='Choose Model'>Choose Model</option></select>
```

```
<select id='transmission' name='transmission' class=' rounded-md bg-[...]'><option value='Choose Transmission'>Choose Transmission</option><option value='2WD / Automatic Transmission'>2WD / Automatic Transmission</option>...</select>
```

<https://usedautoparts.pro/used-transmissions>

Critical

HTML form control has no accessible name.

```
<select id='year' name='year' class=' bg-[#F5F5F5] w-[...]'><option value='Year'>Year</option><option value='2023'>2023</option><option value='2022'>2022</option>...</select>
```

```
<select id='make' name='make' class=' rounded-md bg-[...]'><option value='Choose Your Car' selected>Choose Your Car</option><option value='Acura'>Acura</option>...</select>
```

```
<select id='model' name='model' class=' rounded-md bg-
[...'><option value='Choose Model'>Choose
Model</option></select>
```

```
<select id='part' name='part' class=' rounded-md bg-
[...'><option value='Choose Part' selected>Choose
Part</option><option value='Engine
Assembly'>En...</option>...</select>
```

```
<select id='engine_size' name='engine_size' class=' bg-
[#F5F5F5] w-...'><option value='Engine Size'>Engine
Size</option><option value='1.5L'>1.5L</option><option
value='1.6L'>1.6L</option>...</select>
```

Critical

The label element is blank.

```
<label for='year'></label>
```

```
<label for='make'></label>
```

```
<label for='model'></label>
```

```
<label for='part'></label>
```

```
<label for='engine_size'></label>
```

Critical

Links must have an accessible name.

```
<a class='call_blink' href='tel:8779827774'><i class='
is-animat...'></i></a>
```

Critical

Use semantic markup like strong instead of using the C font-weight property.

```
font-weight: 700
```

```
<span class='font-bold'>automotive supply</span>
```

```
font-weight: 700
```

```
<span class='font-bold'>quality transmission</span>
```

```
font-weight: 700
```

```
<span class='font-bold'>junkyard transmission prices</s
```

```
font-weight: 700
```

	<code>online recycled auto parts</spa</code>
Critical	<p>This link is broken. The url scheme is unrecognized.</p> <p>Link: fax:+13124859711</p>
Critical	<p>Bad value for attribute href.</p> <p>Expected /, but got \</p> <pre><link rel='icon' href='\favicon.ico'></pre>
Critical	<p>Element a not allowed as child element in this context.</p> <pre><ul class=' flex flex-col ...'><a>...</pre> <pre><ul class=' flex flex-col ...'><a>...</pre> <pre><ul class=' flex flex-col ...'><a>...</pre> <pre><ul class=' flex flex-col ...'><a>...</pre>
Critical	<p>Text not allowed.</p> <pre><a></pre> <pre><a></pre> <pre><a></pre>
Critical	<p>Invalid data or text not allowed.</p> <pre><ul class=' flex flex-col ...'>Home<a class block py-2 pl-...' href='/used-auto-parts' aria-current='page'>Used Auto Parts...</pre>
Very Important	<p>Ensure that text and background colors have enough contrast.</p> <p>The text color to background color contrast ratio after composition is:</p> <p>4.38 with color: rgb(255,255,255)background: rgb(237,2font-size: 9.75ptfont-weight: 500</p> <pre><a class=' flex flex-cente...' href='/' aria-</pre>

```
current='page'>Home</a>
```

4.38 with color: rgb(255,255,255)background: rgb(237,237,237)font-size: 15ptfont-weight: 400

```
<button class=' bg-primary text...'>Find My Part</butt
```

Very Important

Omitting img width or height attributes makes the page layout jump about as images load.

```
<img class=' object-center o...'
src='/transmissions.webp?q=50' alt='bg' title='bgTitle'
```

Very Important

On long pages, provide a list of contents with links that take users to the corresponding content farther down the page.

Important

Ensure that text and background colors have a 7:1 contrast ratio.

The text color to background color contrast ratio after composition is:

4.38 with color: rgb(255,255,255)background: rgb(237,237,237)font-size: 21ptfont-weight: 700

```
<h4 class=' bg-primary text...'>(877) 982-7774</h4>
```

Important

Search engines may penalize invisible text where text color is nearly identical to the background color.

The colors used are:

```
color: rgb(255,255,255);background-
color: rgb(255,255,255);
```

```
<h1 class=' text-white font...'>Shift into Gear with
Confidence: Discover Reliable Used Transmissions</h1>
```

```
color: rgb(255,255,255);background-
color: rgb(255,255,255);
```

```
<h2 class=' text-white text...'>Unlock Smooth Shifting
Savings with High-Quality Used Transmissions</h2>
```

Important

Use option groups when a drop down list has more than 10 items.

```
<select id='make' name='make' class=' rounded-md bg-
[...'><option value='Choose Your Car' selected>Choose Y
```

```
Car</option><option value='Acura'>Acura</option>...</se
```

```
<select id='engine_size' name='engine_size' class=' bg-  
[#F5F5F5] w-...'><option value='Engine Size'>Engine  
Size</option><option value='1.5L'>1.5L</option><option  
value='1.6L'>1.6L</option>...</select>
```

Important

Radio buttons are easier to use than drop-downs when are 6 choices or fewer.

```
<select id='model' name='model' class=' rounded-md bg-  
[...'><option value='Choose Model'>Choose  
Model</option></select>
```

```
<select id='transmission' name='transmission' class='  
rounded-md bg-[...'><option value='Choose  
Transmission'>Choose Transmission</option><option value  
/ Automatic T...'>2WD / Automatic  
Tramission</option>...</select>
```

<https://usedautoparts.pro/used-engines>

Critical

HTML form control has no accessible name.

```
<select id='year' name='year' class=' bg-[#F5F5F5] w-  
...'><option value='Year'>Year</option><option  
value='2023'>2023</option><option  
value='2022'>2022</option>...</select>
```

```
<select id='make' name='make' class=' rounded-md bg-  
[...'><option value='Choose Your Car' selected>Choose Y  
Car</option><option value='Acura'>Acura</option>...</se
```

```
<select id='model' name='model' class=' rounded-md bg-  
[...'><option value='Choose Model'>Choose  
Model</option></select>
```

```
<select id='part' name='part' class=' rounded-md bg-  
[...'><option value='Choose Part' selected>Choose  
Part</option><option value='Engine
```

	<pre>Assembly'>En...</option>...</select></pre>
	<pre><select id='engine_size' name='engine_size' class=' bg- [#F5F5F5] w-...'><option value='Engine Size'>Engine Size</option><option value='1.5L'>1.5L</option><option value='1.6L'>1.6L</option>...</select></pre>
Critical	<p>The label element is blank.</p> <pre><label for='year'></label></pre> <pre><label for='make'></label></pre> <pre><label for='model'></label></pre> <pre><label for='part'></label></pre> <pre><label for='engine_size'></label></pre>
Critical	<p>Links must have an accessible name.</p> <pre><i class=' is-animat...'></i></pre>
Critical	<p>Use semantic markup like strong instead of using the C font-weight property.</p> <pre>font-weight: 900</pre> <pre>used engines for sale</pre> <pre>font-weight: 700</pre> <pre>used car engines for sale</pre>
Critical	<p>This link is broken. The url scheme is unrecognized. Link: fax:+13124859711</p>
Critical	<p>Bad value for attribute href. Expected /, but got \</p> <pre><link rel='icon' href='\favicon.ico'></pre>
Critical	<p>Bad value for attribute src.</p>

	<p>Unexpected character engines.webp?q=50 in path</p> <pre></pre>
Critical	<p>Element a not allowed as child element in this context.</p> <pre><ul class=' flex flex-col ...'><a>...</pre> <pre><ul class=' flex flex-col ...'><a>...</pre> <pre><ul class=' flex flex-col ...'><a>...</pre> <pre><ul class=' flex flex-col ...'><a>...</pre>
Critical	<p>Text not allowed.</p> <pre><a></pre> <pre><a></pre> <pre><a></pre>
Critical	<p>Invalid data or text not allowed.</p> <pre><ul class=' flex flex-col ...'>Home<a class block py-2 pl-...' href='/used-auto-parts' aria-current='page'>Used Auto Parts...</pre>
Very Important	<p>Ensure that text and background colors have enough contrast.</p> <p>The text color to background color contrast ratio after composition is:</p> <p>4.38 with color: rgb(255,255,255)background: rgb(237,2font-size: 9.75ptfont-weight: 500</p> <pre>Home</pre> <p>4.38 with color: rgb(255,255,255)background: rgb(237,2font-size: 15ptfont-weight: 400</p> <pre><button class=' bg-primary text...'>Find My Part</butt</pre>
Very Important	<p>Omitting img width or height attributes makes the page</p>

	<p>layout jump about as images load.</p> <pre></pre>
Very Important	<p>On long pages, provide a list of contents with links that take users to the corresponding content farther down the page.</p>
Important	<p>Ensure that text and background colors have a 7:1 contrast ratio.</p> <p>The text color to background color contrast ratio after composition is:</p> <p>4.38 with color: rgb(255,255,255)background: rgb(237,237,237)font-size: 21ptfont-weight: 700</p> <pre><h4 class=' bg-primary text...'>(877) 982-7774</h4></pre>
Important	<p>Search engines may penalize invisible text where text color is nearly identical to the background color.</p> <p>The colors used are:</p> <pre>color: rgb(255,255,255);background-color: rgb(255,255,255);</pre> <pre><h1 class=' text-white font...'>Revive Your Vehicle&#3 Performance: Explore Reliable Used Engines</h1></pre> <pre>color: rgb(255,255,255);background-color: rgb(255,255,255);</pre> <pre><h2 class=' text-white text...'>Unlock Power and Savin with High-Quality Used Engines for Sale</h2></pre>
Important	<p>Use option groups when a drop down list has more than 10 items.</p> <pre><select id='make' name='make' class=' rounded-md bg- [...'><option value='Choose Your Car' selected>Choose Y Car</option><option value='Acura'>Acura</option>...</se</pre> <pre><select id='engine_size' name='engine_size' class=' bg- [#F5F5F5] w-...'><option value='Engine Size'>Engine Size</option><option value='1.5L'>1.5L</option><option value='1.6L'>1.6L</option>...</select></pre>

Important

Radio buttons are easier to use than drop-downs when are 6 choices or fewer.

```
<select id='model' name='model' class=' rounded-md bg-  
[...]'><option value='Choose Model'>Choose  
Model</option></select>
```

```
<select id='transmission' name='transmission' class='  
rounded-md bg-[...]'><option value='Choose  
Transmission'>Choose Transmission</option><option value  
/ Automatic T...'>2WD / Automatic  
Tramission</option>...</select>
```

<https://usedautoparts.pro/acura>

Critical

This link is broken. The url scheme is unrecognized.

Broken

Link: [fax:+13124859711](tel:+13124859711)

[3125](#)

Critical

The element main must not appear as a descendant of the section element.

[HTML5
WCAG
Section](#)

```
<main class=' flex min-h-scre...'><a  
class='call_blink' href='tel:8779827774'><i  
class=' Phone is-animat...'></i></a><div  
class='relative'><img class=' object-center  
o...' src='makes/acura_bg.webp' alt='Used Acura  
Auto Parts for Sale' title='Used Acura Auto  
Parts for Sale'>...</div>...</main>
```

[42](#)

Important

Use bold text sparingly - for one or two words or a short phrase.

[Usabili](#)

```
<b>Our Stock Includes a Full Range of Inventory  
for Any Requirement in Acura</b>
```

<https://usedautoparts.pro/audi>

Critical

This link is broken. The url scheme is unrecognized.

Broken

Link: [fax:+13124859711](tel:87779827774)

[3150](#)

Critical

The element main must not appear as a descendant of the section element.

[HTML5
WCAG
Section](#)

```
<main class=' flex min-h-scre...'><a  
class='call_blink' href='tel:87779827774'><i  
class=' Phone is-animat...'></i></a><div  
class='relative'><img class=' object-center  
o...' src='makes/audi_bg.webp' alt='Used Audi  
Auto Parts' title='Used Audi Auto Parts for  
Sale'>...</div>...</main>
```

<https://usedautoparts.pro/bmw>

Critical

This link is broken. The url scheme is unrecognized.

Broken

Link: [fax:+13124859711](tel:87779827774)

[3248](#)

Critical

The element main must not appear as a descendant of the section element.

[HTML5
WCAG
Section](#)

```
<main class=' flex min-h-scre...'><a
class='call_blink' href='tel:8779827774'><i
class=' Phone is-animat...'></i></a><div
class='relative'><img class=' object-center
o...' src='makes/bmw_bg.webp' alt='Used BMW
Auto Parts' title='Used BMW Auto Parts for
Sale'>...</div>...</main>
```

<https://usedautoparts.pro/buick>

Critical

This link is broken. The url scheme is unrecognized.

Broken

Link: <fax:+13124859711>

[3130](#)

Critical

The element main must not appear as a descendant of the section element.

[HTML5](#)
[WCAG](#)
[Section](#)

```
<main class=' flex min-h-scre...'><a
class='call_blink' href='tel:8779827774'><i
class=' Phone is-animat...'></i></a><div
class='relative'><img class=' object-center
o...' src='makes/buick_bg.webp' alt='Used Buick
Auto Parts for Sale' title='Used Buick Auto
Parts for Sale'>...</div>...</main>
```

<https://usedautoparts.pro/cadillac>

Critical

This link is broken. The url scheme is unrecognized.

Link: [fax:+13124859711](tel:13124859711)

Auto-parts.us

[https://www.
auto-
parts.us/](https://www.auto-parts.us/)

Critical ARIA control has no label.

```
<div class='carousel-inner' role='listbox'><div class='row'><div class='col-md-6'><div class='col-md-6'></div></div></div>
```

Critical All fieldset elements should be labeled with label text.

```
<fieldset><div class='row'><div class='col-md-6'><div class='col-md-6'></div></div></fieldset>
```

Critical alt text should not contain placeholders like 'placeholder text'.

Placeholder text: car_img

```
<img src='images/w1.webp' alt='car_img' class='img-fluid'>
```

Critical Links must have an accessible name.

```
<a onclick='return gtag_repor...' href='tel:13124859711'>
```

Critical Use the lang attribute to identify the language

```
<html><head></head><body><iframe allow='join-  
src='https://td.doubleclick.net/td/rul/111512  
38;gcd=131313131111&#38;dma=0&#38;tag_exp=101  
parts.us%2F&#38;hn=www.googleadservices.com&#  
8;uab=64&#38;uafvl=Chromium%3B130.0.6723.117%  
ap=Windows&#38;uapv=3.0.0&#38;uaw=0&#38;fledg
```

Critical	Elements with role=listbox must contain or own
----------	--

Owned roles: no owned roles

```
<div class='carousel-inner' role='listbox'><
```

Critical	The element link must not appear as a descendant of modulepreload, pingback, preconnect, prefetch
----------	---

```
<link rel='shortcut icon' type='image/png' href=
```

Critical	Element meta is missing one or more required
----------	--

contentproperty required for element_{meta}

```
<meta name='author'>
```

Critical	Bad value for attribute href.
----------	-------------------------------

Unexpected character 815-0777 in path


```
<a onclick='return gtag repor...' href='tel:
```

Very Important	Ensure that text and background colors have
----------------	---

The text color to background color contrast ratio

4.38 with color: rgb(237,28,36)background: font-size: 12.80ptfont-weight: 700

```
<b>(888) 815-0777</b>
```

Very
Important

The CSS outline or border style on this element

outline-style:none **Or** outline-width:0

```
<a href='javascript:void(0);'>60 Day Warranty
```

outline-style:none **Or** outline-width:0

```
<a href='javascript:void(0);'>Free Shipping</a>
```

outline-style:none **Or** outline-width:0

```
<a href='javascript:void(0);'>Search All Brands
```

outline-style:none **Or** outline-width:0

```
<a class=' menu-button sin...' href='/'>Home
```

outline-style:none **Or** outline-width:0

```
<a class=' menu-button sin...' href='/about-us'
```

Very
Important

Omitting img width or height attributes makes

```
<img src='images/w1.webp' alt='car_img' class='img-responsive'
```

```
<img src='/images/logo.png' class='img-responsive' alt='Logo'>
```

```
<img src='images/warranty.webp' alt='60 Day Warranty'>
```

```
<img src='images/free-delivery.webp' alt='Free Shipping'>
```

```
<img src='images/transparency.webp' alt='Search All Brands'>
```

Very
Important

An active 'Home' link on the home page makes

```
<a class=' menu-button sin...' href='/'>Home
```



```
<a href='/'>Home</a>
```

Important

Don't use CSS animations or transitions in in

```
::after:hover transition: bottom auto -1.0px
```

```
<div class='x_icon'><img src='images/warranty
```

```
::after:hover transition: bottom auto -1.0px
```

```
<div class='x_icon'><img src='images/free-del
```

```
::after:hover transition: bottom auto -1.0px
```

```
<div class='x_icon'><img src='images/transpar
```

Important

Ensure that text and background colors have

The text color to background color contrast ra

4.38 with color: rgb(237,28,36)background: font-size: 18ptfont-weight: 800

```
<h3>Acura</h3>
```

4.38 with color: rgb(237,28,36)background: font-size: 18ptfont-weight: 800

```
<h3>Audi</h3>
```

4.38 with color: rgb(237,28,36)background: font-size: 18ptfont-weight: 800

```
<h3>BMW</h3>
```

4.38 with color: rgb(237,28,36)background: font-size: 18ptfont-weight: 800

```
<h3>Buick</h3>
```

4.38 with color: rgb(237,28,36)background: font-size: 18ptfont-weight: 800

```
<h3>Chevrolet</h3>
```

Important

Search engines may penalize invisible text w

The colors used are:

```
color:  rgb(255,255,255);background-color:  r
```

```
<h1 class='text-white'>AutoSquare</h1>
```

```
color:  rgb(255,255,255);background-color:  r
```

```
<p>Looking for the best OEM (original equipme
```

```
color:  rgb(255,255,255);background-color:  r
```

```
<li><span class=' fa fa-li '><i class=' fa
```

```
color:  rgb(255,255,255);background-color:  r
```

```
<li><span class=' fa fa-li '><i class=' fa
```

```
color:  rgb(255,255,255);background-color:  r
```

```
<li><span class=' fa fa-li '><i class=' fa
```

Important

Use option groups when a drop down list has

```
<select id='ddlEngine' class=' myselect sele
```

```
<select id='ddlCar' class=' myselect select.  
Your Car</option>...</select>
```

Important

Radio buttons are easier to use than drop-do

```
<select id='ddlModel' class=' myselect sele
```

```
<select id='ddlTrans' class=' myselect sele
```

[https://www.auto-
parts.us/css/xpedia1home.css](https://www.auto-parts.us/css/xpedia1home.css)

Critical

Invalid @charset rule.

<https://www.auto-parts.us/css/bootstrap.min.css>

Important

The orphans: CSS property

Important

The page-break-after: CSS property is not supported by Firefox.

Important

The widows: CSS property is not supported by all browsers.

<https://www.auto-parts.us/css/style1.css>

Critical

Invalid CSS color value.

border-color: -moz-use-text-color

border-color: -moz-use-text-color

background-color: none

background-color: fafafa

Critical

CSS Validation Error.

color: #

#111111

#111111

<https://www.auto-parts.us/used-acura-auto-parts>

Critical

HTML form control has no accessible name

```
<select id='ddlYear' class='myselect'><
value=''>Year</option><option
value='2019'>2019</option><option
value='2018'>2018</option><option
value='2017'>...</option>...</select>
```

```
<select id='ddlEngine' class='myselect'>
value=''>Engine Size</option><option
value='1.5'>1.5</option><option
value='1.6'>1.6</option><option
value='1.7'>1.7</option>...</select>
```

```
<select id='ddlCar' class='myselect'
onchange='updateModels(this...)'><option
Car</option><option value='Acura'>Acura
value='Aston Martin'>Aston Martin</option>
```

```
<select id='ddlModel' class='myselect'>
value=''>Choose Model</option></select>
```

```
<select id='ddlTrans' class='myselect'>
value=''>Transmission</option><option va
T...'>2WD / Automatic...</option><option
Automatic T...'>4x4 / Automatic
Transmission</option>...</select>
```

Critical

All fieldset elements should be labeled with visible elements.

```
<fieldset><div class='row'><div class='col
12'></div></div><div class='row'><div class='col
sm...'>...</div><div class='col-md-6 col-sm-6'>
sm...'>...</div></div>...</fieldset>
```

Critical

img elements must have an accessible name.

```
<img src='/images/breadcrumb-back.jpg' alt='
img3 ' />
```

Critical

Links must have an accessible name.

```
<a onclick='return gtag_reportEvent(this, "Phone is
class='call_blink'><i class='Phone is'>
```

Critical

Use the lang attribute to identify the language.

```
<html><head><title>Used Acura Auto Parts
|...</title><meta name='viewport' conten
widt...'><meta http-equiv='content-type
charse...'>...</head>...</html>
```

Critical

Element meta is missing one or more re
contentproperty required for elementmeta

```
<meta name='author'>
```

Critical

Bad value for attribute href.

Unexpected character 815-0777 in path

```
<a href='tel:(888) 815-0777'></a>
```

```
<a onclick='return gtag_repor...' href=
0777'></a>
```

Critical

An img element must have an alt attribu
certain conditions. For details, consult g
text alternatives for images.

```
<img src='/images/breadcrumb-back.jpg' c
img3 '>
```

```
<img src='/images/breadcrumb-back.jpg'>
```

Very Important

The CSS outline or border style on this
difficult or impossible to see the link focu

```
outline-style:none Or outline-width:0
```

```
<a class=' menu-button sin...' href='/
```

```
outline-style:none Or outline-width:0
```

```
<a class=' menu-button sin...' href='/a
Us</a>
```

```
outline-style:none Or outline-width:0
```

```
<a class=' menu-button sin...' href='/c
us.aspx'>Contact Us</a>
```

```
outline-style:none Or outline-width:0
```

```
<a href='contact-us.aspx'><i class=' fa
```

```
arro...'"></i>   Contact Us</a>
```

outline-style:none **OR** outline-width:0

```
<a href='privacy-policy.aspx'><i class=
arro...'"></i>   Privacy Policy</a>
```

Very Important

Omitting img width or height attributes may cause a layout jump about as images load.

```
<img src='/images/breadcrumb-back.jpg' c
img3  '>
```

```
<img src='/images/logo.png' class='img-1
alt='logo' title='Logo'>
```

Important

Search engines may penalize invisible text if the color is nearly identical to the background color.

The colors used are:

```
color:   rgb(255,255,255);background-
color:   rgb(255,255,255);
```

```
<h1>Used Acura Auto Parts</h1>
```

```
color:   rgb(255,255,255);background-
color:   rgb(255,255,255);
```

```
<p>Acura was created around the same time as
Lexus the premium brands by Japanese rival
Toyota respectively. Voluntary export...
```

Important

Use option groups when a drop down list has many items.

```
<select id='ddlEngine' class='myselect'>
value=''>Engine Size</option><option
value='1.5'>1.5</option><option
value='1.6'>1.6</option><option
value='1.7'>1.7</option>...</select>
```

```
<select id='ddlCar' class='myselect'
onchange='updateModels(this...)'><option
Car</option><option value='Acura'>Acura</option>
value='Aston Martin'>Aston Martin</option>
```

Important

Radio buttons are easier to use than drop down lists.

are 6 choices or fewer.

```
<select id='ddlModel' class='myselect'><option value=''>Choose Model</option></select>
```

```
<select id='ddlTrans' class='myselect'><option value=''>Transmission</option><option value='T...'>2WD / Automatic...</option><option value='Automatic T...'>4x4 / Automatic Transmission</option>...</select>
```

```
<select id='ddlPart' class='myselect'><option value=''>Choose Part</option></select>
```

<https://www.auto-parts.us/css/xpedia1.css>

Critical

Invalid @charset rule.

<https://www.auto-parts.us/css/owl.carousel.css>

Critical

Invalid value for CSS property

cursor: hand

