

Solution Requirements

Date	15 March 2026
Team ID	Group 5 (AP24110011158)
Project Name	Personalized Networking Assistant
Maximum Marks	4 Marks

Define Functional and Non-Functional Requirements:

Create a comprehensive list of requirements to define exactly what your solution will do and how well it will perform.

- **Functional Requirements (FR)** define specific behaviors, functions, or features of the system (What the system should *do*).
- **Non-Functional Requirements (NFR)** specify the criteria that judge the operation of a system, rather than specific behaviors (How the system should *be*).

Fill out the descriptions and necessary details for each category provided below.

Step 1: Functional Requirements (FR)

S.No	Requirement Category	Requirement Description	Priority (High/Medium/Low)
1	Authentication	None required (runs completely locally for simple local usage).	Low
2	Authorization levels	Single local user mode; no multi-tenant roles required.	Low
3	External interfaces	Wikipedia REST API for retrieving live	Medium

		fact-checking summaries.	
4	Transactions processing	JSON payload exchange between Streamlit client and FastAPI backend.	High
5	Reporting	Renders last 5 generated sessions in history dashboard cards.	Medium
6	Business rules, etc.	Extracts category matching score threshold ≥ 0.3 for event themes.	High
7	Compliance to laws or regulations	Adheres to local storage policies; no personal user data exported.	High
8	<i>Other</i>	Graceful fallback to offline generation if Wikipedia API is slow.	Medium

Step 2: Non-Functional Requirements (NFR)

S.No	NFR Category	Requirement Description	Target Metric / Acceptance Criteria
------	--------------	-------------------------	-------------------------------------

1	Performance & Speed	Under 1.5s response time for local text generation and classification.	Latency < 2.0s on standard consumer CPU.
2	Scalability	Scale model concurrency by hosting model weights in shared cache volumes.	Supports up to 5 concurrent sessions locally.
3	Security & Data Privacy	All files, models, and history databases remain on the local machine.	Zero network exports; 100% data residency.
4	Reliability & Availability	Ensures offline operability without relying on external cloud endpoints.	99.9% local server availability during runtime.
5	Usability & Accessibility	Streamlit layout with high contrast theme, readable cards, and feedback loops.	Intuitive forms, responsive UI cards, readable layout.
6	Other	Modular structure under app/ directory with automated pytest test suites.	100% passing test suites on Git master branch.