



Project Executable Files

Date	04 July 2026
Team ID	
Project Name	HDI Predictor Using Machine Learning
Maximum Marks	3 Marks

Project Executable Files


This section requires submission of all executable and deployable files for your project. Ensure all files are properly organized, named, and uploaded to the specified submission platform. The evaluator must be able to run or deploy your solution using the provided files and instructions.

Step 1: Submission Checklist

S.No	Item to Submit	Submitted (Yes / No / NA)
1	Complete source code (all files and folders)	Yes
2	README / Setup Guide	Yes
3	requirements.txt / dependency file	Yes
4	Database schema / seed files (if applicable)	N/A
5	Environment configuration file (.env.example)	No
6	Deployed application URL (if hosted)	Yes
7	APK / Executable binary (if applicable)	N/A
8	Dockerfile / Containerization config	No
9	Test files and test results	Yes
10	Demo video / Walkthrough	YES

Step 2: File / Folder Structure

Provide an overview of your project's file and folder structure below:



Step 3: Deployment / Access Details

Field	Details
Hosted / Deployed URL	https://hdi-predictor-using-machine-learning.onrender.com/
Login Credentials (Demo)	Not Required
Platform / Hosting Provider	Render
Repository Link	https://github.com/AP24110011041/HDI-Predictor-Using-Machine-Learning
Demo Video Link	https://drive.google.com/file/d/17JkBnyFNY6oUJOmzZfUdNgq0v6ca6JT7/view?usp=sharing



Step 4: Run Instructions

Provide clear, step-by-step instructions for the evaluator to run your project locally:

Pre-requisites:

Python 3.10
Flask
NumPy
Pandas
Scikit-learn

Step 1: Clone the repository:

```
git clone https://github.com/AP24110011041/HDI-Predictor-Using-Machine-Learning.git
```

Step 2: Open the project folder.

Step 3: Install dependencies:

```
pip install -r requirements.txt
```

Step 4: Navigate to the Flask directory.

Step 5: Run:

```
python app.py
```

Step 6: Open your browser and visit:

```
http://127.0.0.1:5000
```

Step 5: Known Issues / Limitations

S.No	Known Issue / Limitation	Workaround / Status
1	Free Render instances may take 30–60 seconds to wake up after inactivity.	Currently deployed on Render.
2	No user authentication	Not required for the current project scope
3	Supports only the trained HDI dataset	Can be extended by retraining the model with updated datasets