

Project Executable Files

Date	07 July 2026
Team ID	xxxxxxx
Project Name	Personalized Networking Assistant
Maximum Marks	3 Marks

Project Executable Files

Step 1: Submission Checklist

S.No	Item to Submit	Submitted (Yes/No/N/A)
1	Complete source code (all files and folders)	Yes
2	README / Setup Guide (instructions to run the project)	Yes
3	requirements.txt / package.json / dependency file	Yes
4	Database schema / seed files (if applicable)	N/A (JSON Storage)
5	Environment configuration file (.env.example similar)	Yes
6	Deployed application URL (if hosted)	No (Local
7	APK / Executable binary (if applicable for mobile/desktop apps)	N/A
8	Dockerfile / Containerization config (if applicable)	N/A
9	Test files and test results	Yes
10	Demo video or walkthrough (if required)	Yes

Step 2: File / Folder Structure

Personalized-Networking-Assistant/

```
| — assets/
|
| — src/
|   | — App.tsx
|   | — main.tsx
|   | — index.css
|   | — types.ts
|
| — .env.example
| — .gitignore
| — index.html
| — metadata.json
| — package.json
| — package-lock.json
| — README.md
| — server.ts
| — tsconfig.json
| — vite.config.ts
```

Step 3: Deployment / Access Details

Field	Details
Hosted / Deployed URL	
Login Credentials	Not Required
Platform / HostingProvider	Local Machine
Repository Link	
Demo Video Link	

Step 4: Run Instructions

Provide clear, step-by-step instructions for the evaluator to run your project locally:

Pre-requisites:

[List required software, versions, and system requirements]

Step 1: [e.g., Clone the repository: `git clone <url>`]

Step 2: [e.g., Install dependencies: `pip install -r requirements.txt`] Step

3: [e.g., Configure environment: copy `.env.example` to `.env`] Step 4:

[e.g., Run database migrations: `python manage.py migrate`] Step 5:

[e.g., Start the application: `python manage.py runserver`] Step 6:

[e.g., Open browser at `http://localhost:8000`]

Step 5: Known Issues / Limitations

S.No	Known Issue / Limitation	Workaround / Status
1	Requires internet connection for Gemini and Wikipedia API	Internet connection required
2	AI responses may vary for the same input	Normal behavior of Generative AI
3	Local JSON storage is suitable only for small-scale deployment	Can be replaced with a cloud database in future