From: Stafford, Mark
To: Mathew, Manoj
Cc: Muller, Arne; Pocock, Kyall; Aniyath, Praseedha
Subject: RE: macro commands for focus offset for find surface.
Date: Friday, October 9, 2020 12:21:18 PM

Great, thanks Manoj

Best regards,

Mark.

Stay up to date - ZEISS Microscopy Newsletter
Discover our Remote Service Program

Dr. Mark Stafford
Product Manager - Light Microscopy
ZEISS Research Microscopy Solutions

Carl Zeiss Pty Ltd.
ZEISS Group
40-52 Talavera Road
North Ryde, NSW, 2113, Australia

Tel: + 61 2 9020 1333
Fax: + 61 2 9020 1330
Mobile: +61 (0) 432 487 076
mark.stafford@zeiss.com
http://www.zeiss.com.au

This email, including any attachments, is intended for the sole use of the intended recipient(s) and may contain information that is confidential, privileged and/or the sender's work.
Any review or distribution by any other person is prohibited. If you are not an intended recipient, please immediately contact the sender and delete all copies.

From: Mathew, Manoj <manoj.mathew@zeiss.com>
Sent: Friday, 9 October 2020 1:01 PM
To: Stafford, Mark <mark.stafford@zeiss.com>
Cc: Muller, Arne <arne.muller@zeiss.com>; Pocock, Kyall <kyall.pocock@zeiss.com>; Aniyath, Praseedha <praseedha.aniyath@zeiss.com>
Subject: RE: macro commands for focus offset for find surface.

Hi Marc,

Thanks for reaching out.

At first glance, this looks doable. Let me take a closer look at the full macro and get back to you.

I am adding Praseedha, who joined us recently in Singapore and will be responsible for OAD projects.

Are you already registered for our newsletter? Register here!

Best Regards,
Manoj

_____

Dr. Manoj Vathalloor Mathew
Business Development Manager, Digital Services and Software, Asia Pacific
ZEISS Research Microscopy Solutions

Carl Zeiss Pte. Ltd.
ZEISS Group
50 Kaki Bukit Place, #05-01
Singapore 415926

Mobile: +65 91696439
FAX: +65 62726647
manoj.mathew@zeiss.com
www.zeiss.com/microscopy/

From: Stafford, Mark <mark.stafford@zeiss.com>
Sent: Friday, October 9, 2020 9:09 AM
To: Mathew, Manoj <manoj.mathew@zeiss.com>
Cc: Muller, Arne <arne.muller@zeiss.com>; Pocock, Kyall <kyall.pocock@zeiss.com>
Subject: macro commands for focus offset for find surface.

Hi Manoj,

I hope you're doing ok and things are going well?

I have a request from one of our CD7 customers with the PAA loader to modify one of our focusing macros to include the following sequence:

"Can we record a sequence of steps to run as an experiment for automation (maybe in experiment design?)?
(eg. 1. find surface -> go to off-set 10um -> store focus -> run the program)"

It's going to be something like this.

```
if (focstrat=='005'):

    ## Example: Change to 5x/0.35 Objective 1.0x Mag Changer Find Surface Store Focus

    Zen.Acquisition.FindSurface()# initial Find Focus

    Zen.Devices.ObjectiveChanger.TargetPosition = 1

    Zen.Devices.ObjectiveChanger.Apply()

    Zen.Devices.Optovar.TargetPosition = 2

    Zen.Devices.Optovar.Apply()
```

```
##Zen.Application.Wait(15000)

##find focus-position and initialize DF

Zen.Acquisition.FindSurface()

Zen.Acquisition.StoreFocus()
```

I need to add something here I think to get the offset but I'm not sure of the way to get +/- 10 um from the actual position of the find surface focus point?

Might be something like what I have in blue below but I'm not sure.

```
##find focus-position and initialize DF

Zen.Acquisition.FindSurface()

Zen.Devices.Focus.ActualPosition ….("something something here")

Zen.Acquisition.StoreFocus()
```

If you have any advice on the command syntax that would be really helpful. Full macro is attached.

Cheers and thanks.

Best regards,

Mark.

Stay up to date - ZEISS Microscopy Newsletter
Discover our Remote Service Program

Dr. Mark Stafford
Product Manager - Light Microscopy
ZEISS Research Microscopy Solutions

Carl Zeiss Pty Ltd.
ZEISS Group
40-52 Talavera Road
North Ryde, NSW, 2113, Australia

Tel: + 61 2 9020 1333
Fax: + 61 2 9020 1330
Mobile: +61 (0) 432 487 076
mark.stafford@zeiss.com
http://www.zeiss.com.au

This email, including any attachments, is intended for the sole use of the intended recipient(s) and

may contain information that is confidential, privileged and/or the sender’s work.
Any review or distribution by any other person is prohibited. If you are not an intended recipient, please immediately contact the sender and delete all copies.