CERTIK

Ai Pay With Crypto - Token Audit

Security Assessment

CertiK Assessed on Oct 10th, 2026



CertiK Assessed on Oct 10th, 2026

Ai Pay With Crypto - Token Audit

The security assessment was prepared by CertiK.

Executive Summary

TYPES	ECOSYSTEM	METHODS
ERC-20	Ethereum	Manual Review, Static Analysis

LANGUAGE	TIMELINE
Solidity	Preliminary comments published on 09/24/2026
	Final report published on 10/10/2026

Vulnerability Summary



4	0	2	0	2	0
Total Findings	Resolved	Multi-Sig	Partially Resolved	Acknowledged	Declined

2	Centralization	2 Multi-Sig	Centralization findings highlight privileged roles & functions and their capabilities, or instances where the project takes custody of users' assets.
0	Critical		Critical risks are those that impact the safe functioning of a platform and must be addressed before launch. Users should not invest in any project with outstanding critical risks.
0	Major		Major risks may include logical errors that, under specific circumstances, could result in fund losses or loss of project control.
0	Medium		Medium risks may not pose a direct risk to users' funds, but they can affect the overall functioning of a platform.
1	Minor	1 Acknowledged	Minor risks can be any of the above, but on a smaller scale. They generally do not compromise the overall integrity of the project, but they may be less efficient than other solutions.
1	Informational	1 Acknowledged	Informational errors are often recommendations to improve the style of the code or certain operations to fall within industry best practices. They usually do not affect the overall functioning of the code.

TABLE OF CONTENTS | AI PAY WITH CRYPTO - TOKEN AUDIT

Audit Summary

Executive Summary

Vulnerability Summary

Codebase

Audit Scope

Approach & Methods

Review Notes

Overview

External Dependency

Privileged Functions

Findings

APW-01 : Initial Token Distribution

APW-02 : Centralization Risks

APW-04 : Zero-Amount Claims Disable Emergency Recovery

APW-05 : Claimable Query Ignores Revocation State

Appendix

Disclaimer

CODEBASE | AI PAY WITH CRYPTO - TOKEN AUDIT

Repository

https://bscscan.com/address/0x50635E9E8EB082E0709422FC687b6FD0e5F8d9C5#code

https://bscscan.com/address/0x317f8387e25a72b3F3ea3E881726B940eB10E8c1#code

Commit

0x50635e9e8eb082e0709422fc687b6fd0e5f8d9c5

0x317f8387e25a72b3f3ea3e881726b940eb10e8c1

AUDIT SCOPE | AI PAY WITH CRYPTO - TOKEN AUDIT

mainnet
Vesting.sol
src/APC.sol

APPROACH & METHODS | AI PAY WITH CRYPTO - TOKEN AUDIT

This audit was conducted for Ai to evaluate the security and correctness of the smart contracts associated with the Ai Pay With Crypto - Token Audit project. The assessment included a comprehensive review of the in-scope smart contracts. The audit was performed using a combination of Manual Review and Static Analysis.

The review process emphasized the following areas:

- Architecture review and threat modeling to understand systemic risks and identify design-level flaws.
- Identification of vulnerabilities through both common and edge-case attack vectors.
- Manual verification of contract logic to ensure alignment with intended design and business requirements.
- Assessment of code quality and maintainability, including adherence to current best practices and industry standards.

The audit resulted in findings categorized across multiple severity levels, from informational to critical. To enhance the project's security and long-term robustness, we recommend addressing the identified issues and considering the following general improvements:

- Improve code readability and maintainability by adopting a clean architectural pattern and modular design.
- Strengthen testing coverage, including unit and integration tests for key functionalities and edge cases.
- Maintain meaningful inline comments and documentations.
- Implement clear and transparent documentation for privileged roles and sensitive protocol operations.
- Regularly review and simulate contract behavior against newly emerging attack vectors.

REVIEW NOTES | AI PAY WITH CRYPTO - TOKEN AUDIT

Overview

The **Ai Pay with Crypto — APC Token and Vesting Contracts** project implements an ERC-20 token with a fixed initial supply and a Merkle-based token vesting contract composed of `APC` and `Vesting`. `APC` inherits OpenZeppelin's `ERC20` and `ERC20Burnable`, mints the fixed `TOTAL_SUPPLY` of 10,000,000,000 tokens to the constructor-supplied `initialHolder`, and exposes holder- or allowance-based burning without owner, mint, pause, blacklist, tax, or proxy logic. `Vesting` stores immutable `token` and `merkleRoot` values, a deployment-supplied `owner`, per-index claimed amounts, and a revocation bitmap. Each claim leaf encodes the beneficiary, nominal allocation, revocability, start and end times, cadence, and initial percentage; `claim` verifies the Merkle proof, calculates the time-based entitlement, and transfers the requested amount to the leaf-bound account. The function is callable by any address, while the recipient remains fixed by the verified leaf. The owner can revoke eligible schedules before their end time, recover the remaining unclaimed allocation, transfer ownership, and withdraw the contract's entire current `token` balance while the emergency latch remains enabled; a claim that passes validation and completes the token transfer clears that latch.

External Dependency

The protocol interacts with multiple third-party products, contracts, and external addresses to implement fixed-supply token issuance, ERC-20 burning, Merkle-based vesting, and token custody. For the purpose of the audit, these third-party components are treated as black boxes and assumed to behave correctly and to be configured with valid addresses. In practice, however, failures, misconfiguration, compromise, or upgrades of these dependencies may materially affect protocol behavior and may result in incorrect token distribution, failed claims or revocations, loss of vested balances, or unrecoverable custody funds.

- `@openzeppelin/contracts/token/ERC20/ERC20.sol` and `@openzeppelin/contracts/token/ERC20/extensions/ERC20Burnable.sol`

`APC` relies on these OpenZeppelin contracts for ERC-20 storage, allowance handling, transfer behavior, metadata, and `burn` / `burnFrom` implementation. These imported implementations define the corresponding token behavior in the compiled contract.

- Team Finance Vesting — `Vesting V4` factory on BSC

The project multisignature wallet initiates deployment of the APC vesting instance at `0x317f8387e25a72b3f3ea3e881726b940eb10e8c1` through the official Team Finance `Vesting V4` factory on BSC and holds the instance's `owner` role. The factory creates this instance in transaction 0x76d9b7f9b869668db978074b9d9a0cf74363d362eafa4165a51d8e15252a79b8. The factory serves only as a deployment dependency; the reviewed `Vesting` source makes no subsequent calls to it.

- `initialHolder`

The `APC` constructor receives `initialHolder` as an external address and mints the entire `TOTAL_SUPPLY` to it. A deployment using an incorrect or compromised address places the full initial token allocation under that address.

- `Vesting.token` and the constructor parameter `_token`

`Vesting` treats `_token` as an external ERC-20 contract through the embedded `IERC20` interface and `SafeERC20` library. The contract calls `safeTransfer` in `claim`, `stopVesting`, and `emergencyWithdraw`, and calls `balanceOf` in `emergencyWithdraw`. The source does not bind this address to `APC` or validate the token implementation, so the token's transfer and balance behavior, including any rebasing or other non-standard behavior, remains an external assumption.

- `Vesting.owner` and the constructor parameter `_owner`

The constructor stores `_owner` as the initial administrative address. This externally supplied address controls vesting revocation, emergency withdrawal, and ownership transfer through the `onlyOwner` modifier, so its configuration determines who can move custody funds or change administrative control.

- `Vesting.merkleRoot` and Merkle proofs

The constructor fixes `_merkleRoot` in the immutable `merkleRoot` field. Beneficiary-supplied proofs are checked with the embedded `MerkleProof` library against leaves containing the schedule parameters and beneficiary address. The correctness and completeness of the externally generated root and proofs determine which allocations can be claimed or revoked; the contract has no root update path.

The source embeds `MerkleProof`, `SafeERC20`, `Address`, `BitMaps`, and the ERC-20 interfaces used by `Vesting`. These are compiled as project-internal code components, while their token calls still depend on the externally supplied ERC-20 contract. Third-party contracts, external addresses, libraries, Merkle data, and protocol dependencies are assumed to be valid, correctly configured, non-malicious, and compatible with the target execution environment.

Privileged Functions

In the **Ai Pay with Crypto — APC Token and Vesting Contracts** project, the `owner` role controls vesting revocation, emergency withdrawal, and ownership transfer, as specified in the **Centralization Risks** finding.

- `stopVesting(...)` is restricted by `onlyOwner`. After verifying a revocable Merkle leaf and confirming that its end time has not passed, the owner marks the index revoked and transfers `amount - claimed[index]` to `owner`. A compromised or misused owner can revoke eligible beneficiary schedules and redirect their remaining unclaimed allocations.
- `emergencyWithdraw()` is restricted by `onlyOwner` and transfers the entire `token` balance to `owner` while `_brokenMerkleRootEmergencyWithdrawPossible` is true. The function does not independently verify that the Merkle root is broken, so an owner compromise or operational misuse can drain balances allocated to beneficiaries and cause later claims to fail for insufficient custody.
- `transferOwnership(address)` is restricted by `onlyOwner` and changes the owner to a nonzero address. A compromised owner can transfer control to an address selected by the attacker and retain administrative access.

The owner address should be assigned to a controlled multisignature wallet. Material runtime actions should be publicly disclosed, and a `Timelock` execution queue should protect emergency withdrawals, vesting revocations, and ownership changes where operational requirements permit. `APC` itself has no owner or administrator; `burn` is caller-controlled and `burnFrom` requires the caller to spend the account's allowance.

FINDINGS | AI PAY WITH CRYPTO - TOKEN AUDIT



4	0	2	0	0	1	1
Total Findings	Critical	Centralization	Major	Medium	Minor	Informational

This report has been prepared for Ai to identify potential vulnerabilities and security issues within the reviewed codebase. During the course of the audit, a total of 4 issues were identified. Leveraging a combination of Manual Review & Static Analysis the following findings were uncovered:

ID	Title	Category	Severity	Status
APW-01	**Initial Token Distribution**	**Centralization**	**Centralization**	**2/3 Multi-Sig**
APW-02	**Centralization Risks**	**Centralization**	**Centralization**	**2/3 Multi-Sig**
APW-04	Zero-Amount Claims Disable Emergency Recovery	Logical Issue	Minor	Acknowledged
APW-05	Claimable Query Ignores Revocation State	Inconsistency	Informational	Acknowledged

APW-01 | Initial Token Distribution

Category	Severity	Location	Status
Centralization	**Centralization**	**src/APC.sol (26/09/28-APC token): 19~20**	**2/3 Multi-Sig**

Description

All of the APC tokens are sent to the `initialHolder` . This is a centralization risk because the `initialHolder` can distribute tokens without obtaining the consensus of the community. Any compromise to this address may allow a hacker to steal and sell tokens on the market, resulting in severe damage to the project.

Recommendation

It is recommended that the team be transparent regarding the initial token distribution process. The token distribution plan should be published in a public location that the community can access. The team should make efforts to restrict access to the private keys of the deployer account or EOAs. A multi-signature (⅔, ⅗) wallet can be used to prevent a single point of failure due to a private key compromise. Additionally, the team can lock up a portion of tokens, release them with a vesting schedule for long-term success, and deanonymize the project team with a third-party KYC provider to create greater accountability.

For Preliminary Report Only

In order for CertiK to update the status of this finding during the remediation phase, please kindly provide the URL to the published token distribution plan and the multi-signature wallet address that holds the undistributed tokens. We will verify the information and update the report. Thank you.

Link to the token distribution plan: https://www…

Multi-sig wallet address: 0x…

Signer 1: 0x…

Signer 2: 0x…

Signer 3: 0x…

Alleviation

[Ai,10/08/2026]:

The team clarified that the `initialHolder` at 0x6A11E56be9F96aFAD2f109cd2BF1DdE05817941E is a multisignature wallet and that the entire initial supply of **10,000,000,000 APC** has been allocated and transferred to the designated Safe wallets and the Team Finance vesting contract as detailed below.

APC Token Contract: 0x50635E9E8EB082E0709422FC687b6FD0e5F8d9C5
Initial Mint Transaction: 0x3a568e49bf629cbedcf8f00c406fb9d7ef9fcd94af0a81a1e6d004fa8f1e646b

TGE Allocation — 2,500,000,000 APC (25%)

According to the team, the TGE allocation has been transferred to the following Safe wallets:

Allocation	Amount (APC)	Recipient Safe	Distribution Transaction
Ecosystem Incentives	1,250,000,000	0x4153Ac1C6379cBF220ec9ae72cfE12dBb8550571	0x7c292790f2513bd0264a8fccbca4311124ba628891f7d2beaf6b728ee5a01529
Marketing	500,000,000	0xE1C5A0ac32B55E3E74B0433B152fe9c45959B7A7	0x7c292790f2513bd0264a8fccbca4311124ba628891f7d2beaf6b728ee5a01529
Liquidity Provision	500,000,000	0x77b8272ebbf6c0F18B71f96AE23ACf7EcbE737cE	0x7c292790f2513bd0264a8fccbca4311124ba628891f7d2beaf6b728ee5a01529
Community Incentives	250,000,000	0x04773d5AC330C43B09b88532a82eF9B4f0B5D950	0x7c292790f2513bd0264a8fccbca4311124ba628891f7d2beaf6b728ee5a01529
Total	**2,500,000,000**		

Vesting Allocation — 7,500,000,000 APC (75%)

According to the team, the remaining **7,500,000,000 APC** has been deposited into the Team Finance vesting instance at 0x317f8387e25a72b3f3ea3e881726b940eb10e8c1, under the following allocation plan.

Each schedule uses **90-day release intervals**, with no initial release on its start date. Dates are expressed in UTC.

Allocation	Amount (APC)	Beneficiary Safe	Vesting Period	Vesting Funding Transaction
Ecosystem Incentives	1,750,000,000	`0x4153Ac1C6379cBF220ec9ae72cfE12dBb8550571`	2026-10-23 to 2028-10-23	0x76d9b7f9b869668db978074b9d9a0cf74363d362eafa4165a51d8e15252a79b8
Marketing	1,500,000,000	`0xE1C5A0ac32B55E3E74B0433B152fe9c45959B7A7`	2026-10-23 to 2028-10-23	0x76d9b7f9b869668db978074b9d9a0cf74363d362eafa4165a51d8e15252a79b8

Allocation	Amount (APC)	Beneficiary Safe	Vesting Period	Vesting Funding Transaction
Team and Advisors	1,000,000,000	`0x33E65331C0Ee9C859e2cd314dd013C6e78E864ec`	2027-10-23 to 2030-10-23	0x76d9b7f9b869668db978074b9d9a0cf74363d362eafa4165a51d8e15252a79b8
Early Investors	1,500,000,000	`0x8Dc1661b4162CA012bA09b3782509efEB76A4787`	2027-10-23 to 2030-10-23	0x76d9b7f9b869668db978074b9d9a0cf74363d362eafa4165a51d8e15252a79b8
Foundation Reserve	1,500,000,000	`0x75a771021B9a1Ef8e51886D1e92b2E73a159aD0f`	2027-10-23 to 2030-10-23	0x76d9b7f9b869668db978074b9d9a0cf74363d362eafa4165a51d8e15252a79b8
Community Incentives	250,000,000	`0x04773d5AC330C43B09b88532a82eF9B4f0B5D950`	2027-04-23 to 2027-10-23	0x76d9b7f9b869668db978074b9d9a0cf74363d362eafa4165a51d8e15252a79b8
Total	**7,500,000,000**			

The vesting funding transaction covers the aggregate **7,500,000,000 APC** deposit and the instance's deployment through the official Team Finance Vesting V4 factory. The instance's `owner` is the `initialHolder` multisignature wallet.

Multisignature Configuration

The team uses a **2-of-3** multisignature configuration for the `initialHolder`, the four TGE recipient Safe wallets, and all six vesting beneficiary Safe wallets, with the following shared signers:

- 0x4e3feB7CFd7167eF0d95bC7CDC41338fcaEC1C79

- 0xF430866CEA6bcf7B18ae55701bc9E46356017e36
- 0x69Ca12e00128a5cF8307D35cb60875F466efEbD8

The team's allocation accounts for **100% of the initial supply**: **2,500,000,000 APC** transferred to the TGE Safe wallets and **7,500,000,000 APC** deposited into the vesting contract. The vesting allocation remains subject to its release schedules and does not represent tokens already released to beneficiaries.

APW-02 | Centralization Risks

Category	Severity	Location	Status
Centralization	**Centralization**		**2/3 Multi-Sig**

Description

In the contract `Vesting`, the role `owner` has authority over the following functions:

- `stopVesting(uint256,address,uint256,bool,uint256,uint256,uint256,uint256,bytes32[])`
- `emergencyWithdraw()`
- `transferOwnership(address)`

If the `owner` account is compromised, an attacker could revoke eligible vesting schedules and transfer their unclaimed allocations to the owner, withdraw the entire token balance before the first successful claim, and transfer ownership to retain control over the contract.

Recommendation

We recommend reducing reliance on privileged roles where possible. For roles that must remain privileged, assign them to a multisignature wallet, and consider adding a timelock for sensitive operations. The team should publicly document privileged role holders, operational procedures, and any planned role changes. If the privileged functionality is no longer required, consider removing it or renouncing the corresponding role.

The following measures may mitigate this risk at different levels, depending on the project's operational maturity and decentralization roadmap:

Short Term:

Timelock and Multi sign (⅔, ⅗) combination *mitigate* by delaying the sensitive operation and avoiding a single point of key management failure.

- Time-lock with reasonable latency, e.g., 48 hours, for awareness on privileged operations;
  AND
- Assignment of privileged roles to multi-signature wallets to prevent a single point of failure due to the private key compromised;
  AND
- A medium/blog link for sharing the timelock contract and multi-signers addresses information with the public audience.

Long Term:

Timelock and DAO, the combination, *mitigate* by applying decentralization and transparency.

- Time-lock with reasonable latency, e.g., 48 hours, for awareness on privileged operations;
  AND
- Introduction of a DAO/governance/voting module to increase transparency and user involvement.
  AND
- A medium/blog link for sharing the timelock contract, multi-signers addresses, and DAO information with the public audience.

Permanent:

Renouncing the ownership or removing the function can be considered *fully resolved*.

- Renounce the ownership and never claim back the privileged roles.
  OR
- Remove the risky functionality.

Alleviation

[Ai,10/08/2026]:

The team clarified that the `owner` of the Vesting contract is the `initialHolder` multisig wallet deployed on BNB Smart Chain at:

- **Initial Holder / Vesting Owner:** 0x6A11E56be9F96aFAD2f109cd2BF1DdE05817941E

Signers (BNB Smart Chain addresses):

- 0x4e3feB7CFd7167eF0d95bC7CDC41338fcaEC1C79
- 0xF430866CEA6bcf7B18ae55701bc9E46356017e36
- 0x69Ca12e00128a5cF8307D35cb60875F466efEbD8

Threshold: 2 out of 3 signers are required to authorize a transaction for this wallet.

APW-04 | Zero-Amount Claims Disable Emergency Recovery

Category	Severity	Location	Status
Logical Issue	Minor	Vesting.sol (Team vesting): 795, 798	Acknowledged

Description

`claim()` does not require `claimAmount` to be positive. Once a leaf has a positive claimable amount, any caller with a valid Merkle proof can submit `claimAmount == 0`; `claimed[index]` remains unchanged while `_brokenMerkleRootEmergencyWithdrawPossible` is cleared.

```
function claim(
    uint256 index,
    address account,
    uint256 amount,
    bool revocable,
    uint256 start,
    uint256 end,
    uint256 cadence,
    uint256 percentageOnStart,
    bytes32[] calldata merkleProof,
    uint256 claimAmount
) public {
    bytes32 node = keccak256(
        abi.encodePacked(index, account, amount, revocable, start, end, cadence,
percentageOnStart)
    );
    if (!MerkleProof.verifyCalldata(merkleProof, merkleRoot, node)) revert
InvalidProof();

    if (getRevoked(index)) revert Revoked();

    // prevent DDOS attacks by claiming for other users
    //if (msg.sender != account) revert InvalidSender();

    uint256 claimable = getClaimable(index, amount, start, end, cadence,
percentageOnStart);

    if (claimable == 0) revert NothingToClaim();
    if (claimAmount > claimable) revert ClaimAmountGtClaimable();

    claimed[index] += claimAmount;
    _brokenMerkleRootEmergencyWithdrawPossible = false;

    IERC20(token).safeTransfer(account, claimAmount);

    emit Claim(account, claimAmount);
}
```

For a standard ERC20, `safeTransfer(account, 0)` succeeds, so the latch is cleared without any token leaving the contract. Subsequent calls to `emergencyWithdraw()` revert:

```
function emergencyWithdraw() external onlyOwner {
    if (!_brokenMerkleRootEmergencyWithdrawPossible) revert NoBrokenRootEmergency();
    uint256 totalAmount = IERC20(token).balanceOf(address(this));
    IERC20(token).safeTransfer(owner, totalAmount);
}
```

Recommendation

Require `claimAmount > 0` before updating `claimed[index]` or `_brokenMerkleRootEmergencyWithdrawPossible`.

Alleviation

[Ai, 10/08/2026]: The team acknowledged the issue and clarified that the project uses a vesting instance deployed through the official Team Finance factory in transaction 0x76d9b7f9b869668db978074b9d9a0cf74363d362eafa4165a51d8e15252a79b8. The affected contract is already deployed and does not support modification of its implementation.

APW-05 | Claimable Query Ignores Revocation State

Category	Severity	Location	Status
Inconsistency	Informational	Vesting.sol (Team vesting): 827, 855, 866	Acknowledged

Description

`stopVesting()` marks the vesting index as revoked and transfers its remaining allocation to the owner, leaving `claimed[index]` unchanged. However, `getClaimable()` does not check the revocation flag and can continue returning a positive amount for the revoked schedule.

As a result, `getClaimable()` can report a positive amount for a revoked schedule even though `claim()` rejects the corresponding claim.

Recommendation

Return zero at the beginning of `getClaimable()` when `getRevoked(index)` is true.

Alleviation

[Ai, 10/08/2026]: The team acknowledged the issue and clarified that the project uses a vesting instance deployed through the official Team Finance factory in transaction 0x76d9b7f9b869668db978074b9d9a0cf74363d362eafa4165a51d8e15252a79b8. The affected contract is already deployed and does not support modification of its implementation.

APPENDIX | AI PAY WITH CRYPTO - TOKEN AUDIT

Finding Categories

Categories	Description
Centralization	Centralization findings detail the design choices of designating privileged roles or other centralized controls over the code.
Logical Issue	Logical Issue findings indicate general implementation issues related to the program logic.
Inconsistency	Inconsistency findings refer to different parts of code that are not consistent or code that does not behave according to its specification.

DISCLAIMER | CERTIK

This report is subject to the terms and conditions (including without limitation, description of services, confidentiality, disclaimer and limitation of liability) set forth in the Services Agreement, or the scope of services, and terms and conditions provided to you ("Customer" or the "Company") in connection with the Agreement. This report provided in connection with the Services set forth in the Agreement shall be used by the Company only to the extent permitted under the terms and conditions set forth in the Agreement. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes, nor may copies be delivered to any other person other than the Company, without CertiK's prior written consent in each instance.

This report is not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team or project that contracts CertiK to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model or legal compliance.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk. CertiK's position is that each company and individual are responsible for their own due diligence and continuous security. CertiK's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies, and in no way claims any guarantee of security or functionality of the technology we agree to analyze.

The assessment services provided by CertiK is subject to dependencies and under continuing development. You agree that your access and/or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis. Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives, false negatives, and other unpredictable results. The services may access, and depend upon, multiple layers of third-parties.

ALL SERVICES, THE LABELS, THE ASSESSMENT REPORT, WORK PRODUCT, OR OTHER MATERIALS, OR ANY PRODUCTS OR RESULTS OF THE USE THEREOF ARE PROVIDED "AS IS" AND "AS AVAILABLE" AND WITH ALL FAULTS AND DEFECTS WITHOUT WARRANTY OF ANY KIND. TO THE MAXIMUM EXTENT PERMITTED UNDER APPLICABLE LAW, CERTIK HEREBY DISCLAIMS ALL WARRANTIES, WHETHER EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE WITH RESPECT TO THE SERVICES, ASSESSMENT REPORT, OR OTHER MATERIALS. WITHOUT LIMITING THE FOREGOING, CERTIK SPECIFICALLY DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT, AND ALL WARRANTIES ARISING FROM COURSE OF DEALING, USAGE, OR TRADE PRACTICE. WITHOUT LIMITING THE FOREGOING, CERTIK MAKES NO WARRANTY OF ANY KIND THAT THE SERVICES, THE LABELS, THE ASSESSMENT REPORT, WORK PRODUCT, OR OTHER MATERIALS, OR ANY PRODUCTS OR RESULTS OF THE USE THEREOF, WILL MEET CUSTOMER'S OR ANY OTHER PERSON'S REQUIREMENTS, ACHIEVE ANY INTENDED RESULT, BE COMPATIBLE OR WORK WITH ANY SOFTWARE, SYSTEM, OR OTHER SERVICES, OR BE SECURE, ACCURATE, COMPLETE, FREE OF HARMFUL CODE, OR ERROR-FREE. WITHOUT LIMITATION TO THE FOREGOING, CERTIK PROVIDES NO WARRANTY OR

UNDERTAKING, AND MAKES NO REPRESENTATION OF ANY KIND THAT THE SERVICE WILL MEET CUSTOMER'S REQUIREMENTS, ACHIEVE ANY INTENDED RESULTS, BE COMPATIBLE OR WORK WITH ANY OTHER SOFTWARE, APPLICATIONS, SYSTEMS OR SERVICES, OPERATE WITHOUT INTERRUPTION, MEET ANY PERFORMANCE OR RELIABILITY STANDARDS OR BE ERROR FREE OR THAT ANY ERRORS OR DEFECTS CAN OR WILL BE CORRECTED.

WITHOUT LIMITING THE FOREGOING, NEITHER CERTIK NOR ANY OF CERTIK'S AGENTS MAKES ANY REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED AS TO THE ACCURACY, RELIABILITY, OR CURRENCY OF ANY INFORMATION OR CONTENT PROVIDED THROUGH THE SERVICE. CERTIK WILL ASSUME NO LIABILITY OR RESPONSIBILITY FOR (I) ANY ERRORS, MISTAKES, OR INACCURACIES OF CONTENT AND MATERIALS OR FOR ANY LOSS OR DAMAGE OF ANY KIND INCURRED AS A RESULT OF THE USE OF ANY CONTENT, OR (II) ANY PERSONAL INJURY OR PROPERTY DAMAGE, OF ANY NATURE WHATSOEVER, RESULTING FROM CUSTOMER'S ACCESS TO OR USE OF THE SERVICES, ASSESSMENT REPORT, OR OTHER MATERIALS.

ALL THIRD-PARTY MATERIALS ARE PROVIDED "AS IS" AND ANY REPRESENTATION OR WARRANTY OF OR CONCERNING ANY THIRD-PARTY MATERIALS IS STRICTLY BETWEEN CUSTOMER AND THE THIRD-PARTY OWNER OR DISTRIBUTOR OF THE THIRD-PARTY MATERIALS.

THE SERVICES, ASSESSMENT REPORT, AND ANY OTHER MATERIALS HEREUNDER ARE SOLELY PROVIDED TO CUSTOMER AND MAY NOT BE RELIED ON BY ANY OTHER PERSON OR FOR ANY PURPOSE NOT SPECIFICALLY IDENTIFIED IN THIS AGREEMENT, NOR MAY COPIES BE DELIVERED TO, ANY OTHER PERSON WITHOUT CERTIK'S PRIOR WRITTEN CONSENT IN EACH INSTANCE.

NO THIRD PARTY OR ANYONE ACTING ON BEHALF OF ANY THEREOF, SHALL BE A THIRD PARTY OR OTHER BENEFICIARY OF SUCH SERVICES, ASSESSMENT REPORT, AND ANY ACCOMPANYING MATERIALS AND NO SUCH THIRD PARTY SHALL HAVE ANY RIGHTS OF CONTRIBUTION AGAINST CERTIK WITH RESPECT TO SUCH SERVICES, ASSESSMENT REPORT, AND ANY ACCOMPANYING MATERIALS.

THE REPRESENTATIONS AND WARRANTIES OF CERTIK CONTAINED IN THIS AGREEMENT ARE SOLELY FOR THE BENEFIT OF CUSTOMER. ACCORDINGLY, NO THIRD PARTY OR ANYONE ACTING ON BEHALF OF ANY THEREOF, SHALL BE A THIRD PARTY OR OTHER BENEFICIARY OF SUCH REPRESENTATIONS AND WARRANTIES AND NO SUCH THIRD PARTY SHALL HAVE ANY RIGHTS OF CONTRIBUTION AGAINST CERTIK WITH RESPECT TO SUCH REPRESENTATIONS OR WARRANTIES OR ANY MATTER SUBJECT TO OR RESULTING IN INDEMNIFICATION UNDER THIS AGREEMENT OR OTHERWISE.

FOR AVOIDANCE OF DOUBT, THE SERVICES, INCLUDING ANY ASSOCIATED ASSESSMENT REPORTS OR MATERIALS, SHALL NOT BE CONSIDERED OR RELIED UPON AS ANY FORM OF FINANCIAL, TAX, LEGAL, REGULATORY, OR OTHER ADVICE.

Elevate Your Web3 Journey

CertiK is the largest Web3 security platform combining formal verification with audits and comprehensive security solutions.