

Epic	Story ID	Actor	User Stories
1: System Administration & Health Data Management	US1.1	WAH4PCE Admin	As a WAH4PCE Admin, I want to administer the system so that I can configure interoperability settings and monitor the health data exchange pipeline.
	US1.2	WAH (WAH4S, WAH4C, WAH4H)	As a WAH user, I want to manage health data so that accurate and updated patient records are securely provided to the interoperability network.
2: Health Data Request & Provisioning	US2.1	External (e.g., DOH iClinicSys)	As an External system, I want to request health data (e.g., HL7) so that I can seamlessly retrieve patient records from WAH facilities.
	US2.2	WAH	As a WAH user, I want to request FHIR 4 health data so that I can retrieve modernized, fully standardized clinical information.
3: ADAPT Translation & Validation	US3.1	ADAPT	As the ADAPT system, I want to validate the schema and completeness of provided health data so that structural errors are caught before any translation begins.
	US3.2	ADAPT	As the ADAPT system, I want to translate data to and from PH Core HL7 FHIR R4 and HL7 v2 so that cross-platform semantic interoperability is achieved.

	US3.3	ADAPT	As the ADAPT system, I want to validate privacy consent as a mandated inclusion of data translation so that unauthorized patient data is never processed or shared.
--	--------------	--------------	---

Acceptance Criteria (Given / When / Then)
Given the admin is authenticated in the WAH4PCE system, When they access the system administration module, Then they can view, configure, and manage interoperability pipelines and system data.
Given a WAH user needs to update or provide patient records, When they manage the health data in the system, Then the data is securely stored and prepared as the base for all external health data requests.
Given an external endpoint requires a patient's health record, When it initiates a Request Health Data (HL7) action, Then the WAH4PCE system triggers the extended Provide Health Data process to return the requested records.
Given a WAH facility needs to fetch a standardized patient record, When they execute a Request FHIR 4 Health Data command, Then the system extends the base request to ensure the returned data complies specifically with FHIR 4 standard formatting.
Given health data is provided to the system, When it enters the validation phase, Then ADAPT checks for required fields and structural integrity, advancing the payload to translation only if the schema is strictly validated.
Given health data has passed schema validation, When ADAPT processes the payload, Then it successfully translates the data structure into the target PH Core HL7 FHIR R4 or HL7 v2 format.

Given the translation process has been initiated by ADAPT, When it verifies the data payload, Then it checks for active privacy consent, strictly blocking the translation if consent is missing or denied.