

Fully Dressed Use Case Specification for
NOVUS: Smart Editorial and Publishing Platform

Project Documentation Submitted to the Faculty of the
School of Computing and Information Technologies
Asia Pacific College

In Partial Fulfillment of the Requirements for
System Analysis and Detailed Design
MSYADD1

Submitted by:

Galido, Rei Khalil S. (Team Leader)
Albania, Roman Rico B. (Member)
Clavero, Joshmar L. (Member)
Concepcion, Joshua (Member)

Submitted to:

Mr. Jose Eugenio L. Quesada
Course Instructor

October 2026
1st Term
A.Y. 2026 – 2027

Module 1 — Editorial Production

Commissioning an article, writing it, assessing it and reaching an editorial decision on it.

Use Case Name: Commission an Article

Use Case ID:	UC-1.1																												
Author	Rei Khalil S. Galido																												
Purpose	Allow an Editor to assign an article to a Writer with a brief and a deadline, so that every piece of work is recorded in the system from the start.																												
Related Use Case	None																												
Priority	High																												
Preconditions	- The Editor is signed in - At least one active Writer exists																												
Postconditions	- The article exists in the Assigned state with its brief, category and deadline - The Writer is notified and sees the article under To write																												
Actors	- Editor - Writer (recipient)																												
Flow of Actions	<i>BASIC FLOW</i> <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>Editor clicks + Assign article on the Editor dashboard.</td><td>1.1 System opens the assignment form with the fields Topic / Headline, Angle / Brief, Writer, Category and Deadline.</td></tr> <tr> <td></td><td></td><td>1.2 System lists the active writers in the Writer menu.</td></tr> <tr> <td>2</td><td>Editor types the headline in Topic / Headline and the angle in Angle / Brief, picks a writer from Writer, picks a Category and sets the Deadline.</td><td></td></tr> <tr> <td>3</td><td>Editor clicks Assign to Writer.</td><td>3.1 System checks that a headline and a writer have been given.</td></tr> <tr> <td></td><td></td><td>3.2 System asks "Assign this article?", naming the article and the writer.</td></tr> <tr> <td>4</td><td>Editor clicks Assign.</td><td>4.1 System creates the article in the Assigned state with its brief, category and deadline.</td></tr> <tr> <td></td><td></td><td>4.2 System notifies the writer.</td></tr> <tr> <td>5</td><td>Writer opens the Writer dashboard.</td><td>5.1 System lists the article under To write, with its brief and deadline.</td></tr> </table> <i>ALTERNATE FLOW</i> <i>A-VALID (Headline or Writer Missing)</i> <i>Branches from step 3.1 of the basic flow.</i>		Step	Actor Action	System Response	1	Editor clicks + Assign article on the Editor dashboard.	1.1 System opens the assignment form with the fields Topic / Headline, Angle / Brief, Writer, Category and Deadline.			1.2 System lists the active writers in the Writer menu.	2	Editor types the headline in Topic / Headline and the angle in Angle / Brief, picks a writer from Writer, picks a Category and sets the Deadline.		3	Editor clicks Assign to Writer.	3.1 System checks that a headline and a writer have been given.			3.2 System asks "Assign this article?", naming the article and the writer.	4	Editor clicks Assign.	4.1 System creates the article in the Assigned state with its brief, category and deadline.			4.2 System notifies the writer.	5	Writer opens the Writer dashboard.	5.1 System lists the article under To write, with its brief and deadline.
Step	Actor Action	System Response																											
1	Editor clicks + Assign article on the Editor dashboard.	1.1 System opens the assignment form with the fields Topic / Headline, Angle / Brief, Writer, Category and Deadline.																											
		1.2 System lists the active writers in the Writer menu.																											
2	Editor types the headline in Topic / Headline and the angle in Angle / Brief, picks a writer from Writer, picks a Category and sets the Deadline.																												
3	Editor clicks Assign to Writer.	3.1 System checks that a headline and a writer have been given.																											
		3.2 System asks "Assign this article?", naming the article and the writer.																											
4	Editor clicks Assign.	4.1 System creates the article in the Assigned state with its brief, category and deadline.																											
		4.2 System notifies the writer.																											
5	Writer opens the Writer dashboard.	5.1 System lists the article under To write, with its brief and deadline.																											

Step	Actor Action	System Response
1		1.1 System marks each missing field and does not continue.
<i>Resumes at step 2 of the basic flow.</i>		
ALTERNATE FLOW		
A1 (No Deadline Set)		
<i>Branches from step 3.1 of the basic flow.</i>		
Step	Actor Action	System Response
1	Editor leaves Deadline empty.	1.1 System accepts the assignment, since a deadline is optional, and leaves the article out of deadline tracking and the calendar until a deadline is added.
<i>Resumes at step 3.2 of the basic flow.</i>		
ALTERNATE FLOW		
A2 (Assignment Cancelled)		
<i>Branches from step 3.2 of the basic flow.</i>		
Step	Actor Action	System Response
1	Editor clicks Cancel.	1.1 System closes the question and creates nothing.
<i>The use case ends.</i>		

Use Case Name: Produce an Article

Use Case ID:	UC-1.2		
Author	Roman Rico Albania		
Purpose	Allow a Writer to draft an article in the composer and submit it for pre-screening and review.		
Related Use Case	«include» UC-1.2.1 (Evaluate a Submitted Article)		
Priority	High		
Preconditions	• The Writer is signed in • The article has been assigned, or the Writer starts their own draft		
Postconditions	• A version of the submitted draft is recorded • The article is assessed under UC-1.2.1 and routed by its verdict		
Actors	• Writer • Publisher (recipient, for an Editor's own article)		
Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	Writer clicks the article under To write on the Writer dashboard, or clicks + Draft article to start their own.	1.1 System opens the composer, with the brief shown under Your brief.

	2	Writer types the Headline and the Standfirst, then writes the article, using the toolbar for bold, italic, headings, lists and quotations.	2.1 System saves the work automatically and shows the save state.
	3	Writer clicks Details, picks a Category, adds a hero image with its Caption or credit, and clicks Save details.	3.1 System saves the details.
	4	Writer clicks Submit for review.	4.1 System checks that the draft is ready: long enough, free of placeholder text, with a headline and standfirst, and changed since its last assessment.
			4.2 System checks that the waiting time since the last assessment has passed.
			4.3 System saves a version of the draft.
			4.4 System shows "Pre-screening your submission" while the AI assesses it under UC-1.2.1.
			4.5 System shows the score and the verdict.
	5	Writer clicks Back to dashboard.	5.1 System lists the article under With the editor.
	ALTERNATE FLOW A2 (No Photography Supplied) <i>Branches from step 2.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1	Writer leaves the hero image empty.	1.1 System shows "This article has none. It will run as text-only."
	<i>Resumes at step 4 of the basic flow.</i>		
	ALTERNATE FLOW A1 (Article Returned for Revision) <i>Branches from step 4.5 of the basic flow.</i>		
	Step	Actor Action	System Response
	1	Writer clicks View the notes.	1.1 System shows the revision notes beside the copy in the composer.
	2	Writer revises the copy.	2.1 System saves the work automatically.
	<i>Resumes at step 4 of the basic flow.</i>		
	ALTERNATE FLOW A5 (Quick Fixes Applied) <i>Branches from step 1.1 of alternate flow A1.</i>		
	Step	Actor Action	System Response
	1	Writer clicks Apply on a quick fix.	1.1 System saves any unsaved edits and locks the editor while the fix is applied.

		1.2 System applies the fix to the saved copy and records the decision.
		1.3 System reloads the corrected copy and updates the count of fixes resolved. The score does not change until the article is assessed again.
2	Writer clicks Dismiss on any fix they do not want.	2.1 System records the dismissal and leaves the copy unchanged.
Resumes at step 2 of alternate flow A1.		
ALTERNATE FLOW		
A4 (Article Written by an Editor)		
Branches from step 4.5 of the basic flow.		
Step	Actor Action	System Response
1		1.1 System adds the article to the Publisher's Needs sign-off list instead of an editor's review queue.
2	Publisher opens Needs sign-off on the Publisher dashboard.	2.1 System lists the article for sign-off under UC-1.5.
The use case ends.		
EXCEPTION FLOW		
E1 (Draft Not Ready)		
Branches from step 4.1 of the basic flow.		
Step	Actor Action	System Response
1		1.1 System refuses the submission and lists every reason together.
2	Writer corrects the draft.	2.1 System saves the changes.
Resumes at step 4 of the basic flow.		
EXCEPTION FLOW		
E2 (Assessment Rate Limited)		
Branches from step 4.2 of the basic flow.		
Step	Actor Action	System Response
1		1.1 System refuses the submission and states how many minutes remain. The wait is skipped once every quick fix has been applied or dismissed.
2	Writer waits.	
Resumes at step 4 of the basic flow.		

Use Case Name: Evaluate a Submitted Article

Use Case ID:	UC-1.2.1
Author	Roman Rico Albania

Purpose	Assess a submitted article for grammar and readability, and route it by its verdict: pass, revise or rewrite.	
Related Use Case	Included by UC-1.2 (Produce an Article)	
Priority	High	
Preconditions	• An article has been submitted under UC-1.2 • The draft has passed the readiness check	
Postconditions	• The assessment is stored with its scores, suggestions and quick fixes • The article is with the Editor, or back with the Writer, according to its verdict	
Actors	• Writer • AI Evaluation Service • Editor (recipient) • Publisher (recipient)	
Flow of Actions	BASIC FLOW	
	Step	Actor Action
	1	Writer clicks Submit for review under UC-1.2.
		1.1 System builds the assessment request from the headline, standfirst and body.
		1.2 System sends the request to the AI Evaluation Service.
	2	AI Evaluation Service returns grammar, readability and overall scores, a summary, suggestions and quick fixes.
		2.1 System checks that the reply is complete.
		2.2 System stores the assessment, keeping only the quick fixes whose passage appears once in the copy.
		2.3 System compares the overall score with the passing mark of 70 and finds it met.
		2.4 System adds the article to the editor's Needs you list and notifies the editor.
		2.5 System shows the writer "Passed pre-screening".
	3	Editor opens Needs you on the Editor dashboard.
		3.1 System shows the article with its score.
	ALTERNATE FLOW	
	A3 (Malformed Assessment)	
	<i>Branches from step 2.1 of the basic flow.</i>	
	Step	Actor Action
	1	1.1 System treats the assessment as not obtained and keeps the reply for diagnosis.

		1.2 System shows the writer "Sent for manual review".
Resumes at step 2.4 of the basic flow.		
ALTERNATE FLOW		
A2 (Rewrite: Below the Rewrite Mark)		
Branches from step 2.3 of the basic flow.		
Step	Actor Action	System Response
1		1.1 System records the suggestions as revision notes and keeps no quick fixes.
		1.2 System returns the article to its writer and shows "Needs rework".
The Writer reworks the draft under UC-1.2. The use case ends.		
ALTERNATE FLOW		
A1 (Revise: Between the Rewrite Mark and the Passing Mark)		
Branches from step 2.3 of the basic flow.		
Step	Actor Action	System Response
1		1.1 System records each suggestion as a revision note.
		1.2 System keeps the quick fixes and returns the article to its writer.
		1.3 System notifies the writer, stating how many quick fixes were suggested, and shows "Returned for revision".
The Writer revises under UC-1.2, alternate flows A1 and A5. The use case ends.		
ALTERNATE FLOW		
A4 (Editor-Authored Article Passes)		
Branches from step 2.3 of the basic flow.		
Step	Actor Action	System Response
1		1.1 System adds the article to the Publisher's Needs sign-off list and notifies the publisher.
2	Publisher opens Needs sign-off on the Publisher dashboard.	2.1 System lists the article with its assessment, for sign-off under UC-1.5.
The use case ends.		
EXCEPTION FLOW		
E1 (Service Unavailable or Credential Refused)		
Branches from step 1.2 of the basic flow.		
Step	Actor Action	System Response
1		1.1 System records no score, rather than a score of zero.
		1.2 System shows the writer "Sent for manual review" and sends the article to review without an assessment.

	<i>Resumes at step 2.4 of the basic flow.</i>
--	---

Use Case Name: Communicate About an Article

Use Case ID:	UC-1.3																									
Author	Joshmar Clavero																									
Purpose	Allow the Writer and the Editor to discuss an article in a thread attached to it, rather than in a separate chat application.																									
Related Use Case	«extend» UC-1.3.1 (Decide on a Submitted Article)																									
Priority	Medium																									
Preconditions	- Both people are signed in - The article exists and both work on it																									
Postconditions	- The message is stored in the article's thread - The recipient is notified, unless they have muted message notices																									
Actors	- Writer or Editor (sender) - Writer or Editor (recipient)																									
Flow of Actions	BASIC FLOW <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>Sender opens the article: the composer for a writer, or the review screen for an editor.</td><td>1.1 System shows the message thread beside the article.</td></tr> <tr> <td>2</td><td>Sender types in Write a message... and clicks Send.</td><td>2.1 System records the message in the thread.</td></tr> <tr> <td></td><td></td><td>2.2 System notifies the recipient with a link that opens the article in their own view.</td></tr> <tr> <td>3</td><td>Recipient clicks the notification bell and clicks the notice.</td><td>3.1 System opens the article with the thread, showing the new message.</td></tr> </table> ALTERNATE FLOW A1 (Recipient Has Muted This Notice) <i>Branches from step 2.1 of the basic flow.</i> <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td></td><td>1.1 System sends no notice; the message waits in the thread.</td></tr> <tr> <td>2</td><td>Recipient opens the article later.</td><td>2.1 System shows the message in the thread.</td></tr> </table> <i>The use case ends.</i>		Step	Actor Action	System Response	1	Sender opens the article: the composer for a writer, or the review screen for an editor.	1.1 System shows the message thread beside the article.	2	Sender types in Write a message... and clicks Send.	2.1 System records the message in the thread.			2.2 System notifies the recipient with a link that opens the article in their own view.	3	Recipient clicks the notification bell and clicks the notice.	3.1 System opens the article with the thread, showing the new message.	Step	Actor Action	System Response	1		1.1 System sends no notice; the message waits in the thread.	2	Recipient opens the article later.	2.1 System shows the message in the thread.
Step	Actor Action	System Response																								
1	Sender opens the article: the composer for a writer, or the review screen for an editor.	1.1 System shows the message thread beside the article.																								
2	Sender types in Write a message... and clicks Send.	2.1 System records the message in the thread.																								
		2.2 System notifies the recipient with a link that opens the article in their own view.																								
3	Recipient clicks the notification bell and clicks the notice.	3.1 System opens the article with the thread, showing the new message.																								
Step	Actor Action	System Response																								
1		1.1 System sends no notice; the message waits in the thread.																								
2	Recipient opens the article later.	2.1 System shows the message in the thread.																								

Use Case Name: Decide on a Submitted Article

Use Case ID:	UC-1.3.1																												
Author	Joshmar Clavero																												
Purpose	Allow an Editor to read a submitted article with its assessment and decide on it: approve, request revisions, override the AI, or withdraw it.																												
Related Use Case	Extended by UC-1.3 (Communicate About an Article)																												
Priority	High																												
Preconditions	- The Editor is signed in - The article is under review																												
Postconditions	- The decision is recorded and the Writer is notified - Any override is recorded with its justification, the Editor and the time																												
Actors	- Editor - Writer (recipient) - Publisher (recipient)																												
Flow of Actions	BASIC FLOW <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>Editor clicks the article under Needs you on the Editor dashboard.</td><td>1.1 System opens the review screen with the copy, the AI assessment, any AI fixes the writer accepted, the version history and the message thread.</td></tr> <tr> <td>2</td><td>Editor reads the copy and, if needed, replaces or captions photographs with + Add image, Replace and Caption or credit.</td><td>2.1 System saves any image changes.</td></tr> <tr> <td>3</td><td>Editor clicks Approve.</td><td>3.1 System asks "Approve this article?"</td></tr> <tr> <td>4</td><td>Editor clicks Approve in the question.</td><td>4.1 System checks that the article is still under review.</td></tr> <tr> <td></td><td></td><td>4.2 System marks the article approved and notifies the writer.</td></tr> <tr> <td>5</td><td>Writer opens the Writer dashboard.</td><td>5.1 System lists the article under Finished.</td></tr> </table> ALTERNATE FLOW A4 (No Assessment Obtained) Branches from step 1.1 of the basic flow. <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td></td><td>1.1 System states that no assessment was obtained, so no override is needed.</td></tr> </table> Resumes at step 2 of the basic flow.		Step	Actor Action	System Response	1	Editor clicks the article under Needs you on the Editor dashboard.	1.1 System opens the review screen with the copy, the AI assessment, any AI fixes the writer accepted, the version history and the message thread.	2	Editor reads the copy and, if needed, replaces or captions photographs with + Add image, Replace and Caption or credit.	2.1 System saves any image changes.	3	Editor clicks Approve.	3.1 System asks "Approve this article?"	4	Editor clicks Approve in the question.	4.1 System checks that the article is still under review.			4.2 System marks the article approved and notifies the writer.	5	Writer opens the Writer dashboard.	5.1 System lists the article under Finished.	Step	Actor Action	System Response	1		1.1 System states that no assessment was obtained, so no override is needed.
Step	Actor Action	System Response																											
1	Editor clicks the article under Needs you on the Editor dashboard.	1.1 System opens the review screen with the copy, the AI assessment, any AI fixes the writer accepted, the version history and the message thread.																											
2	Editor reads the copy and, if needed, replaces or captions photographs with + Add image, Replace and Caption or credit.	2.1 System saves any image changes.																											
3	Editor clicks Approve.	3.1 System asks "Approve this article?"																											
4	Editor clicks Approve in the question.	4.1 System checks that the article is still under review.																											
		4.2 System marks the article approved and notifies the writer.																											
5	Writer opens the Writer dashboard.	5.1 System lists the article under Finished.																											
Step	Actor Action	System Response																											
1		1.1 System states that no assessment was obtained, so no override is needed.																											

ALTERNATE FLOW**A1 (Revision Requested)**

Branches from step 2.1 of the basic flow.

Step	Actor Action	System Response
1	Editor clicks Request Revisions.	1.1 System opens the note composer, filled in from the AI suggestions where they exist.
2	Editor fills in each note's Section, type (Grammar, Tone, Structure or Factual), priority (Low, Medium or High) and instruction, uses + Add another note for more, and clicks Send to Writer.	2.1 System checks that at least one note has an instruction.
		2.2 System returns the article to the writer and notifies them.
3	Writer opens the article under To write.	3.1 System shows the notes beside the copy.

The Writer revises under UC-1.2. The use case ends.

ALTERNATE FLOW**A3 (Article Withdrawn)**

Branches from step 2.1 of the basic flow.

Step	Actor Action	System Response
1	Editor clicks Withdraw.	1.1 System asks "Why is this being withdrawn?".
2	Editor types the reason and clicks Confirm Withdrawal.	2.1 System removes the article from any issue and records the reason.
		2.2 System notifies the publisher if the issue was already closed.

The use case ends.

ALTERNATE FLOW**A2 (Assessment Overridden)**

Branches from step 2.1 of the basic flow.

Step	Actor Action	System Response
1	Editor clicks Override AI and Approve on an article the AI returned.	1.1 System opens "Override the pre-screening verdict" with an Editorial justification field.
2	Editor types why the article should run despite the score and clicks Override and approve.	2.1 System checks that the justification is at least 10 characters.
		2.2 System records the override with the justification, the editor and the time.
		2.3 System approves the article and notifies the writer.

Resumes at step 5 of the basic flow.

ALTERNATE FLOW

	A5 (Approval Cancelled)		
	<i>Branches from step 3.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1	Editor clicks Cancel.	1.1 System closes the question and changes nothing.
	<i>Resumes at step 2 of the basic flow.</i>		
	EXCEPTION FLOW		
	E2 (Justification Too Short)		
	<i>Branches from step 2.1 of alternate flow A2.</i>		
	Step	Actor Action	System Response
	1		1.1 System refuses the override and leaves the verdict unchanged.
	<i>Resumes at step 2 of alternate flow A2.</i>		
	EXCEPTION FLOW		
	E1 (Article Not Under Review)		
	<i>Branches from step 4.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1		1.1 System refuses the decision, names the article's actual state and changes nothing.
	<i>The use case ends.</i>		

Use Case Name: Correct an Editorial Decision

Use Case ID:	UC-1.4
Author	Joshua Concepcion
Purpose	Allow an approval made in error to be pulled back into review, with a recorded reason.
Related Use Case	None
Priority	Medium
Preconditions	- The person is signed in as an Editor or the Publisher - The article is approved but not published
Postconditions	- The article is back under review, with the reason recorded - Where it was in an issue, it is removed and the issue's readiness is corrected - The Writer is notified
Actors	- Editor - Publisher - Writer (recipient)
Flow of Actions	BASIC FLOW

Step	Actor Action	System Response
1	Editor clicks the article under Approved on the Editor dashboard.	1.1 System opens the review screen with Pull back into review.
2	Editor clicks Pull back into review.	2.1 System asks "Why is this coming back?".
3	Editor types the reason and clicks Pull back.	3.1 System checks that the reason is long enough.
		3.2 System checks whether the article is in an issue.
		3.3 System returns the article to review, records the reason and notifies the writer.
4	Writer opens the Writer dashboard.	4.1 System lists the article under With the editor.
ALTERNATE FLOW A1 (Article Already in an Issue) <i>Branches from step 3.2 of the basic flow.</i>		
Step	Actor Action	System Response
1		1.1 System checks who is acting.
2		2.1 System removes the article from the issue and corrects the issue's readiness.
<i>Resumes at step 3.3 of the basic flow.</i>		
ALTERNATE FLOW A2 (Pull Back Cancelled) <i>Branches from step 2.1 of the basic flow.</i>		
Step	Actor Action	System Response
1	Editor clicks Cancel.	1.1 System closes the reason field and changes nothing.
<i>The use case ends.</i>		
EXCEPTION FLOW E1 (Reason Absent) <i>Branches from step 3.1 of the basic flow.</i>		
Step	Actor Action	System Response
1		1.1 System asks for a fuller reason and changes nothing.
<i>Resumes at step 3 of the basic flow.</i>		
EXCEPTION FLOW E2 (Editor Acts on a Scheduled Article) <i>Branches from step 1.1 of alternate flow A1.</i>		

	Step	Actor Action	System Response
	1		1.1 System refuses and explains that the publisher must authorise removing an article from an issue.
<i>The use case ends.</i>			

Use Case Name: Sign Off Editor-Authored Copy

Use Case ID:	UC-1.5		
Author	Joshua Concepcion		
Purpose	Ensure that no one approves their own work: an article written by an Editor is signed off by the Publisher.		
Related Use Case	None		
Priority	Medium		
Preconditions	• The Publisher is signed in • An article written by an Editor has passed pre-screening		
Postconditions	• The article is approved, with the Publisher recorded as editor of record • The author is notified		
Actors	• Publisher • Editor (author)		
Flow of Actions	<i>BASIC FLOW</i>		
	Step	Actor Action	System Response
	1	Publisher clicks Needs sign-off on the Publisher dashboard.	1.1 System lists the articles written by editors, with their scores.
	2	Publisher clicks Read it on an article.	2.1 System shows the full article in a side panel.
	3	Publisher clicks Sign off.	3.1 System asks "Sign off this article?".
	4	Publisher clicks Sign off in the question.	4.1 System approves the article and records the publisher as editor of record.
			4.2 System notifies the author.
	5	Editor opens the Editor dashboard.	5.1 System shows the article as approved.
	<i>ALTERNATE FLOW</i>		
	<i>A1 (Returned to the Author)</i>		
	<i>Branches from step 2.1 of the basic flow.</i>		
	Step	Actor Action	System Response
1	Publisher opens the article's review screen and clicks Request Revisions.	1.1 System opens the note composer.	

	2	Publisher fills in the notes and clicks Send to Writer.	2.1 System returns the article to its author with the notes and notifies them.					
	3	Editor opens the returned article.	3.1 System shows the publisher's notes beside the copy.					
	The author revises and resubmits under UC-1.2. The use case ends.							
	ALTERNATE FLOW A2 (Sign-off Cancelled) Branches from step 3.1 of the basic flow.							
	<table><tr><th>Step</th><th>Actor Action</th><th>System Response</th></tr><tr><td>1</td><td>Publisher clicks Cancel.</td><td>1.1 System closes the question and changes nothing.</td></tr></table>			Step	Actor Action	System Response	1	Publisher clicks Cancel.
Step	Actor Action	System Response						
1	Publisher clicks Cancel.	1.1 System closes the question and changes nothing.						
Resumes at step 2 of the basic flow.								

Module 2 — Issue Production and Publication

Assembling an issue from approved copy, laying it out, fixing its contents and releasing it.

Use Case Name: Schedule Articles into an Issue

Use Case ID:	UC-2.1																									
Author	Rei Khalil S. Galido																									
Purpose	Allow an Editor to place an approved article in a magazine issue, or keep it as a standalone web piece, and set who may read it.																									
Related Use Case	None																									
Priority	High																									
Preconditions	• The Editor is signed in • The article is approved																									
Postconditions	• The article belongs to an issue, or is marked standalone • The article's reader access is recorded • An article placed in an issue appears in the Graphic Designer's Ready for layout list																									
Actors	• Editor • Graphic Designer (recipient)																									
Flow of Actions	BASIC FLOW <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>Editor clicks the article under Approved on the Editor dashboard.</td><td>1.1 System opens the review screen with the publishing panel, showing Issue and Reader access.</td></tr> <tr> <td>2</td><td>Editor picks an issue from the Issue menu and clicks Save.</td><td>2.1 System checks that the issue is still open.</td></tr> <tr> <td></td><td></td><td>2.2 System places the article in the issue as Subscribers only and updates the issue's readiness.</td></tr> <tr> <td>3</td><td>Graphic Designer clicks Ready for layout on the Designer dashboard.</td><td>3.1 System lists the article under its issue.</td></tr> </table> ALTERNATE FLOW A1 (Left as a Standalone Article) <i>Branches from step 1.1 of the basic flow.</i> <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>Editor picks "Not in an issue — publishes on its own" from the Issue menu and clicks Save.</td><td>1.1 System keeps the article standalone and free to read, outside any issue.</td></tr> <tr> <td></td><td></td><td>1.2 System lists it under Single articles for the publisher to publish under UC-2.5.</td></tr> </table> <i>The use case ends.</i>		Step	Actor Action	System Response	1	Editor clicks the article under Approved on the Editor dashboard.	1.1 System opens the review screen with the publishing panel, showing Issue and Reader access.	2	Editor picks an issue from the Issue menu and clicks Save.	2.1 System checks that the issue is still open.			2.2 System places the article in the issue as Subscribers only and updates the issue's readiness.	3	Graphic Designer clicks Ready for layout on the Designer dashboard.	3.1 System lists the article under its issue.	Step	Actor Action	System Response	1	Editor picks "Not in an issue — publishes on its own" from the Issue menu and clicks Save.	1.1 System keeps the article standalone and free to read, outside any issue.			1.2 System lists it under Single articles for the publisher to publish under UC-2.5.
Step	Actor Action	System Response																								
1	Editor clicks the article under Approved on the Editor dashboard.	1.1 System opens the review screen with the publishing panel, showing Issue and Reader access.																								
2	Editor picks an issue from the Issue menu and clicks Save.	2.1 System checks that the issue is still open.																								
		2.2 System places the article in the issue as Subscribers only and updates the issue's readiness.																								
3	Graphic Designer clicks Ready for layout on the Designer dashboard.	3.1 System lists the article under its issue.																								
Step	Actor Action	System Response																								
1	Editor picks "Not in an issue — publishes on its own" from the Issue menu and clicks Save.	1.1 System keeps the article standalone and free to read, outside any issue.																								
		1.2 System lists it under Single articles for the publisher to publish under UC-2.5.																								

	ALTERNATE FLOW A2 (Article Runs Free) <i>Branches from step 2.2 of the basic flow.</i>		
	Step	Actor Action	System Response
	1	Editor clicks Free under Reader access.	1.1 System records that anyone may read the article.
	<i>Resumes at step 3 of the basic flow.</i>		
	EXCEPTION FLOW E1 (Issue Closed) <i>Branches from step 2.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1		1.1 System refuses, explains that the issue is closed and that the publisher can reopen it.
	2	Editor picks a different issue.	
	<i>Resumes at step 2 of the basic flow.</i>		

Use Case Name: Produce a Magazine Layout

Use Case ID:	UC-2.2		
Author	Rei Khalil S. Galido		
Purpose	Allow the Graphic Designer to upload a laid-out edition of an issue as a PDF for the Editor to review.		
Related Use Case	None		
Priority	High		
Preconditions	• The Graphic Designer is signed in • The issue has articles scheduled into it		
Postconditions	• The edition is stored privately and recorded as a version awaiting review • The Editor is notified		
Actors	• Graphic Designer • Editor (recipient)		
Flow of Actions	<i>BASIC FLOW</i>		
	Step	Actor Action	System Response
	1	Graphic Designer clicks an article under Ready for layout on the Designer dashboard.	1.1 System opens the article for layout, with Copy headline and Copy full text.
	2	Graphic Designer lays out the pages in their design software, outside the system.	

	3	Graphic Designer clicks + Upload layout.	3.1 System opens the upload form with the fields Issue, Version, Layout PDF, Cover image and Notes to editor.
	4	Graphic Designer picks the issue, types a version such as v1.0, attaches the PDF and the cover image, writes notes, and clicks Submit for editor review.	4.1 System checks that the issue is unpublished and that no version is already waiting for review.
			4.2 System checks that the file is a PDF, and that the first version of an issue has a cover image.
			4.3 System uploads the edition straight to storage and shows the progress.
			4.4 System checks that the edition arrived complete.
			4.5 System records the version as awaiting review and notifies the editor.
	5	Editor clicks Layouts on the Editor dashboard.	5.1 System lists the version under "Magazine layouts awaiting review".
	ALTERNATE FLOW A1 (Corrected Version Submitted) <i>Branches at the start of the use case.</i>		
	Step	Actor Action	System Response
	1	Graphic Designer clicks My layouts.	1.1 System shows the returned version with the editor's notes.
	2	Graphic Designer clicks Upload a new version.	2.1 System opens the upload form for the same issue.
	<i>Resumes at step 4 of the basic flow.</i>		
	EXCEPTION FLOW E1 (Upload Not Allowed) <i>Branches from step 4.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1		1.1 System refuses, naming the version already with the editor or stating that the issue is published, and transfers nothing.
	<i>The use case ends.</i>		
	EXCEPTION FLOW E2 (File Not Accepted) <i>Branches from step 4.2 of the basic flow.</i>		
	Step	Actor Action	System Response
	1		1.1 System marks the problem beside the field and transfers nothing.
	<i>Resumes at step 4 of the basic flow.</i>		

	EXCEPTION FLOW						
	E3 (Upload Incomplete)						
	<i>Branches from step 4.4 of the basic flow.</i>						
	<table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td></td><td>1.1 System creates no record and asks the designer to try again.</td></tr> </table>	Step	Actor Action	System Response	1		1.1 System creates no record and asks the designer to try again.
Step	Actor Action	System Response					
1		1.1 System creates no record and asks the designer to try again.					
<i>Resumes at step 4 of the basic flow.</i>							

Use Case Name: Approve a Magazine Layout

Use Case ID:	UC-2.3		
Author	Roman Rico Albania		
Purpose	Allow an Editor to approve a layout version, or return it to the Graphic Designer with the changes needed.		
Related Use Case	None		
Priority	High		
Preconditions	• The Editor is signed in • A layout version is awaiting review		
Postconditions	• The version is approved and every other version for the issue is retired, or it is returned with notes • The Graphic Designer is notified		
Actors	• Editor • Graphic Designer (recipient)		
Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	Editor clicks Layouts on the Editor dashboard.	1.1 System shows "Magazine layouts awaiting review" with each version, the designer's notes and the file.
	2	Editor clicks the file name and checks the edition.	2.1 System opens the PDF.
	3	Editor clicks Approve Design.	3.1 System records the approval with the editor and the time.
			3.2 System retires every other version for the issue.
			3.3 System notifies the designer.
	4	Graphic Designer clicks My layouts.	4.1 System shows the version approved, and the others under Earlier versions.

	ALTERNATE FLOW A1 (Returned for Revision) <i>Branches from step 2.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1	Editor clicks Request Revision.	1.1 System opens a notes field for layout, typography, imagery or branding corrections.
	2	Editor types the changes needed and clicks Send to Designer.	2.1 System returns the version to the designer with the notes and notifies them.
	3	Graphic Designer clicks My layouts.	3.1 System shows the version returned, with the editor's notes.
The Graphic Designer submits a corrected version under UC-2.2. The use case ends.			

Use Case Name: Close an Issue

Use Case ID:	UC-2.4		
Author	Joshmar Clavero		
Purpose	Allow the Publisher to fix an issue's contents so the layout can be finished without them changing.		
Related Use Case	None		
Priority	High		
Preconditions	• The Publisher is signed in • The issue is in preparation		
Postconditions	• The contents are fixed and the closing Publisher and time are recorded • Editors and Graphic Designers are notified		
Actors	• Publisher • Editor (recipient) • Graphic Designer (recipient)		
Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	Publisher clicks the issue under In preparation on the Publisher dashboard.	1.1 System opens the issue's page with Articles in this issue, its readiness and its Magazine layout.
	2	Publisher clicks Close this issue.	2.1 System asks "Close Issue #N?", stating how many articles it holds.
	3	Publisher clicks Close the issue.	3.1 System fixes the contents and records the publisher and the time.
			3.2 System notifies editors and designers.

	4	Editor or Graphic Designer clicks Issues.	4.1 System shows the issue as closed, with its contents fixed.
	ALTERNATE FLOW A1 (Issue Reopened) <i>Branches from step 1.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1	Publisher clicks Reopen.	1.1 System asks "Why is this being reopened?"
	2	Publisher types the reason and clicks Reopen issue.	2.1 System checks that a reason has been given.
			2.2 System reopens the issue and records the reason.
	<i>The use case ends.</i>		
	ALTERNATE FLOW A2 (Closing Cancelled) <i>Branches from step 2.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1	Publisher clicks Cancel.	1.1 System closes the question and changes nothing.
	<i>The use case ends.</i>		
	EXCEPTION FLOW E2 (Reason Absent on Reopening) <i>Branches from step 2.1 of alternate flow A1.</i>		
	Step	Actor Action	System Response
	1		1.1 System refuses and leaves the issue closed.
	<i>Resumes at step 2 of alternate flow A1.</i>		
	EXCEPTION FLOW E1 (Empty Issue) <i>Branches from step 1.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1		1.1 System keeps Close this issue unavailable, since an empty issue has nothing to fix.
	<i>The use case ends.</i>		

Use Case Name: Publish an Issue

Use Case ID:	UC-2.5
Author	Joshmar Clavero

Purpose	Allow the Publisher to release a finished issue, and every article in it, to readers at once.																															
Related Use Case	None																															
Priority	High																															
Preconditions	• The Publisher is signed in • The issue is closed, its edition is approved and every article in it is approved																															
Postconditions	• The issue and all its articles are published together • The release time and Publisher are recorded • Subscribers are notified																															
Actors	• Publisher • Reader (recipient)																															
Flow of Actions	BASIC FLOW <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>Publisher clicks the closed issue under In preparation on the Publisher dashboard.</td><td>1.1 System opens the issue's page and shows whether anything blocks publication.</td></tr> <tr> <td>2</td><td>Publisher clicks Confirm and Publish Issue #N.</td><td>2.1 System asks "Publish Issue #N?" and asks the publisher to type the issue's name in Type to confirm.</td></tr> <tr> <td>3</td><td>Publisher types the name and clicks Publish Issue #N.</td><td>3.1 System releases the issue and all its articles together.</td></tr> <tr> <td></td><td></td><td>3.2 System records the release time and the publisher, and removes old layout versions from storage.</td></tr> <tr> <td></td><td></td><td>3.3 System notifies subscribers.</td></tr> <tr> <td>4</td><td>Reader clicks Magazines on the BOSS Magazine site.</td><td>4.1 System shows the new issue.</td></tr> </table> ALTERNATE FLOW A1 (Standalone Article Released) <i>Branches at the start of the use case.</i> <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>Publisher clicks Single articles and clicks Publish on an article.</td><td>1.1 System asks "Publish this article?".</td></tr> <tr> <td>2</td><td>Publisher clicks Publish in the question.</td><td>2.1 System puts the article live on the reader portal, without any issue.</td></tr> </table> <i>The use case ends.</i> ALTERNATE FLOW A2 (Publication Cancelled) <i>Branches from step 2.1 of the basic flow.</i>		Step	Actor Action	System Response	1	Publisher clicks the closed issue under In preparation on the Publisher dashboard.	1.1 System opens the issue's page and shows whether anything blocks publication.	2	Publisher clicks Confirm and Publish Issue #N.	2.1 System asks "Publish Issue #N?" and asks the publisher to type the issue's name in Type to confirm.	3	Publisher types the name and clicks Publish Issue #N.	3.1 System releases the issue and all its articles together.			3.2 System records the release time and the publisher, and removes old layout versions from storage.			3.3 System notifies subscribers.	4	Reader clicks Magazines on the BOSS Magazine site.	4.1 System shows the new issue.	Step	Actor Action	System Response	1	Publisher clicks Single articles and clicks Publish on an article.	1.1 System asks "Publish this article?".	2	Publisher clicks Publish in the question.	2.1 System puts the article live on the reader portal, without any issue.
Step	Actor Action	System Response																														
1	Publisher clicks the closed issue under In preparation on the Publisher dashboard.	1.1 System opens the issue's page and shows whether anything blocks publication.																														
2	Publisher clicks Confirm and Publish Issue #N.	2.1 System asks "Publish Issue #N?" and asks the publisher to type the issue's name in Type to confirm.																														
3	Publisher types the name and clicks Publish Issue #N.	3.1 System releases the issue and all its articles together.																														
		3.2 System records the release time and the publisher, and removes old layout versions from storage.																														
		3.3 System notifies subscribers.																														
4	Reader clicks Magazines on the BOSS Magazine site.	4.1 System shows the new issue.																														
Step	Actor Action	System Response																														
1	Publisher clicks Single articles and clicks Publish on an article.	1.1 System asks "Publish this article?".																														
2	Publisher clicks Publish in the question.	2.1 System puts the article live on the reader portal, without any issue.																														

Step	Actor Action	System Response
1	Publisher clicks Cancel.	1.1 System closes the question and publishes nothing.
The use case ends.		
EXCEPTION FLOW		
E1 (Issue Not Ready)		
Branches from step 1.1 of the basic flow.		
Step	Actor Action	System Response
1		1.1 System keeps Confirm and Publish unavailable and lists what blocks it: the issue not closed, no approved layout, or an article not approved.
The use case ends.		

Use Case Name: Retire an Issue

Use Case ID:	UC-2.6	
Author	Joshua Concepcion	
Purpose	Allow the Publisher to move a published issue off the active publishing list while readers keep access to it.	
Related Use Case	None	
Priority	Low	
Preconditions	• The Publisher is signed in • The issue is published	
Postconditions	• The issue is no longer on the active publishing list • Readers can still read and search it	
Actors	• Publisher	
Flow of Actions	BASIC FLOW	
	Step	Actor Action
	1	Publisher clicks the issue under Published on the Publisher dashboard.
	2	Publisher clicks Archive this issue.
	3	Publisher clicks Archive.
	System Response	
	1.1	System opens the issue's page.
	2.1	System asks "Archive Issue #N?" and explains that readers keep access.
	3.1	System removes the issue from the active publishing list.
	3.2	System keeps it readable and searchable in the public archive.
	ALTERNATE FLOW	
	A1 (Archiving Cancelled)	
	Branches from step 2.1 of the basic flow.	

	Step	Actor Action	System Response
	1	Publisher clicks Cancel.	1.1 System closes the question and changes nothing.
	<i>The use case ends.</i>		

Module 3 — Editorial and Issue Oversight

Knowing where work stands, how the publication is performing, and what it has already run.

Use Case Name: Review Publication Performance

Use Case ID:	UC-3.1																						
Author	Roman Rico Albania																						
Purpose	Give management the figures on editorial throughput, AI assessment and revenue.																						
Related Use Case	None																						
Priority	Medium																						
Preconditions	• The person is signed in as an Editor, the Publisher or an Administrator																						
Postconditions	• The requested report is shown, or exported as a CSV file																						
Actors	• Editor • Publisher • Administrator																						
Flow of Actions	<i>BASIC FLOW</i> <table><tr><th>Step</th><th>Actor Action</th><th>System Response</th></tr><tr><td>1</td><td>User clicks Reports in the workspace sidebar.</td><td>1.1 System opens Reports with the tabs AI evaluation, Editorial pipeline, Production and Subscriptions.</td></tr><tr><td>2</td><td>User clicks a tab and picks a period: Last 30 days, Last 90 days or Last year.</td><td>2.1 System checks that the user's role may see this report.</td></tr><tr><td></td><td></td><td>2.2 System gathers the records for the period and shows each chart with a written description.</td></tr><tr><td>3</td><td>User clicks Export CSV.</td><td>3.1 System downloads the report as a CSV file.</td></tr></table> <i>ALTERNATE FLOW</i> <i>A1 (No Data in Period)</i> <i>Branches from step 2.2 of the basic flow.</i> <table><tr><th>Step</th><th>Actor Action</th><th>System Response</th></tr><tr><td>1</td><td></td><td>1.1 System states that there is no data for the period, suggests a longer one, and draws no empty chart.</td></tr></table> <i>Resumes at step 2 of the basic flow.</i> <i>EXCEPTION FLOW</i> <i>E1 (Report Not Permitted)</i> <i>Branches from step 2.1 of the basic flow.</i>		Step	Actor Action	System Response	1	User clicks Reports in the workspace sidebar.	1.1 System opens Reports with the tabs AI evaluation, Editorial pipeline, Production and Subscriptions.	2	User clicks a tab and picks a period: Last 30 days, Last 90 days or Last year.	2.1 System checks that the user's role may see this report.			2.2 System gathers the records for the period and shows each chart with a written description.	3	User clicks Export CSV.	3.1 System downloads the report as a CSV file.	Step	Actor Action	System Response	1		1.1 System states that there is no data for the period, suggests a longer one, and draws no empty chart.
Step	Actor Action	System Response																					
1	User clicks Reports in the workspace sidebar.	1.1 System opens Reports with the tabs AI evaluation, Editorial pipeline, Production and Subscriptions.																					
2	User clicks a tab and picks a period: Last 30 days, Last 90 days or Last year.	2.1 System checks that the user's role may see this report.																					
		2.2 System gathers the records for the period and shows each chart with a written description.																					
3	User clicks Export CSV.	3.1 System downloads the report as a CSV file.																					
Step	Actor Action	System Response																					
1		1.1 System states that there is no data for the period, suggests a longer one, and draws no empty chart.																					

	Step	Actor Action	System Response
	1		1.1 System refuses and states that revenue figures are for the publisher and administrators only.
<i>Resumes at step 2 of the basic flow.</i>			

Use Case Name: Monitor Editorial Progress

Use Case ID:	UC-3.2		
Author	Joshmar Clavero		
Purpose	Show each staff member what needs their attention, and warn them of approaching and missed deadlines.		
Related Use Case	None		
Priority	Medium		
Preconditions	• The staff member is signed in		
Postconditions	• The staff member sees their outstanding work and deadlines		
Actors	• Writer • Editor • Publisher • Scheduler		
Flow of Actions	<i>BASIC FLOW</i>		
	Step	Actor Action	System Response
	1	Staff member signs in.	1.1 System opens their dashboard, with At a glance and their work grouped by who must act next.
			1.2 System shows unread notices on the notification bell.
	2	Staff member clicks Calendar in the workspace sidebar.	2.1 System shows the month's deadlines and issue release targets.
	3	Staff member clicks < or > to change month, or Today to return, and clicks an item.	3.1 System opens the item in the staff member's own view.
	<i>ALTERNATE FLOW</i>		
	<i>A2 (Deadline Sweep)</i>		
	<i>Branches at the start of the use case.</i>		
	Step	Actor Action	System Response
1	Scheduler calls the deadline sweep with its credential.	1.1 System checks the credential.	

			1.2 System warns each writer, and the commissioning editor, of work due soon or overdue.
			1.3 System records the outcome of the sweep.
	<i>The use case ends.</i>		
	ALTERNATE FLOW		
	A1 (Overdue Work)		
	<i>Branches from step 1.2 of the basic flow.</i>		
	Step	Actor Action	System Response
	1	Editor clicks Show me on the overdue notice.	1.1 System shows only the overdue work.
	2	Editor clicks Show everything.	2.1 System shows all the work again.
	<i>Resumes at step 2 of the basic flow.</i>		
	EXCEPTION FLOW		
	E1 (Unauthenticated Sweep Request)		
	<i>Branches from step 1.1 of alternate flow A2.</i>		
	Step	Actor Action	System Response
	1		1.1 System refuses the request, sends no warnings and records the refusal.
	<i>The use case ends.</i>		

Use Case Name: Consult the Published Archive

Use Case ID:	UC-3.3
Author	Joshua Concepcion
Purpose	Let any staff member search everything published and read it, including colleagues' work.
Related Use Case	None
Priority	Low
Preconditions	The staff member is signed in
Postconditions	The staff member has found and read the article
Actors	- Writer - Editor - Publisher - Graphic Designer
Flow of Actions	BASIC FLOW

Step	Actor Action	System Response
1	Staff member clicks Archive in the workspace sidebar.	1.1 System shows everything published, grouped by the month it ran.
2	Staff member types in "Search headlines, copy, or writers...", or picks from All issues, All categories or All years.	2.1 System lists the matching articles with their issue and reader access.
3	Staff member clicks an article.	3.1 System opens a read-only preview with the full text, the photographs and the publication details.
4	Staff member clicks View on BOSS Magazine.	4.1 System opens the article's public page in a new tab.
ALTERNATE FLOW A1 (No Matches) <i>Branches from step 2.1 of the basic flow.</i>		
Step	Actor Action	System Response
1		1.1 System states that nothing matched.
2	Staff member clicks Clear.	2.1 System shows everything published again.
<i>Resumes at step 2 of the basic flow.</i>		

Module 4 — Reader Engagement

What a reader can do with the publication, and what a subscription adds.

Use Case Name: Read Published Content

Use Case ID:	UC-4.1																												
Author	Rei Khalil S. Galido																												
Purpose	Let anyone browse BOSS Magazine and read its articles, with subscriber-only articles reserved for subscribers.																												
Related Use Case	None																												
Priority	High																												
Preconditions	The visitor can reach the BOSS Magazine site																												
Postconditions	The visitor has read the article, or its opening and the subscription notice																												
Actors	- Anonymous Visitor - Reader																												
Flow of Actions	BASIC FLOW <table border="1"> <thead> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> </thead> <tbody> <tr> <td>1</td><td>Visitor opens the BOSS Magazine site.</td><td>1.1 System shows the lead story and the latest articles.</td></tr> <tr> <td>2</td><td>Visitor clicks a category, or clicks Read the story on an article.</td><td>2.1 System checks whether the article is for subscribers only.</td></tr> <tr> <td></td><td></td><td>2.2 System shows the article in full.</td></tr> <tr> <td>3</td><td>Visitor reads the article and may click Share.</td><td>3.1 System copies the article's link and shows "Link copied".</td></tr> </tbody> </table> ALTERNATE FLOW A1 (Subscriber-only Article) <i>Branches from step 2.1 of the basic flow.</i> <table border="1"> <thead> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> </thead> <tbody> <tr> <td>1</td><td></td><td>1.1 System shows the standfirst and the opening, then "Keep reading with a BOSS subscription" with Subscribe and Sign in.</td></tr> </tbody> </table> <i>A reader may subscribe under UC-4.3 or sign in under UC-5.1. The use case ends.</i> EXCEPTION FLOW E1 (Platform Under Maintenance) <i>Branches at the start of the use case.</i> <table border="1"> <thead> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> </thead> <tbody> <tr> <td>1</td><td></td><td>1.1 System shows the maintenance message instead of articles. Staff keep working as normal.</td></tr> </tbody> </table> <i>The use case ends.</i>		Step	Actor Action	System Response	1	Visitor opens the BOSS Magazine site.	1.1 System shows the lead story and the latest articles.	2	Visitor clicks a category, or clicks Read the story on an article.	2.1 System checks whether the article is for subscribers only.			2.2 System shows the article in full.	3	Visitor reads the article and may click Share.	3.1 System copies the article's link and shows "Link copied".	Step	Actor Action	System Response	1		1.1 System shows the standfirst and the opening, then "Keep reading with a BOSS subscription" with Subscribe and Sign in.	Step	Actor Action	System Response	1		1.1 System shows the maintenance message instead of articles. Staff keep working as normal.
Step	Actor Action	System Response																											
1	Visitor opens the BOSS Magazine site.	1.1 System shows the lead story and the latest articles.																											
2	Visitor clicks a category, or clicks Read the story on an article.	2.1 System checks whether the article is for subscribers only.																											
		2.2 System shows the article in full.																											
3	Visitor reads the article and may click Share.	3.1 System copies the article's link and shows "Link copied".																											
Step	Actor Action	System Response																											
1		1.1 System shows the standfirst and the opening, then "Keep reading with a BOSS subscription" with Subscribe and Sign in.																											
Step	Actor Action	System Response																											
1		1.1 System shows the maintenance message instead of articles. Staff keep working as normal.																											

Use Case Name: Save Articles for Later

Use Case ID:	UC-4.2																															
Author	Roman Rico Albania																															
Purpose	Let a signed-in reader keep a list of articles to read later.																															
Related Use Case	None																															
Priority	Low																															
Preconditions	The reader is signed in																															
Postconditions	The article is saved to, or removed from, the reader's Saved list																															
Actors	Reader																															
Flow of Actions	BASIC FLOW <table border="1"> <thead> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> </thead> <tbody> <tr> <td>1</td><td>Reader clicks the bookmark button (Save this article) on an article.</td><td>1.1 System checks whether the reader is signed in.</td></tr> <tr> <td></td><td></td><td>1.2 System checks whether the article is already saved.</td></tr> <tr> <td></td><td></td><td>1.3 System saves the article to the reader's list.</td></tr> <tr> <td>2</td><td>Reader clicks Saved in the top bar.</td><td>2.1 System lists the saved articles, newest first.</td></tr> <tr> <td>3</td><td>Reader clicks an article.</td><td>3.1 System opens it.</td></tr> </tbody> </table> ALTERNATE FLOW A1 (Visitor Not Signed In) <i>Branches from step 1.1 of the basic flow.</i> <table border="1"> <thead> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> </thead> <tbody> <tr> <td>1</td><td></td><td>1.1 System saves nothing and shows Sign in, keeping the visitor on the article.</td></tr> </tbody> </table> <i>The visitor may sign in under UC-5.1. The use case ends.</i> ALTERNATE FLOW A2 (Article Already Saved) <i>Branches from step 1.2 of the basic flow.</i> <table border="1"> <thead> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> </thead> <tbody> <tr> <td>1</td><td></td><td>1.1 System removes the article from the list (Remove from saved articles).</td></tr> </tbody> </table> <i>Resumes at step 2 of the basic flow.</i>		Step	Actor Action	System Response	1	Reader clicks the bookmark button (Save this article) on an article.	1.1 System checks whether the reader is signed in.			1.2 System checks whether the article is already saved.			1.3 System saves the article to the reader's list.	2	Reader clicks Saved in the top bar.	2.1 System lists the saved articles, newest first.	3	Reader clicks an article.	3.1 System opens it.	Step	Actor Action	System Response	1		1.1 System saves nothing and shows Sign in, keeping the visitor on the article.	Step	Actor Action	System Response	1		1.1 System removes the article from the list (Remove from saved articles).
Step	Actor Action	System Response																														
1	Reader clicks the bookmark button (Save this article) on an article.	1.1 System checks whether the reader is signed in.																														
		1.2 System checks whether the article is already saved.																														
		1.3 System saves the article to the reader's list.																														
2	Reader clicks Saved in the top bar.	2.1 System lists the saved articles, newest first.																														
3	Reader clicks an article.	3.1 System opens it.																														
Step	Actor Action	System Response																														
1		1.1 System saves nothing and shows Sign in, keeping the visitor on the article.																														
Step	Actor Action	System Response																														
1		1.1 System removes the article from the list (Remove from saved articles).																														

Use Case Name: Subscribe to BOSS Magazine

Use Case ID:	UC-4.3	
Author	Joshmar Clavero	
Purpose	Let a reader pay for a subscription with local payment methods, such as GCash, and gain subscriber access. This use case is designed and is not yet built in the prototype.	
Related Use Case	«include» UC-4.3.1 (Read Subscriber-Only Content)	
Priority	High	
Preconditions	• The reader is signed in with a free account	
Postconditions	• The payment is recorded and the reader holds the subscriber tier	
Actors	• Reader • Payment Gateway	
Flow of Actions	BASIC FLOW	
	Step	Actor Action
	1	Reader clicks Subscribe on the subscription notice.
	2	Reader picks a plan and clicks Continue to payment.
	3	Payment Gateway takes the payment through GCash or a card.
	4	Reader returns to BOSS Magazine.
ALTERNATE FLOW		
A1 (Checkout Abandoned)		
Branches from step 2.1 of the basic flow.		
Step	Actor Action	
1	Reader closes the checkout without paying.	

Step	Actor Action	System Response
1		1.1 System grants nothing again, ignores a duplicate, and alerts an administrator to a confirmation that is not genuine.
<i>The use case ends.</i>		
EXCEPTION FLOW		
E2 (Payment Declined)		
<i>Branches from step 3.3 of the basic flow.</i>		
Step	Actor Action	System Response
1		1.1 System grants nothing and states that the payment was not completed.
2	Reader tries again with other payment details.	
<i>Resumes at step 2 of the basic flow.</i>		

Use Case Name: Read Subscriber-Only Content

Use Case ID:	UC-4.3.1		
Author	Joshmar Clavero		
Purpose	Let a subscriber read the full digital edition of an issue in the flipbook reader, or download it.		
Related Use Case	Included by UC-4.3 (Subscribe to BOSS Magazine)		
Priority	High		
Preconditions	• The person is signed in as a subscriber or a staff member		
Postconditions	• The subscriber has read or downloaded the edition		
Actors	• Subscriber		
Flow of Actions	<i>BASIC FLOW</i>		
	Step	Actor Action	System Response
	1	Subscriber clicks Magazines in the top bar.	1.1 System shows All Issues, with each cover.
	2	Subscriber clicks an issue.	2.1 System opens the issue's page with In this issue, Read this issue and Download the edition.
			2.2 System checks that an approved edition exists.
	3	Subscriber clicks Read this issue.	3.1 System checks that the person is a subscriber or a staff member.

		3.2 System opens the flipbook at page one, through a private link that expires after 15 minutes.
4	Subscriber turns pages with < and >, zooms with – and +, and picks a page-turn style under Aa: None, Subtle or Page turn.	4.1 System turns the pages and remembers the chosen style.
5	Subscriber clicks × to close the reader.	5.1 System returns to the issue's page.
ALTERNATE FLOW A2 (No Edition for the Issue) <i>Branches from step 2.2 of the basic flow.</i>		
Step	Actor Action	System Response
1		1.1 System states that no digital edition is available and keeps the issue's articles readable.
<i>The use case ends.</i>		
ALTERNATE FLOW A3 (Edition Downloaded) <i>Branches from step 2.2 of the basic flow.</i>		
Step	Actor Action	System Response
1	Subscriber clicks Download the edition.	1.1 System checks access and downloads the PDF through a private link.
<i>The use case ends.</i>		
ALTERNATE FLOW A1 (Reduced Motion Requested) <i>Branches from step 3.2 of the basic flow.</i>		
Step	Actor Action	System Response
1		1.1 System sets the page-turn style to None, so pages change without animation.
<i>Resumes at step 4 of the basic flow.</i>		
EXCEPTION FLOW E1 (Reader Not a Subscriber) <i>Branches from step 3.1 of the basic flow.</i>		
Step	Actor Action	System Response
1		1.1 System refuses, opens no edition, and shows Sign in.
<i>The use case ends.</i>		

Use Case Name: Manage a Subscription

Use Case ID:	UC-4.4
---------------------	--------

Author	Joshua Concepcion		
Purpose	Let a subscriber see their plan, change their payment method, or cancel. This use case is designed and is not yet built in the prototype.		
Related Use Case	None		
Priority	Medium		
Preconditions	• The person is signed in with an active subscription		
Postconditions	• The payment method is updated, or the subscription ends at the close of the paid period		
Actors	• Subscriber • Payment Gateway		
Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	Subscriber clicks their name and picture, then Subscription.	1.1 System shows the plan, the renewal date and the payment method.
	2	Subscriber clicks Cancel subscription.	2.1 System states the date access continues to and asks the subscriber to confirm.
	3	Subscriber clicks Confirm cancellation.	3.1 System sends the cancellation to the Payment Gateway.
	4	Payment Gateway cancels the plan at the end of the paid period.	4.1 System records when access ends, and returns the reader to the free tier on that date.
	ALTERNATE FLOW		
	A1 (Payment Method Updated)		
	<i>Branches from step 1.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1	Subscriber clicks Update payment method.	1.1 System opens the Payment Gateway's billing page.
	2	Payment Gateway saves the new payment method.	2.1 System shows the updated method.
	<i>The use case ends.</i>		
	ALTERNATE FLOW		
	A2 (Cancellation Not Confirmed)		
	<i>Branches from step 2.1 of the basic flow.</i>		
	Step	Actor Action	System Response
1	Subscriber clicks Keep subscription.	1.1 System changes nothing.	
<i>The use case ends.</i>			

Module 5 — Accounts and Platform Administration

Getting into the system, looking after your own account, and looking after everybody else's.

Use Case Name: Register and Authenticate

Use Case ID:	UC-5.1																									
Author	Rei Khalil S. Galido																									
Purpose	Let a reader create an account, and let every user sign in to the part of NOVUS their role uses.																									
Related Use Case	Extended by UC-5.2.1 (Change Password) and UC-5.2.2 (Recover a Forgotten Password)																									
Priority	High																									
Preconditions	The user can reach the BOSS Magazine site or the staff sign-in page																									
Postconditions	A reader account exists with its consent recorded, or the user is signed in																									
Actors	- Anonymous Visitor - Reader - Staff Member																									
Flow of Actions	BASIC FLOW <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>User opens the sign-in page: Sign in in the top bar for readers, or the staff sign-in page for staff.</td><td>1.1 System shows the email and password fields.</td></tr> <tr> <td>2</td><td>User types their email address and password and clicks Sign in.</td><td>2.1 System checks that there have been no more than 5 attempts on this account in the last minute.</td></tr> <tr> <td></td><td></td><td>2.2 System checks the email and password.</td></tr> <tr> <td></td><td></td><td>2.3 System checks that the account is not suspended.</td></tr> <tr> <td></td><td></td><td>2.4 System checks that the account belongs on this sign-in page.</td></tr> <tr> <td></td><td></td><td>2.5 System checks that the password has not expired and no reset is required.</td></tr> <tr> <td></td><td></td><td>2.6 System opens the session and shows the user's home: the magazine for readers, or the dashboard for staff.</td></tr> </table> ALTERNATE FLOW <i>A1 (New Reader Registers)</i> <i>Branches at the start of the use case.</i>		Step	Actor Action	System Response	1	User opens the sign-in page: Sign in in the top bar for readers, or the staff sign-in page for staff.	1.1 System shows the email and password fields.	2	User types their email address and password and clicks Sign in.	2.1 System checks that there have been no more than 5 attempts on this account in the last minute.			2.2 System checks the email and password.			2.3 System checks that the account is not suspended.			2.4 System checks that the account belongs on this sign-in page.			2.5 System checks that the password has not expired and no reset is required.			2.6 System opens the session and shows the user's home: the magazine for readers, or the dashboard for staff.
Step	Actor Action	System Response																								
1	User opens the sign-in page: Sign in in the top bar for readers, or the staff sign-in page for staff.	1.1 System shows the email and password fields.																								
2	User types their email address and password and clicks Sign in.	2.1 System checks that there have been no more than 5 attempts on this account in the last minute.																								
		2.2 System checks the email and password.																								
		2.3 System checks that the account is not suspended.																								
		2.4 System checks that the account belongs on this sign-in page.																								
		2.5 System checks that the password has not expired and no reset is required.																								
		2.6 System opens the session and shows the user's home: the magazine for readers, or the dashboard for staff.																								

Step	Actor Action	System Response
1	Visitor clicks Create account.	1.1 System opens the registration form with First name, Last name, Email and Password.
2	Visitor fills in the form, ticks "I have read and accept the Terms of Service and Privacy Policy", and clicks Create account.	2.1 System checks the details and that the email is not already used.
		2.2 System creates the reader account and records the consent.
Resumes at step 1 of the basic flow.		
ALTERNATE FLOW		
A3 (Address Already Registered)		
Branches from step 2.1 of alternate flow A1.		
Step	Actor Action	System Response
1		1.1 System refuses, shows what to correct, and offers Sign in instead.
Resumes at step 2 of alternate flow A1.		
ALTERNATE FLOW		
A2 (Wrong Sign-in Page)		
Branches from step 2.4 of the basic flow.		
Step	Actor Action	System Response
1		1.1 System ends the session and points to the right page: "Readers sign in on the public site", or the staff sign-in page for staff.
Resumes at step 1 of the basic flow.		
ALTERNATE FLOW		
A4 (Password Expired or Reset Required)		
Branches from step 2.5 of the basic flow.		
Step	Actor Action	System Response
1		1.1 System opens Change your password instead of the user's home.
The user changes the password under UC-5.2.1, alternate flow A1. The use case ends.		
EXCEPTION FLOW		
E3 (Too Many Attempts)		
Branches from step 2.1 of the basic flow.		
Step	Actor Action	System Response
1		1.1 System refuses without checking the password and shows "Too many attempts. Wait a moment before trying again."
2	User waits a minute.	

	<i>Resumes at step 2 of the basic flow.</i>	
	EXCEPTION FLOW	
	E1 (Credentials Not Recognised)	
	<i>Branches from step 2.2 of the basic flow.</i>	
	Step	Actor Action
	1	1.1 System shows "Those credentials were not recognised." without saying which field was wrong.
	<i>Resumes at step 2 of the basic flow.</i>	
	EXCEPTION FLOW	
	E2 (Account Suspended)	
	<i>Branches from step 2.3 of the basic flow.</i>	
	Step	Actor Action
	1	1.1 System refuses the sign-in and directs the user to an administrator.
	<i>The use case ends.</i>	

Use Case Name: Manage Own Account

Use Case ID:	UC-5.2													
Author	Roman Rico Albania													
Purpose	Let a user update their name and sign-in email.													
Related Use Case	Extended by UC-5.2.1 (Change Password)													
Priority	Medium													
Preconditions	The user is signed in													
Postconditions	The changes are saved, or nothing changes													
Actors	- Reader - Staff Member													
Flow of Actions	BASIC FLOW <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>User clicks their name and picture: at the bottom of the workspace sidebar for staff, or at the top right of the magazine for readers.</td><td>1.1 System opens Your account with First name, Last name, Email and Current password.</td></tr> <tr> <td>2</td><td>User changes their Email, types their Current password, and clicks Save changes.</td><td>2.1 System checks whether the email has changed.</td></tr> <tr> <td></td><td></td><td>2.2 System checks that the current password is correct and the new email is not used by another account.</td></tr> </table>		Step	Actor Action	System Response	1	User clicks their name and picture: at the bottom of the workspace sidebar for staff, or at the top right of the magazine for readers.	1.1 System opens Your account with First name, Last name, Email and Current password.	2	User changes their Email, types their Current password, and clicks Save changes.	2.1 System checks whether the email has changed.			2.2 System checks that the current password is correct and the new email is not used by another account.
Step	Actor Action	System Response												
1	User clicks their name and picture: at the bottom of the workspace sidebar for staff, or at the top right of the magazine for readers.	1.1 System opens Your account with First name, Last name, Email and Current password.												
2	User changes their Email, types their Current password, and clicks Save changes.	2.1 System checks whether the email has changed.												
		2.2 System checks that the current password is correct and the new email is not used by another account.												

		2.3 System saves the changes and shows "Your details have been updated."
--	--	--

ALTERNATE FLOW
A1 (Name Change Only)
Branches from step 2.1 of the basic flow.

Step	Actor Action	System Response
1		1.1 System saves the name without asking for the password and shows "Your details have been updated."

The use case ends.

ALTERNATE FLOW
A2 (Changes Discarded)
Branches from step 1.1 of the basic flow.

Step	Actor Action	System Response
1	User clicks Discard changes.	1.1 System restores the saved details.

The use case ends.

EXCEPTION FLOW
E1 (Password Incorrect or Email in Use)
Branches from step 2.2 of the basic flow.

Step	Actor Action	System Response
1		1.1 System shows "That password is not correct." or "An account already uses that email address." and saves nothing.

Resumes at step 2 of the basic flow.

ALTERNATE FLOW

Branches from step 2.1 of the basic flow.

The use case ends.

Branches from step 1.1 of the basic flow.

The use case ends.

Branches from step 2.2 of the basic flow.

Resumes at step 2 of the basic flow.

	• Staff Member	
Flow of Actions	BASIC FLOW	
	Step	Actor Action
		System Response
	1	User clicks their name and picture: at the bottom of the workspace sidebar for staff, or at the top right of the magazine for readers.
	2	User clicks Change your password.
	3	User types their current password, then the new password twice.
	4	User clicks Change password.
		1.1 System opens Your account.
		2.1 System opens Change your password with Current password, New password, Confirm new password and the password rules.
		3.1 System checks that the two new passwords match.
		4.1 System checks that there have been no more than 10 attempts in the last hour.
		4.2 System checks that the current password is correct.
		4.3 System checks that the new password is not one of the last 4.
		4.4 System checks the other rules: at least 8 characters, not common, not all numbers, not like the user's name or email.
		4.5 System saves the new password, adds it to the password history and restarts the 90-day period.
		4.6 System shows "Password changed. Taking you back..." and returns to Your account.
	ALTERNATE FLOW	
	A1 (Password Expired or Reset Required)	
	<i>Branches at the start of the use case.</i>	
	Step	Actor Action
		System Response
	1	User signs in with a password set more than 90 days ago, or after an administrator required a reset.
		1.1 System marks the account as needing a new password.
		1.2 System opens Change your password with the notice "Your password has expired, or an administrator has asked you to change it." and keeps the user there.
	<i>Resumes at step 3 of the basic flow.</i>	
	ALTERNATE FLOW	
	A2 (Sign Out Instead)	
	<i>Branches from step 1.2 of alternate flow A1.</i>	

Step	Actor Action	System Response
1	User clicks Sign out instead.	1.1 System signs the user out without changing the password.
The password must still be changed at the next sign-in. The use case ends.		
EXCEPTION FLOW		
E4 (New Passwords Do Not Match)		
Branches from step 3.1 of the basic flow.		
Step	Actor Action	System Response
1		1.1 System shows "The new passwords do not match." under Confirm new password.
Resumes at step 3 of the basic flow.		
EXCEPTION FLOW		
E5 (Too Many Attempts)		
Branches from step 4.1 of the basic flow.		
Step	Actor Action	System Response
1		1.1 System shows "Too many attempts. Wait a while before trying again." and saves nothing.
The use case ends.		
EXCEPTION FLOW		
E1 (Current Password Incorrect)		
Branches from step 4.2 of the basic flow.		
Step	Actor Action	System Response
1		1.1 System shows "That password is not correct." under Current password and saves nothing.
Resumes at step 3 of the basic flow.		
EXCEPTION FLOW		
E2 (Password Used Recently)		
Branches from step 4.3 of the basic flow.		
Step	Actor Action	System Response
1		1.1 System shows "You have used this password recently. Choose one that is not among your last 4 passwords." and saves nothing.
Resumes at step 3 of the basic flow.		
EXCEPTION FLOW		
E3 (Password Too Weak)		
Branches from step 4.4 of the basic flow.		

	Step	Actor Action	System Response
	1		1.1 System lists each rule the password breaks under New password and saves nothing.
<i>Resumes at step 3 of the basic flow.</i>			

Use Case Name: Recover a Forgotten Password

Use Case ID:	UC-5.2.2		
Author	Roman Rico Albania		
Purpose	Let a user who has forgotten their password set a new one through a link sent to their email. This use case is designed and is not yet built in the prototype.		
Related Use Case	«extend» UC-5.1 (Register and Authenticate)		
Priority	High		
Preconditions	• The user has an account and can open its email inbox		
Postconditions	• The new password is stored and recorded in the password history • The reset link can no longer be used		
Actors	• Reader • Staff Member • Email Service		
Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	User clicks Forgot your password? on the sign-in page.	1.1 System opens Reset your password with an Email field.
	2	User types their email address and clicks Send reset link.	2.1 System shows "If an account uses that address, we've sent a reset link." for every address, so it never reveals who has an account.
			2.2 System checks whether the address belongs to an account.
			2.3 System creates a single-use link that expires in 1 hour, stores it hashed, and asks the Email Service to send it.
	3	Email Service delivers the email to the user's inbox.	
	4	User opens the email and clicks Reset my password.	4.1 System checks that the link is genuine, unexpired and unused.
			4.2 System opens Choose a new password with New password and Confirm new password.

	5	User types the new password twice and clicks Save new password.	5.1 System checks the same rules as UC-5.2.1, including the last 4 passwords.
			5.2 System saves the password, adds it to the history, marks the link used and restarts the 90-day period.
			5.3 System opens the sign-in page with "Password updated. Sign in with your new password."
	ALTERNATE FLOW A1 (Address Not Registered) <i>Branches from step 2.2 of the basic flow.</i>		
	Step	Actor Action	System Response
	1		1.1 System sends no email; the user sees the same message as for a registered address.
	<i>The use case ends.</i>		
	EXCEPTION FLOW E1 (Link Expired or Already Used) <i>Branches from step 4.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1		1.1 System shows "This link has expired" and offers to send a new one.
	<i>Resumes at step 2 of the basic flow.</i>		
	EXCEPTION FLOW E2 (Password Used Recently or Too Weak) <i>Branches from step 5.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1		1.1 System shows the same messages as UC-5.2.1, exceptions E2 and E3, and saves nothing.
	<i>Resumes at step 5 of the basic flow.</i>		

Use Case Name: Administer User Accounts

Use Case ID:	UC-5.3
Author	Joshmar Clavero
Purpose	Let an administrator create staff accounts, change roles, suspend or restore accounts, require a password reset and grant subscriptions, through the administration site.
Related Use Case	None
Priority	High

Preconditions	• The person is signed in to the administration site as an administrator		
Postconditions	• The account change is saved and applies from the account's next request		
Actors	• Administrator		
Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	Administrator opens the administration site and clicks Users.	1.1 System lists the accounts with their email, name, role, and whether they are active, suspended or must reset their password.
	2	Administrator clicks an account's email address.	2.1 System opens the account with its Role and access settings and its reader profile.
	3	Administrator changes the Role, or ticks Is suspended or Must reset password, or sets the reader profile's Tier, and clicks Save.	3.1 System checks the change.
			3.2 System saves it and shows that the user was changed successfully.
	ALTERNATE FLOW		
	A3 (New Staff Account)		
	Branches from step 1.1 of the basic flow.		
	Step	Actor Action	System Response
	1	Administrator clicks Add user, fills in Email, First name, Last name, Role and the password twice, and clicks Save.	1.1 System creates the account.
	The use case ends.		
	ALTERNATE FLOW		
	A1 (Several Accounts at Once)		
	Branches from step 1.1 of the basic flow.		
Step	Actor Action	System Response	
1	Administrator ticks the accounts, picks Suspend selected accounts, Restore selected accounts or Require a password reset from Action, and clicks Go.	1.1 System applies the action and shows how many accounts changed.	
The use case ends.			
EXCEPTION FLOW			
E1 (Invalid Change)			
Branches from step 3.1 of the basic flow.			
Step	Actor Action	System Response	
1		1.1 System shows "Please correct the error below." beside the field and saves nothing.	
Resumes at step 3 of the basic flow.			

Use Case Name: Configure the Platform

Use Case ID:	UC-5.4																															
Author	Joshua Concepcion																															
Purpose	Let an administrator change the site's name, tagline, colour and page size, see the status of external services, and switch maintenance mode on or off.																															
Related Use Case	None																															
Priority	Medium																															
Preconditions	The person is signed in as an administrator																															
Postconditions	The settings apply without redeploying, or maintenance mode is on or off																															
Actors	Administrator																															
Flow of Actions	BASIC FLOW <table border="1"> <thead> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> </thead> <tbody> <tr> <td>1</td><td>Administrator clicks Settings in the workspace sidebar.</td><td>1.1 System opens the settings with Site, Integrations and Maintenance mode.</td></tr> <tr> <td>2</td><td>Administrator changes Site name, Tagline, Accent colour or Articles per page.</td><td>2.1 System checks the values.</td></tr> <tr> <td></td><td></td><td>2.2 System saves them and applies them without redeploying.</td></tr> </tbody> </table> ALTERNATE FLOW A1 (Maintenance Mode) <i>Branches from step 1.1 of the basic flow.</i> <table border="1"> <thead> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> </thead> <tbody> <tr> <td>1</td><td>Administrator types the Message shown to readers and clicks Enable maintenance.</td><td>1.1 System asks "Enable maintenance mode?"</td></tr> <tr> <td>2</td><td>Administrator clicks Enable maintenance in the question.</td><td>2.1 System shows the message to readers while staff keep working.</td></tr> <tr> <td>3</td><td>Administrator later clicks Bring site back online.</td><td>3.1 System restores public access.</td></tr> </tbody> </table> <i>The use case ends.</i> EXCEPTION FLOW E1 (Invalid Value) <i>Branches from step 2.1 of the basic flow.</i> <table border="1"> <thead> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> </thead> <tbody> <tr> <td>1</td><td></td><td>1.1 System names the invalid value and saves nothing.</td></tr> </tbody> </table> <i>Resumes at step 2 of the basic flow.</i>		Step	Actor Action	System Response	1	Administrator clicks Settings in the workspace sidebar.	1.1 System opens the settings with Site, Integrations and Maintenance mode.	2	Administrator changes Site name, Tagline, Accent colour or Articles per page.	2.1 System checks the values.			2.2 System saves them and applies them without redeploying.	Step	Actor Action	System Response	1	Administrator types the Message shown to readers and clicks Enable maintenance.	1.1 System asks "Enable maintenance mode?"	2	Administrator clicks Enable maintenance in the question.	2.1 System shows the message to readers while staff keep working.	3	Administrator later clicks Bring site back online.	3.1 System restores public access.	Step	Actor Action	System Response	1		1.1 System names the invalid value and saves nothing.
Step	Actor Action	System Response																														
1	Administrator clicks Settings in the workspace sidebar.	1.1 System opens the settings with Site, Integrations and Maintenance mode.																														
2	Administrator changes Site name, Tagline, Accent colour or Articles per page.	2.1 System checks the values.																														
		2.2 System saves them and applies them without redeploying.																														
Step	Actor Action	System Response																														
1	Administrator types the Message shown to readers and clicks Enable maintenance.	1.1 System asks "Enable maintenance mode?"																														
2	Administrator clicks Enable maintenance in the question.	2.1 System shows the message to readers while staff keep working.																														
3	Administrator later clicks Bring site back online.	3.1 System restores public access.																														
Step	Actor Action	System Response																														
1		1.1 System names the invalid value and saves nothing.																														