



NOVUS

Smart Editorial & Publishing Platform

AY 2026-2027

AUTHORS:

Rei Khalil S. Galido
Roman Rico B. Albania
Joshmar L. Clavero
Joshua Concepcion

CO-AUTHOR:

Felino Caldero III
Carl Dominique Bueno

CONTRIBUTES TO:

8 DECENT WORK AND
ECONOMIC GROWTH



9 INDUSTRY, INNOVATION
AND INFRASTRUCTURE



4 QUALITY
EDUCATION



17 PARTNERSHIPS
FOR THE GOALS



Table of Contents

Executive Summary	i
List of Figures	ii
List of Tables	iv
Introduction.....	1
Project Context.....	1
Statement of the Problem.....	1
Objectives	2
Significance of the Project	3
Scope and Limitations.....	3
Review of Related Literature / Systems.....	5
Technical Background	10
Current System.....	10
Proposed System.....	12
Project Feasibility	14
Requirements Analysis	15
Product Vision	15
Product Backlog / User Stories	16
Use Case Diagram.....	29
Use Case Full Description/Fully Dressed Use Case.....	29
Test Cases based on Fully Dressed Use Case	78
System Analysis and Design.....	105
System Context Diagram	105
Container Diagram.....	106
Component Diagram.....	107
Entity Relationship Diagram.....	108
Results and Discussion	110
Design Thinking Stages	110
Stage 1: Empathize	110
Stage 2: Define.....	121
Release Plan	122
Prototype	122
Use Classes and Characteristics	135
Conclusion	137

References.....	139
Appendices.....	142
Appendix A: Project Vision.....	142
Appendix B: Schedule	143
Appendix C: Product Roadmap	144
Appendix D: Team Meetings.....	145
Appendix E: Source Code.....	147

Executive Summary

This project presents NOVUS, a cloud-native, AI-assisted editorial and publishing platform developed to resolve critical operational bottlenecks and unlock digital revenue for independent media publications, specifically client partner BOSS Media Philippines Inc. (publishers of *BOSS Magazine PH*). Currently operating without dedicated digital infrastructure, the publication relies on fragmented consumer messaging applications (Facebook Messenger, Viber, Gmail) and manual workflows. This results in excessive editorial fatigue with the sole editor spending 31 to 40 hours per week handling 21 to 49 daily messages cascading publishing delays exceeding two weeks, zero organic search discoverability, and an inability to generate direct revenue from published content.

NOVUS addresses these challenges by making a publishing lifecycle into a unified, role-based platform. Built on a modular architecture utilizing Vue.js for the reactive web frontend and Django REST Framework for the backend API, the platform introduces four core capability pillars:

1. **Visual Pipeline Tracking:** A centralized workspace that replaces informal chat handoffs with real-time status tracking across all submission stages.
2. **AI-Assisted Editorial Assistant:** Claude AI API that evaluates submitted drafts and assigns an overall score from 0 to 100. Drafts must reach the passing mark of 70 to advance to the editor, aiming to cut the editor's active review time per article by at least half against a baseline measured in the pilot phase, while retaining a Human-in-the-Loop (HITL) override for editorial agency.
3. **Owned Reader Portal & Paywall:** A standalone public web application that frees the publication from total dependence on social media algorithms.
4. **Monetization Architecture:** Native integration with the PayMongo API to process localized e-wallet (GCash, Maya) and card payments for recurring reader subscriptions that unlock premium articles and digital issues.

With this NOVUS establishes an equitable working environment for newsroom staff while delivering the scalable infrastructure required for independent media survival. Developed across the Project-Based Learning (PBL) curriculum, the system's design, requirement specifications, UML/C4 modeling, database schemas, and high-fidelity wireframe prototypes are complete. Full software coding, API integration, testing, and production deployment will be executed in the final implementation phase (**MCSPROJ**).

List of Figures

Figure 1 Novus Project Lean Canvas	16
Figure 2 Use case diagram	29
Figure 3 Editorial Production	30
Figure 4 Issue Production and Publication	44
Figure 5 Editorial & Issue Oversight	54
Figure 6 Reader Engagement	59
Figure 7 Accounts Administration	66
Figure 8 UC-1.1: Commission an article	78
Figure 9 UC-1.2: Produce an Article	79
Figure 10 UC-1.2.1: Evaluate a Submitted Article	80
Figure 11 UC-1.3: Communicate About an Article	81
Figure 12 UC-1.3.1: Decide on a Submitted Article	82
Figure 13 UC-1.4: Correct an Editorial Decision	83
Figure 14 UC-1.5: Sign Off Editor-Authored Copy	84
Figure 15 UC-2.1: Schedule Articles into an Issue	85
Figure 16 UC-2.2: Produce a Magazine Layout	86
Figure 17 UC-2.3: Approve a Magazine Layout	87
Figure 18 UC-2.4: Close an Issue	88
Figure 19 UC-2.5: Publish an Issue	89
Figure 20 UC-2.6: Retire an Issue	90
Figure 21 UC-3.1: Review Publication Performance	91
Figure 22 UC-3.2: Monitor Editorial Progress	92
Figure 23 UC-3.3: Consult the Published Archive	93
Figure 24 UC-4.1: Read Published Content	94
Figure 25 UC-4.2: Save Articles for Later	95
Figure 26 UC-4.3: Subscribe to BOSS Magazine	96
Figure 27 UC-4.3.1: Read Subscriber-Only Content	97
Figure 28 UC-4.4: Manage a Subscription	98
Figure 29 UC-5.1: Register and Authenticate	99
Figure 30 UC-5.2: Manage Own Account	100
Figure 31 UC-5.2.1: Change Password	101
Figure 32 UC-5.2.2: Recover a Forgotten Password	102
Figure 33 UC-5.3: Administer User Accounts	103
Figure 34 UC-5.4: Configure the Platform	104
Figure 35 System Context Diagram	105
Figure 36 Container Diagram	106
Figure 37 Component Diagram Vue.js Web Application	107
Figure 38 Component Diagram Django API Application	108
Figure 39 Entity Relationship Diagram	109
Figure 40 Design Thinking Stage 1 Meeting with our Client	110
Figure 41 Empathy Map Editor	114
Figure 42 Empathy Map Writers	115
Figure 43 Empathy map Publisher	117
Figure 44 Empathy Map Graphic Designer	119
Figure 45 Log in Page	123
Figure 46 Writer Dashboard	123
Figure 47 Article Submission Form	124
Figure 48 Article Editor	124
Figure 49 Submission status view	125

Figure 50 Revisions Inbox	125
Figure 51 Editor Dashboard	126
Figure 52 Article Review Screen	126
Figure 53 Revision notes composer	127
Figure 54 Approval Screen	127
Figure 55 Deadline management panel	128
Figure 56 Pipeline Overview	128
Figure 57 Layout handoff screen	129
Figure 58 Layout submission	129
Figure 59 Publisher pipeline view	130
Figure 60 Publishing confirmation	130
Figure 61 User homepage	131
Figure 62 Article listing page	131
Figure 63 Article read review	132
Figure 64 Subscription page	132
Figure 65 Payment checkout	133
Figure 66 Storyboard AI pre-screening & Editors sprint board	134
Figure 67 Storyboard Graphic designer Submission & Writer Centralized drafting workspace	134
Figure 68 Storyboard Writer deadline tracking & Writer Revision notes	135
Figure 69 Project schedule	143
Figure 70 Project schedule II	143
Figure 71 Project Roadmap	144
Figure 72 Meeting with team adviser	145
Figure 73 Consultation of Deliverables with team adviser	145
Figure 74 Sprint review with team adviser	146
Figure 75 GitHub repository	147

List of Tables

Table I Comparison of Publishing Systems	7
Table II List of Processes in the Current System of BOSS Media Philippines Inc.	10
Table III SWOT Analysis of BOSS Media Philippines Inc.	11
Table IV Product Backlog	16
Table V Client Interviews	111
Table VI User classes and characteristics	135

Introduction

The media industry in the Philippines is undergoing a critical shift. As audiences move away from traditional media, independent publications face mounting pressure to modernize their operations or risk being left behind: between 2020 and 2026, weekly television news use fell from 66 percent to 42 percent, and newspaper readership declined from 22 percent to 10 percent [1].

Project Context

BOSS Media Philippines Inc., publisher of BOSS Magazine, aims to scale into a globally recognized Filipino media brand with a sustainable digital revenue model. To achieve this, the organization is developing Novus, a dual-purpose platform designed to solve current operational bottlenecks and drive future growth.

Currently, the core production workflow between the Publisher, Editor, Writers, and Graphic Designer is highly fragmented. The team faces several critical challenges:

- **Informal Channels:** Assignments, submissions, and design files are routed through disjointed platforms like Messenger, Viber, and Gmail.
- **Lack of Standardization:** There are no formal design or editorial briefs, deadline tracking systems, or centralized review hubs.
- **Zero Pipeline Visibility:** The Publisher relies entirely on manual updates from the Editor and lacks real-time oversight of the production process.

Novus will directly address these issues by providing a centralized internal system to standardize the editorial pipeline, alongside a public-facing platform to expand audience reach and monetize their digital content.

Statement of the Problem

BOSS Magazine PH is a comprehensive Filipino lifestyle publication — covering a broad spectrum of topics including fashion, culture, modern trends, business, and society — that currently operates without any dedicated digital infrastructure to support its editorial, publishing, or revenue functions.

I. Fragmented Editorial Workflow and Inability to Scale

The first and most critical problem is the absence of a centralized editorial workflow system, which directly limits the magazine's ability to scale. The sole editor of BOSS Magazine PH manually manages 10 or more article submissions per publishing cycle, receiving drafts through 4 or more different communication platforms including Messenger, Viber, and email simultaneously. This results in 21 to 49 work-related messages per day, forces the editor to spend 31 to 40 hours per week on editorial tasks, and leaves no traceable record of submission history, revision rounds, or approval decisions. Furthermore, as the writer roster grows, this editorial workload grows proportionally with no additional support — resulting in cascade publishing delays where one late article pushes back the entire issue, and a publishing cycle that regularly exceeds 2 weeks to complete.

II. Time-Consuming Manual Content Reviews

The second problem is the lack of an automated content review mechanism. Every article submitted by a writer goes directly to the editor for a full manual review — covering grammar, spelling, tone, brand voice, and structure — before any feedback is given. Because there is no first-pass automated review tool, the editor spends more than 2 hours per day writing and explaining revision notes, and an additional 1 to 2 hours chasing writers for follow-ups and resubmissions. Only 3 to 4 out of every 10 submitted articles require no revision, meaning the majority of submissions add significant manual labor to an already overloaded workflow.

III. No Dedicated Digital Platform or Organic Reach

The third problem is the lack of a functional and reliable public digital presence. While BOSS Magazine PH previously attempted to establish a website using a third-party builder (Webtulz), the platform proved unviable, difficult to maintain, and is currently non-functional. As a result, the magazine has been forced to revert to publishing exclusively through Facebook. This limits the magazine's reach to existing social media algorithms, provides no mechanism to attract new readership organically through search engines, and prevents the publication from being taken seriously as a professional media entity by brand partners or international audiences.

IV. Zero Direct Revenue Generation

The fourth problem is the complete absence of a revenue model. Despite producing consistent editorial content, BOSS Magazine PH generates zero direct revenue from its published output. There is no subscription system, no digital issue sales mechanism, and no paywall — meaning the magazine bears the full operational cost of production with no financial return from its readership.

Objectives

Main Objective

To develop NOVUS, a centralized, AI-assisted digital publishing platform that streamlines editorial operations and introduces a subscription model, enabling BOSS Magazine PH to become a self-sustaining media enterprise.

Specific Objectives

To ensure the system's operational success and feasibility, the development of Novus is guided by the following measurable targets:

1. **Workflow & Capacity:** To streamline the editorial process of BOSS Magazine PH by implementing a centralized pipeline system that can handle a minimum of 50 article submissions per month, ensuring all updates and progress are tracked and visible to the team in one place.
2. **Workload Reduction:** To reduce the editor's active review time per article by at least 50% through the use of an AI-assisted pre-screening feature, measured against a baseline recorded 45 minutes average.
3. **Portal Performance:** To develop a reader-facing website for BOSS Magazine PH, meeting standard web performance benchmarks upon launch achieving a good rating having an average of 85 across its core evaluation metrics
4. **Monetization Readiness:** Establish the technical foundation for future digital sales by integrating a payment gateway and successfully validating it through simulated test transactions in a sandbox environment.

Significance of the Project

Primary Beneficiaries

The implementation of Novus directly benefits the core production team and its audience. For the editor, AI-assisted reviews and a centralized dashboard eliminate hours of manual administration, allowing a shift toward high-value strategic editing. The publisher gains real-time pipeline visibility and enforces deadlines while unlocking a critical digital revenue model through subscriptions and sales. Writers transition from fragmented chat handoffs to a dedicated portal, where instant AI feedback on grammar and tone significantly accelerates the revision cycle. Finally, readers benefit from a professional standalone website that offers premium subscriptions, digital editions, and category browsing and search for content discovery.

Improvement to the Current Situation

Novus drastically improves the magazine's current operational, editorial, commercial, and reputational standing. Operationally, it replaces a delayed, manual publishing cycle with a structured, trackable workflow. Editorially, automated AI pre-checks raise the baseline quality of submissions, drastically reducing manual revision rounds. Commercially, the platform transforms a zero-revenue operation into a monetized business with active subscriptions and digital storefronts. Ultimately, Novus elevates BOSS Magazine PH from a social media presence to an authoritative, professional digital publication.

Sustainable Development Goal (SDG) Alignment

SDG 8 — Decent Work and Economic Growth. Novus directly contributes to SDG 8 by enabling BOSS Magazine PH to build a sustainable digital business model that supports the livelihoods of its editorial team, writers, and publisher. By introducing a subscription-based revenue stream, the platform creates a foundation for the magazine to compensate its contributors fairly and grow as a viable media enterprise. Additionally, by reducing the editor's unsustainable 31–40-hour editorial workload through automation, Novus promotes healthier and more equitable working conditions within the organization.

SDG 9 — Industry, Innovation, and Infrastructure. Novus also aligns with SDG 9 by building the digital infrastructure that BOSS Magazine PH currently lacks — transforming an informal, chat-based operation into a technology-enabled publishing system. The integration of AI-assisted editorial review and oversight by human editors represents a direct application of innovation to a real industry challenge, demonstrating how small independent publishers in the Philippines can leverage modern technology to operate at a level previously only accessible to large media organizations.

Scope and Limitations

Scope of Novus

The scope of Novus encompasses a comprehensive, role-based platform designed to manage the entire editorial and publication lifecycle. It features a dedicated writer portal with an integrated AI-assisted review system that automatically evaluates submissions for readability and grammar. This feeds into a centralized editorial dashboard equipped with structured revision management and approval workflows, effectively eliminating the need for external chat applications. For public engagement and monetization, the platform includes a streamlined web interface alongside a localized payment gateway to handle subscriptions to premium articles and digital issues. Additionally, an admin dashboard provides high-level overview on production workflows and revenue metrics.

Limitations of the Project

The current iteration of Novus delivers a focused, fully web-based editorial and publishing platform for a single publication, BOSS Magazine PH.

To keep delivery within the team's academic schedule and budget, the following boundaries apply to this release:

- **Payments** - Payment processing is validated through simulated transactions in the payment gateway's sandbox environment; live transactions depend on the client's merchant account approval. Digital issues are accessed through an active subscription, and one-time purchases of individual issues are deferred to a future release.
- **AI evaluation** - The AI pre-screening assesses grammar, readability, and structure against the passing mark of 70 for English-language copy. It does not detect AI-generated or plagiarized text. Automated authorship detectors are not yet reliable enough to justify penalizing a writer on their verdict alone, so authorship judgment remains with the Editor, who can consult each article's recorded history of submissions and revisions and exercise the Human-in-the-Loop override.
- **AI provider** - Evaluation uses a single AI provider reached through one internal service interface; usage monitoring covers that provider only.
- **Platform** - Novus is a responsive web application; no native mobile application is included. It serves one publication and is not designed for multiple tenants.
- **Production** - Physical printing, print distribution, and the design work itself remain outside the system; Novus manages only the submission, versioning, and approval of design files.

Review of Related Literature / Systems

This chapter reviews the research, industry reports, and existing platforms relevant to Novus: Smart Editorial and Publishing Platform. It is organized around the platform's principal design decisions — a structured editorial workflow, AI-assisted screening under human oversight, reader revenue through an owned platform, and a secure and accessible architecture — and closes with a comparison of Novus against the publishing systems a small Philippine publisher would otherwise adopt.

A. Editorial Workflow and Content Management Systems

The baseline targets for the Novus content pipeline — a scalable minimum of 50 articles per month, and at least a 50% reduction in the editor's active review time for each submitted article — are informed by documented trends in editorial efficiency. Cflow reports that 68% of content teams struggle with workflow inefficiencies, leading to a 30% drop in productivity [2], and that automating editorial processes can cut content turnaround time by up to 50% [2]. Amnet observes that where no defined workflow exists, projects depend on memory or disorganized chat threads, and that the absence of standardized workflow management causes significant turnaround delays [3] — the condition under which BOSS Media Philippines Inc. currently operates. Bastianello, Tomlinson, and Adamou's PubLink shows the alternative: a customized, sustainable workflow that moves manuscripts through structured formats to publication while fitting within limited budgets [4]. For managing that flow, Brechner presents Kanban as a method for making work visible and limiting work in progress [5], and a systematic review by Ahmad, Markkula, and Oivo identifies improved lead time, improved communication and coordination, and more consistent delivery among Kanban's main reported benefits [6]. Novus applies these principles by giving every article an explicit status — from assignment through drafting, assessment, review, revision, approval, and scheduling to publication — and by grouping each dashboard according to who can act on the work now, supported by a calendar of deadlines and release targets.

B. AI-Assisted Editorial Screening and Human Oversight

Recent research supports using a large language model as a first-pass evaluator of written work. Zheng et al. found that strong language models used as judges matched human preferences with over 80% agreement — the same level of agreement found between human evaluators themselves [7] — while also identifying systematic weaknesses in such judges, including position, verbosity, and self-enhancement biases [7]. Earlier work on automated essay scoring points the same way: in a national demonstration, automated scoring engines performed well on five of seven measures and approximated human raters on the remaining two [8]. The feasibility of assessing text quality automatically rests on findings that readers' judgments of readability can be predicted from measurable lexical, syntactic, and discourse features [9], and on a long tradition of formal readability measurement dating to Dale and Chall's formula [10].

Novus applies this research conservatively. Its AI evaluation service returns grammar and readability scores from 0 to 100, an overall score, and specific suggestions. The overall score places each submission in one of three verdicts: 70 and above passes to the editor; 40 to 69 returns to the writer with revision notes and quick fixes for mechanical errors such as spelling and agreement; and below 40 returns with guidance for

rework. Before any call is made, the platform checks that a draft is genuinely ready — rejecting placeholder text, unchanged resubmissions, and drafts below a minimum length — which prevents wasted assessments.

Because automated judgments carry known biases [7], the verdict is advisory rather than final. Research on automation shows that people tend toward complacency, meaning insufficient monitoring and verification of automated functions [11]. Novus counters this by requiring an editor who overrides a verdict to write a justification, which is recorded against the assessment; by showing editors exactly which AI-suggested fixes a writer accepted; and by reporting the override rate so the passing mark can be tuned against real editorial decisions. This design also reflects audience expectations. Across six countries, only 12% of people are comfortable with news made entirely by AI, rising to 21% with human oversight, 43% when a human leads with some AI help, and 62% for news made entirely by human journalists [12]. The 2024 Digital News Report likewise concluded that the public wants humans in the driving seat when publishers adopt AI [13]. In Novus, the AI assesses and suggests; it never writes the article, and its quick fixes are limited to mechanical corrections so that authorship remains the writer's.

C. Digital Media Sustainability and Owned Platform Strategy

Moving small independent publishers away from dependence on third-party social networks is a critical requirement for long-term viability, because reach on those platforms is volatile and outside the publisher's control. In the Philippines, the share of people using Facebook as a news source fell from 72% to 61% in a single year, an 11-point drop against a 4-point average across markets [13]. By 2026, social media and video networks had overtaken both television and news websites as sources of news [1], while direct and branded routes to news continued to lose ground [1]. A publisher that reaches its audience only through a platform's feed controls neither its visibility nor its reader relationship, which is why independent media are establishing owned platforms. On revenue, Deployteq reports that 80% of publishers are investing in subscription and membership models for stable, recurring income, with The Economist Group attributing more than 60% of its profits to subscription and reader revenue [14]. In the Philippines, local payment methods are central to that revenue: digital wallets, led by GCash, accounted for 41% of e-commerce transaction value in 2025 [15]. Novus is therefore designed to integrate PayMongo, a local gateway that supports these methods, rather than accepting cards alone. Automated billing also protects revenue once it is won: Recurly reports that automatically retrying failed payments recovered 73% of at-risk transactions and reduced average involuntary churn from 6% to 1% [16]. Finally, quality alone does not convert readers into subscribers — Hamari, Hanner, and Koivisto found that improving a freemium service had surprisingly little direct effect on premium purchases [17] — so Novus places checkout inside the reader portal and keeps the path from reading to subscribing short.

D. Related Systems

A small publisher seeking to replace chat-based operations would typically consider three established platforms.

WordPress is the most widely used content management system. Its core defines eight default post statuses, of which Draft and Pending Review are the only states before publication [18]. Multi-stage editorial

workflows therefore require additional plugins such as PublishPress Statuses, which add custom statuses on top of the two built-in ones [19].

Ghost is an open-source publishing platform with built-in memberships and paid subscriptions. Stripe is its only natively supported payment provider; other providers can be connected only through external services or its API [20].

Substack offers newsletters and paid subscriptions with no setup cost, but takes 10% of paid subscription revenue and relies on Stripe as its sole payment provider [21].

Table I Comparison of Publishing Systems

Capability	WordPress (core)	Ghost	Substack	Novus
Editorial stages before publication	Draft and Pending Review; more via plugins	Draft and publish, with roles	Draft and publish	Assignment through scheduling, with per-role queues
AI pre-screening with human override	Not built in	Not built in	Not built in	Built in, with recorded justifications
Magazine issues and layout approval	Not built in	Not built in	Not built in	Built in; publication requires an approved layout
Protected digital edition	Plugin-dependent	Not built in	Not built in	Flipbook served through short-lived signed links
Paid subscriptions	Plugin-dependent	Built in	Built in	Built in
Local e-wallet payments	Plugin-dependent	Through external tools	Not supported natively	Designed for PayMongo
Platform fee on subscriptions	Plugin-dependent	None	10%	None

Each platform addresses part of the problem. None combines a multi-role editorial pipeline, AI-assisted screening under human oversight, magazine issue production, and locally payable subscriptions in a single system. That combination is the gap Novus is designed to fill.

E. Modular Monolith Architectures

The modular monolith has emerged in recent literature as a middle ground between a traditional monolith and microservices: a single deployable application divided into modules with clear internal boundaries. Su and Li's review of industry practice concludes that it serves as an alternative to microservices and potentially as an intermediate step before a system migrates to them [22]. Novus adopts this approach in part. Its backend is a single Django service with one PostgreSQL database, organized into domain modules for accounts, editorial production, AI evaluation, issues and publishing, content delivery, design, notifications, messaging, reports, and platform settings. The most consequential responsibilities are reached through a single entry point each: all communication with the AI provider passes through one service module, all

notifications through one function, all publication rules through one publishing service, and every access decision on paid content through one entitlement check. Other modules still share models directly, and the boundaries are maintained by convention rather than enforced by tooling. This keeps the transactional simplicity of one codebase, which suits a small team, while isolating the components most likely to change or to be separated later — AI evaluation in particular, whose provider can be replaced without altering the editorial workflow.

F. Decoupled Web Frameworks

The integration of a reactive frontend built with Vue.js and a backend API built on Django REST Framework (DRF) follows the decoupled architecture common in modern full-stack development. Vue.js, through its Composition API and component-based model, provides a reactive user interface that communicates with DRF endpoints over HTTP. DRF supports this separation by exposing RESTful APIs with built-in authentication, serialization, and pagination [23], while cross-origin rules restrict requests to the platform's own frontend. The frontend and backend can therefore evolve independently, with Vue managing presentation concerns such as role-based views and client-side routing, and Django handling domain logic, persistence, and security. For Novus, this supports distinct public, subscriber, and editorial interfaces over a single API layer, ensuring consistent data access across all of them.

G. Security and Protected Content Delivery

The OWASP Top 10:2025 ranks broken access control as the most serious web application security risk, followed by security misconfiguration, and lists authentication failures among the ten most critical risks [24]. Novus addresses each. Every API endpoint checks the caller's role on the server, and the frontend's route guards serve only as a convenience, never as the security boundary. Sessions use JSON Web Tokens [25] that expire after one hour and are renewed through a separate token that rotates on each use. Sign-in attempts are limited to five per minute for each account, keyed on the account rather than the caller's network address, which cannot be trusted behind a proxy. All traffic is served over HTTPS with Strict Transport Security, cross-origin requests are accepted only from the platform's own frontend, and credentials for the database, storage, and external services are held in environment configuration rather than in code. Magazine editions — the product subscribers pay for — are held in a private storage bucket and delivered through presigned URLs, which grant a single operation on a specific object without issuing credentials [26]. Novus issues these links only after checking the reader's entitlement, and they expire after fifteen minutes; the same mechanism lets designers upload print-resolution editions directly from the browser to storage.

H. Accessibility and Data Privacy

Web Content Accessibility Guidelines (WCAG) 2.2 define how web content can be made accessible to people with disabilities [27]. Novus applies its practices across the reader portal and workspace: controls are operable by keyboard, including page navigation in the digital edition; form fields and icon-only buttons carry text labels for screen readers; and both the digital edition's page-turn effect and the sign-in page's animated background respect the operating system's reduced-motion preference. Personal data is processed in line with the Philippine Data Privacy Act of 2012 [28]. At registration, consent to the terms of use is

recorded separately from consent to marketing, and the platform collects only the information its functions require.

I. Synthesis

The literature establishes four points on which Novus is built. First, structured workflows with visible status reduce delays compared with coordination through chat [2]–[6]. Second, language models can approximate human judgment of writing quality well enough to serve as a first screen, but not well enough to act alone, which makes human oversight a requirement rather than an option [7], [8], [11]–[13]. Third, sustainable independent publishing depends on an owned platform, recurring reader revenue, and payment methods readers actually use [13]–[17]. Fourth, existing platforms each address part of this need, but none combines editorial production, AI-assisted screening under human control, magazine issue production, and locally payable subscriptions in one system [18]–[21]. Novus is designed to close that gap.

Technical Background

The current system of BOSS Media Philippines Inc. operates entirely without dedicated software or digital infrastructure. All editorial and publishing processes are carried out through a combination of consumer-grade communication applications and general-purpose productivity tools. The primary platforms in use include Facebook Messenger, Viber, WhatsApp, Gmail, and Google Docs, which serve simultaneously as briefing channels, submission inboxes, revision communication tools, and publication coordinators. No editorial management software, content management system, project tracking tool, or publishing platform has been formally implemented.

In terms of hardware, the team operates using personal computers and mobile devices owned by individual staff members and writers. There is no shared server, internal network, or cloud workspace dedicated to editorial operations. File storage and version control are handled informally through Google Drive folders and shared Google Docs links, with no naming convention, folder structure, or access control policy in place.

The graphic designer works using Canva and other design applications on personal devices, with no shared design system or file handoff protocol. The publisher manages the physical printing and social media distribution manually, coordinating through the same consumer messaging platforms used throughout the rest of the workflow.

Current System

Table 1 lists all current processes in the editorial and publishing workflow of BOSS Media Philippines Inc. Each process is identified by a unique process ID, a process name, and a description of how the process is currently performed. These processes were documented through direct data gathering with the Editor and Publisher and validated through the writer survey conducted in March 2026.

TABLE I.

Table II List of Processes in the Current System of BOSS Media Philippines Inc.

Process ID	Process Name	Process Details
P001	Topic Assignment	The Editor assigns a topic or story angle to a Writer through Facebook Messenger, Viber, Gmail, or a verbal conversation. No standardized brief template or deadline system is used.
P002	Article Writing	The Writer drafts the article using Google Docs or a notes application. The Writer determines formatting independently as no writing guide is provided.
P003	Article Submission	The Writer submits the completed article through the same fragmented communication channels used for the assignment. No centralized submission portal exists.
P004	Editorial Review	The Editor manually reviews the submitted article for grammar, tone, structure, and brand alignment. This takes one to two days per article, with 61 to 80 percent of submissions requiring at least one revision.

P005	Feedback & Revision	The Editor sends revision notes through private messaging. The Writer revises and resubmits within three to five days on average. This loop repeats for two to three rounds per article.
P006	Article Approval	The Editor approves the final version and informs the Writer through chat. Only three to four out of every ten articles are approved on the first submission.
P007	Layout Production	Approved articles are forwarded to the Graphic Designer through chat or email. The Graphic designer arranges the magazine layout with no formal design brief or file-sharing system.
P008	Layout Review	The completed layout is sent back to the Editor for a final check. Revision notes are relayed again through informal messaging.
P009	Publishing	Once the layout is confirmed, the Publisher receives the final files and manually publishes the issue to social media platforms and coordinates physical printing. No publishing schedule system is used.

SWOT Analysis

The SWOT analysis below evaluates the internal strengths and weaknesses of BOSS Media Philippines Inc. as an organization, as well as the external opportunities and threats it faces in the current Philippine media landscape. Each point is derived from the data gathering conducted with the editorial team and from the broader industry context established in the literature review.

TABLE II.

Table III SWOT Analysis of BOSS Media Philippines Inc.

Strengths	Weaknesses
• Established publication identity with a Filipino-focused editorial voice and brand • Dedicated and committed core team willing to improve the current workflow • Existing readership base on Facebook and Instagram • Content covers a broad range of topics increasing discoverability potential	• No centralized editorial workflow or project tracking system in place • Single editor handling 10+ articles per cycle with no automation support • 61–80% of articles require revision; only 3–4 out of 10 are approved on first submission • Zero direct revenue generation from published content • No formal publishing schedule; delays regularly exceed 2 weeks
Opportunities	Threats
• Filipino Facebook news reliance dropped 11 points in 2024, creating demand for owned platforms (Newman et al., 2024) • 80% of publishers globally are investing in subscription models as a primary revenue stream (Deployteq, 2024) • Commercial LLM APIs now make AI-assisted editorial review accessible to small publications • Growing Filipino internet penetration and mobile-first consumption opens wider digital audiences	• Continued reliance on Facebook risks further reach reduction as algorithm changes deprioritize media content • Growing competition from digital-native Filipino media brands with existing platforms and revenue models • AI-generated content flooding the media space raises audience trust concerns across all publications • Operational burnout risk — single editor handling a growing workload with no system support

Proposed System

A. Technical Background & Architecture

Novus is a cloud-native editorial management system deployed on a managed platform environment, with the application, its relational database, and its object storage provisioned as independent managed services rather than assembled on self-administered infrastructure.

The data layer consolidates what is conventionally a multi-store configuration into a single relational database holding transactional user data, active document states, and append-heavy audit records, using native structured-text fields in place of a separate document store. File assets reside outside the database in object storage under two access policies: article photography is publicly served and cached, while magazine editions are private and retrievable only through short-lived signed URLs. The paywall therefore governs the file itself rather than the link to it.

The system presents a single web frontend serving two distinct audiences — a public reader portal and an unlinked staff workspace — and rests on four feature pillars.

- **Visual Pipeline Tracking.** A role-aware dashboard replaces fragmented messaging channels, giving each participant centralized visibility of article state across the full submission-to-publication pipeline, with every transition recorded against the article.
- **Unified AI-Powered Editorial Assistant.** A single generative language model, constrained to structured output, performs grammatical assessment and editorial brief extraction in one pass, limiting token consumption and latency relative to sequential calls. The model is reached through one internal service interface, making the provider a replaceable dependency rather than an architectural commitment.
- **Targeted Notification Protocol.** A server-side email service carries transactional messages exclusively — assignments, deadlines, and state transitions — deliberately excluding digest and activity notifications, the class of message that drove the previous workflow into personal messaging apps.
- **Streamlined Payment Infrastructure.** Subscription access is handled through a single localised payment gateway covering domestic e-wallets and local cards, matched to the readership rather than to maximum coverage.

B. First Pass Review: Scoring Framework (Writer Side)

Before an article reaches an editor, it is pre-screened by the AI evaluation service, which returns a grammar score, a readability score and an overall score, each from 0 to 100, together with suggestions for improvement.

- **Pass (70 and above):** the article advances to editorial review.
- **Revise (40 to 69):** the article returns to the writer with revision notes and quick fixes for mechanical errors such as spelling and agreement. Accepting a fix does not change the score; the article is scored again when resubmitted.
- **Rewrite (below 40):** the article returns with guidance for rework and no quick fixes.

- **Readiness check:** drafts that are too short, contain placeholder text, or are unchanged since their last assessment are refused before any assessment is made.

Human-in-the-Loop (HITL) Override: editors may override a verdict to accommodate intentional stylistic choices. Every override requires a written justification, which is recorded, and the override rate is reported so the passing mark can be adjusted over time.

C. Contextual Narrative Analysis (Editor's Side)

Articles clearing the first pass trigger a background evaluation producing a private **Editor's Brief**, attached to the article record and visible only to editors and publishers. The writer receives the composite score; the brief is an editorial instrument rather than feedback to be actioned directly.

Hook and reader engagement. Examines the opening paragraphs for a clearly stated main point and an identifiable stake for the reader.

Story flow and logic. Traces structural coherence, flagging timeline jumps, absent background, and weak transitions between sections.

Targeted content extraction. Surfaces two artefacts for downstream use — the *Marketing Highlight*, a standalone sentence suitable for social distribution and design treatment, and the *Editorial Bottleneck*, the single passage most in need of human rewriting.

D. Change Management and User Training

To ensure platform adoption, the implementation includes:

- **Onboarding Session:** Live walkthrough demonstrations for all platform users.
- **Digital Handbook:** Reference documentation detailing submission formats and revision protocols.
- **Pilot Phase:** Running Novus alongside existing workflows for at least one issue prior to full migration.

E. Evidence Collection & Validation Framework

The platform evaluates its operational, financial, and technical objectives using a multi-tiered data-collection framework:

- **Time-in-Status Tracking:** Logs chronological duration per pipeline stage to quantify reductions in review times and measure publication throughput.
- **Training Effectiveness:** Tracks post-training user error rates to validate digital onboarding materials.
- **Automated Override Rate:** Monitors HITL override frequencies against legacy baseline approvals to calibrate pre-screening algorithms.
- **System Usability:** Uses standardized surveys to measure cognitive load reduction compared to disjointed legacy messaging apps.
- **Revenue vs. Cost Analysis:** Tracks subscription revenue against unified cloud hosting and API expenses to prove economic sustainability.

- **Technical Audits:** Executes automated web performance tests to verify SEO, accessibility, and speed benchmarks.

To develop and deploy Novus, we have selected technologies including:

- **Vercel:** A platform that supports seamless deployment and global hosting services for our Vue.js frontend, providing automatic edge-caching, continuous integration, and secure SSL.
- **Render:** A modern cloud platform utilized to host our Django backend API and managed PostgreSQL database, offering automated builds and scalable infrastructure without heavy operational overhead.
- **Cloudflare R2:** An S3-compatible object storage solution chosen for the cost-effective and highly available storage of dynamic website assets, article media, and user uploads.
- **Vue.js:** A progressive JavaScript framework selected for the frontend to manage dynamic client-side rendering, user interfaces, and role-based routing as a Single Page Application (SPA).
- **Django & Django REST Framework:** A high-level Python web framework chosen for the backend API to enforce centralized business logic, securely manage token-based authentication (SimpleJWT), and expose robust RESTful endpoints.
- **PostgreSQL (SQL):** An advanced relational database ideal for ensuring data integrity and storing core platform state, such as user profiles, editorial articles, and subscription ledgers.
- **PayMongo:** A unified payment gateway integrated to securely process localized e-wallet transactions and credit card subscriptions through a streamlined API.
- **Resend:** A developer-focused email service utilized to reliably construct and dispatch transactional communications, including system notifications and digital receipts.
- **Anthropic Claude API:** An advanced artificial intelligence engine integrated to evaluate editorial submissions and generate deterministic narrative briefs utilizing structured outputs.

Our tech stack choices prioritize solutions that enforce a secure, decoupled architecture, optimize the editorial workflow, and provide the essential scalability, performance, and maintainability required for a modern digital publication.

Project Feasibility

Operational Feasibility

The operational feasibility of the Novus platform is highly promising, as it directly resolves the critical pain points identified in recent stakeholder surveys. To address disjointed workflows and unclear timelines, the system introduces centralized editorial pipelines with automated draft status transitions, ensuring complete transparency for writers, editors, and managers. Furthermore, communication gaps and fragmented ideation are mitigated by embedding contextual editorial feedback and deterministic AI-generated scoring directly into the review process before human editors intervene. Finally, the shift to a cloud-native, browser-based workspace eliminates physical and operational friction, allowing the editorial team to collaborate seamlessly regardless of their location, operating system, or hardware limitations.

Economic Feasibility

From a financial perspective, the project demonstrates exceptional viability through its strategic reliance on cost-effective, modern infrastructure. The initial development and staging phases require zero upfront capital expenditure, leveraging the generous free tiers provided by Vercel, Cloudflare R2, Render, and Resend. As the platform transitions into a live production environment, the baseline operational expenditure remains highly predictable and remarkably low, starting at approximately PHP800 per month for managed compute and database hosting. Additionally, external integrations like PayMongo and the Anthropic Claude API utilize strict pay-as-you-go models, ensuring that infrastructure costs scale strictly in proportion to user adoption and subscription revenue generation, thereby securing a strong return on investment.

Technical Feasibility

The technical foundation of Novus is built upon stable, highly supported frameworks, ensuring a high degree of technical feasibility. By utilizing a decoupled architecture consisting of a Vue.js frontend and a Django REST Framework backend, the system guarantees a strict separation of concerns, which enhances both long-term maintainability and independent scaling. Data integrity is secured through PostgreSQL, which handles complex relational data—such as subscription ledgers and user profiles—while utilizing native JSON capabilities to store dynamic AI-generated briefs with ACID-compliant reliability. Furthermore, delegating specialized functions to established enterprise APIs drastically reduces custom development overhead and mitigates the risks associated with infrastructure maintenance.

Schedule Feasibility

The development of Novus is strategically phased across three academic terms under the Project-Based Learning curriculum, ensuring a modular and low-risk delivery:

- **Phase 1 (MNTSDEV):** Focuses on system design, requirement elicitation, and the development of the initial high-fidelity prototypes for the editorial dashboard.
- **Phase 2 (MSYSADD):** Dedicated to technical modeling, including UML diagrams and the architecture of the AI evaluation service and unified database schema.
- **Phase 3 (MCSPROJ):** Encompasses the final coding phase, unified API integration, rigorous system testing, and deployment to the production environment.

Requirements Analysis

Product Vision

The vision for Novus is to democratize professional-grade editorial infrastructure for independent publishers worldwide, transforming fragmented content production into a streamlined, high-output operation. By centralizing the editorial pipeline — from initial assignment to final approval — Novus aims to eliminate the administrative friction that typically stifles small-to-medium media houses. Through the integration of AI-assisted review systems, the platform empowers editorial teams to maintain rigorous standards without the need for massive human headcount, ensuring that even the smallest publications can produce polished, content at the speed of modern digital discourse.

Beyond operational efficiency, Novus envisions a future where creators reclaim control over their financial destiny through owned platforms and direct reader engagement. The mission is to move publishing away from total reliance on social media algorithms and toward a sustainable 'freemium' ecosystem that converts passive scrollers into invested subscribers. By providing a built-in, secure localized payment gateway and an owned, searchable reader portal, Novus equips publishers with the professional digital presence and monetization strategies required to turn a labor of love into a profitable international brand, ensuring the long-term survival and independence of diverse voices in the global media landscape.

Project Lean Canvas

The Lean Canvas summarizes the key strategic elements of Novus, including the identified problem, proposed solution, unique value proposition, unfair advantage, customer segments, key metrics, channels, cost structure, and revenue streams.

Problem - Editor manually reviews 10+ articles per cycle with no automation – single point of failure - No centralized system for submission, revision tracking, or deadline management - BOSS Magazine PH has no website and no revenue stream from its published content	Solution - AI-assisted first-pass review for grammar and readability - Centralized editorial dashboard for submissions, revisions, approvals, and deadline tracking - Public magazine website with subscription and digital issue sales	Unique Value Proposition - The only all-in-one editorial and publishing platform built for independent Filipino magazines - Manage writers, enforce deadlines, publish professionally, and earn from content without juggling chat threads	Unfair Advantage - Built on real validated client data – not hypothetical - First AI editorial system deployed in local independent PH magazine publishing - Direct client access enables fast iteration	Customer Segments - BOSS Magazine PH editor and publisher – primary users - Writers submitting content to the magazine - Filipino fashion and culture readers – subscribers and digital issue buyers
Existing Alternatives - Messenger, Viber, email for article submission and revision coordination - Google Docs for drafting with no submission or review system - The only platforms that highlight BOSS magazine's presence are Facebook, Instagram, and a non-operational WebToolz website. - No subscription or payment system – all content free	Key Metrics - Publishing cycle time reduced from 2+ weeks - Editor hours saved per week from 31-40 hours - Messages reduced from 21-49 - Number of active reader subscriptions - AI review accuracy - Revenue generated per publishing cycle	High Level Concept - Novus is Notion + Substack + AI Editor for independent Filipino magazine publishers - One platform from brief to publish to revenue	Channels - Direct deployment at BOSS Magazine PH as first live client - BOSS Magazine PH social media driving readers to the platform - Word of mouth in the local independent publishing community	Early Adopters - BOSS Magazine PH editor and publisher - Current BOSS Magazine PH writer roster - Existing BOSS Magazine PH social media followers who become first subscribers
Cost Structure - AI API Fees: Variable usage costs for LLM-powered editorial reviews - Cloud & Storage: Monthly costs for app hosting, databases, and digital media storage - Payment Processing: Transaction-based fees for subscriptions and digital sales. - Domain & Security: Fixed annual costs for the domain, SSL, and professional email.		Revenue Streams - Monthly reader subscriptions – recurring access to premium magazine content - Annual reader subscription plan – yearly rate - Single digital issue purchases – one-time buy per magazine issue - Future: platform licensing to other small publishers who adopt		

Figure 1 Novus Project Lean Canvas

Product Backlog / User Stories

TABLE VI.

Table IV Product Backlog

Persona	Story Title	User Story	Acceptance Criteria
Writer	Login and Role-Based Redirect	As a Writer, I want to log in and be automatically directed to my Writer Dashboard, so that I can access my	1. Writer opens Novus and lands on the Login / Role Landing screen.

		workspace without manual navigation.	2. Writer enters registered email and password, then taps “Log In.” 3. If invalid, system shows a pop-up “Incorrect email or password. Please try again.” Writer remains on the Login screen with the password field cleared. 4. If valid, system shows “Login Successful” and navigates to the Dashboard Redirect screen, confirming the role “Writer.” 5. System automatically navigates the Writer to the Writer Dashboard within 2 seconds — no further action is needed.
Writer	Viewing the Writer Dashboard	As a Writer, I want to see my active, in-revision, and approved articles as soon as I log in, so that I know what needs my attention.	1. On arrival, system displays three counters: Active, In Revision, Approved, and a task list of assigned/drafted articles with Title, Status Badge, and Deadline. 2. Writer taps “+ New Submission” → system navigates to a blank Article Submission Form. 3. Writer taps an existing “Drafting” article → system navigates to the Article Submission Form pre-filled with the saved draft. 4. Writer taps an article marked “Needs Revision” → system navigates to the Revision Notes Inbox. 5. No confirmation pop-up is required here since these are navigation-only actions.
Writer	Viewing the Pinned Assignment Brief	As a Writer, I want my assignment brief pinned to my writing screen, so that I always know the topic, word count, tone, and deadline without leaving the editor.	1. When the Article Submission Form opens for an assigned topic, system displays a collapsible “Assignment Brief” panel. 2. Panel shows Topic, Word Count Target, Tone, and Deadline as read-only fields. 3. Writer taps the collapse icon to show/hide the panel; it remains visible while scrolling the article body. 4. Writer cannot edit any field in the panel — tapping into it produces no cursor and saves no changes. 5. This panel persists through drafting, auto-save, and submission.

Writer	Drafting an Article with Cloud Auto-Save	As a Writer, I want my draft to save automatically in the cloud as I type, so that I never lose progress.	1. Writer enters Article Title, selects Category, enters Word Count, and types the body. 2. System auto-saves every 30 seconds of activity, or immediately after 3 seconds of typing pause. 3. On successful save, system shows “Saved to Cloud” near the top of the editor, fading after 2 seconds; Writer remains on the same screen. 4. If the network drops, system shows a persistent banner “Offline — changes will sync once reconnected” and keeps saving locally. 5. Once reconnected, system auto-syncs, briefly shows “Synced to Cloud” for 2 seconds; Writer remains on the same screen. 6. Writer may tap “Save Draft” manually at any time — same confirmation applies, no navigation change.
Writer	Submitting an Article for AI Pre-Screening	As a Writer, I want to submit my finished draft for automated review, so that I get an initial quality score before the Editor sees it.	1. Once drafting is complete, Writer taps “Submit for Review.” 2. System shows a confirmation pop-up “Submit this article for AI review? This will lock further edits until scoring is complete.” with Cancel / Confirm. 3. Writer taps “Cancel” → pop-up closes, Writer remains on the Article Submission Form, no status change. 4. Writer taps “Confirm” → system changes status to “In Review,” shows “Article submitted successfully,” and navigates to the AI Pre-Screen Result screen.
Writer	Viewing the AI Pre-Screen Result	As a Writer, I want to see my grammar and readability score right after submitting, so that I know whether my article advances or needs revision.	1. System displays the composite score out of 100 (Grammar + Readability breakdown) within 60 seconds of submission. 2. If score is 70 or higher, system shows “Your article passed pre-screening and has been sent to the Editor.” Writer taps “Continue” → returns to the Writer Dashboard. 3. If score is below 70%, system shows “Your article did not meet the minimum score and has been returned for revision.” Writer taps “Revise Now” → navigates to the Article Submission Form with

			flagged sentences highlighted, or taps “Later” → returns to the Writer Dashboard.
Writer	Tracking Submission Status	As a Writer, I want to track my article’s progress through the pipeline, so that I always know its stage without asking the Editor directly.	1. Writer taps “View Status” on a submitted article → opens the Submission Status View. 2. Screen shows a vertical tracker: Submitted → AI Review → Editor Review → Revision Requested → Approved → Published, with the current stage highlighted. 3. Writer taps “Back” → returns to the Writer Dashboard; no confirmation pop-up needed. 4. When the stage changes, system adds a notification badge; tapping it navigates directly to the relevant screen.
Writer	Responding to Revision Notes and Resubmitting	As a Writer, I want the Editor’s revision notes attached directly to my draft, so that feedback is clear and I can resubmit once I’ve made changes.	1. Writer opens the Revision Notes Inbox; system displays each comment beside its corresponding paragraph, with Editor name and timestamp. 2. Writer taps “View Full Article” → opens the Article Submission Form with the comments shown inline. 3. Writer edits the flagged sections; auto-save applies throughout. 4. Writer taps “Mark Resolved” on an addressed comment → system shows “Marked as Resolved” and collapses that comment; Writer remains on the same screen. 5. Once all comments are resolved, Writer taps “Submit Revised Draft.” 6. System shows a confirmation pop-up “Resubmit this article to the Editor?” with Cancel / Confirm. 7. Writer taps “Confirm” → system shows “Revised article resubmitted successfully,” changes status to “In Review,” and navigates the Writer back to the Writer Dashboard.
Writer	Receiving Deadline Reminders	As a Writer, I want visual and automated reminders for my due dates, so that I don’t miss the deadline.	1. On the Writer Dashboard, each active article shows a color-coded deadline badge: Yellow (< 48 hrs), Red (< 24 hrs). 2. System automatically sends an email reminder 24 hours before the deadline.

			3. System sends an in-app notification 1 hour before the deadline; tapping it navigates directly to the Article Submission Form. 4. If the deadline passes without submission, system flags the article “Overdue” and moves it to the top of the task list.
Editor	AI Pre-Screening Engine	As an editor, I want the system to check articles before I read them, so I only spend time on good submissions.	1. Writer sends in an article. 2. The system scores grammar and readability from 0 to 100. 3. Verdict: pass (70+), revise (40–69), or rewrite (below 40). 4. Articles below 70 are returned to the writer. 5. The editor gets a simple report of what was flagged. 6. The editor can accept a returned article with a short explanation.
Editor	Sprint Board	As an editor, I want to see all articles and where they are in the process, so I always know what is going on.	1. Editor opens the board. 2. The board shows all articles sorted by their current stage. 3. Each article shows the title, the writer, and the due date. 4. Editor can move articles from one stage to another. 5. Editor can search or filter articles by writer or due date.
Editor	Approvals and Rejections	As an editor, I want to approve or send back an article with one click, so the process is quick and easy to track.	1. Editor finishes reading an article. 2. Editor clicks Approve to mark it as done and lock it from further changes. 3. Or, editor clicks Send Back to return it to the writer for changes. 4. Editor writes a short note explaining what needs to be fixed. 5. The system saves a record of what was decided and when.
Editor	Reassignment and Priority	As an editor, I want to move an article to a different writer or mark it as urgent, so nothing gets stuck or delayed.	1. Editor opens an article. 2. Editor picks a different writer from the list to take over. 3. The new writer gets notified right away.

			4. Editor can mark the article as urgent so it stands out. 5. The change is saved so everyone can see what happened.
Graphic designer	File Submission	As a graphic designer, I want a place to upload my work, so it is always connected to the right article.	1. Graphic designer opens the upload page. 2. Graphic designer chooses which article the files belong to. 3. Graphic designer uploads the image or layout files. 4. The system confirms the upload was successful. 5. The editor gets notified that new files are ready to review.
Graphic designer	File Versions	As a graphic designer, I want to upload updated versions of my work without losing the old ones, so the editor can see the changes clearly.	1. Graphic designer uploads a new version of a file. 2. The system keeps the old version and saves the new one separately. 3. Both the graphic designer and editor can view all versions. 4. The editor can leave feedback on any version. 5. The Graphic designer marks one version as the final one when ready.
Publisher	Publishing and Deadlines	As a publisher, I want to set issue deadlines and batch-publish approved articles, so that I can automatically release complete issues without manual publishing errors.	1. Publisher opens 'Issue Management', selects a target release date via datetime picker, and clicks 'Save', which updates the global issue release date and syncs the countdown timer across all user dashboards. 2. Clicking 'Publish Issue' triggers an automated system check on all linked articles; if any article is in 'Draft' or 'Review' status, the system aborts execution and displays an error modal listing the unapproved articles. 3. When all articles are in 'Approved' status, confirming the prompt executes a database batch update setting all article statuses to 'Published' and populating published timestamps simultaneously. 4. Upon completion, the system updates the issue status to 'Live', displays a success modal with the total count of published articles, and provides a direct public preview link.

Publisher	Financial and Subscription Dashboard	As a publisher, I want a real-time revenue and subscription dashboard, so that I can track Monthly Recurrent Revenue (MRR) and platform monetization trends.	1. Upon loading the financial dashboard, the system queries backend APIs to display core summary metrics: Total Active Subscribers, Current MRR, and Recent Transactions. 2. Selecting a date filter ('Weekly', 'Monthly', or 'Yearly') issues an API query that dynamically re-renders the 12-month subscriber growth chart and transaction table without a full page reload. 3. When payment channel triggers a 'charge.paid' or 'subscription.created' webhook, the server validates the payload signature, records the transaction, and pushes dynamic updates to the dashboard view within 3 seconds. 4. System automatically aggregates daily subscription totals every 24 hours at 00:00 UTC to maintain rapid query speeds for historical data.
Publisher	Editorial Workflow and Assignment Tracking	As a publisher, I want to assign articles to specific editors and set section deadlines, so that I can manage staff workload and ensure balanced issue coverage.	1. Publisher opens 'Editorial Workspace', views unassigned draft submissions and selects an assigned Editor from a dropdown menu. 2. System updates the article assignment record, changes status to 'In Review', and sends an automated notification to the designated Editor's dashboard. 3. Publisher sets individual section deadlines (e.g., Feature, News, Opinion), which automatically calculates and displays workload progress bars across all active team members. 4. Publisher receives a real-time status alert if any assigned article remains untouched within 24 hours of its section deadline.
Admin	Role-Based Access Control (RBAC)	As an Admin, I will first log in using my administrator account. After successfully logging in, I will click User Management from the dashboard menu to open the user management screen. I will select a user from the list, then click Edit Role to change the user's role (Writer, Editor, or Publisher etc.) or click Suspend Account if necessary. After clicking Save or Confirm, I want the system to immediately update the user's permissions so they can only	1. Admin can log in and access the User Management page. 2. Admin can create, edit, suspend, and reactivate user accounts. 3. Admin can assign or change a user's role (Writer, Editor, Publisher). 4. Users immediately receive their updated permissions without logging out. 5. A confirmation dialog appears before suspending an account.

		access the menus and features assigned to their role.	6. After saving changes, a success notification (e.g., User role updated successfully.) appears. 7. The system remains on the User Management page and automatically refreshes the user list. 8. Every account creation, role update, suspension, or reactivation is recorded in the audit log.
Admin	API Token Monitoring	As an Admin, I will log in and open the Admin Dashboard. I will click the API Monitoring menu to view the API usage screen. I want to see the total API requests, monthly usage, estimated cost, and remaining quota for each AI service. If usage approaches the monthly limit, I want the system to notify me so I can take action before exceeding the budget.	1. Admin can open the API Monitoring page from the dashboard. 2. Dashboard displays total API requests, remaining quota, monthly usage percentage, and estimated cost. 3. API usage is grouped by service (e.g., article scoring, editor's brief). 4. When usage reaches 90% of the monthly limit, a warning notification is displayed. 5. When usage exceeds the limit, an alert notification appears on the dashboard. 6. Dashboard data refreshes automatically or through a Refresh button. 7. If the page refreshes successfully, a notification confirms that the latest data has been loaded.
Admin	Global Settings and Maintenance	As an Admin, I will log in and open the Settings menu from the dashboard. I will select Global Settings to access the maintenance settings screen. I will enable or disable Maintenance Mode using a toggle switch or schedule a start and end time for automatic activation. After saving the changes, I want the website to immediately display the maintenance page to public visitors while allowing internal users to continue accessing the system.	1. Admin can open the Global Settings page. 2. Admin can enable or disable Maintenance Mode using a toggle switch. 3. Admin can schedule automatic start and end times for maintenance. 4. A confirmation dialog appears before enabling Maintenance Mode. 5. After clicking Save, a success notification (e.g., Maintenance settings saved successfully.) is displayed. 6. Public users immediately see the "Coming Soon" page when maintenance is active. 7. Internal users (Writers, Editors, Publishers) can still log in and access the backend.

			8. After saving, the system stays on the Global Settings page and displays the updated configuration.
Reader	Landing on the Public Homepage	As a Reader, I want a clear homepage when I visit the site, so that I can immediately see featured and recent content.	1. Reader navigates to the BOSS Magazine PH website URL. 2. System loads the Homepage: hero article banner, category navigation bar, and a grid of latest articles. 3. No login is required to view this screen. 4. Reader taps a category → proceeds to the Article Listing Page, or taps an article → proceeds to the Single Article View, or taps the language toggle.
Reader	Browsing Articles by Category	As a Reader, I want to filter articles by category, so that I can find content relevant to my interests.	1. Reader taps a category tag from the Homepage or nav bar. 2. System navigates to the Article Listing Page, showing only articles tagged with that category. 3. Reader may type a keyword into the search bar; system filters results in real time and shows “No results found” if nothing matches. 4. Reader taps an article card → proceeds to the Single Article View, or taps “Back” → returns to the Homepage with scroll position preserved.
Reader	Reading an Article and Encountering the Paywall	As a Reader, I want to read an article’s content and be clearly told if it requires a subscription, so that I understand what’s free versus paid.	1. Reader taps an article card from the Homepage or Article Listing Page. 2. System navigates to the Single Article View and renders the headline, byline, and body. 3. If the article is free-tier, the full body renders with no interruption. 4. If the article is premium, system renders the headline and first two paragraphs, blurs the rest, and shows a “Subscribe to read the full article” button. 5. Reader taps “Subscribe” → proceeds to the Subscription Page, or taps “Back” → returns to the previous screen with no state change.
Reader	Registering for an Account	As a Reader, I want to create an account, so that I can proceed to subscribe for premium access.	1. Reader taps “Register” from the nav bar or the paywall prompt.

			2. System navigates to the Registration screen with fields for Full Name, Email, and Password. 3. Reader fills in the fields and taps “Create Account.” 4. If any field is invalid, system shows inline error text and keeps the Reader on the Registration screen. 5. If valid, system shows “Account created successfully! Welcome to BOSS Magazine PH” and automatically logs the Reader in. 6. System navigates the Reader to the Subscription Page, since registration alone does not unlock paywalled content.
Reader	Selecting a Subscription Plan	As a Reader, I want to choose between a monthly or annual plan, so that I can pick what fits my budget.	1. Subscription Page shows two plan cards: “Monthly” and “Annual” (Annual marked “Best Value”). 2. Reader taps a plan card → system highlights it and updates the “Continue” button to reflect the chosen plan and price. 3. Reader taps “Continue” → system navigates to the Payment Checkout screen, carrying over the selected plan. 4. Reader may instead tap “Back” → returns to the previous screen with no charge and no confirmation pop-up.
Reader	Completing Payment and Becoming a Subscriber	As a Reader, I want to check out securely with my preferred payment method, so that I can unlock premium content immediately.	1. Reader selects a payment method (GCash, Maya, Credit Card, or Debit Card) and enters the required details. 2. Reader taps “Pay and Subscribe”; system processes the transaction through the payment gateway. 3. If payment fails, system shows “Payment unsuccessful. Please try again or use a different method.” Reader remains on the Checkout screen; sensitive card fields are cleared. 4. If payment succeeds, system shows “Payment successful! Your subscription is now active” and upgrades the account from Reader to Subscriber. 5. System sends a payment confirmation email with receipt and subscription details.

			6. System automatically navigates the newly upgraded Subscriber back to the article originally attempted, now fully unlocked.
Reader	Subscribing to the Email Newsletter	As a Reader, I want to opt into the email newsletter, so that I receive updates without checking the site manually.	1. Reader scrolls to the newsletter signup section on the Homepage or footer. 2. Reader enters an email address and taps "Subscribe to Newsletter." 3. If the email format is invalid, system shows inline error text and keeps the Reader on the same screen. 4. If valid, system shows "You're subscribed! Check your inbox for a welcome email." and the field updates to show "Subscribed."
Subscriber	Paywall Bypass	As a subscriber, I want my active account to instantly unlock premium articles, so that I can read paid content seamlessly across all my devices.	1. When a user visits a premium article in URL, backend middleware verifies their session token and checks their account subscription status. 2. If subscription status is 'Active', the server renders the complete article body with no blur overlays or truncation. 3. Authenticating with active subscriber credentials on any secondary device or browser immediately grants full reading permissions via session validation. 4. If status is 'Expired' or 'Unauthenticated', the system truncates text at 200 words, applies a blur overlay to the remaining text, and presents a 'Renew/Subscribe to Continue Reading' CTA.
Subscriber	Bookmark and Save	As a subscriber, I want to save specific articles into custom folders, so that I can organize and re-read them later from my profile.	1. Clicking the 'Save' icon on an article opens a selection popover displaying existing user folders and a '+ New Folder' input field. 2. Selecting a folder or creating a new one sends a POST request to save the record to the database, changing the save icon to an active filled state and showing a success toast. 3. Saved items populate under their corresponding folder categories in the 'My Library' tab on the profile page. 4. Clicking 'Remove' on a saved article issues a DELETE request, animating the item out of the DOM and immediately removing it from the user's library list.

Subscriber	Subscription Management	As a subscriber, I want to view my billing details and manage auto-renewal, so that I retain full control over my recurring payments.	1. Navigating to 'Account Settings > Billing' displays the current subscription tier, status ('Active', 'Past Due', or 'Canceled'), and next renewal date. 2. Clicking 'Cancel Subscription' opens a retention prompt offering alternative choices ('Keep My Subscription' or 'Proceed to Cancel'). 3. Selecting 'Proceed to Cancel' and confirming sends an API request to payment channel to disable recurring auto-renewal for the account. 4. Account status updates to 'Pending Cancellation', premium access remains active until the end of the current billing cycle, and an automated confirmation email is sent with the exact access expiration date.
All Roles (System-Wide)	Forgot Password Recovery	As a registered user (any internal role or Subscriber), I want to reset my password if I forget it, so that I can regain access without contacting support.	1. On the Login screen, the user taps "Forgot Password?" 2. System navigates to the Password Reset Request screen with an Email field. 3. User enters their registered email and taps "Send Reset Link." 4. If the email is not found, system shows a pop-up "No account found with this email." User remains on the same screen. 5. If found, system shows a confirmation pop-up "Reset link sent. Please check your email." and navigates the user back to the Login screen. 6. User opens the emailed link, which opens the New Password screen. 7. User enters and confirms a new password, then taps "Reset Password." 8. If the password is too weak, system shows inline error text and keeps the user on the same screen. 9. If valid, system shows a success pop-up "Password reset successfully. Please log in with your new password." and navigates the user to the Login screen.
All Roles (System-Wide)	Logging Out	As a logged-in user, I want to log out of my account, so that my session ends securely on shared or public devices.	1. From any authenticated screen, the user taps their profile icon, then taps "Log Out."

			2. System shows a confirmation pop-up “Are you sure you want to log out?” with Cancel / Confirm. 3. User taps “Cancel” → pop-up closes, user remains on the current screen. 4. User taps “Confirm” → system ends the session, shows “Logged out successfully,” and navigates the user to the Login / Role Landing screen.
All Roles (System-Wide)	Session Timeout Handling	As a logged-in user, I want to be notified if my session expires from inactivity, so that I understand why I was signed out and can log back in easily.	1. System monitors inactivity; after 30 minutes with no interaction, the session is flagged expired. 2. On the user’s next action, system intercepts it and shows a pop-up “Your session has expired. Please log in again.” 3. User taps “OK” → system navigates the user to the Login screen. 4. Once logged back in, system returns the user to the last screen they were viewing before the timeout, where possible.
All Roles (System-Wide)	Viewing In-App Notifications	As a logged-in user, I want a central place to see all my notifications, so that I don’t miss important status changes.	1. User taps the notification bell icon from any authenticated screen. 2. System opens a Notification Panel listing recent events, newest first, with unread items visually marked. 3. User taps a notification → system marks it read and navigates directly to the relevant screen. 4. User taps “Mark all as read” → system clears unread markers with a confirmation label; user remains on the panel. 5. User taps outside the panel or the close icon → panel closes; user remains on their current screen.

Use Case Diagrams and Fully Dressed Use Case




Figure 2 Use case diagram

A. Fully Dressed Use Cases




Figure 3 Editorial Production

Module 1 — Editorial Production

Commissioning an article, writing it, assessing it and reaching an editorial decision on it.

Use Case Name: Commission an Article

Use Case ID:	UC-1.1
Author	Rei Khalil S. Galido
Purpose	Allow an Editor to assign an article to a Writer with a brief and a deadline, so that every piece of work is recorded in the system from the start.
Related Use Case	None
Priority	High

Preconditions	• The Editor is signed in • At least one active Writer exists		
Postconditions	• The article exists in the Assigned state with its brief, category and deadline • The Writer is notified and sees the article under To write		
Actors	• Editor • Writer (recipient)		
Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	Editor clicks + Assign article on the Editor dashboard.	1.1 System opens the assignment form with the fields Topic / Headline, Angle / Brief, Writer, Category and Deadline.
			1.2 System lists the active writers in the Writer menu.
	2	Editor types the headline in Topic / Headline and the angle in Angle / Brief, picks a writer from Writer, picks a Category and sets the Deadline.	
	3	Editor clicks Assign to Writer.	3.1 System checks that a headline and a writer have been given.
			3.2 System asks "Assign this article?", naming the article and the writer.
	4	Editor clicks Assign.	4.1 System creates the article in the Assigned state with its brief, category and deadline.
			4.2 System notifies the writer.
	5	Writer opens the Writer dashboard.	5.1 System lists the article under To write, with its brief and deadline.
	ALTERNATE FLOW		
	A-VALID (Headline or Writer Missing)		
	Branches from step 3.1 of the basic flow.		
	Step	Actor Action	System Response
	1		1.1 System marks each missing field and does not continue.
	Resumes at step 2 of the basic flow.		
	ALTERNATE FLOW		
A1 (No Deadline Set)			
Branches from step 3.1 of the basic flow.			
Step	Actor Action	System Response	
1	Editor leaves Deadline empty.	1.1 System accepts the assignment, since a deadline is optional, and leaves	

			the article out of deadline tracking and the calendar until a deadline is added.
	Resumes at step 3.2 of the basic flow.		
	ALTERNATE FLOW		
	A2 (Assignment Cancelled)		
	Branches from step 3.2 of the basic flow.		
	Step	Actor Action	System Response
1	Editor clicks Cancel.	1.1 System closes the question and creates nothing.	
The use case ends.			

Use Case Name: Produce an Article

Use Case ID:	UC-1.2		
Author	Roman Rico Albania		
Purpose	Allow a Writer to draft an article in the composer and submit it for pre-screening and review.		
Related Use Case	«include» UC-1.2.1 (Evaluate a Submitted Article)		
Priority	High		
Preconditions	• The Writer is signed in • The article has been assigned, or the Writer starts their own draft		
Postconditions	• A version of the submitted draft is recorded • The article is assessed under UC-1.2.1 and routed by its verdict		
Actors	• Writer • Publisher (recipient, for an Editor's own article)		
Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	Writer clicks the article under To write on the Writer dashboard, or clicks + Draft article to start their own.	1.1 System opens the composer, with the brief shown under Your brief.
	2	Writer types the Headline and the Standfirst, then writes the article, using the toolbar for bold, italic, headings, lists and quotations.	2.1 System saves the work automatically and shows the save state.
	3	Writer clicks Details, picks a Category, adds a hero image with its Caption or credit, and clicks Save details.	3.1 System saves the details.
	4	Writer clicks Submit for review.	4.1 System checks that the draft is ready: long enough, free of placeholder

		text, with a headline and standfirst, and changed since its last assessment.
		4.2 System checks that the waiting time since the last assessment has passed.
		4.3 System saves a version of the draft.
		4.4 System shows "Pre-screening your submission" while the AI assesses it under UC-1.2.1.
		4.5 System shows the score and the verdict.
5	Writer clicks Back to dashboard.	5.1 System lists the article under With the editor.

ALTERNATE FLOW

A2 (No Photography Supplied)

Branches from step 2.1 of the basic flow.

Step	Actor Action	System Response
1	Writer leaves the hero image empty.	1.1 System shows "This article has none. It will run as text-only."

Resumes at step 4 of the basic flow.

ALTERNATE FLOW

A1 (Article Returned for Revision)

Branches from step 4.5 of the basic flow.

Step	Actor Action	System Response
1	Writer clicks View the notes.	1.1 System shows the revision notes beside the copy in the composer.
2	Writer revises the copy.	2.1 System saves the work automatically.

Resumes at step 4 of the basic flow.

ALTERNATE FLOW

A5 (Quick Fixes Applied)

Branches from step 1.1 of alternate flow A1.

Step	Actor Action	System Response
1	Writer clicks Apply on a quick fix.	1.1 System saves any unsaved edits and locks the editor while the fix is applied.
		1.2 System applies the fix to the saved copy and records the decision.
		1.3 System reloads the corrected copy and updates the count of fixes resolved. The score does not change until the article is assessed again.

	2	Writer clicks Dismiss on any fix they do not want.	2.1 System records the dismissal and leaves the copy unchanged.
	Resumes at step 2 of alternate flow A1.		
	ALTERNATE FLOW		
	A4 (Article Written by an Editor)		
	Branches from step 4.5 of the basic flow.		
	Step	Actor Action	System Response
	1		1.1 System adds the article to the Publisher's Needs sign-off list instead of an editor's review queue.
	2	Publisher opens Needs sign-off on the Publisher dashboard.	2.1 System lists the article for sign-off under UC-1.5.
	The use case ends.		
	EXCEPTION FLOW		
	E1 (Draft Not Ready)		
	Branches from step 4.1 of the basic flow.		
	Step	Actor Action	System Response
	1		1.1 System refuses the submission and lists every reason together.
	2	Writer corrects the draft.	2.1 System saves the changes.
	Resumes at step 4 of the basic flow.		
	EXCEPTION FLOW		
	E2 (Assessment Rate Limited)		
	Branches from step 4.2 of the basic flow.		
	Step	Actor Action	System Response
	1		1.1 System refuses the submission and states how many minutes remain. The wait is skipped once every quick fix has been applied or dismissed.
	2	Writer waits.	
	Resumes at step 4 of the basic flow.		

Use Case Name: Evaluate a Submitted Article

Use Case ID:	UC-1.2.1
Author	Roman Rico Albania
Purpose	Assess a submitted article for grammar and readability, and route it by its verdict: pass, revise or rewrite.
Related Use Case	Included by UC-1.2 (Produce an Article)

Priority	High																																					
Preconditions	• An article has been submitted under UC-1.2 • The draft has passed the readiness check																																					
Postconditions	• The assessment is stored with its scores, suggestions and quick fixes • The article is with the Editor, or back with the Writer, according to its verdict																																					
Actors	• Writer • AI Evaluation Service • Editor (recipient) • Publisher (recipient)																																					
Flow of Actions	<i>BASIC FLOW</i> <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>Writer clicks Submit for review under UC-1.2.</td><td>1.1 System builds the assessment request from the headline, standfirst and body.</td></tr> <tr> <td></td><td></td><td>1.2 System sends the request to the AI Evaluation Service.</td></tr> <tr> <td>2</td><td>AI Evaluation Service returns grammar, readability and overall scores, a summary, suggestions and quick fixes.</td><td>2.1 System checks that the reply is complete.</td></tr> <tr> <td></td><td></td><td>2.2 System stores the assessment, keeping only the quick fixes whose passage appears once in the copy.</td></tr> <tr> <td></td><td></td><td>2.3 System compares the overall score with the passing mark of 70 and finds it met.</td></tr> <tr> <td></td><td></td><td>2.4 System adds the article to the editor's Needs you list and notifies the editor.</td></tr> <tr> <td></td><td></td><td>2.5 System shows the writer "Passed pre-screening".</td></tr> <tr> <td>3</td><td>Editor opens Needs you on the Editor dashboard.</td><td>3.1 System shows the article with its score.</td></tr> </table> <i>ALTERNATE FLOW</i> <i>A3 (Malformed Assessment)</i> <i>Branches from step 2.1 of the basic flow.</i> <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td></td><td>1.1 System treats the assessment as not obtained and keeps the reply for diagnosis.</td></tr> <tr> <td></td><td></td><td>1.2 System shows the writer "Sent for manual review".</td></tr> </table>		Step	Actor Action	System Response	1	Writer clicks Submit for review under UC-1.2.	1.1 System builds the assessment request from the headline, standfirst and body.			1.2 System sends the request to the AI Evaluation Service.	2	AI Evaluation Service returns grammar, readability and overall scores, a summary, suggestions and quick fixes.	2.1 System checks that the reply is complete.			2.2 System stores the assessment, keeping only the quick fixes whose passage appears once in the copy.			2.3 System compares the overall score with the passing mark of 70 and finds it met.			2.4 System adds the article to the editor's Needs you list and notifies the editor.			2.5 System shows the writer "Passed pre-screening".	3	Editor opens Needs you on the Editor dashboard.	3.1 System shows the article with its score.	Step	Actor Action	System Response	1		1.1 System treats the assessment as not obtained and keeps the reply for diagnosis.			1.2 System shows the writer "Sent for manual review".
Step	Actor Action	System Response																																				
1	Writer clicks Submit for review under UC-1.2.	1.1 System builds the assessment request from the headline, standfirst and body.																																				
		1.2 System sends the request to the AI Evaluation Service.																																				
2	AI Evaluation Service returns grammar, readability and overall scores, a summary, suggestions and quick fixes.	2.1 System checks that the reply is complete.																																				
		2.2 System stores the assessment, keeping only the quick fixes whose passage appears once in the copy.																																				
		2.3 System compares the overall score with the passing mark of 70 and finds it met.																																				
		2.4 System adds the article to the editor's Needs you list and notifies the editor.																																				
		2.5 System shows the writer "Passed pre-screening".																																				
3	Editor opens Needs you on the Editor dashboard.	3.1 System shows the article with its score.																																				
Step	Actor Action	System Response																																				
1		1.1 System treats the assessment as not obtained and keeps the reply for diagnosis.																																				
		1.2 System shows the writer "Sent for manual review".																																				

Resumes at step 2.4 of the basic flow.

ALTERNATE FLOW

A2 (Rewrite: Below the Rewrite Mark)

Branches from step 2.3 of the basic flow.

Step	Actor Action	System Response
1		1.1 System records the suggestions as revision notes and keeps no quick fixes.
		1.2 System returns the article to its writer and shows "Needs rework".

The Writer reworks the draft under UC-1.2. The use case ends.

ALTERNATE FLOW

A1 (Revise: Between the Rewrite Mark and the Passing Mark)

Branches from step 2.3 of the basic flow.

Step	Actor Action	System Response
1		1.1 System records each suggestion as a revision note.
		1.2 System keeps the quick fixes and returns the article to its writer.
		1.3 System notifies the writer, stating how many quick fixes were suggested, and shows "Returned for revision".

The Writer revises under UC-1.2, alternate flows A1 and A5. The use case ends.

ALTERNATE FLOW

A4 (Editor-Authored Article Passes)

Branches from step 2.3 of the basic flow.

Step	Actor Action	System Response
1		1.1 System adds the article to the Publisher's Needs sign-off list and notifies the publisher.
2	Publisher opens Needs sign-off on the Publisher dashboard.	2.1 System lists the article with its assessment, for sign-off under UC-1.5.

The use case ends.

EXCEPTION FLOW

E1 (Service Unavailable or Credential Refused)

Branches from step 1.2 of the basic flow.

Step	Actor Action	System Response
1		1.1 System records no score, rather than a score of zero.

		1.2 System shows the writer "Sent for manual review" and sends the article to review without an assessment.
	<i>Resumes at step 2.4 of the basic flow.</i>	

Use Case Name: Communicate About an Article

Use Case ID:	UC-1.3																						
Author	Joshmar Clavero																						
Purpose	Allow the Writer and the Editor to discuss an article in a thread attached to it, rather than in a separate chat application.																						
Related Use Case	«extend» UC-1.3.1 (Decide on a Submitted Article)																						
Priority	Medium																						
Preconditions	- Both people are signed in - The article exists and both work on it																						
Postconditions	- The message is stored in the article's thread - The recipient is notified, unless they have muted message notices																						
Actors	- Writer or Editor (sender) - Writer or Editor (recipient)																						
Flow of Actions	BASIC FLOW <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>Sender opens the article: the composer for a writer, or the review screen for an editor.</td><td>1.1 System shows the message thread beside the article.</td></tr> <tr> <td>2</td><td>Sender types in Write a message... and clicks Send.</td><td>2.1 System records the message in the thread.</td></tr> <tr> <td></td><td></td><td>2.2 System notifies the recipient with a link that opens the article in their own view.</td></tr> <tr> <td>3</td><td>Recipient clicks the notification bell and clicks the notice.</td><td>3.1 System opens the article with the thread, showing the new message.</td></tr> </table> ALTERNATE FLOW A1 (Recipient Has Muted This Notice) <i>Branches from step 2.1 of the basic flow.</i> <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td></td><td>1.1 System sends no notice; the message waits in the thread.</td></tr> </table>		Step	Actor Action	System Response	1	Sender opens the article: the composer for a writer, or the review screen for an editor.	1.1 System shows the message thread beside the article.	2	Sender types in Write a message... and clicks Send.	2.1 System records the message in the thread.			2.2 System notifies the recipient with a link that opens the article in their own view.	3	Recipient clicks the notification bell and clicks the notice.	3.1 System opens the article with the thread, showing the new message.	Step	Actor Action	System Response	1		1.1 System sends no notice; the message waits in the thread.
Step	Actor Action	System Response																					
1	Sender opens the article: the composer for a writer, or the review screen for an editor.	1.1 System shows the message thread beside the article.																					
2	Sender types in Write a message... and clicks Send.	2.1 System records the message in the thread.																					
		2.2 System notifies the recipient with a link that opens the article in their own view.																					
3	Recipient clicks the notification bell and clicks the notice.	3.1 System opens the article with the thread, showing the new message.																					
Step	Actor Action	System Response																					
1		1.1 System sends no notice; the message waits in the thread.																					

	2	Recipient opens the article later.	2.1 System shows the message in the thread.
	<i>The use case ends.</i>		

Use Case Name: Decide on a Submitted Article

Use Case ID:	UC-1.3.1		
Author	Joshmar Clavero		
Purpose	Allow an Editor to read a submitted article with its assessment and decide on it: approve, request revisions, override the AI, or withdraw it.		
Related Use Case	Extended by UC-1.3 (Communicate About an Article)		
Priority	High		
Preconditions	• The Editor is signed in • The article is under review		
Postconditions	• The decision is recorded and the Writer is notified • Any override is recorded with its justification, the Editor and the time		
Actors	• Editor • Writer (recipient) • Publisher (recipient)		
Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	Editor clicks the article under Needs you on the Editor dashboard.	1.1 System opens the review screen with the copy, the AI assessment, any AI fixes the writer accepted, the version history and the message thread.
	2	Editor reads the copy and, if needed, replaces or captions photographs with + Add image, Replace and Caption or credit.	2.1 System saves any image changes.
	3	Editor clicks Approve.	3.1 System asks "Approve this article?".
	4	Editor clicks Approve in the question.	4.1 System checks that the article is still under review.
			4.2 System marks the article approved and notifies the writer.
	5	Writer opens the Writer dashboard.	5.1 System lists the article under Finished.

ALTERNATE FLOW**A4 (No Assessment Obtained)**

Branches from step 1.1 of the basic flow.

Step	Actor Action	System Response
1		1.1 System states that no assessment was obtained, so no override is needed.

Resumes at step 2 of the basic flow.

ALTERNATE FLOW**A1 (Revision Requested)**

Branches from step 2.1 of the basic flow.

Step	Actor Action	System Response
1	Editor clicks Request Revisions.	1.1 System opens the note composer, filled in from the AI suggestions where they exist.
2	Editor fills in each note's Section, type (Grammar, Tone, Structure or Factual), priority (Low, Medium or High) and instruction, uses + Add another note for more, and clicks Send to Writer.	2.1 System checks that at least one note has an instruction.
		2.2 System returns the article to the writer and notifies them.
3	Writer opens the article under To write.	3.1 System shows the notes beside the copy.

The Writer revises under UC-1.2. The use case ends.

ALTERNATE FLOW**A3 (Article Withdrawn)**

Branches from step 2.1 of the basic flow.

Step	Actor Action	System Response
1	Editor clicks Withdraw.	1.1 System asks "Why is this being withdrawn?".
2	Editor types the reason and clicks Confirm Withdrawal.	2.1 System removes the article from any issue and records the reason.
		2.2 System notifies the publisher if the issue was already closed.

The use case ends.

ALTERNATE FLOW**A2 (Assessment Overridden)**

Branches from step 2.1 of the basic flow.

Step	Actor Action	System Response
1	Editor clicks Override AI and Approve on an article the AI returned.	1.1 System opens "Override the pre-screening verdict" with an Editorial justification field.
2	Editor types why the article should run despite the score and clicks Override and approve.	2.1 System checks that the justification is at least 10 characters.
		2.2 System records the override with the justification, the editor and the time.
		2.3 System approves the article and notifies the writer.
<i>Resumes at step 5 of the basic flow.</i>		
ALTERNATE FLOW		
A5 (Approval Cancelled)		
<i>Branches from step 3.1 of the basic flow.</i>		
Step	Actor Action	System Response
1	Editor clicks Cancel.	1.1 System closes the question and changes nothing.
<i>Resumes at step 2 of the basic flow.</i>		
EXCEPTION FLOW		
E2 (Justification Too Short)		
<i>Branches from step 2.1 of alternate flow A2.</i>		
Step	Actor Action	System Response
1		1.1 System refuses the override and leaves the verdict unchanged.
<i>Resumes at step 2 of alternate flow A2.</i>		
EXCEPTION FLOW		
E1 (Article Not Under Review)		
<i>Branches from step 4.1 of the basic flow.</i>		
Step	Actor Action	System Response
1		1.1 System refuses the decision, names the article's actual state and changes nothing.
<i>The use case ends.</i>		

Use Case Name: Correct an Editorial Decision

Use Case ID:	UC-1.4
Author	Joshua Concepcion

Purpose	Allow an approval made in error to be pulled back into review, with a recorded reason.																															
Related Use Case	None																															
Priority	Medium																															
Preconditions	- The person is signed in as an Editor or the Publisher - The article is approved but not published																															
Postconditions	- The article is back under review, with the reason recorded - Where it was in an issue, it is removed and the issue's readiness is corrected - The Writer is notified																															
Actors	- Editor - Publisher - Writer (recipient)																															
Flow of Actions	BASIC FLOW <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>Editor clicks the article under Approved on the Editor dashboard.</td><td>1.1 System opens the review screen with Pull back into review.</td></tr> <tr> <td>2</td><td>Editor clicks Pull back into review.</td><td>2.1 System asks "Why is this coming back?".</td></tr> <tr> <td>3</td><td>Editor types the reason and clicks Pull back.</td><td>3.1 System checks that the reason is long enough.</td></tr> <tr> <td></td><td></td><td>3.2 System checks whether the article is in an issue.</td></tr> <tr> <td></td><td></td><td>3.3 System returns the article to review, records the reason and notifies the writer.</td></tr> <tr> <td>4</td><td>Writer opens the Writer dashboard.</td><td>4.1 System lists the article under With the editor.</td></tr> </table> ALTERNATE FLOW A1 (Article Already in an Issue) Branches from step 3.2 of the basic flow. <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td></td><td>1.1 System checks who is acting.</td></tr> <tr> <td>2</td><td></td><td>2.1 System removes the article from the issue and corrects the issue's readiness.</td></tr> </table> Resumes at step 3.3 of the basic flow. ALTERNATE FLOW A2 (Pull Back Cancelled) Branches from step 2.1 of the basic flow.		Step	Actor Action	System Response	1	Editor clicks the article under Approved on the Editor dashboard.	1.1 System opens the review screen with Pull back into review.	2	Editor clicks Pull back into review.	2.1 System asks "Why is this coming back?".	3	Editor types the reason and clicks Pull back.	3.1 System checks that the reason is long enough.			3.2 System checks whether the article is in an issue.			3.3 System returns the article to review, records the reason and notifies the writer.	4	Writer opens the Writer dashboard.	4.1 System lists the article under With the editor.	Step	Actor Action	System Response	1		1.1 System checks who is acting.	2		2.1 System removes the article from the issue and corrects the issue's readiness.
Step	Actor Action	System Response																														
1	Editor clicks the article under Approved on the Editor dashboard.	1.1 System opens the review screen with Pull back into review.																														
2	Editor clicks Pull back into review.	2.1 System asks "Why is this coming back?".																														
3	Editor types the reason and clicks Pull back.	3.1 System checks that the reason is long enough.																														
		3.2 System checks whether the article is in an issue.																														
		3.3 System returns the article to review, records the reason and notifies the writer.																														
4	Writer opens the Writer dashboard.	4.1 System lists the article under With the editor.																														
Step	Actor Action	System Response																														
1		1.1 System checks who is acting.																														
2		2.1 System removes the article from the issue and corrects the issue's readiness.																														

Step	Actor Action	System Response
1	Editor clicks Cancel.	1.1 System closes the reason field and changes nothing.
<i>The use case ends.</i>		
EXCEPTION FLOW		
E1 (Reason Absent)		
<i>Branches from step 3.1 of the basic flow.</i>		
Step	Actor Action	System Response
1		1.1 System asks for a fuller reason and changes nothing.
<i>Resumes at step 3 of the basic flow.</i>		
EXCEPTION FLOW		
E2 (Editor Acts on a Scheduled Article)		
<i>Branches from step 1.1 of alternate flow A1.</i>		
Step	Actor Action	System Response
1		1.1 System refuses and explains that the publisher must authorise removing an article from an issue.
<i>The use case ends.</i>		

Use Case Name: Sign Off Editor-Authored Copy

Use Case ID:	UC-1.5
Author	Joshua Concepcion
Purpose	Ensure that no one approves their own work: an article written by an Editor is signed off by the Publisher.
Related Use Case	None
Priority	Medium
Preconditions	- The Publisher is signed in - An article written by an Editor has passed pre-screening
Postconditions	- The article is approved, with the Publisher recorded as editor of record - The author is notified
Actors	- Publisher - Editor (author)
Flow of Actions	BASIC FLOW

Step	Actor Action	System Response
1	Publisher clicks Needs sign-off on the Publisher dashboard.	1.1 System lists the articles written by editors, with their scores.
2	Publisher clicks Read it on an article.	2.1 System shows the full article in a side panel.
3	Publisher clicks Sign off.	3.1 System asks "Sign off this article?".
4	Publisher clicks Sign off in the question.	4.1 System approves the article and records the publisher as editor of record.
		4.2 System notifies the author.
5	Editor opens the Editor dashboard.	5.1 System shows the article as approved.
ALTERNATE FLOW A1 (Returned to the Author) <i>Branches from step 2.1 of the basic flow.</i>		
Step	Actor Action	System Response
1	Publisher opens the article's review screen and clicks Request Revisions.	1.1 System opens the note composer.
2	Publisher fills in the notes and clicks Send to Writer.	2.1 System returns the article to its author with the notes and notifies them.
3	Editor opens the returned article.	3.1 System shows the publisher's notes beside the copy.
<i>The author revises and resubmits under UC-1.2. The use case ends.</i>		
ALTERNATE FLOW A2 (Sign-off Cancelled) <i>Branches from step 3.1 of the basic flow.</i>		
Step	Actor Action	System Response
1	Publisher clicks Cancel.	1.1 System closes the question and changes nothing.
<i>Resumes at step 2 of the basic flow.</i>		




Figure 4 Issue Production and Publication

Module 2 — Issue Production and Publication

Assembling an issue from approved copy, laying it out, fixing its contents and releasing it.

Use Case Name: Schedule Articles into an Issue

Use Case ID:	UC-2.1
--------------	--------

Author	Rei Khalil S. Galido		
Purpose	Allow an Editor to place an approved article in a magazine issue, or keep it as a standalone web piece, and set who may read it.		
Related Use Case	None		
Priority	High		
Preconditions	• The Editor is signed in • The article is approved		
Postconditions	• The article belongs to an issue, or is marked standalone • The article's reader access is recorded • An article placed in an issue appears in the Graphic Designer's Ready for layout list		
Actors	• Editor • Graphic Designer (recipient)		
Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	Editor clicks the article under Approved on the Editor dashboard.	1.1 System opens the review screen with the publishing panel, showing Issue and Reader access.
	2	Editor picks an issue from the Issue menu and clicks Save.	2.1 System checks that the issue is still open.
			2.2 System places the article in the issue as Subscribers only and updates the issue's readiness.
	3	Graphic Designer clicks Ready for layout on the Designer dashboard.	3.1 System lists the article under its issue.
	ALTERNATE FLOW		
	A1 (Left as a Standalone Article)		
	<i>Branches from step 1.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1	Editor picks "Not in an issue — publishes on its own" from the Issue menu and clicks Save.	1.1 System keeps the article standalone and free to read, outside any issue.
			1.2 System lists it under Single articles for the publisher to publish under UC-2.5.
<i>The use case ends.</i>			
ALTERNATE FLOW			
A2 (Article Runs Free)			
<i>Branches from step 2.2 of the basic flow.</i>			

Step	Actor Action	System Response
1	Editor clicks Free under Reader access.	1.1 System records that anyone may read the article.
<i>Resumes at step 3 of the basic flow.</i>		
EXCEPTION FLOW		
E1 (Issue Closed)		
<i>Branches from step 2.1 of the basic flow.</i>		
Step	Actor Action	System Response
1		1.1 System refuses, explains that the issue is closed and that the publisher can reopen it.
2	Editor picks a different issue.	
<i>Resumes at step 2 of the basic flow.</i>		

Use Case Name: Produce a Magazine Layout

Use Case ID:	UC-2.2		
Author	Rei Khalil S. Galido		
Purpose	Allow the Graphic Designer to upload a laid-out edition of an issue as a PDF for the Editor to review.		
Related Use Case	None		
Priority	High		
Preconditions	• The Graphic Designer is signed in • The issue has articles scheduled into it		
Postconditions	• The edition is stored privately and recorded as a version awaiting review • The Editor is notified		
Actors	• Graphic Designer • Editor (recipient)		
Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	Graphic Designer clicks an article under Ready for layout on the Designer dashboard.	1.1 System opens the article for layout, with Copy headline and Copy full text.
	2	Graphic Designer lays out the pages in their design software, outside the system.	

3	Graphic Designer clicks + Upload layout.	3.1 System opens the upload form with the fields Issue, Version, Layout PDF, Cover image and Notes to editor.
4	Graphic Designer picks the issue, types a version such as v1.0, attaches the PDF and the cover image, writes notes, and clicks Submit for editor review.	4.1 System checks that the issue is unpublished and that no version is already waiting for review.
		4.2 System checks that the file is a PDF, and that the first version of an issue has a cover image.
		4.3 System uploads the edition straight to storage and shows the progress.
		4.4 System checks that the edition arrived complete.
		4.5 System records the version as awaiting review and notifies the editor.
5	Editor clicks Layouts on the Editor dashboard.	5.1 System lists the version under "Magazine layouts awaiting review".

ALTERNATE FLOW**A1 (Corrected Version Submitted)***Branches at the start of the use case.*

Step	Actor Action	System Response
1	Graphic Designer clicks My layouts.	1.1 System shows the returned version with the editor's notes.
2	Graphic Designer clicks Upload a new version.	2.1 System opens the upload form for the same issue.

*Resumes at step 4 of the basic flow.***EXCEPTION FLOW****E1 (Upload Not Allowed)***Branches from step 4.1 of the basic flow.*

Step	Actor Action	System Response
1		1.1 System refuses, naming the version already with the editor or stating that the issue is published, and transfers nothing.

*The use case ends.***EXCEPTION FLOW****E2 (File Not Accepted)***Branches from step 4.2 of the basic flow.*

Step	Actor Action	System Response
1		1.1 System marks the problem beside the field and transfers nothing.

	<i>Resumes at step 4 of the basic flow.</i>						
	EXCEPTION FLOW						
	E3 (Upload Incomplete)						
	<i>Branches from step 4.4 of the basic flow.</i>						
	<table border="1"> <thead> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> </thead> <tbody> <tr> <td>1</td><td></td><td>1.1 System creates no record and asks the designer to try again.</td></tr> </tbody> </table>		Step	Actor Action	System Response	1	
Step	Actor Action	System Response					
1		1.1 System creates no record and asks the designer to try again.					
	<i>Resumes at step 4 of the basic flow.</i>						

Use Case Name: Approve a Magazine Layout

Use Case ID:	UC-2.3		
Author	Roman Rico Albania		
Purpose	Allow an Editor to approve a layout version, or return it to the Graphic Designer with the changes needed.		
Related Use Case	None		
Priority	High		
Preconditions	• The Editor is signed in • A layout version is awaiting review		
Postconditions	• The version is approved and every other version for the issue is retired, or it is returned with notes • The Graphic Designer is notified		
Actors	• Editor • Graphic Designer (recipient)		
Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	Editor clicks Layouts on the Editor dashboard.	1.1 System shows "Magazine layouts awaiting review" with each version, the designer's notes and the file.
	2	Editor clicks the file name and checks the edition.	2.1 System opens the PDF.
	3	Editor clicks Approve Design.	3.1 System records the approval with the editor and the time.
			3.2 System retires every other version for the issue.
			3.3 System notifies the designer.

	4	Graphic Designer clicks My layouts.	4.1 System shows the version approved, and the others under Earlier versions.
	ALTERNATE FLOW A1 (Returned for Revision) <i>Branches from step 2.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1	Editor clicks Request Revision.	1.1 System opens a notes field for layout, typography, imagery or branding corrections.
	2	Editor types the changes needed and clicks Send to Designer.	2.1 System returns the version to the designer with the notes and notifies them.
	3	Graphic Designer clicks My layouts.	3.1 System shows the version returned, with the editor's notes.
<i>The Graphic Designer submits a corrected version under UC-2.2. The use case ends.</i>			

Use Case Name: Close an Issue

Use Case ID:	UC-2.4		
Author	Joshmar Clavero		
Purpose	Allow the Publisher to fix an issue's contents so the layout can be finished without them changing.		
Related Use Case	None		
Priority	High		
Preconditions	• The Publisher is signed in • The issue is in preparation		
Postconditions	• The contents are fixed and the closing Publisher and time are recorded • Editors and Graphic Designers are notified		
Actors	• Publisher • Editor (recipient) • Graphic Designer (recipient)		
Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	Publisher clicks the issue under In preparation on the Publisher dashboard.	1.1 System opens the issue's page with Articles in this issue, its readiness and its Magazine layout.

2	Publisher clicks Close this issue.	2.1 System asks "Close Issue #N?", stating how many articles it holds.
3	Publisher clicks Close the issue.	3.1 System fixes the contents and records the publisher and the time.
		3.2 System notifies editors and designers.
4	Editor or Graphic Designer clicks Issues.	4.1 System shows the issue as closed, with its contents fixed.

ALTERNATE FLOW

A1 (Issue Reopened)

Branches from step 1.1 of the basic flow.

Step	Actor Action	System Response
1	Publisher clicks Reopen.	1.1 System asks "Why is this being reopened?".
2	Publisher types the reason and clicks Reopen issue.	2.1 System checks that a reason has been given.
		2.2 System reopens the issue and records the reason.

The use case ends.

ALTERNATE FLOW

A2 (Closing Cancelled)

Branches from step 2.1 of the basic flow.

Step	Actor Action	System Response
1	Publisher clicks Cancel.	1.1 System closes the question and changes nothing.

The use case ends.

EXCEPTION FLOW

E2 (Reason Absent on Reopening)

Branches from step 2.1 of alternate flow A1.

Step	Actor Action	System Response
1		1.1 System refuses and leaves the issue closed.

Resumes at step 2 of alternate flow A1.

EXCEPTION FLOW

E1 (Empty Issue)

Branches from step 1.1 of the basic flow.

Step	Actor Action	System Response
1		1.1 System keeps Close this issue unavailable, since an empty issue has nothing to fix.

	<i>The use case ends.</i>
--	---------------------------

Use Case Name: Publish an Issue

Use Case ID:	UC-2.5																						
Author	Joshmar Clavero																						
Purpose	Allow the Publisher to release a finished issue, and every article in it, to readers at once.																						
Related Use Case	None																						
Priority	High																						
Preconditions	• The Publisher is signed in • The issue is closed, its edition is approved and every article in it is approved																						
Postconditions	• The issue and all its articles are published together • The release time and Publisher are recorded • Subscribers are notified																						
Actors	• Publisher • Reader (recipient)																						
Flow of Actions	<i>BASIC FLOW</i> <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>Publisher clicks the closed issue under In preparation on the Publisher dashboard.</td><td>1.1 System opens the issue's page and shows whether anything blocks publication.</td></tr> <tr> <td>2</td><td>Publisher clicks Confirm and Publish Issue #N.</td><td>2.1 System asks "Publish Issue #N?" and asks the publisher to type the issue's name in Type to confirm.</td></tr> <tr> <td>3</td><td>Publisher types the name and clicks Publish Issue #N.</td><td>3.1 System releases the issue and all its articles together.</td></tr> <tr> <td></td><td></td><td>3.2 System records the release time and the publisher, and removes old layout versions from storage.</td></tr> <tr> <td></td><td></td><td>3.3 System notifies subscribers.</td></tr> <tr> <td>4</td><td>Reader clicks Magazines on the BOSS Magazine site.</td><td>4.1 System shows the new issue.</td></tr> </table> <i>ALTERNATE FLOW</i> <i>A1 (Standalone Article Released)</i> <i>Branches at the start of the use case.</i>		Step	Actor Action	System Response	1	Publisher clicks the closed issue under In preparation on the Publisher dashboard.	1.1 System opens the issue's page and shows whether anything blocks publication.	2	Publisher clicks Confirm and Publish Issue #N.	2.1 System asks "Publish Issue #N?" and asks the publisher to type the issue's name in Type to confirm.	3	Publisher types the name and clicks Publish Issue #N.	3.1 System releases the issue and all its articles together.			3.2 System records the release time and the publisher, and removes old layout versions from storage.			3.3 System notifies subscribers.	4	Reader clicks Magazines on the BOSS Magazine site.	4.1 System shows the new issue.
Step	Actor Action	System Response																					
1	Publisher clicks the closed issue under In preparation on the Publisher dashboard.	1.1 System opens the issue's page and shows whether anything blocks publication.																					
2	Publisher clicks Confirm and Publish Issue #N.	2.1 System asks "Publish Issue #N?" and asks the publisher to type the issue's name in Type to confirm.																					
3	Publisher types the name and clicks Publish Issue #N.	3.1 System releases the issue and all its articles together.																					
		3.2 System records the release time and the publisher, and removes old layout versions from storage.																					
		3.3 System notifies subscribers.																					
4	Reader clicks Magazines on the BOSS Magazine site.	4.1 System shows the new issue.																					

Step	Actor Action	System Response
1	Publisher clicks Single articles and clicks Publish on an article.	1.1 System asks "Publish this article?".
2	Publisher clicks Publish in the question.	2.1 System puts the article live on the reader portal, without any issue.
The use case ends.		
ALTERNATE FLOW A2 (Publication Cancelled) Branches from step 2.1 of the basic flow.		
Step	Actor Action	System Response
1	Publisher clicks Cancel.	1.1 System closes the question and publishes nothing.
The use case ends.		
EXCEPTION FLOW E1 (Issue Not Ready) Branches from step 1.1 of the basic flow.		
Step	Actor Action	System Response
1		1.1 System keeps Confirm and Publish unavailable and lists what blocks it: the issue not closed, no approved layout, or an article not approved.
The use case ends.		

Use Case Name: Retire an Issue

Use Case ID:	UC-2.6
Author	Joshua Concepcion
Purpose	Allow the Publisher to move a published issue off the active publishing list while readers keep access to it.
Related Use Case	None
Priority	Low
Preconditions	- The Publisher is signed in - The issue is published
Postconditions	- The issue is no longer on the active publishing list - Readers can still read and search it
Actors	Publisher
Flow of Actions	BASIC FLOW

	Step	Actor Action	System Response
	1	Publisher clicks the issue under Published on the Publisher dashboard.	1.1 System opens the issue's page.
	2	Publisher clicks Archive this issue.	2.1 System asks "Archive Issue #N?" and explains that readers keep access.
	3	Publisher clicks Archive.	3.1 System removes the issue from the active publishing list.
			3.2 System keeps it readable and searchable in the public archive.
	ALTERNATE FLOW A1 (Archiving Cancelled) <i>Branches from step 2.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1	Publisher clicks Cancel.	1.1 System closes the question and changes nothing.
<i>The use case ends.</i>			




Figure 5 Editorial & Issue Oversight

Module 3 — Editorial and Issue Oversight

Knowing where work stands, how the publication is performing, and what it has already run.

Use Case Name: Review Publication Performance

Use Case ID:	UC-3.1																						
Author	Roman Rico Albania																						
Purpose	Give management the figures on editorial throughput, AI assessment and revenue.																						
Related Use Case	None																						
Priority	Medium																						
Preconditions	The person is signed in as an Editor, the Publisher or an Administrator																						
Postconditions	The requested report is shown, or exported as a CSV file																						
Actors	- Editor - Publisher - Administrator																						
Flow of Actions	BASIC FLOW <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>User clicks Reports in the workspace sidebar.</td><td>1.1 System opens Reports with the tabs AI evaluation, Editorial pipeline, Production and Subscriptions.</td></tr> <tr> <td>2</td><td>User clicks a tab and picks a period: Last 30 days, Last 90 days or Last year.</td><td>2.1 System checks that the user's role may see this report.</td></tr> <tr> <td></td><td></td><td>2.2 System gathers the records for the period and shows each chart with a written description.</td></tr> <tr> <td>3</td><td>User clicks Export CSV.</td><td>3.1 System downloads the report as a CSV file.</td></tr> </table> ALTERNATE FLOW A1 (No Data in Period) <i>Branches from step 2.2 of the basic flow.</i> <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td></td><td>1.1 System states that there is no data for the period, suggests a longer one, and draws no empty chart.</td></tr> </table> <i>Resumes at step 2 of the basic flow.</i> EXCEPTION FLOW E1 (Report Not Permitted) <i>Branches from step 2.1 of the basic flow.</i>		Step	Actor Action	System Response	1	User clicks Reports in the workspace sidebar.	1.1 System opens Reports with the tabs AI evaluation, Editorial pipeline, Production and Subscriptions.	2	User clicks a tab and picks a period: Last 30 days, Last 90 days or Last year.	2.1 System checks that the user's role may see this report.			2.2 System gathers the records for the period and shows each chart with a written description.	3	User clicks Export CSV.	3.1 System downloads the report as a CSV file.	Step	Actor Action	System Response	1		1.1 System states that there is no data for the period, suggests a longer one, and draws no empty chart.
Step	Actor Action	System Response																					
1	User clicks Reports in the workspace sidebar.	1.1 System opens Reports with the tabs AI evaluation, Editorial pipeline, Production and Subscriptions.																					
2	User clicks a tab and picks a period: Last 30 days, Last 90 days or Last year.	2.1 System checks that the user's role may see this report.																					
		2.2 System gathers the records for the period and shows each chart with a written description.																					
3	User clicks Export CSV.	3.1 System downloads the report as a CSV file.																					
Step	Actor Action	System Response																					
1		1.1 System states that there is no data for the period, suggests a longer one, and draws no empty chart.																					

	Step	Actor Action	System Response
	1		1.1 System refuses and states that revenue figures are for the publisher and administrators only.
<i>Resumes at step 2 of the basic flow.</i>			

Use Case Name: Monitor Editorial Progress

Use Case ID:	UC-3.2		
Author	Joshmar Clavero		
Purpose	Show each staff member what needs their attention, and warn them of approaching and missed deadlines.		
Related Use Case	None		
Priority	Medium		
Preconditions	The staff member is signed in		
Postconditions	The staff member sees their outstanding work and deadlines		
Actors	- Writer - Editor - Publisher - Scheduler		
Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	Staff member signs in.	1.1 System opens their dashboard, with At a glance and their work grouped by who must act next.
			1.2 System shows unread notices on the notification bell.
	2	Staff member clicks Calendar in the workspace sidebar.	2.1 System shows the month's deadlines and issue release targets.
	3	Staff member clicks < or > to change month, or Today to return, and clicks an item.	3.1 System opens the item in the staff member's own view.
	ALTERNATE FLOW		
	A2 (Deadline Sweep)		
	<i>Branches at the start of the use case.</i>		
	Step	Actor Action	System Response
	1	Scheduler calls the deadline sweep with its credential.	1.1 System checks the credential.

			1.2 System warns each writer, and the commissioning editor, of work due soon or overdue.
			1.3 System records the outcome of the sweep.
	<i>The use case ends.</i>		
	ALTERNATE FLOW		
	A1 (Overdue Work)		
	<i>Branches from step 1.2 of the basic flow.</i>		
	Step	Actor Action	System Response
	1	Editor clicks Show me on the overdue notice.	1.1 System shows only the overdue work.
	2	Editor clicks Show everything.	2.1 System shows all the work again.
	<i>Resumes at step 2 of the basic flow.</i>		
	EXCEPTION FLOW		
	E1 (Unauthenticated Sweep Request)		
	<i>Branches from step 1.1 of alternate flow A2.</i>		
	Step	Actor Action	System Response
	1		1.1 System refuses the request, sends no warnings and records the refusal.
	<i>The use case ends.</i>		

Use Case Name: Consult the Published Archive

Use Case ID:	UC-3.3
Author	Joshua Concepcion
Purpose	Let any staff member search everything published and read it, including colleagues' work.
Related Use Case	None
Priority	Low
Preconditions	The staff member is signed in
Postconditions	The staff member has found and read the article
Actors	- Writer - Editor - Publisher - Graphic Designer
Flow of Actions	BASIC FLOW

Step	Actor Action	System Response
1	Staff member clicks Archive in the workspace sidebar.	1.1 System shows everything published, grouped by the month it ran.
2	Staff member types in "Search headlines, copy, or writers...", or picks from All issues, All categories or All years.	2.1 System lists the matching articles with their issue and reader access.
3	Staff member clicks an article.	3.1 System opens a read-only preview with the full text, the photographs and the publication details.
4	Staff member clicks View on BOSS Magazine.	4.1 System opens the article's public page in a new tab.
ALTERNATE FLOW A1 (No Matches) <i>Branches from step 2.1 of the basic flow.</i>		
Step	Actor Action	System Response
1		1.1 System states that nothing matched.
2	Staff member clicks Clear.	2.1 System shows everything published again.
<i>Resumes at step 2 of the basic flow.</i>		




Figure 6 Reader Engagement

Module 4 — Reader Engagement

What a reader can do with the publication, and what a subscription adds.

Use Case Name: Read Published Content

Use Case ID:	UC-4.1
Author	Rei Khalil S. Galido
Purpose	Let anyone browse BOSS Magazine and read its articles, with subscriber-only articles reserved for subscribers.
Related Use Case	None
Priority	High
Preconditions	The visitor can reach the BOSS Magazine site
Postconditions	The visitor has read the article, or its opening and the subscription notice
Actors	- Anonymous Visitor - Reader
Flow of Actions	<i>BASIC FLOW</i>

Step	Actor Action	System Response
1	Visitor opens the BOSS Magazine site.	1.1 System shows the lead story and the latest articles.
2	Visitor clicks a category, or clicks Read the story on an article.	2.1 System checks whether the article is for subscribers only.
		2.2 System shows the article in full.
3	Visitor reads the article and may click Share.	3.1 System copies the article's link and shows "Link copied".
ALTERNATE FLOW A1 (Subscriber-only Article) <i>Branches from step 2.1 of the basic flow.</i>		
Step	Actor Action	System Response
1		1.1 System shows the standfirst and the opening, then "Keep reading with a BOSS subscription" with Subscribe and Sign in.
<i>A reader may subscribe under UC-4.3 or sign in under UC-5.1. The use case ends.</i>		
EXCEPTION FLOW E1 (Platform Under Maintenance) <i>Branches at the start of the use case.</i>		
Step	Actor Action	System Response
1		1.1 System shows the maintenance message instead of articles. Staff keep working as normal.
<i>The use case ends.</i>		

Use Case Name: Save Articles for Later

Use Case ID:	UC-4.2
Author	Roman Rico Albania
Purpose	Let a signed-in reader keep a list of articles to read later.
Related Use Case	None
Priority	Low
Preconditions	The reader is signed in
Postconditions	The article is saved to, or removed from, the reader's Saved list
Actors	Reader
Flow of Actions	BASIC FLOW

Step	Actor Action	System Response
1	Reader clicks the bookmark button (Save this article) on an article.	1.1 System checks whether the reader is signed in.
		1.2 System checks whether the article is already saved.
		1.3 System saves the article to the reader's list.
2	Reader clicks Saved in the top bar.	2.1 System lists the saved articles, newest first.
3	Reader clicks an article.	3.1 System opens it.
ALTERNATE FLOW A1 (Visitor Not Signed In) <i>Branches from step 1.1 of the basic flow.</i>		
Step	Actor Action	System Response
1		1.1 System saves nothing and shows Sign in, keeping the visitor on the article.
<i>The visitor may sign in under UC-5.1. The use case ends.</i>		
ALTERNATE FLOW A2 (Article Already Saved) <i>Branches from step 1.2 of the basic flow.</i>		
Step	Actor Action	System Response
1		1.1 System removes the article from the list (Remove from saved articles).
<i>Resumes at step 2 of the basic flow.</i>		

Use Case Name: Subscribe to BOSS Magazine

Use Case ID:	UC-4.3
Author	Joshmar Clavero
Purpose	Let a reader pay for a subscription with local payment methods, such as GCash, and gain subscriber access. This use case is designed and is not yet built in the prototype.
Related Use Case	«include» UC-4.3.1 (Read Subscriber-Only Content)
Priority	High
Preconditions	The reader is signed in with a free account
Postconditions	The payment is recorded and the reader holds the subscriber tier
Actors	Reader

	• Payment Gateway		
Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	Reader clicks Subscribe on the subscription notice.	1.1 System shows the plans and their prices.
	2	Reader picks a plan and clicks Continue to payment.	2.1 System opens a PayMongo checkout session.
	3	Payment Gateway takes the payment through GCash or a card.	3.1 System receives the Payment Gateway's signed confirmation.
			3.2 System checks that the confirmation is genuine and not a duplicate.
			3.3 System checks that the payment succeeded.
			3.4 System records the transaction and gives the reader the subscriber tier.
	4	Reader returns to BOSS Magazine.	4.1 System shows the reader as a subscriber; subscriber-only content opens under UC-4.3.1.
	ALTERNATE FLOW		
	A1 (Checkout Abandoned)		
	Branches from step 2.1 of the basic flow.		
	Step	Actor Action	System Response
	1	Reader closes the checkout without paying.	1.1 System grants nothing and records no transaction.
	The use case ends.		
EXCEPTION FLOW			
E1 (Confirmation Not Genuine or Duplicate)			
Branches from step 3.2 of the basic flow.			
Step	Actor Action	System Response	
1		1.1 System grants nothing again, ignores a duplicate, and alerts an administrator to a confirmation that is not genuine.	
The use case ends.			
EXCEPTION FLOW			
E2 (Payment Declined)			
Branches from step 3.3 of the basic flow.			

	Step	Actor Action	System Response
	1		1.1 System grants nothing and states that the payment was not completed.
	2	Reader tries again with other payment details.	
<i>Resumes at step 2 of the basic flow.</i>			

Use Case Name: Read Subscriber-Only Content

Use Case ID:	UC-4.3.1		
Author	Joshmar Clavero		
Purpose	Let a subscriber read the full digital edition of an issue in the flipbook reader, or download it.		
Related Use Case	Included by UC-4.3 (Subscribe to BOSS Magazine)		
Priority	High		
Preconditions	The person is signed in as a subscriber or a staff member		
Postconditions	The subscriber has read or downloaded the edition		
Actors	Subscriber		
Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	Subscriber clicks Magazines in the top bar.	1.1 System shows All Issues, with each cover.
	2	Subscriber clicks an issue.	2.1 System opens the issue's page with In this issue, Read this issue and Download the edition.
			2.2 System checks that an approved edition exists.
	3	Subscriber clicks Read this issue.	3.1 System checks that the person is a subscriber or a staff member.
			3.2 System opens the flipbook at page one, through a private link that expires after 15 minutes.
	4	Subscriber turns pages with < and >, zooms with – and +, and picks a page-turn style under Aa: None, Subtle or Page turn.	4.1 System turns the pages and remembers the chosen style.
	5	Subscriber clicks × to close the reader.	5.1 System returns to the issue's page.

	ALTERNATE FLOW A2 (No Edition for the Issue) <i>Branches from step 2.2 of the basic flow.</i>		
	Step	Actor Action	System Response
	1		1.1 System states that no digital edition is available and keeps the issue's articles readable.
	<i>The use case ends.</i>		
	ALTERNATE FLOW A3 (Edition Downloaded) <i>Branches from step 2.2 of the basic flow.</i>		
	Step	Actor Action	System Response
	1	Subscriber clicks Download the edition.	1.1 System checks access and downloads the PDF through a private link.
	<i>The use case ends.</i>		
	ALTERNATE FLOW A1 (Reduced Motion Requested) <i>Branches from step 3.2 of the basic flow.</i>		
	Step	Actor Action	System Response
	1		1.1 System sets the page-turn style to None, so pages change without animation.
	<i>Resumes at step 4 of the basic flow.</i>		
	EXCEPTION FLOW E1 (Reader Not a Subscriber) <i>Branches from step 3.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1		1.1 System refuses, opens no edition, and shows Sign in.
	<i>The use case ends.</i>		

Use Case Name: Manage a Subscription

Use Case ID:	UC-4.4
Author	Joshua Concepcion
Purpose	Let a subscriber see their plan, change their payment method, or cancel. This use case is designed and is not yet built in the prototype.
Related Use Case	None

Priority	Medium																														
Preconditions	The person is signed in with an active subscription																														
Postconditions	The payment method is updated, or the subscription ends at the close of the paid period																														
Actors	- Subscriber - Payment Gateway																														
Flow of Actions	BASIC FLOW<table><tr><th>Step</th><th>Actor Action</th><th>System Response</th></tr><tr><td>1</td><td>Subscriber clicks their name and picture, then Subscription.</td><td>1.1 System shows the plan, the renewal date and the payment method.</td></tr><tr><td>2</td><td>Subscriber clicks Cancel subscription.</td><td>2.1 System states the date access continues to and asks the subscriber to confirm.</td></tr><tr><td>3</td><td>Subscriber clicks Confirm cancellation.</td><td>3.1 System sends the cancellation to the Payment Gateway.</td></tr><tr><td>4</td><td>Payment Gateway cancels the plan at the end of the paid period.</td><td>4.1 System records when access ends, and returns the reader to the free tier on that date.</td></tr></table> ALTERNATE FLOW A1 (Payment Method Updated) <i>Branches from step 1.1 of the basic flow.</i><table><tr><th>Step</th><th>Actor Action</th><th>System Response</th></tr><tr><td>1</td><td>Subscriber clicks Update payment method.</td><td>1.1 System opens the Payment Gateway's billing page.</td></tr><tr><td>2</td><td>Payment Gateway saves the new payment method.</td><td>2.1 System shows the updated method.</td></tr></table><i>The use case ends.</i> ALTERNATE FLOW A2 (Cancellation Not Confirmed) <i>Branches from step 2.1 of the basic flow.</i><table><tr><th>Step</th><th>Actor Action</th><th>System Response</th></tr><tr><td>1</td><td>Subscriber clicks Keep subscription.</td><td>1.1 System changes nothing.</td></tr></table><i>The use case ends.</i>	Step	Actor Action	System Response	1	Subscriber clicks their name and picture, then Subscription.	1.1 System shows the plan, the renewal date and the payment method.	2	Subscriber clicks Cancel subscription.	2.1 System states the date access continues to and asks the subscriber to confirm.	3	Subscriber clicks Confirm cancellation.	3.1 System sends the cancellation to the Payment Gateway.	4	Payment Gateway cancels the plan at the end of the paid period.	4.1 System records when access ends, and returns the reader to the free tier on that date.	Step	Actor Action	System Response	1	Subscriber clicks Update payment method.	1.1 System opens the Payment Gateway's billing page.	2	Payment Gateway saves the new payment method.	2.1 System shows the updated method.	Step	Actor Action	System Response	1	Subscriber clicks Keep subscription.	1.1 System changes nothing.
Step	Actor Action	System Response																													
1	Subscriber clicks their name and picture, then Subscription.	1.1 System shows the plan, the renewal date and the payment method.																													
2	Subscriber clicks Cancel subscription.	2.1 System states the date access continues to and asks the subscriber to confirm.																													
3	Subscriber clicks Confirm cancellation.	3.1 System sends the cancellation to the Payment Gateway.																													
4	Payment Gateway cancels the plan at the end of the paid period.	4.1 System records when access ends, and returns the reader to the free tier on that date.																													
Step	Actor Action	System Response																													
1	Subscriber clicks Update payment method.	1.1 System opens the Payment Gateway's billing page.																													
2	Payment Gateway saves the new payment method.	2.1 System shows the updated method.																													
Step	Actor Action	System Response																													
1	Subscriber clicks Keep subscription.	1.1 System changes nothing.																													

Accounts and Platform Administration UC-5




Figure 7 Accounts Administration

Module 5 — Accounts and Platform Administration

Getting into the system, looking after your own account, and looking after everybody else's.

Use Case Name: Register and Authenticate

Use Case ID:	UC-5.1
Author	Rei Khalil S. Galido
Purpose	Let a reader create an account, and let every user sign in to the part of NOVUS their role uses.

Related Use Case	Extended by UC-5.2.1 (Change Password) and UC-5.2.2 (Recover a Forgotten Password)																																					
Priority	High																																					
Preconditions	The user can reach the BOSS Magazine site or the staff sign-in page																																					
Postconditions	A reader account exists with its consent recorded, or the user is signed in																																					
Actors	- Anonymous Visitor - Reader - Staff Member																																					
Flow of Actions	BASIC FLOW <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>User opens the sign-in page: Sign in in the top bar for readers, or the staff sign-in page for staff.</td><td>1.1 System shows the email and password fields.</td></tr> <tr> <td>2</td><td>User types their email address and password and clicks Sign in.</td><td>2.1 System checks that there have been no more than 5 attempts on this account in the last minute.</td></tr> <tr> <td></td><td></td><td>2.2 System checks the email and password.</td></tr> <tr> <td></td><td></td><td>2.3 System checks that the account is not suspended.</td></tr> <tr> <td></td><td></td><td>2.4 System checks that the account belongs on this sign-in page.</td></tr> <tr> <td></td><td></td><td>2.5 System checks that the password has not expired and no reset is required.</td></tr> <tr> <td></td><td></td><td>2.6 System opens the session and shows the user's home: the magazine for readers, or the dashboard for staff.</td></tr> </table> ALTERNATE FLOW A1 (New Reader Registers) Branches at the start of the use case. <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>Visitor clicks Create account.</td><td>1.1 System opens the registration form with First name, Last name, Email and Password.</td></tr> <tr> <td>2</td><td>Visitor fills in the form, ticks "I have read and accept the Terms of Service and Privacy Policy", and clicks Create account.</td><td>2.1 System checks the details and that the email is not already used.</td></tr> <tr> <td></td><td></td><td>2.2 System creates the reader account and records the consent.</td></tr> </table>		Step	Actor Action	System Response	1	User opens the sign-in page: Sign in in the top bar for readers, or the staff sign-in page for staff.	1.1 System shows the email and password fields.	2	User types their email address and password and clicks Sign in.	2.1 System checks that there have been no more than 5 attempts on this account in the last minute.			2.2 System checks the email and password.			2.3 System checks that the account is not suspended.			2.4 System checks that the account belongs on this sign-in page.			2.5 System checks that the password has not expired and no reset is required.			2.6 System opens the session and shows the user's home: the magazine for readers, or the dashboard for staff.	Step	Actor Action	System Response	1	Visitor clicks Create account.	1.1 System opens the registration form with First name, Last name, Email and Password.	2	Visitor fills in the form, ticks "I have read and accept the Terms of Service and Privacy Policy", and clicks Create account.	2.1 System checks the details and that the email is not already used.			2.2 System creates the reader account and records the consent.
Step	Actor Action	System Response																																				
1	User opens the sign-in page: Sign in in the top bar for readers, or the staff sign-in page for staff.	1.1 System shows the email and password fields.																																				
2	User types their email address and password and clicks Sign in.	2.1 System checks that there have been no more than 5 attempts on this account in the last minute.																																				
		2.2 System checks the email and password.																																				
		2.3 System checks that the account is not suspended.																																				
		2.4 System checks that the account belongs on this sign-in page.																																				
		2.5 System checks that the password has not expired and no reset is required.																																				
		2.6 System opens the session and shows the user's home: the magazine for readers, or the dashboard for staff.																																				
Step	Actor Action	System Response																																				
1	Visitor clicks Create account.	1.1 System opens the registration form with First name, Last name, Email and Password.																																				
2	Visitor fills in the form, ticks "I have read and accept the Terms of Service and Privacy Policy", and clicks Create account.	2.1 System checks the details and that the email is not already used.																																				
		2.2 System creates the reader account and records the consent.																																				

Resumes at step 1 of the basic flow.

ALTERNATE FLOW

A3 (Address Already Registered)

Branches from step 2.1 of alternate flow A1.

Step	Actor Action	System Response
1		1.1 System refuses, shows what to correct, and offers Sign in instead.

Resumes at step 2 of alternate flow A1.

ALTERNATE FLOW

A2 (Wrong Sign-in Page)

Branches from step 2.4 of the basic flow.

Step	Actor Action	System Response
1		1.1 System ends the session and points to the right page: "Readers sign in on the public site", or the staff sign-in page for staff.

Resumes at step 1 of the basic flow.

ALTERNATE FLOW

A4 (Password Expired or Reset Required)

Branches from step 2.5 of the basic flow.

Step	Actor Action	System Response
1		1.1 System opens Change your password instead of the user's home.

The user changes the password under UC-5.2.1, alternate flow A1. The use case ends.

EXCEPTION FLOW

E3 (Too Many Attempts)

Branches from step 2.1 of the basic flow.

Step	Actor Action	System Response
1		1.1 System refuses without checking the password and shows "Too many attempts. Wait a moment before trying again."
2	User waits a minute.	

Resumes at step 2 of the basic flow.

EXCEPTION FLOW

E1 (Credentials Not Recognised)

Branches from step 2.2 of the basic flow.

Step	Actor Action	System Response
1		1.1 System shows "Those credentials were not recognised." without saying which field was wrong.
Resumes at step 2 of the basic flow.		
EXCEPTION FLOW		
E2 (Account Suspended)		
Branches from step 2.3 of the basic flow.		
Step	Actor Action	System Response
1		1.1 System refuses the sign-in and directs the user to an administrator.
The use case ends.		

Use Case Name: Manage Own Account

Use Case ID:	UC-5.2		
Author	Roman Rico Albania		
Purpose	Let a user update their name and sign-in email.		
Related Use Case	Extended by UC-5.2.1 (Change Password)		
Priority	Medium		
Preconditions	• The user is signed in		
Postconditions	• The changes are saved, or nothing changes		
Actors	• Reader • Staff Member		
Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	User clicks their name and picture: at the bottom of the workspace sidebar for staff, or at the top right of the magazine for readers.	1.1 System opens Your account with First name, Last name, Email and Current password.
	2	User changes their Email, types their Current password, and clicks Save changes.	2.1 System checks whether the email has changed.
			2.2 System checks that the current password is correct and the new email is not used by another account.
			2.3 System saves the changes and shows "Your details have been updated."

	ALTERNATE FLOW A1 (Name Change Only) <i>Branches from step 2.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1		1.1 System saves the name without asking for the password and shows "Your details have been updated."
	<i>The use case ends.</i>		
	ALTERNATE FLOW A2 (Changes Discarded) <i>Branches from step 1.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1	User clicks Discard changes.	1.1 System restores the saved details.
	<i>The use case ends.</i>		
	EXCEPTION FLOW E1 (Password Incorrect or Email in Use) <i>Branches from step 2.2 of the basic flow.</i>		
	Step	Actor Action	System Response
	1		1.1 System shows "That password is not correct." or "An account already uses that email address." and saves nothing.
	<i>Resumes at step 2 of the basic flow.</i>		

Use Case Name: Change Password

Use Case ID:	UC-5.2.1
Author	Roman Rico Albania
Purpose	Let a user replace their password. Passwords expire after 90 days, and none of the last four may be reused.
Related Use Case	«extend» UC-5.1 (Register and Authenticate) · «extend» UC-5.2 (Manage Own Account)
Priority	High
Preconditions	The user is signed in
Postconditions	- The new password is stored as a hash and recorded in the password history - The 90-day period restarts and any reset requirement is cleared
Actors	- Reader - Staff Member

Flow of Actions	BASIC FLOW		
	Step	Actor Action	System Response
	1	User clicks their name and picture: at the bottom of the workspace sidebar for staff, or at the top right of the magazine for readers.	1.1 System opens Your account.
	2	User clicks Change your password.	2.1 System opens Change your password with Current password, New password, Confirm new password and the password rules.
	3	User types their current password, then the new password twice.	3.1 System checks that the two new passwords match.
	4	User clicks Change password.	4.1 System checks that there have been no more than 10 attempts in the last hour.
			4.2 System checks that the current password is correct.
			4.3 System checks that the new password is not one of the last 4.
			4.4 System checks the other rules: at least 8 characters, not common, not all numbers, not like the user's name or email.
			4.5 System saves the new password, adds it to the password history and restarts the 90-day period.
			4.6 System shows "Password changed. Taking you back..." and returns to Your account.
	ALTERNATE FLOW		
	A1 (Password Expired or Reset Required)		
	<i>Branches at the start of the use case.</i>		
	Step	Actor Action	System Response
	1	User signs in with a password set more than 90 days ago, or after an administrator required a reset.	1.1 System marks the account as needing a new password.
			1.2 System opens Change your password with the notice "Your password has expired, or an administrator has asked you to change it." and keeps the user there.
	<i>Resumes at step 3 of the basic flow.</i>		

ALTERNATE FLOW**A2 (Sign Out Instead)**

Branches from step 1.2 of alternate flow A1.

Step	Actor Action	System Response
1	User clicks Sign out instead.	1.1 System signs the user out without changing the password.

The password must still be changed at the next sign-in. The use case ends.

EXCEPTION FLOW**E4 (New Passwords Do Not Match)**

Branches from step 3.1 of the basic flow.

Step	Actor Action	System Response
1		1.1 System shows "The new passwords do not match." under Confirm new password.

Resumes at step 3 of the basic flow.

EXCEPTION FLOW**E5 (Too Many Attempts)**

Branches from step 4.1 of the basic flow.

Step	Actor Action	System Response
1		1.1 System shows "Too many attempts. Wait a while before trying again." and saves nothing.

The use case ends.

EXCEPTION FLOW**E1 (Current Password Incorrect)**

Branches from step 4.2 of the basic flow.

Step	Actor Action	System Response
1		1.1 System shows "That password is not correct." under Current password and saves nothing.

Resumes at step 3 of the basic flow.

EXCEPTION FLOW**E2 (Password Used Recently)**

Branches from step 4.3 of the basic flow.

Step	Actor Action	System Response
1		1.1 System shows "You have used this password recently. Choose one that is not among your last 4 passwords." and saves nothing.

Resumes at step 3 of the basic flow.

	EXCEPTION FLOW						
	E3 (Password Too Weak)						
	<i>Branches from step 4.4 of the basic flow.</i>						
	<table border="1"> <thead> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> </thead> <tbody> <tr> <td>1</td><td></td><td>1.1 System lists each rule the password breaks under New password and saves nothing.</td></tr> </tbody> </table>		Step	Actor Action	System Response	1	
Step	Actor Action	System Response					
1		1.1 System lists each rule the password breaks under New password and saves nothing.					
	<i>Resumes at step 3 of the basic flow.</i>						

Use Case Name: Recover a Forgotten Password

Use Case ID:	UC-5.2.2		
Author	Roman Rico Albania		
Purpose	Let a user who has forgotten their password set a new one through a link sent to their email. This use case is designed and is not yet built in the prototype.		
Related Use Case	«extend» UC-5.1 (Register and Authenticate)		
Priority	High		
Preconditions	• The user has an account and can open its email inbox		
Postconditions	• The new password is stored and recorded in the password history • The reset link can no longer be used		
Actors	• Reader • Staff Member • Email Service		
Flow of Actions	<i>BASIC FLOW</i>		
	Step	Actor Action	System Response
	1	User clicks Forgot your password? on the sign-in page.	1.1 System opens Reset your password with an Email field.
	2	User types their email address and clicks Send reset link.	2.1 System shows "If an account uses that address, we've sent a reset link." for every address, so it never reveals who has an account.
			2.2 System checks whether the address belongs to an account.
			2.3 System creates a single-use link that expires in 1 hour, stores it hashed, and asks the Email Service to send it.
	3	Email Service delivers the email to the user's inbox.	

	4	User opens the email and clicks Reset my password.	4.1 System checks that the link is genuine, unexpired and unused.
			4.2 System opens Choose a new password with New password and Confirm new password.
	5	User types the new password twice and clicks Save new password.	5.1 System checks the same rules as UC-5.2.1, including the last 4 passwords.
			5.2 System saves the password, adds it to the history, marks the link used and restarts the 90-day period.
			5.3 System opens the sign-in page with "Password updated. Sign in with your new password."
	ALTERNATE FLOW A1 (Address Not Registered) <i>Branches from step 2.2 of the basic flow.</i>		
	Step	Actor Action	System Response
	1		1.1 System sends no email; the user sees the same message as for a registered address.
	<i>The use case ends.</i>		
	EXCEPTION FLOW E1 (Link Expired or Already Used) <i>Branches from step 4.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1		1.1 System shows "This link has expired" and offers to send a new one.
	<i>Resumes at step 2 of the basic flow.</i>		
	EXCEPTION FLOW E2 (Password Used Recently or Too Weak) <i>Branches from step 5.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1		1.1 System shows the same messages as UC-5.2.1, exceptions E2 and E3, and saves nothing.
	<i>Resumes at step 5 of the basic flow.</i>		

Use Case Name: Administer User Accounts

Use Case ID:	UC-5.3
---------------------	--------

Author	Joshmar Clavero																												
Purpose	Let an administrator create staff accounts, change roles, suspend or restore accounts, require a password reset and grant subscriptions, through the administration site.																												
Related Use Case	None																												
Priority	High																												
Preconditions	The person is signed in to the administration site as an administrator																												
Postconditions	The account change is saved and applies from the account's next request																												
Actors	Administrator																												
Flow of Actions	BASIC FLOW <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>Administrator opens the administration site and clicks Users.</td><td>1.1 System lists the accounts with their email, name, role, and whether they are active, suspended or must reset their password.</td></tr> <tr> <td>2</td><td>Administrator clicks an account's email address.</td><td>2.1 System opens the account with its Role and access settings and its reader profile.</td></tr> <tr> <td>3</td><td>Administrator changes the Role, or ticks Is suspended or Must reset password, or sets the reader profile's Tier, and clicks Save.</td><td>3.1 System checks the change.</td></tr> <tr> <td></td><td></td><td>3.2 System saves it and shows that the user was changed successfully.</td></tr> </table> ALTERNATE FLOW A3 (New Staff Account) Branches from step 1.1 of the basic flow. <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>Administrator clicks Add user, fills in Email, First name, Last name, Role and the password twice, and clicks Save.</td><td>1.1 System creates the account.</td></tr> </table> The use case ends. ALTERNATE FLOW A1 (Several Accounts at Once) Branches from step 1.1 of the basic flow. <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>Administrator ticks the accounts, picks Suspend selected accounts, Restore selected accounts or Require a password reset from Action, and clicks Go.</td><td>1.1 System applies the action and shows how many accounts changed.</td></tr> </table> The use case ends.		Step	Actor Action	System Response	1	Administrator opens the administration site and clicks Users.	1.1 System lists the accounts with their email, name, role, and whether they are active, suspended or must reset their password.	2	Administrator clicks an account's email address.	2.1 System opens the account with its Role and access settings and its reader profile.	3	Administrator changes the Role, or ticks Is suspended or Must reset password, or sets the reader profile's Tier, and clicks Save.	3.1 System checks the change.			3.2 System saves it and shows that the user was changed successfully.	Step	Actor Action	System Response	1	Administrator clicks Add user, fills in Email, First name, Last name, Role and the password twice, and clicks Save.	1.1 System creates the account.	Step	Actor Action	System Response	1	Administrator ticks the accounts, picks Suspend selected accounts, Restore selected accounts or Require a password reset from Action, and clicks Go.	1.1 System applies the action and shows how many accounts changed.
Step	Actor Action	System Response																											
1	Administrator opens the administration site and clicks Users.	1.1 System lists the accounts with their email, name, role, and whether they are active, suspended or must reset their password.																											
2	Administrator clicks an account's email address.	2.1 System opens the account with its Role and access settings and its reader profile.																											
3	Administrator changes the Role, or ticks Is suspended or Must reset password, or sets the reader profile's Tier, and clicks Save.	3.1 System checks the change.																											
		3.2 System saves it and shows that the user was changed successfully.																											
Step	Actor Action	System Response																											
1	Administrator clicks Add user, fills in Email, First name, Last name, Role and the password twice, and clicks Save.	1.1 System creates the account.																											
Step	Actor Action	System Response																											
1	Administrator ticks the accounts, picks Suspend selected accounts, Restore selected accounts or Require a password reset from Action, and clicks Go.	1.1 System applies the action and shows how many accounts changed.																											

	EXCEPTION FLOW						
	E1 (Invalid Change)						
	<i>Branches from step 3.1 of the basic flow.</i>						
	<table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td></td><td>1.1 System shows "Please correct the error below." beside the field and saves nothing.</td></tr> </table>	Step	Actor Action	System Response	1		1.1 System shows "Please correct the error below." beside the field and saves nothing.
Step	Actor Action	System Response					
1		1.1 System shows "Please correct the error below." beside the field and saves nothing.					
<i>Resumes at step 3 of the basic flow.</i>							

Use Case Name: Configure the Platform

Use Case ID:	UC-5.4																						
Author	Joshua Concepcion																						
Purpose	Let an administrator change the site's name, tagline, colour and page size, see the status of external services, and switch maintenance mode on or off.																						
Related Use Case	None																						
Priority	Medium																						
Preconditions	The person is signed in as an administrator																						
Postconditions	The settings apply without redeploying, or maintenance mode is on or off																						
Actors	Administrator																						
Flow of Actions	BASIC FLOW <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>Administrator clicks Settings in the workspace sidebar.</td><td>1.1 System opens the settings with Site, Integrations and Maintenance mode.</td></tr> <tr> <td>2</td><td>Administrator changes Site name, Tagline, Accent colour or Articles per page.</td><td>2.1 System checks the values.</td></tr> <tr> <td></td><td></td><td>2.2 System saves them and applies them without redeploying.</td></tr> </table> ALTERNATE FLOW A1 (Maintenance Mode) <i>Branches from step 1.1 of the basic flow.</i> <table> <tr> <th>Step</th><th>Actor Action</th><th>System Response</th></tr> <tr> <td>1</td><td>Administrator types the Message shown to readers and clicks Enable maintenance.</td><td>1.1 System asks "Enable maintenance mode?".</td></tr> <tr> <td>2</td><td>Administrator clicks Enable maintenance in the question.</td><td>2.1 System shows the message to readers while staff keep working.</td></tr> </table>		Step	Actor Action	System Response	1	Administrator clicks Settings in the workspace sidebar.	1.1 System opens the settings with Site, Integrations and Maintenance mode.	2	Administrator changes Site name, Tagline, Accent colour or Articles per page.	2.1 System checks the values.			2.2 System saves them and applies them without redeploying.	Step	Actor Action	System Response	1	Administrator types the Message shown to readers and clicks Enable maintenance.	1.1 System asks "Enable maintenance mode?".	2	Administrator clicks Enable maintenance in the question.	2.1 System shows the message to readers while staff keep working.
Step	Actor Action	System Response																					
1	Administrator clicks Settings in the workspace sidebar.	1.1 System opens the settings with Site, Integrations and Maintenance mode.																					
2	Administrator changes Site name, Tagline, Accent colour or Articles per page.	2.1 System checks the values.																					
		2.2 System saves them and applies them without redeploying.																					
Step	Actor Action	System Response																					
1	Administrator types the Message shown to readers and clicks Enable maintenance.	1.1 System asks "Enable maintenance mode?".																					
2	Administrator clicks Enable maintenance in the question.	2.1 System shows the message to readers while staff keep working.																					

	3	Administrator later clicks Bring site back online.	3.1 System restores public access.
	<i>The use case ends.</i>		
	EXCEPTION FLOW		
	E1 (Invalid Value)		
	<i>Branches from step 2.1 of the basic flow.</i>		
	Step	Actor Action	System Response
	1		1.1 System names the invalid value and saves nothing.
	<i>Resumes at step 2 of the basic flow.</i>		

B. Activity Diagrams with Swim-lanes

Module 1 — Editorial Production UC-1.1: Commission an Article




Figure 8 UC-1.1: Commission an article

UC-1.2: Produce an Article




Figure 9 UC-1.2: Produce an Article

UC-1.2.1: Evaluate a Submitted Article




Figure 10 UC-1.2.1: Evaluate a Submitted Article

UC-1.3: Communicate About an Article




Figure 11 UC-1.3: Communicate About an Article

UC-1.3.1: Decide on a Submitted Article




Figure 12 UC-1.3.1: Decide on a Submitted Article

UC-1.4: Correct an Editorial Decision




Figure 13 UC-1.4: Correct an Editorial Decision

UC-1.5: Sign Off Editor-Authored Copy




Figure 14 UC-1.5: Sign Off Editor-Authored Copy

Module 2 — Issue Production and Publication

UC-2.1: Schedule Articles into an Issue




Figure 15 UC-2.1: Schedule Articles into an Issue

UC-2.2: Produce a Magazine Layout




Figure 16 UC-2.2: Produce a Magazine Layout

UC-2.3: Approve a Magazine Layout




Figure 17 UC-2.3: Approve a Magazine Layout

UC-2.4: Close an Issue




Figure 18 UC-2.4: Close an Issue

UC-2.5: Publish an Issue




Figure 19 UC-2.5: Publish an Issue

UC-2.6: Retire an Issue




Figure 20 UC-2.6: Retire an Issue

Module 3 — Editorial and Issue Oversight

UC-3.1: Review Publication Performance




Figure 21 UC-3.1: Review Publication Performance

UC-3.2: Monitor Editorial Progress




Figure 22 UC-3.2: Monitor Editorial Progress

UC-3.3: Consult the Published Archive




Figure 23 UC-3.3: Consult the Published Archive

Module 4 — Reader Engagement

UC-4.1: Read Published Content




Figure 24 UC-4.1: Read Published Content

UC-4.2: Save Articles for Later




Figure 25 UC-4.2: Save Articles for Later

UC-4.3: Subscribe to BOSS Magazine




Figure 26 UC-4.3: Subscribe to BOSS Magazine

UC-4.3.1: Read Subscriber-Only Content




Figure 27 UC-4.3.1: Read Subscriber-Only Content

UC-4.4: Manage a Subscription




Figure 28 UC-4.4: Manage a Subscription

Module 5 — Accounts and Platform Administration

UC-5.1: Register and Authenticate




Figure 29 UC-5.1: Register and Authenticate

UC-5.2: Manage Own Account




Figure 30 UC-5.2: Manage Own Account

UC-5.2.1: Change Password




Figure 31 UC-5.2.1: Change Password

UC-5.2.2: Recover a Forgotten Password




Figure 32 UC-5.2.2: Recover a Forgotten Password

UC-5.3: Administer User Accounts




Figure 33 UC-5.3: Administer User Accounts

UC-5.4: Configure the Platform




Figure 34 UC-5.4: Configure the Platform

Test Cases based on Fully Dressed Use Case

Access the full test cases through the following link:

[Novus Test Cases with Use Case Traceability](#)

System Analysis and Design

System Context Diagram




Figure 35 System Context Diagram

The Level 1 C4 diagram shows NOVUS as the central cloud-native publishing platform connecting its main users and external services. Writers, Editors, Publishers, Graphics Designers, and Admins manage content and platform operations, while Readers and Subscribers access published content. NOVUS also integrates payment gateways, an email delivery service, and an AI engine to support payments, notifications, and content evaluation.

Container Diagram




Figure 36 Container Diagram

This Container Diagram maps the high-level architecture of the Novus Editorial and Publishing Platform, demonstrating how Staff, Readers, and Subscribers interact with the system through a central Vue.js Web Application. All client interactions are securely routed via authenticated HTTPS API calls to a core Django API Application, which acts as the central hub for business logic, user authentication, editorial workflows, and REST API endpoints. System data is securely partitioned between a Primary PostgreSQL Database (accessible exclusively through backend channels) for structured records and Cloudflare R2 Object Storage for digital magazine designs, PDF issues, and user-uploaded media. To deliver its complete functional suite, the API application seamlessly integrates across three external services: Resend for automated email dispatches, PayMongo Payment Gateways for secure subscription billing and local e-wallet checkouts, and Anthropic Claude AI for intelligent article evaluations using Structured Outputs.

Component Diagram




Figure 37 Component Diagram Vue.js Web Application

Vue.js Web Application

This Component Diagram illustrates the frontend architecture of the Vue.js Web Application, detailing how different user roles—including Staff (Writers, Editors, Graphics Designers, Publishers, and Admins), Readers, and Subscribers—interact with the system. User navigation and route permissions are managed by a central Vue Router & Route Guard, which dynamically renders views across role-specific interface modules: the Public Portal Module, the Subscriber Portal Module, and the Editorial Workspace Module, alongside a globally mounted Notification Panel. Internal state, JWT bearer tokens, and user identities are securely managed by a Pinia-based Auth & Session Store, while an Axios-powered API Service Client handles and authenticates all outbound REST requests to the backend Django API Application, driving the interactive web experience for BOSS Magazine PH.




Figure 38 Component Diagram Django API Application

Django API Application

This Component Diagram outlines the internal architecture of the Novus Django API application, illustrating how the backend securely processes and routes requests from the Vue.js frontend. At its entry point, an API Router dispatches incoming traffic through perimeter authentication and permission middleware before delegating execution to three dedicated domain modules: the Core Domain Module (handling platform settings and integrations), the Editor and Publishing Domain Module (managing article drafting, workflow transitions, publication scheduling, paywalls, and Claude AI evaluations), and the Operations & Services Domain Module (overseeing reporting analytics, notification dispatch, and PayMongo payment webhooks). All domain modules communicate through a Secure Data Access Layer to manage encrypted SQL persistence for an encapsulated PostgreSQL primary database, while utilizing specialized clients for Cloudflare R2 object storage and dedicated audit logging, creating a robust, unified backend to drive the editorial workflow for BOSS Magazine PH.

Entity Relationship Diagram

Link: [ERD](#)



Figure 39 Entity Relationship Diagram

Results and Discussion

This section presents the results and detailed discussion of the human-centered design methodology applied during the development of NOVUS: Smart Editorial and Publishing Platform. It details the execution and outcomes across the five sequential stages of the Design Thinking framework: Empathize, Define, Ideate, Prototype, and Test. Through findings from primary stakeholder interviews, empathetic synthesis models (Empathy Maps, 5 Whys, Pain-Gain Analysis), and technical system designs, this section demonstrates how user insights directly informed the platform's architecture, functional capabilities, and operational solutions

Design Thinking Stages

Design Thinking is a human-centered problem-solving process with five stages: empathizing with users, defining the problem, generating ideas, creating prototypes, and test solutions. Allowing continuous improvement until the best solution is reached

Stage 1: Empathize

The first phase of the design thinking process is to have a deep understanding of the target users and to identify the problems they have at hand. The team lay aside all their assumptions about the problem, and the target users. This allows us to objectively consider all possibilities for the customers and their needs. As design thinkers, we immerse ourselves in their environment and experiences through research, interviews, and observations. The goal here is to build empathy by viewing situations from their perspective,, understanding not only what they say, but also how they act, what they think, and how they feel.



Figure 40 Design Thinking Stage 1 Meeting with our Client

To achieve this, we conducted interviews as a group. Our aim was to create a comfortable atmosphere that would encourage them to provide answers without hesitation. By practicing active listening and asking thoughtful, open-ended questions, we were able to gather authentic insights. This process allowed us to uncover their true needs, motivations, and pain points, helping us identify the underlying challenges that require attention.

Client Interviews

The following are the questions the group has made for our client:

Table V Client Interviews

Question	Answer
On average, how many <i>articles/stories</i> or pages are submitted per publishing cycle?	More than 10 articles/Stories
How long does it typically take (<i>in days</i>) from when an article is submitted to when you actually open and begin reviewing it?	It takes around 1-2 days from being submitted to being actually opened and reviewed
How often do multiple article submissions arrive on the same day?	Frequently more than half the time
On average, how many revision rounds does an article go through before it is approved?	It varies widely per writer
On average, how many days pass from when an article is submitted to when a final decision (approved or rejected) is made?	It normally takes around 1-2 days

5 Whys Simplified

Why does BOSS Magazine PH experience workflow delays, limited revenue, and difficulty scaling?

- Because its editorial, publishing, and business activities are handled mostly through manual processes and disconnected platforms.

Why are the processes manual and disconnected?

- Because BOSS Magazine PH **does not have a centralized digital platform** that manages content, editorial workflows, publishing, and digital business functions.

Why does the magazine not have a centralized digital platform?

- Because its current operations have relied primarily on social media, messaging applications, email, and other general-purpose tools rather than a dedicated publishing infrastructure.

Why is relying on these general-purpose tools becoming a problem?

- Because the magazine's content volume and operational responsibilities have grown, while its existing tools do not provide sufficient workflow tracking, automation, collaboration, analytics, or monetization capabilities.

Why can't the current setup support the magazine's growth and sustainability?

- Because BOSS Magazine PH lacks a dedicated digital infrastructure designed to integrate its editorial, publishing, audience reach, and revenue processes into one scalable system.

Root Cause

BOSS Magazine PH lacks a dedicated and centralized digital infrastructure that integrates editorial workflow, publishing operations, audience reach, and revenue generation, resulting in manual work, operational inefficiencies, limited scalability, and missed digital business opportunities.

Theoretical Personas

PERSONA 1: MARIA

Magazine editor

Manages multiple writers and article submissions

Struggles with tracking articles, deadlines, revisions, and communication

PERSONA 2: DANIEL

Magazine writer

Writes and submits articles for publication

Struggles with unclear instructions, fragmented communication, and delayed feedback

PERSONA 3: ROBERT

Magazine publisher

Oversees the quality, production, and publishing of magazine issues

Struggles with missed deadlines, late problems, and lack of visibility into the publishing process

PERSONA 4: ALEX

Graphic designer

Creates magazine layouts and visual content

Struggles with late content changes, unclear design directions, and repeated layout revisions

Empathy Map

Say	Thinks
• "I don't have a formal publishing schedule — I just try to keep track in my head" • "When a deadline is missed, it takes more than 2 weeks to recover" • "One late article can delay the whole issue" • "I noticed some submissions were heavily AI-generated — I could tell just from reading it" • "The more writers we add, the more work falls on me" • "We need to start making money from our content digitally — we can't just keep publishing for free."	• "I'm the only one reviewing everything — if I fall behind, the whole issue falls behind" • "I can't tell which articles are genuinely in progress and which ones writers have forgotten about" • "Some of these submissions feel like they were written by AI — I had to catch it myself with no tool to help me" • "The magazine produces quality content but has no way to earn from it. We are doing the work of a real publication without any of the revenue that should come with it." • "I spend more time managing messages and chasing people than I do actually editing" • "If one writer misses their deadline, it's not just their article that's late — it's everyone else's too" • "I'm reviewing the same types of basic errors over and over — there has to be a better way" • "I don't even know how many hours I'm putting in until I look back at the week"
Does	Feels
• Receives 10+ articles per publishing cycle across 4+ communication platforms (Messenger, email, Viber, etc.) • Spends 1–2 days reviewing each submitted article • Conducts multiple revision rounds per article; writers take 3–5 days to resubmit • Makes final approval decisions in 1–2 days per article • Reviews at least 5 articles per publishing cycle — only 3–4 out of 10 need no revision • Spends 1–2 hours daily chasing writers for updates or reminders • Spends 2+ hours daily writing and explaining revision notes to writers • Handles 21–49 messages per working day related to article management alone • Commits 31–40 hours per week on editorial tasks • Takes 2+ weeks to complete a full publishing cycle	• Overwhelmed — 31–40 hours of editorial work per week with no system, no automation, no support • Frustrated — spending 2+ hours a day just chasing writers and explaining revisions that could be standardized • Anxious — one missed deadline doesn't just affect one article, it cascades into the entire issue • Unsupported — she is the only editor, and the workload scales with every new writer added • Vigilant but exhausted — having to manually detect AI-generated content on top of everything else • Scattered — managing 21–49 messages a day across 4+ platforms with no single source of truth • Responsible but isolated — she cares deeply about the magazine's quality but carries the entire editorial burden alone • She recognizes that the magazine needs to generate digital revenue to be sustainable, but has no platform, no subscription system, and no mechanism to act on that ambition under the current setup. Commercially aware but stuck.

Figure 41 Empathy Map Editor

1. EDITOR

SAY

- I don't have a formal publishing schedule I just try to keep track in my head.
- When a deadline is missed, it takes more than 2 weeks to recover.
- One late article can delay the whole issue.
- I noticed some submissions were heavily AI-generated, I could tell just from reading it.
- The more writers we add, the more work falls on me.
- We need to start making money from our content digitally we can't just keep publishing for free

THINKS

- I'm the only one reviewing everything if I fall behind, the whole issue falls behind.
- I can't tell which articles are genuinely in progress and which ones writers have forgotten about.
- Some of these submissions feel like they were written by AI I had to catch it myself with no tool to help me.
- The magazine produces quality content but has no way to earn from it. We are doing the work of a real publication without any of the revenue that should come with it.
- I spend more time managing messages and chasing people than I do actually editing.
- If one writer misses their deadline, it's not just their article that's late it's everyone else's too.
- I'm reviewing the same types of basic errors over and over there has to be a better way.
- I don't even know how many hours I'm putting in until I look back at the week.

DOES

- Receives 10+ articles per publishing cycle across 4+ communication platforms (Messenger, email, Viber, etc.).
- Spends 1–2 days reviewing each submitted article.
- Conducts multiple revision rounds per article; writers take 3–5 days to resubmit.
- Makes final approval decisions in 1–2 days per article.
- Reviews at least 5 articles per publishing cycle only 3–4 out of 10 need no revision.
- Spends 1–2 hours daily chasing writers for updates or reminders.
- Spends 2+ hours daily writing and explaining revision notes to writers.
- Handles 21–49 messages per working day related to article management alone.
- Commits 31–40 hours per week on editorial tasks.
- Takes 2+ weeks to complete a full publishing cycle.

FEELS

- Overwhelmed 31–40 hours of editorial work per week with no system, no automation, no support.
- Frustrated spending 2+ hours a day just chasing writers and explaining revisions that could be standardized.
- Anxious one missed deadline doesn't just affect one article, it cascades into the entire issue.
- Unsupported she is the only editor, and the workload scales with every new writer added.
- Vigilant but exhausted having to manually detect AI-generated content on top of everything else.
- Scattered managing 21–49 messages a day across 4+ platforms with no single source of truth.
- Responsible but isolated, she cares deeply about the magazine's quality but carries the entire editorial burden alone.

Say	Thinks
• "I need a dedicated Workspace for my tasks." • "Communication is fragmented across multiple apps." • "I want a more structured workflow and timeline." • "I'm unsure if the editor has even seen my submission." • "Feedback is sometimes somewhat vague or unclear." • "I've had to ask for clarification before proceeding with revisions." • "Personal schedule conflicts make meeting deadlines hard." • "I wait and assume it's fine if I hear nothing back."	• Did my editor miss my message in the 80% Messenger noise? • I wish I knew exactly what "Under Review" actually looks like. • Is the feedback coming today, or in 4–7 days like last time? • I'm probably guessing what they want in this revision round. • Why do I have to check Gmail, Viber, AND Messenger for one brief? • I'd be more productive if I didn't have to 'check in' myself. • I hope I'm not writing something that will be rejected later. • There has to be a better way to brainstorm than this.
Does	Feels
• Switches between 3+ communication platforms daily. • Starts writing even when the brief is only "mostly clear." • Frequently scrolls back through chat history to find buried notes. • Manually checks in with the editor to find out the article status. • Balances multiple assignments without a central progress tracker. • Resubmits work while still feeling a bit uncertain of requirements. • Uses Google Docs/Sheets as a makeshift organization tool. • Delays work due to waiting on a response from the editorial side.	• Anxious about missed messages getting "buried" in group chats. • Disconnected due to the lack of a "clear acknowledgment" (20%). • Frustrated by the "It varies a lot" feedback timeline (60%). • Uncertain when starting an article without a 100% clear brief. • Pressured by deadlines when the instructions arrive late. • Blind regarding where their work sits in the editorial pipeline. • Overwhelmed by the fragmentation of the current "manageable" system. • Under-supported when brainstorming and expanding on new ideas.

Figure 42 Empathy Map Writers

2. WRITERS

SAY

- I need a dedicated workspace for my tasks.
- Communication is fragmented across multiple apps.
- I want a more structured workflow and timeline.
- I'm unsure if the editor has even seen my submission.
- Feedback is sometimes somewhat vague or unclear.
- I've had to ask for clarification before proceeding with revisions.
- Personal schedule conflicts make meeting deadlines hard.
- I wait and assume it's fine if I hear nothing back.

THINKS

- Did my editor miss my message in the 80% Messenger noise?
- I wish I knew exactly what 'Under Review' actually looks like.
- Is the feedback coming today, or in 4–7 days like last time?
- I'm probably guessing what they want in this revision round.
- Why do I have to check Gmail, Viber, AND Messenger for one brief?
- I'd be more productive if I didn't have to 'check in' myself.
- I hope I'm not writing something that will be rejected later.
- There has to be a better way to brainstorm than this.

DOES

- Switches between 3+ communication platforms daily.
- Starts writing even when the brief is only mostly clear.
- Frequently scrolls back through chat history to find buried notes.
- Manually checks in with the editor to find out the article status.
- Balances multiple assignments without a central progress tracker.
- Resubmits work while still feeling a bit uncertain of requirements.
- Uses Google Docs/Sheets as a makeshift organization tool.
- Delays work due to waiting on a response from the editorial side.

FEELS

- Anxious about missed messages getting "buried" in group chats.
- Disconnected due to the lack of a "clear acknowledgment" (20%).
- Frustrated by the "It varies a lot" feedback timeline (60%).
- Uncertain when starting an article without a 100% clear brief.
- Pressured by deadlines when the instructions arrive late.
- Blind regarding where their work sits in the editorial pipeline.
- Overwhelmed by the fragmentation of the current "manageable" system.
- Under-supported when brainstorming and expanding on new ideas.




Figure 43 Empathy map Publisher

3. PUBLISHER

SAY

- I need everything submitted on time no exceptions, deadlines are deadlines.
- I don't want to receive any issues by the time it reaches me for final review.
- If there are still errors when it gets to me, that means somewhere in the process broke down.
- The material needs to look good and read well before it goes to print I won't publish something that isn't ready.
- I keep having to remind people about deadlines like it's my full-time job.
- By the time I find out there's a problem, it's usually too late to fix it without delaying the whole issue.
- We need to start earning from what we publish we can't keep printing and posting for free.
- I want BOSS Magazine to look and feel like a professional international publication.

THINKS

- My job is to make sure what goes out represents BOSS Magazine at its best if the quality isn't there, it doesn't go out.
- I shouldn't have to be the one chasing deadline every cycle there should be a system that enforces this automatically.
- By the time an article reaches me, I still find things that should have been caught much earlier in the process.
- Every delay in the editorial side becomes my problem at the publishing side I absorb everything that slips.

- We are doing the work of a real print and digital publication but with none of the tools or revenue that should come with it.
- I have no visibility into where things stand until the editor tells me and sometimes that update comes too late.
- Printing costs money, time, and effort I need the content to be right the first time, not after three rounds of fixing.
- If we had a proper platform, we could reach more people and actually earn from the content we work so hard to produce.
- I want this magazine to grow internationally but right now I can barely keep the local publishing schedule.

DOES

- Receives approved articles from the editor and conducts a final quality check before publishing reviews layout, copy, visuals, and overall presentation.
- Personally, ensures the material meets the magazine standards before it goes out acts as the last checkpoint before printing or post.
- Handles the physical printing and production of the magazine issue coordinates print materials, layout formatting, and distribution.
- Publishes digital versions of content manually to social media platforms Facebook and Instagram.
- Enforces publishing deadlines by personally following up with the editor and writers through chat.
- Formats and prepares content for both print and digital output manually with no dedicated publishing tool.
- Designs or sources cover visuals and layout elements using Canva or phone-based apps.
- Tracks the publishing schedule personally through memory, notes, or informal reminders, with no formal calendar system.
- Manages the end-to-end production of each issue from content collection to final distribution.
- Has no system to monitor where each article is in the pipeline until the editor manually reports back.

FEELS

- Quality-protective deeply invested in making sure nothing goes out unless it meets the magazine's standard; takes personal ownership of what gets published under the BOSS name.
- Deadline-driven but unsupported wants a clean, on-time publishing cycle on every issue but has no system to enforce it and ends up doing it manually through follow-ups.
- Pressure-absorbing every delay, every missed deadline, and every last-minute issue from the editorial process lands on the publisher at the final stage with little time to fix it.
- Professionally proud views the printed and published magazine as a direct reflection of her standards and reputation, which makes any quality slip feel personal.
- Financially frustrated puts significant effort and cost into printing and producing each issue with no revenue mechanism in place to sustain or grow the operation.
- Isolated at the finish line operates as the sole person responsible for final quality and production, with no system, no dashboard, and no real-time view of what is coming her way.
- Growth-oriented but grounded wants to scale BOSS Magazine into an international brand but knows the current manual, informal publishing process cannot support that ambition without a major structural change.

Say	Thinks
• "I need all the final articles in one place before I can start laying out the magazine." • "When the content keeps changing after I've already placed it, I have to redo everything from scratch." • "I don't always know if what I'm designing matches what the editor actually wants." • "Nobody tells me the deadline until it's almost here." • "I spend more time waiting for content than actually designing." • "Sometimes I get feedback that's too vague — 'make it look better' doesn't tell me what to fix." • "I want to know upfront what the theme and feel of the issue is supposed to be." • "If the articles are still being revised, I can't finalize the layout — everything depends on the content being locked."	• Will the editor send me the final versions today, or will I be waiting again? • How am I supposed to design a layout when the article count keeps changing? • I hope what I submit doesn't come back with a completely different direction this time. • Is there a style guide I should be following, or am I just guessing the aesthetic again? • Why is the deadline moved up when the content wasn't even finalized yet? • No one tells me when articles get added or removed — I only find out when I check myself. • I'd work faster if I had the text and photos ready at the same time instead of getting them piece by piece. • Am I supposed to wait for the editor to approve the layout before moving to the next section, or just keep going?
Does	Feels
• Waits for all articles to be finalized by the editor before beginning the magazine layout. • Receives articles and assets through chat or email — no centralized file handoff system. • Manually arranges text, images, and visuals across multiple pages using design tools. • Revises layout multiple times based on feedback from the editor with no version tracking. • Checks in with the editor or publisher to find out if the content count or direction has changed. • Works without a formal design brief — interprets the magazine's visual identity based on past issues. • Adjusts layout from scratch whenever last-minute article changes or additions come in. • Submits completed layout back to the editor through chat for review and confirmation. • Manages multiple layout versions manually with no shared workspace or feedback tool.	• Dependent — cannot start or finish work without the content being locked and delivered first. • Uninformed — rarely receives a proper design brief or issue theme upfront, so a lot of decisions are made by guessing. • Frustrated — redoing layouts from scratch when articles change late in the process wastes significant time and effort. • Disconnected — has no visibility into the editorial pipeline, so changes always come as a surprise. • Pressured — absorbs deadline pressure from the editorial side even when delays were caused upstream. • Undervalued — design feedback is often vague or focuses on content rather than the visual work itself. • Isolated — works independently without a shared tool where the editor can leave layout-specific comments directly. • Motivated but constrained — wants to produce a polished, professional-looking magazine but the disorganized handoff process makes consistent quality hard to achieve.

Figure 44 Empathy Map Graphic Designer

4. GRAPHIC DESIGNER

SAY

- I need all the final articles in one place before I can start laying out the magazine.
- When the content keeps changing after I've already placed it, I have to redo everything from scratch.
- I don't always know if what I'm designing matches what the editor actually wants.
- Nobody tells me the deadline until it's almost here.
- I spend more time waiting for content than actually designing.
- Sometimes I get feedback that's too vague 'make it look better' doesn't tell me what to fix.
- I want to know upfront what the theme and feel of the issue is supposed to be.
- If the articles are still being revised, I can't finalize the layout, everything depends on the content being locked.

THINKS

- Will the editor send me the final versions today, or will I be waiting again?
- How am I supposed to design a layout when the article count keeps changing?
- I hope what I submit doesn't come back with a completely different direction this time.
- Is there a style guide I should be following, or am I just guessing the aesthetic again?
- Why is the deadline moved up when the content wasn't even finalized yet?
- No one tells me when articles get added or removed, I only find out when I check myself.
- I'd work faster if I had the text and photos ready at the same time instead of getting them piece by piece.

- Am I supposed to wait for the editor to approve the layout before moving to the next section, or just keep going?

DOES

- Waits for all articles to be finalized by the editor before beginning the magazine layout.
- Receives articles and assets through chat or email with no centralized file handoff system.
- Manually arranges text, images, and visuals across multiple pages using design tools.
- Revises layout multiple times based on feedback from the editor with no version tracking.
- Checks in with the editor or publisher to find out if the content count or direction has changed.
- Works without a formal design brief interprets the magazine's visual identity based on past issues.
- Adjusts layout from scratch whenever last-minute article changes or additions come in.
- Submits completed layout back to the editor through chat for review and confirmation.
- Manages multiple layout versions manually with no shared workspace or feedback tool.

FEELS

- Dependent cannot start or finish work without the content being locked and delivered first.
- Uninformed rarely receives a proper design brief or issue theme upfront, so a lot of decisions are made by guessing.
- Frustrated redoing layouts from scratch when articles change late in the process wastes significant time and effort.
- Disconnected has no visibility into the editorial pipeline, so changes always come as a surprise.
- Pressure absorbs deadline pressure from the editorial side even when delays were caused upstream.
- Undervalued design feedback is often vague or focuses on content rather than the visual work itself.
- Isolated works independently without a shared tool where the editor can leave layout-specific comments directly.
- Motivated but constrained wants to produce a polished, professional-looking magazine, but the disorganized handoff process makes consistent quality hard to achieve.

Pain-Gain Analysis Summary

Pains

- Fragmented communication, unclear workflows, and lack of a centralized system cause delays, confusion, and repeated follow-ups.
- Manual tracking, revisions, deadline chasing, and late content changes create heavy workloads and unnecessary rework.
- Limited visibility, unclear feedback, and lack of standardized processes make it difficult for writers, editors, publishers, and Graphic designers to coordinate effectively.
- The current manual process makes it difficult to maintain consistent quality, meet publishing schedules, scale operations, and generate digital revenue.

Gains

- Achieves a centralized and structured publishing workflow where articles, files, feedback, deadlines, and progress are managed in one place.
- Reduces delays, repetitive work, missed deadlines, and unnecessary revisions through automation, notifications, tracking, and standardized feedback.
- Improves collaboration and transparency by giving writers, editors, publishers, and Graphic designers clear visibility of article status, responsibilities, and deadlines.
- Improves content quality, publishing efficiency, scalability, and opportunities for digital monetization while reducing workload and operational stress.

Analysis

- They share a common need for better coordination, visibility, efficiency, and centralized workflow management.
- The root cause of their pains is the reliance on fragmented communication channels, manual processes, unclear responsibilities, and lack of a centralized publishing system.
- A centralized, user-friendly platform with workflow tracking, automated reminders, structured feedback, file management, version control, and clear article statuses can reduce delays and workload.
- Improving the publishing process benefits the entire team by increasing productivity, reducing errors and rework, improving collaboration, maintaining quality, and supporting the magazine's long-term digital growth and revenue goals.

Stage 2: Define

The second phase of the design thinking process is by putting together all the information gathered from the previous phase. This stage is to define the problem statements clearly which should be based on human-centered needs, rather than being focused on the business goal.

Clustered Problem

Core Problem Statement BOSS Magazine PH is a comprehensive Filipino lifestyle publication, covering a broad spectrum of topics including fashion, culture, modern trends, business, and society, that currently operates without any dedicated digital infrastructure to support its editorial, publishing, or revenue functions.

Cluster 1: Workflow & Operational Inefficiencies

- **Fragmented Editorial Workflow:** There is no centralized system; submissions come from multiple platforms, making tracking and management difficult.
- **Time-Consuming Manual Reviews:** All articles are reviewed manually, taking hours daily and increasing editor workload.

Cluster 2: Business & Scalability Constraints

- **Zero Revenue Generation:** There are no subscriptions, paywalls, or monetization strategies in place despite continuous content production.
- **Inability to Scale Operations:** The growing workload causes delays, inefficiency, and difficulty in handling an increased volume of content.

Cluster 3: Infrastructure & Brand Limitations

- **No Dedicated Digital Platform:** The current reliance on Facebook limits the publication's reach, discoverability, and professional credibility.

Release Plan

Updated Release Plan and Progress. The Novus release plan follows the three-phase academic delivery schedule. Release 1, completed during MNTSDEV, delivered the system requirements, Product Backlog, use cases, system design, and prototypes. Release 2 under MSYSADD will focus on detailed architecture and development while Release 3 under MCSPROJ will deliver the coded and integrated system, followed by testing, UAT, and production deployment.

The project is currently on schedule. The major deliverables for the MNTSDEV phase have been completed

Access the full release plan through the following link:

[Novus Release plan - .docx](#)

Prototype

Click the following link to see the deployed prototype.

Reader facing website - <https://novusdeploy.vercel.app/read>

Staff Workspace website - <https://novusdeploy.vercel.app/staff/login>

Wireframes

The wireframes of the proposed system were developed to visualize the interface layout and navigation flow for each user role prior to implementation.




Figure 45 Log in Page




Figure 46 Writer Dashboard



Dashboard

Submissions

Articles

Report

Messages

Settings

Writer

writer@bossmedia.ph

02

ARTICLE SUBMISSION FORM

WRITER

ARTICLE TITLE

Enter article title

SECTION / CATEGORY

Select category

WORD COUNT TARGET

Enter word count

Suggested range: 600 - 1,500 words

ARTICLE BODY

Paragraph

B I U

Write or paste your article here...

SAVE DRAFT

SUBMIT FOR REVIEW

We've got your back!
Your article will be automatically checked for readability and grammar before review.

TIPS FOR A GREAT ARTICLE

- Use clear and concise language
- Structure your content with headings
- Include relevant images and links
- Proofread before submitting

Articles will be automatically checked for readability and grammar.

Figure 47 Article Submission Form



Dashboard

Submissions

Articles

Report

Messages

Settings

Writer

writer@bossmedia.ph

Studio

Draft Review

Mode: Grammar & Read

Article Editor

Paragraph

B I U

As organizations adapt to lean operations, AI is no longer just a tool—it is becoming the core engine.

Leaders must evaluate how...
(Grammar: Passive voice detected)

Words: 132 Characters: 782

All changes saved

AI Optimization Panel

Readability Score

Grade Level: 10.2 (Good)

Flesch Reading Ease: 65

Grammar & Syntax (2)

Issue #1: Passive voice

Suggest Active Fix

Issue #2: Typo found

Accept Correction

Apply All AI Fixes

Figure 48 Article Editor




Figure 49 Submission status view




Figure 50 Revisions Inbox




Figure 51 Editor Dashboard




Figure 52 Article Review Screen



- Dashboard
- Articles
- Report
- Comments
- Team
- Settings


Editor
editor@novuscms.com

03

REVISION NOTE COMPOSER

EDITOR

SEND REVISION NOTE

SELECT SECTION

Select section to focus on...

NOTE TYPE

GRAMMAR TONE **STRUCTURE** FACTUAL

REVISION INSTRUCTION

Provide specific feedback or instructions for the writer...

0/500

PRIORITY

Select priority level...

+ ADD ANOTHER NOTE

SEND TO WRITER

Figure 53 Revision notes composer



- Dashboard
- Articles
- Report
- Comments
- Team
- Settings


Editor
editor@novuscms.com

04

APPROVAL SCREEN

EDITOR

 **ARTICLE APPROVED**

This article is approved and ready for the next steps.

ARTICLE PREVIEW

AI SCORE

91
Excellent

Readability 91

Grammar 93

REVISION HISTORY

1 revision round • May 15, 2025 at 10:30 AM

SEND TO PUBLISHER
Notify publisher to review and publish

SEND TO GRAPHIC DESIGNER
Notify designer for visuals and layout

Figure 54 Approval Screen



- Dashboard
- Articles
- Report
- Comments
- Team
- Settings

05 DEADLINE MANAGEMENT PANEL

EDITOR

DEADLINE PRESET

Select deadline template...

FOR ARTICLES ASSIGNED

AI in Everyday Workspaces	MAY 18, 2025	3 DAYS LEFT
Sustainable Tech in 2026	MAY 16, 2025	1 DAY LEFT
The Future of Digital Publishing	MAY 20, 2025	5 DAYS LEFT
Creator Economy: The Next Wave	MAY 22, 2025	7 DAYS LEFT

AUTO REMINDER

Send reminders 24 hours before the deadline.

☒

Editor editor@novuscms.com

SAVE DEADLINES

Figure 55 Deadline management panel



- Dashboard
- Articles
- Report
- Comments
- Team
- Settings

06 PIPELINE OVERVIEW

EDITOR

SEARCH & FILTER PIPELINE

Search articles...

All Status

DRAFT REVIEW **APPROVED**

ARTICLE	STATUS
AI in Everyday Workspaces	APPROVED
Sustainable Tech in 2026	APPROVED
The Future of Digital Publishing	APPROVED
Remote Work Best Practices	APPROVED
Creator Economy: The Next Wave	APPROVED

5 of 10 articles approved

Editor editor@novuscms.com

Figure 56 Pipeline Overview



- Dashboard
- Articles
- Team
- Layout Handoff**
- Settings


Designer
designer@novuscms.com

01 LAYOUT HANDOFF SCREEN

DESIGNER


NOVUS • DESIGNER • [NAME]
Welcome back! Here are the approved layouts ready for handoff.

APPROVED ARTICLES — READY FOR LAYOUT



AI in Everyday Workspaces
Last updated: May 15, 2025 · Approved v2
All content final and approved

ARTICLE

PHOTOS: 8

DOWNLOAD



Sustainable Tech in 2026
Last updated: May 14, 2025 · Approved v1
All content final and approved

ARTICLE

PHOTOS: 12

DOWNLOAD


All files are final approved versions.
Download the full article package including content brief, assets, and guidelines.

Figure 57 Layout handoff screen



- Dashboard
- Articles
- Team
- Layout Submission**
- Settings


Designer
designer@novuscms.com

02 LAYOUT SUBMISSION SCREEN

DESIGNER

SUBMIT COMPLETED LAYOUT

ISSUE / ARTICLE

Issue #12

UPLOAD LAYOUT FILE



Drag and drop your file here
PDF or INDD files (Max 100MB)

LAYOUT VERSION

v1.0

NOTES TO EDITOR

Add notes about the layout...

0/500


SUBMIT LAYOUT FOR EDITOR REVIEW


You will be notified once the editor reviews your submission.

Figure 58 Layout submission




Figure 59 Publisher pipeline view




Figure 60 Publishing confirmation




Figure 61 User homepage




Figure 62 Article listing page




Figure 63 Article read review




Figure 64 Subscription page

05 PAYMENT CHECKOUT



BUSINESSTECHLIFEINNOVATIONLEADERSHIP

Q

Order Summary

Plan	Yearly Plan
Billing	₱1,990.00 / year
Total	₱1,990.00

Why subscribe?

- ✓ Unlimited access to all articles
- ✓ Ad-free reading experience
- ✓ Exclusive newsletters
- ✓ Cancel anytime

 Secure & encrypted payment
Your payment information is safe with us.

Payment Method

 GCash
 Maya
 Credit Card
 Debit Card

GCash Payment

GCash Number

11-digit mobile number

Account Name

Account name will appear in your GCash app

 Please make sure to send the exact amount
₱1,990.00 to confirm your payment.

Scan to Pay

 GCash
Scan this QR code using
your GCash app



 I HAVE MADE THE PAYMENT


By completing your purchase, you agree to our Terms of Service and Privacy Policy.

Figure 65 Payment checkout

Storyboard

To illustrate the problems addressed by the system and how each feature resolves them, storyboards were developed depicting real-world user scenarios. Fig. 22 presents the storyboards for the editor's AI pre-screening engine and sprint board. Fig. 23 shows the storyboards for the graphic designer's file submission and the writer's centralized drafting workspace. Fig. 24 illustrates the storyboards for the writer's deadline tracking and contextual revision notes features.

NOVUS - STORYBOARDS (PROTOTYPE)



NOVUS - STORYBOARDS (PROTOTYPE)



NOVUS - STORYBOARDS (PROTOTYPE)



Figure 68 Storyboard Writer deadline tracking & Writer Revision notes

Use Classes and Characteristics

Table VI User classes and characteristics

<i>Roles</i>	<i>Description</i>
<i>Admin</i>	The Administrator user class represents platform managers responsible for system governance, user account management, and role-based access control. Admins maintain oversight of the centralized editorial workflow and access administrative dashboards to monitor subscription revenue, cloud infrastructure costs, and newsroom productivity metrics.
<i>Publisher</i>	The publisher oversees the entire editorial and publishing operations of BOSS Magazine PH. This user has the highest level of access within the internal system, responsible for setting issue deadlines, publishing approved content to the public website, and monitoring subscription revenue and web analytics.
<i>Editor</i>	The editor manages the editorial workflow end-to-end. This user creates and assigns article briefs to writers, reviews submitted drafts, requests revisions or approves final articles, and forwards approved content to the client for sign-off before publication.
<i>Writer</i>	The writer is a content creator assigned to produce articles for the magazine. This user receives assignment briefs through the platform, drafts and submits articles for editorial review, and responds to revision notes until the article is approved.
<i>Graphics Designer</i>	The graphics designer is responsible for the visual production of the magazine. This user receives approved articles and their materials, uploads layout previews and asset versions, and submits the final PDF bundle for editorial and client review.

<i>Reader</i>	A reader is a member of the public who accesses the BOSS Magazine PH public portal. This user can browse articles by category, search by keyword, and opt into the email newsletter. Readers have access to free-tier content only.
<i>Subscriber</i>	A subscriber is a reader who has completed registration and payment to access premium content. This user inherits all capabilities of a standard reader and additionally gains access to paywalled articles, full digital issues, bookmarking, and subscription management through their profile.

Conclusion

BOSS Magazine PH produces consistent, quality content, but its editorial, publishing, and revenue work runs through consumer messaging apps and manual follow-ups. That leaves its sole editor carrying 31 to 40 hours of editorial work a week, stretches each publishing cycle past two weeks, confines its reach to social media, and earns the publication no direct revenue from its content. Through requirement elicitation with BOSS Media Philippines Inc., the team traced these symptoms to a single root cause: the absence of a centralized digital infrastructure. NOVUS was designed to address that cause directly.

In this phase, the team completed the design of NOVUS. Each specific objective now has a defined design that it will be built and measured against:

- **Workflow and capacity.** A centralized pipeline gives every article an explicit status from assignment to publication, records every transition, and groups each dashboard by who can act next. It is designed to handle a minimum of 50 submissions per month.
- **Workload reduction.** An AI pre-screening service scores each draft from 0 to 100. Only drafts that reach the passing mark of 70 go to the editor; the rest return to the writer with revision notes. A Human-in-the-Loop override, with a recorded justification, keeps the final decision with the editor. Success will be measured as at least a 50% reduction in the editor's active review time against a baseline recorded during the pilot phase.
- **Portal performance.** A reader-facing portal gives the magazine an owned, searchable presence independent of social media algorithms. It will be evaluated against standard web performance benchmarks at launch.
- **Monetization readiness.** Subscriptions and a paywall are designed around a local payment gateway that supports GCash, Maya, and cards. Paid digital editions are delivered only through short-lived signed links. The integration will be validated through simulated transactions in a sandbox environment.

The main deliverables of this phase are:

- a product backlog of role-based user stories with acceptance criteria;
- fully dressed use cases with alternate and exception flows, traced to test cases;
- C4 context, container, and component diagrams;
- an entity relationship diagram;
- high-fidelity wireframes for every role.

The review of related literature supports the core design choices: structured workflows over chat-based coordination, AI as a first screen under human control rather than a replacement for editorial judgment, and owned platforms with locally payable subscriptions for independent publishers. The comparison with WordPress, Ghost, and Substack shows that no existing platform combines these capabilities in one system for a small Philippine publisher.

Through NOVUS, BOSS Magazine PH moves from informal, chat-based operations toward a structured, trackable, and revenue-ready publishing platform. That shift supports fairer working conditions for its

team (SDG 8) and gives an independent Filipino publication the digital infrastructure it has so far lacked (SDG 9).

References

- [1] Reuters Institute for the Study of Journalism, "Digital News Report 2026," Univ. of Oxford, Oxford, U.K., Jun. 2026. Accessed: Sep. 26, 2026. [Online]. Available: <https://reutersinstitute.politics.ox.ac.uk/digital-news-report/2026/dnr-executive-summary>
- [2] Cflow, "Editorial workflow: How to streamline content creation for maximum efficiency," Cflow. Accessed: Sep. 26, 2026. [Online]. Available: <https://www.cflowapps.com/editorial-workflow/>
- [3] Amnet, "From manuscript to publication — Why editorial workflows matter more than ever," Amnet, Apr. 28, 2026. Accessed: Sep. 26, 2026. [Online]. Available: <https://amnet.com/from-manuscript-to-publication-why-editorial-workflows-matter-more-than-ever/>
- [4] E. Bastianello, C. Tomlinson, and A. Adamou, "PubLink: Editorial workflow for digital scholarly publications in the humanities," in *Proc. 35th ACM Conf. Hypertext and Social Media (HT '24)*, Poznań, Poland, 2024, pp. 318–322, doi: 10.1145/3648188.3677051.
- [5] E. Brechner, *Agile Project Management with Kanban*. Redmond, WA, USA: Microsoft Press, 2015.
- [6] M. O. Ahmad, J. Markkula, and M. Oivo, "Kanban in software development: A systematic literature review," in *Proc. 39th Euromicro Conf. Software Engineering and Advanced Applications (SEAA)*, Santander, Spain, 2013, pp. 9–16, doi: 10.1109/SEAA.2013.28.
- [7] L. Zheng et al., "Judging LLM-as-a-judge with MT-Bench and Chatbot Arena," in *Advances in Neural Information Processing Systems 36 (NeurIPS 2023), Datasets and Benchmarks Track*, New Orleans, LA, USA, 2023.
- [8] M. D. Shermis, "State-of-the-art automated essay scoring: Competition, results, and future directions from a United States demonstration," *Assessing Writing*, vol. 20, pp. 53–76, 2014, doi: 10.1016/j.asw.2013.04.001.
- [9] E. Pitler and A. Nenkova, "Revisiting readability: A unified framework for predicting text quality," in *Proc. 2008 Conf. Empirical Methods in Natural Language Processing (EMNLP)*, Honolulu, HI, USA, 2008, pp. 186–195.
- [10] E. Dale and J. S. Chall, "A formula for predicting readability," *Educational Research Bulletin*, vol. 27, no. 1, pp. 11–20, 28, 1948.
- [11] R. Parasuraman and D. H. Manzey, "Complacency and bias in human use of automation: An attentional integration," *Human Factors*, vol. 52, no. 3, pp. 381–410, 2010, doi: 10.1177/0018720810376055.
- [12] Reuters Institute for the Study of Journalism, "Generative AI and news report 2025: How people think about AI's role in journalism and society," Univ. of Oxford, Oxford, U.K., 2025. Accessed: Sep. 26, 2026. [Online]. Available: <https://reutersinstitute.politics.ox.ac.uk/generative-ai-and-news-report-2025-how-people-think-about-ais-role-journalism-and-society>
- [13] N. Newman, R. Fletcher, C. T. Robertson, A. Ross Arguedas, and R. K. Nielsen, "Reuters Institute Digital News Report 2024," Reuters Inst. for the Study of Journalism, Univ. of Oxford, Oxford, U.K., 2024.

Accessed: Sep. 26, 2026. [Online]. Available: <https://reutersinstitute.politics.ox.ac.uk/digital-news-report/2024>

[14] Deployteq, "Challenges facing the publishing and media industry in 2024," Deployteq, Mar. 11, 2024. Accessed: Sep. 26, 2026. [Online]. Available: <https://deployteq.com/challenges-facing-the-publishing-and-media-industry-in-2024/>

[15] Worldpay, "Global Payments Report 2026," Global Payments Inc., Apr. 2026. Accessed: Sep. 26, 2026. [Online]. Available: <https://worldpay.com/en/global-payments-report>

[16] Recurly, "Manually retrying payments? There's a better way," Recurly, Mar. 30, 2021. Accessed: Sep. 26, 2026. [Online]. Available: <https://recurly.com/blog/manually-retrying-payments-theres-a-better-way/>

[17] J. Hamari, N. Hanner, and J. Koivisto, "Service quality explains why people use freemium services but not if they go premium: An empirical study in free-to-play games," *Int. J. Inf. Manage.*, vol. 37, no. 1, pp. 1449–1459, 2017, doi: 10.1016/j.ijinfomgt.2016.09.004.

[18] WordPress.org, "Post status," WordPress Documentation. Accessed: Sep. 26, 2026. [Online]. Available: <https://wordpress.org/documentation/article/post-status/>

[19] PublishPress, "PublishPress Statuses – Custom post status and workflow," WordPress.org Plugin Directory. Accessed: Sep. 26, 2026. [Online]. Available: <https://wordpress.org/plugins/publishpress-statuses/>

[20] Ghost Foundation, "Alternative payment gateways," Ghost Help. Accessed: Sep. 26, 2026. [Online]. Available: <https://ghost.org/help/alternative-payment-gateways/>

[21] Substack, "How do I set up my Stripe account on Substack to start receiving payments?," Substack Support. Accessed: Sep. 26, 2026. [Online]. Available: <https://support.substack.com/hc/en-us/articles/4405482746132-How-do-I-set-up-my-Stripe-account-on-Substack-to-start-receiving-payments>

[22] R. Su and X. Li, "Modular monolith: Is this the trend in software architecture?," in *Proc. 1st Int. Workshop New Trends in Software Architecture (SATrends '24)*, Lisbon, Portugal, 2024, pp. 10–13, doi: 10.1145/3643657.3643911.

[23] Encode OSS, "Django REST framework." Accessed: Sep. 26, 2026. [Online]. Available: <https://www.django-rest-framework.org/>

[24] OWASP Foundation, "OWASP Top 10:2025," 2025. Accessed: Sep. 26, 2026. [Online]. Available: https://owasp.org/Top10/2025/0x00_2025-Introduction/

[25] M. Jones, J. Bradley, and N. Sakimura, "JSON Web Token (JWT)," Internet Engineering Task Force, RFC 7519, May 2015, doi: 10.17487/RFC7519.

[26] Cloudflare, "Temporary credentials," Cloudflare R2 Documentation. Accessed: Sep. 26, 2026. [Online]. Available: <https://developers.cloudflare.com/r2/api/s3/temporary-credentials/>

[27] World Wide Web Consortium (W3C), "Web Content Accessibility Guidelines (WCAG) 2.2," W3C Recommendation, Oct. 5, 2023. Accessed: Sep. 26, 2026. [Online]. Available: <https://www.w3.org/TR/WCAG22/>

[28] *Data Privacy Act of 2012*, Republic Act No. 10173, Philippines, Aug. 15, 2012. Accessed: Sep. 26, 2026. [Online]. Available: <https://privacy.gov.ph/data-privacy-act/>

Appendices

Appendix A: Project Vision

For **BOSS Media Philippines Inc.** and independent publishers struggling with fragmented communication, unsustainable manual review workloads, and zero direct digital revenue, **NOVUS** is a cloud-native, **AI-assisted publishing platform** that unifies the entire media pipeline from initial draft to monetized publication.

Unlike reliance on informal messaging apps, social media algorithms, or general-purpose web builders, **NOVUS** delivers structured editorial tracking, automated AI pre-screening with Human in the Loop overrides, localized PayMongo checkouts, and an owned public portal. This transform disconnected, chat-based operations into an efficient, professional, and commercially sustainable media enterprise.

Appendix B: Schedule

Gantt chart or table containing your project schedule.




Figure 69 Project schedule




Figure 70 Project schedule II

Appendix C: Product Roadmap




Figure 71 Project Roadmap

Appendix D: Team Meetings




Figure 72 Meeting with team adviser




Figure 73 Consultation of Deliverables with team adviser

Recent sprint review.




Figure 74 Sprint review with team adviser

Throughout the course of the project, our team conducted a total of 6 sessions of formal meetings, consultations, and progress updates with our Team Adviser, **Sir Carl Dominique Bueno**. While these scheduled sessions provided us with valuable insights and guidance.

Also recently we also conducted a sprint review with him that lasted almost an hour. It consisted of us updating with him with the current progress, review of deliverables, and more tips/guide on what to focus on next.

With this he has helped us a lot in organizing on which task should take priority and which we need to polish more.

Appendix E: Source Code




Figure 75 GitHub repository

<https://github.com/APC-SoCIT/APC-2026-2027-T1-IT243-G08-NOVUS-Smart-Editorial-and-Publishing-Platform->