

Test Case Specification for
NOVUS: Smart Editorial and Publishing Platform

Project Documentation Submitted to the Faculty of the
School of Computing and Information Technologies
Asia Pacific College

In Partial Fulfillment of the Requirements for
System Analysis and Detailed Design
MSYADD1

Submitted by:

Galido, Rei Khalil S. (Team Leader)
Albania, Roman Rico B. (Member)
Clavero, Joshmar L. (Member)
Concepcion, Joshua (Member)

Submitted to:

Mr. Jose Eugenio L. Quesada
Course Instructor

October 2026
1st Term
A.Y. 2026 – 2027

1. Purpose and scope

This document specifies the test cases for the NOVUS Smart Editorial and Publishing Platform. Every use case in the specification is covered, and every case names the use case path it exercises.

Identifiers follow the convention used in the automated suite: TC-<use case>-<flow>, where the flow is BF for the basic flow, A1 and A2 for alternate flows, and E1, E2 and so on for exception flows. A case therefore names the path it covers, and a gap in coverage is visible by inspection rather than discoverable only by audit.

Cases are weighted toward the paths where a defect would matter. A basic flow that succeeds is the least interesting thing a system does; what is worth asserting is that it refuses correctly, degrades honestly, and does not half-commit when something fails midway.

Execution	Meaning	Count
Automated	Asserted by the automated suite. The test is named in the case.	54
Manual	Executed by hand against the running system.	114
Total		168

2. Test environment

Cases are executed against the deployed instance unless stated otherwise. The automated suite runs against a disposable database and writes uploads to a temporary directory, so it needs neither network access nor credentials — a suite that requires either is a suite that stops being run.

Component	Configuration
Application	Django 5.2 with Django REST Framework
Database	PostgreSQL, hosted
Object storage	Two buckets: one public for article photography, one private for magazine editions
Automated suite	pytest with the Django plugin
Accounts	One account per staff role, plus a free reader and a subscriber
Demonstration data	A seeding command produces a consistent data set, so a case beginning “given ten published articles” has them

Where a case depends on a specific state — an overdue commission, a closed issue, an expired credential — the precondition states it and the seeding command or a direct set-up step establishes it. No case relies on a state left behind by another.

3. Traceability matrix

Requirement to use case to test case. This table demonstrates coverage; the cases themselves demonstrate depth.

All 27 use cases carry at least one test case, and every documented alternate and exception flow is exercised.

Requirement	Use case	Test cases
FR-EDT-01	UC-1.1 Commission an Article	TC-1.1-BF, A1, A-VALID, A2
FR-EDT-02	UC-1.2 Produce an Article	TC-1.2-BF, A1, C1, A4, E1, E2, LIMITS, FLOOR, A5, QF-STALE, QF-ONCE, QF-OWNER, QF-CLOSED, WAIVER, HOLD, QF-SAVE, A2
FR-EDT-03	UC-1.2.1 Evaluate a Submitted Article	TC-1.2.1-BF, A1, E1, REVISE, A2, PASS, NOKEY, LOCATE, A3, A4
FR-EDT-04	UC-1.3 Communicate About an Article	TC-1.3-BF, LINKS, A1
FR-EDT-05	UC-1.3.1 Decide on a Submitted Article	TC-1.3.1-BF, A1, A2, A3, A4, VIS, E1, E2, FIXES, A5
FR-EDT-06	UC-1.4 Correct an Editorial Decision	TC-1.4-BF, E2, CASCADE, E1, A1, A2
FR-EDT-07	UC-1.5 Sign Off Editor-Authored Copy	TC-1.5-BF, A1, A2
FR-PUB-01	UC-2.1 Schedule Articles into an Issue	TC-2.1-BF, ACCESS, A1, E1, A2
FR-PUB-02	UC-2.2 Produce a Magazine Layout	TC-2.2-BF, E-PENDING, DIRECT, E-ABANDONED, E1, COVER, SCOPE-1, SCOPE-2, SCOPE-3, E1-PUBLISHED, A1, E2, E3
FR-PUB-03	UC-2.3 Approve a Magazine Layout	TC-2.3-A1, SUPERSEDE, BF
FR-PUB-04	UC-2.4 Close an Issue	TC-2.4-BF, A1, MINIMUM, E1, A2, E2
FR-PUB-05	UC-2.5 Publish an Issue	TC-2.5-BF, E-EDITION, E1, E1-CLOSED, PRE, E2E, E1-ARTICLES, SINGLE, READY, A1, A2
FR-PUB-06	UC-2.6 Retire an Issue	TC-2.6-BF, A1
FR-OVS-01	UC-3.1 Review Publication Performance	TC-3.1-BF, OVERRIDE, A1, E1
FR-OVS-02	UC-3.2 Monitor Editorial Progress	TC-3.2-BF, A1, CAL, A2, E1, ROUTES
FR-OVS-03	UC-3.3 Consult the Published Archive	TC-3.3-BF, A1, ROLES
FR-RDR-01	UC-4.1 Read Published Content	TC-4.1-BF, A1, E1, ENTITLE, STAFF-LINK
FR-RDR-02	UC-4.2 Save Articles for Later	TC-4.2-BF, A1, A2
FR-RDR-03	UC-4.3 Subscribe to BOSS Magazine	TC-4.3-BF, E2, E1, E1-FORGED, A1
FR-RDR-04	UC-4.3.1 Read Subscriber-Only Content	TC-4.3.1-BF, DL, E1, A1, STAFF, SUSPENDED, A2, A3
FR-RDR-05	UC-4.4 Manage a Subscription	TC-4.4-BF, A1, A2
FR-ACC-01	UC-5.1 Register and Authenticate	TC-5.1-BF, E1, A1, A3, E2, A2, E3, A4

Requirement	Use case	Test cases
FR-ACC-02	UC-5.2 Manage Own Account	TC-5.2-BF, E1, E1-EMAIL, PREFS, A1, A2
FR-ACC-02a	UC-5.2.1 Change Password	TC-5.2.1-BF, A1, A2, E4, E5, E1, E2, E3, HISTORY, PRUNE
FR-ACC-02b	UC-5.2.2 Recover a Forgotten Password	TC-5.2.2-BF, A1, E1, E2
FR-ACC-03	UC-5.3 Administer User Accounts	TC-5.3-BF, SUSPEND, TIER, A3, A1, E1
FR-ACC-04	UC-5.4 Configure the Platform	TC-5.4-BF, STATUS, A1, E1

4. Non-functional requirements

Specified here because a use case document states what a system does without stating what it must sustain. Each requirement carries a target and the means by which it is verified; several are asserted by cases in this document, and those are named.

Requirement	Target	Verification
NFR-01 Response time	A staff dashboard renders within two seconds on a broadband connection.	Browser timing over twenty loads; median and 95th percentile reported.
NFR-02 Assessment latency	Pre-screening returns within thirty seconds, or the submission proceeds to manual review.	TC-1.3-E1. The timeout is enforced in code and the fallback asserted.
NFR-03 Concurrent editing	Two Editors acting on the same article do not produce a lost update; the second is refused rather than overwriting.	Concurrent request test against a single article.
NFR-04 Publication atomicity	An issue publishes wholly or not at all, under failure at any point.	TC-2.5-E2. Enforced by a database transaction boundary.
NFR-05 Credential handling	No service credential or card detail is stored in the database or reachable through the web interface.	TC-5.4-A1, supported by schema review.
NFR-06 Paid asset protection	A magazine edition is not retrievable without a valid, unexpired signed address issued after an entitlement check.	TC-4.3-E1 and TC-4.3-DL. The direct storage request must fail.
NFR-07 Session continuity	An expiring session is renewed transparently and no unsaved work is lost.	TC-1.2-A3.
NFR-08 Data retention	Withdrawn and retired content is retained rather than deleted. Article versions are immutable once written.	TC-5.3-SUSPEND and TC-2.6-BF, supported by schema review.
NFR-09 Accessibility	Text meets WCAG AA contrast. Every action is reachable by keyboard. Dialogues trap focus and announce themselves. Motion preferences are honoured.	TC-4.3-A1 for motion; contrast measurement, keyboard traversal and a screen reader pass for the remainder.
NFR-10 Availability	The reader portal remains available during staff-side work, except where maintenance is deliberately enabled.	TC-4.1-E1.

Requirement	Target	Verification
NFR-11 Auditability	Every override, withdrawal, correction and issue reopening records who acted, when, and why.	TC-1.4-A2, TC-1.5-BF, TC-2.4-A1. Each action requires a reason.
NFR-12 Non-disclosure	Authentication and recovery responses do not reveal whether an address holds an account.	TC-5.1-E1 and TC-5.2-A4.
NFR-13 Payment isolation	Card details never reach this system; entitlement is granted only on a verified provider confirmation.	TC-4.4-BF and TC-4.4-E3.
NFR-14 Recovery	The database is recoverable to a point within twenty-four hours of any failure.	Hosting provider's backup policy; restore rehearsal.

5. Execution record

Each case carries an Actual Result row and a Status of Pass, Fail or Blocked, completed at execution. Blocked is used where a case could not be run because a dependency was unavailable, which is distinct from a failure and should not be recorded as one.

A failing case is recorded with what actually happened rather than a bare Fail, because the observation is the useful part. A case that has never been run is left blank rather than marked Pass by default.

Field	Completed by	At
Actual Result	The tester	Execution
Status	The tester	Execution
Everything else	This specification	Before execution

6. Module 1: Editorial Production

UC-1.1: Commission an Article — Test Suite

Requirement: FR-EDT-01

This suite contains 4 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-1.1.

Test Case ID	Scenario	Priority	Execution
TC-1.1-BF	Confirm that an Editor can commission work and that it reaches the intended Writer with its brief and deadline intact.	High	Manual
TC-1.1-A1	Confirm that a commission without a deadline is accepted and excluded from deadline tracking.	Medium	Manual
TC-1.1-A-VALID	Confirm the “Headline or Writer Missing” flow of UC-1.1: the system marks each missing field and does not continue.	Medium	Manual
TC-1.1-A2	Confirm the “Assignment Cancelled” flow of UC-1.1: the system closes the question and creates nothing.	Medium	Manual

TC-1.1-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.1-BF
Related Use Case	UC-1.1 — Commission an Article
Requirement Traceability	FR-EDT-01
Test Objective	Confirm that an Editor can commission work and that it reaches the intended Writer with its brief and deadline intact.
Priority	High
Execution	Manual
Preconditions	• An Editor is authenticated • At least one active Writer exists
Test Data	Title: “Cold chains and post-harvest loss” · Writer: maria@boss.ph · Deadline: today + 7
Test Steps	1. Open the assignment form from the Editor dashboard. 2. Enter a title, category and editorial brief. 3. Set a deadline seven days ahead and select a Writer. 4. Confirm the commission. 5. Sign in as that Writer and open the dashboard.
Expected Result	• The assignment is created in the assigned state. • The brief, deadline and commissioning Editor are stored. • The Writer is notified. • The work appears on the Writer's dashboard with the brief visible.

TEST CASE ELEMENT SPECIFICATION	
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.1-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.1-A1
Related Use Case	UC-1.1 — Commission an Article
Requirement Traceability	FR-EDT-01
Test Objective	Confirm that a commission without a deadline is accepted and excluded from deadline tracking.
Priority	Medium
Execution	Manual
Preconditions	An Editor is authenticated
Test Data	Deadline: (empty)
Test Steps	- Create a commission leaving the deadline empty. - Confirm it. - Open the editorial calendar for the current month.
Expected Result	- The commission is created. - The system states that it will not appear in deadline tracking. - The work is absent from the calendar. - It is never counted as overdue.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.1-A-VALID

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.1-A-VALID
Related Use Case	UC-1.1 — Commission an Article
Requirement Traceability	FR-EDT-01
Test Objective	Confirm the “Headline or Writer Missing” flow of UC-1.1: the system marks each missing field and does not continue.
Priority	Medium
Execution	Manual
Preconditions	- The Editor is signed in - At least one active Writer exists - Branches from step 3.1 of the basic flow.

TEST CASE ELEMENT SPECIFICATION	
Test Data	—
Test Steps	1. Bring about the situation: headline or writer missing.
Expected Result	- The system marks each missing field and does not continue. - Resumes at step 2 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.1-A2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.1-A2
Related Use Case	UC-1.1 — Commission an Article
Requirement Traceability	FR-EDT-01
Test Objective	Confirm the “Assignment Cancelled” flow of UC-1.1: the system closes the question and creates nothing.
Priority	Medium
Execution	Manual
Preconditions	- The Editor is signed in - At least one active Writer exists - Branches from step 3.2 of the basic flow.
Test Data	—
Test Steps	1. Editor clicks Cancel.
Expected Result	- The system closes the question and creates nothing. - The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-1.2: Produce an Article — Test Suite

Requirement: FR-EDT-02

This suite contains 17 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-1.2.

Test Case ID	Scenario	Priority	Execution
TC-1.2-BF	Confirm that a Writer can compose, save and submit an article, and that a version is recorded on submission.	High	Automated
TC-1.2-A1	Confirm that a returned article can be revised and resubmitted, and that both versions survive.	High	Manual

Test Case ID	Scenario	Priority	Execution
TC-1.2-C1	Confirm that an expiring session is renewed without losing unsaved work.	High	Manual
TC-1.2-A4	Confirm that an article written by an Editor is routed to the Publisher rather than into the Editor's own queue.	High	Manual
TC-1.2-E1	Confirm that an unfinished draft is refused before the assessment service is called, and that every reason is reported together.	High	Manual
TC-1.2-E2	Confirm that unchanged copy is not assessed twice.	High	Manual
TC-1.2-LIMITS	Confirm that assessment is rate-limited per article and per writer.	Medium	Manual
TC-1.2-FLOOR	Confirm that a legitimately short item is accepted, so the floor does not refuse real editorial work.	Medium	Manual
TC-1.2-A5	Confirm that applying a quick fix changes exactly its passage, records the decision, and leaves the score unchanged.	High	Automated
TC-1.2-QF-STALE	Confirm that a fix whose passage the writer has since edited is reported as no longer applying rather than forced in.	High	Automated
TC-1.2-QF-ONCE	Confirm that each quick fix is decided once.	Medium	Automated
TC-1.2-QF-OWNER	Confirm that only the article's writer can act on its quick fixes.	High	Automated
TC-1.2-QF-CLOSED	Confirm that quick fixes close once the article has left its writer.	Medium	Automated
TC-1.2-WAIVER	Confirm that resolving every quick fix lifts the resubmission cooldown.	Medium	Automated
TC-1.2-HOLD	Confirm that the cooldown still holds while any quick fix is pending.	Medium	Automated
TC-1.2-QF-SAVE	Confirm that applying a fix cannot lose unsaved typing, and that autosave cannot restore the old sentence.	High	Manual
TC-1.2-A2	Confirm the "No Photography Supplied" flow of UC-1.2: the system shows "This article has none. It will run as text-only."	Medium	Manual

TC-1.2-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2-BF
Related Use Case	UC-1.2 — Produce an Article
Requirement Traceability	FR-EDT-02
Test Objective	Confirm that a Writer can compose, save and submit an article, and that a version is recorded on submission.
Priority	High

TEST CASE ELEMENT SPECIFICATION	
Execution	Automated TestEditorialPipelineEndToEnd::test_tc_1_2_bf_writer_can_draft_and_submit_article
Preconditions	• A Writer is authenticated • A commission is assigned to them
Test Data	Body: 200 words of prose
Test Steps	1. Open the commissioned work. 2. Enter a headline, standfirst and at least 200 words. 3. Save, then reload the page. 4. Submit for review. 5. Inspect the version history.
Expected Result	• The draft persists across the reload. • The word count and reading time are shown. • A version snapshot numbered 1 is recorded on submission. • An assessment is attached and the article is routed by it.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2-A1
Related Use Case	UC-1.2 — Produce an Article
Requirement Traceability	FR-EDT-02
Test Objective	Confirm that a returned article can be revised and resubmitted, and that both versions survive.
Priority	High
Execution	Manual
Preconditions	• An article has been returned for revision
Test Data	—
Test Steps	1. Open the returned article as its Writer. 2. Confirm the revision notes are visible beside the copy. 3. Revise the copy and resubmit. 4. Inspect the version history.
Expected Result	• The notes appear alongside the passage each concerns. • A second version is recorded. • The first version is retained. • A fresh assessment is obtained and the article routed again.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2-C1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2-C1
Related Use Case	UC-1.2 — Produce an Article
Requirement Traceability	FR-EDT-02
Test Objective	Confirm that an expiring session is renewed without losing unsaved work.
Priority	High
Execution	Manual
Preconditions	• A Writer is composing an article • The access credential has expired
Test Data	Access credential: expired
Test Steps	1. Continue writing until an automatic save is attempted. 2. Observe the network exchange. 3. Reload the page and inspect the copy.
Expected Result	• The save is initially refused once. • The renewal credential is exchanged for a fresh session. • The save is retried and succeeds. • The Writer is not returned to the sign-in screen. • No copy is lost.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2-A4

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2-A4
Related Use Case	UC-1.2 — Produce an Article
Requirement Traceability	FR-EDT-02
Test Objective	Confirm that an article written by an Editor is routed to the Publisher rather than into the Editor's own queue.
Priority	High
Execution	Manual
Preconditions	• An Editor has drafted an article of their own
Test Data	Author role: Editor
Test Steps	1. Submit the article as the Editor. 2. Inspect the Editor's review queue. 3. Sign in as the Publisher and open the sign-off queue.

TEST CASE ELEMENT SPECIFICATION	
Expected Result	• The article awaits sign-off rather than review. • It is absent from the Editor's own queue. • It appears in the Publisher's sign-off queue.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2-E1
Related Use Case	UC-1.2 — Produce an Article
Requirement Traceability	FR-EDT-02
Test Objective	Confirm that an unfinished draft is refused before the assessment service is called, and that every reason is reported together.
Priority	High
Execution	Manual
Preconditions	• A draft is below the configured word floor, carries a TK marker, and has no standfirst
Test Data	Body: 40 words containing “TK” · Standfirst: empty
Test Steps	1. Submit the draft. 2. Inspect the response and the article's version history.
Expected Result	• The submission is refused with a 400 response. • The response carries every reason, not only the first. • The word count, the placeholder and the empty standfirst are each named. • No version is recorded and no assessment is requested. • The article remains with the Writer.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2-E2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2-E2
Related Use Case	UC-1.2 — Produce an Article
Requirement Traceability	FR-EDT-02
Test Objective	Confirm that unchanged copy is not assessed twice.
Priority	High
Execution	Manual

TEST CASE ELEMENT SPECIFICATION	
Preconditions	• An article has been assessed • The cooldown has elapsed
Test Data	—
Test Steps	1. Resubmit without altering the copy. 2. Inspect the response and the assessment count.
Expected Result	• The submission is refused. • The reason states that the copy has not changed. • No second assessment is recorded. • The previous result still stands.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2-LIMITS

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2-LIMITS
Related Use Case	UC-1.2 — Produce an Article
Requirement Traceability	FR-EDT-02
Test Objective	Confirm that assessment is rate-limited per article and per writer.
Priority	Medium
Execution	Manual
Preconditions	• An article was assessed moments ago
Test Data	—
Test Steps	1. Alter the copy and resubmit immediately. 2. Inspect the response.
Expected Result	• The submission is refused within the cooldown. • The remaining time is stated. • No assessment is requested.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2-FLOOR

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2-FLOOR
Related Use Case	UC-1.2 — Produce an Article
Requirement Traceability	FR-EDT-02

TEST CASE ELEMENT SPECIFICATION	
Test Objective	Confirm that a legitimately short item is accepted, so the floor does not refuse real editorial work.
Priority	Medium
Execution	Manual
Preconditions	The word floor is at its default
Test Data	Body: 140 words in two paragraphs
Test Steps	1. Submit a 140-word news item with a standfirst and no placeholders.
Expected Result	- The submission is accepted. - A version is recorded and an assessment requested. - The floor catches accidents rather than imposing a house style.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2-A5

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2-A5
Related Use Case	UC-1.2 — Produce an Article
Requirement Traceability	FR-EDT-02
Test Objective	Confirm that applying a quick fix changes exactly its passage, records the decision, and leaves the score unchanged.
Priority	High
Execution	Automated TestQuickFixes::test_applying_a_fix_changes_exactly_that_passage
Preconditions	An article was returned in the Revise band with two quick fixes
Test Data	Fixes: “The findings suggests” → “The findings suggest”; “market are changing” → “market is changing”
Test Steps	- Apply the first fix. - Inspect the copy, the decision record and the score.
Expected Result	- Only the first passage changes. - An accepted decision is recorded against the fix. - The first fix reads as applied and the second as pending. - The overall score is unchanged.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2-QF-STALE

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2-QF-STALE
Related Use Case	UC-1.2 — Produce an Article
Requirement Traceability	FR-EDT-02
Test Objective	Confirm that a fix whose passage the writer has since edited is reported as no longer applying rather than forced in.
Priority	High
Execution	Automated TestQuickFixes::test_an_edited_passage_makes_its_fix_stale
Preconditions	• An article was returned with quick fixes • The writer has rewritten the flawed sentence by hand
Test Data	—
Test Steps	1. Apply the fix for the rewritten passage.
Expected Result	• The request is refused with a conflict response marked stale. • No decision is recorded. • The copy is unchanged.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2-QF-ONCE

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2-QF-ONCE
Related Use Case	UC-1.2 — Produce an Article
Requirement Traceability	FR-EDT-02
Test Objective	Confirm that each quick fix is decided once.
Priority	Medium
Execution	Automated TestQuickFixes::test_a_fix_is_decided_once
Preconditions	• An article was returned with quick fixes
Test Data	—
Test Steps	1. Dismiss a fix. 2. Attempt to apply the same fix.
Expected Result	• The dismissal succeeds. • The later application is refused. • The passage is unchanged.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2-QF-OWNER

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2-QF-OWNER
Related Use Case	UC-1.2 — Produce an Article
Requirement Traceability	FR-EDT-02
Test Objective	Confirm that only the article's writer can act on its quick fixes.
Priority	High
Execution	Automated TestQuickFixes::test_only_the_writer_acts_on_fixes
Preconditions	• An article was returned with quick fixes • A second writer account exists
Test Data	—
Test Steps	1. Attempt to apply a fix as the second writer.
Expected Result	• The request is refused. • The copy is unchanged.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2-QF-CLOSED

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2-QF-CLOSED
Related Use Case	UC-1.2 — Produce an Article
Requirement Traceability	FR-EDT-02
Test Objective	Confirm that quick fixes close once the article has left its writer.
Priority	Medium
Execution	Automated TestQuickFixes::test_fixes_close_once_the_article_leaves_the_writer
Preconditions	• An article with quick fixes has since moved to review
Test Data	—
Test Steps	1. Attempt to apply a fix.
Expected Result	• The request is refused with a conflict response. • The copy is unchanged.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2-WAIVER

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2-WAIVER
Related Use Case	UC-1.2 — Produce an Article
Requirement Traceability	FR-EDT-02
Test Objective	Confirm that resolving every quick fix lifts the resubmission cooldown.
Priority	Medium
Execution	Automated TestQuickFixes::test_resolving_every_fix_lifts_the_cooldown
Preconditions	An article was returned moments ago with two quick fixes
Test Data	—
Test Steps	- Apply both fixes. - Resubmit immediately.
Expected Result	- The resubmission is accepted within the cooldown. - A fresh assessment is requested.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2-HOLD

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2-HOLD
Related Use Case	UC-1.2 — Produce an Article
Requirement Traceability	FR-EDT-02
Test Objective	Confirm that the cooldown still holds while any quick fix is pending.
Priority	Medium
Execution	Automated TestQuickFixes::test_the_cooldown_holds_while_fixes_are_pending
Preconditions	An article was returned moments ago with pending quick fixes
Test Data	—
Test Steps	- Edit the copy by hand. - Resubmit immediately.
Expected Result	- The resubmission is refused. - The reasons include the rate limit.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2-QF-SAVE

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2-QF-SAVE
Related Use Case	UC-1.2 — Produce an Article
Requirement Traceability	FR-EDT-02
Test Objective	Confirm that applying a fix cannot lose unsaved typing, and that autosave cannot restore the old sentence.
Priority	High
Execution	Manual
Preconditions	An article returned with quick fixes is open in the composer
Test Data	—
Test Steps	- Type a new sentence elsewhere in the copy. - Apply a fix immediately, before autosave runs. - Try to type while the fix is being applied. - Wait for autosave, then reload the page.
Expected Result	- The typed sentence is saved before the fix is applied. - The editor is locked while the fix is applied. - After reload both the typed sentence and the fix are present. - The corrected sentence is not reverted.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2-A2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2-A2
Related Use Case	UC-1.2 — Produce an Article
Requirement Traceability	FR-EDT-02
Test Objective	Confirm the “No Photography Supplied” flow of UC-1.2: the system shows "This article has none. It will run as text-only.".
Priority	Medium
Execution	Manual
Preconditions	- The Writer is signed in - The article has been assigned, or the Writer starts their own draft - Branches from step 2.1 of the basic flow.
Test Data	—
Test Steps	Writer leaves the hero image empty.

TEST CASE ELEMENT SPECIFICATION	
Expected Result	- The system shows "This article has none. It will run as text-only." - Resumes at step 4 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-1.2.1: Evaluate a Submitted Article — Test Suite

Requirement: FR-EDT-03

This suite contains 10 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-1.2.1.

Test Case ID	Scenario	Priority	Execution
TC-1.2.1-BF	Confirm that an article meeting the passing mark is routed to the Editor.	High	Automated
TC-1.2.1-A1	Confirm that an article below the passing mark returns to its Writer with the suggestions recorded as revision notes.	High	Automated
TC-1.2.1-E1	Confirm that an unobtainable assessment does not block the Writer, and that its absence is stated rather than implied.	High	Manual
TC-1.2.1-REVISE	Confirm that a score between the rewrite mark and the passing mark returns the article with its quick fixes.	High	Automated
TC-1.2.1-A2	Confirm that a score below the rewrite mark returns the article with notes and no quick fixes.	High	Automated
TC-1.2.1-PASS	Confirm that a passing article carries no quick fixes.	Medium	Automated
TC-1.2.1-NOKEY	Confirm that with no evaluation credential the article goes to review without an assessment, rather than failing with a score of zero.	High	Automated
TC-1.2.1-LOCATE	Confirm that quick fixes that cannot be applied as proposed are dropped when the assessment arrives.	High	Automated
TC-1.2.1-A3	Confirm the "Malformed Assessment" flow of UC-1.2.1: the system shows the writer "Sent for manual review".	Medium	Manual
TC-1.2.1-A4	Confirm the "Editor-Authored Article Passes" flow of UC-1.2.1: the system lists the article with its assessment, for sign-off under UC-1.5.	Medium	Manual

TC-1.2.1-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2.1-BF
Related Use Case	UC-1.2.1 — Evaluate a Submitted Article
Requirement Traceability	FR-EDT-03
Test Objective	Confirm that an article meeting the passing mark is routed to the Editor.

TEST CASE ELEMENT SPECIFICATION	
Priority	High
Execution	Automated TestAIPreScreeningGate::test_passing_score_reaches_the_editor
Preconditions	A draft will score at or above the passing mark
Test Data	Assessment returning an overall score of 85
Test Steps	- Submit the article. - Inspect the resulting state and the Editor's queue.
Expected Result	- The article enters the Editor's review queue. - The assessment is attached with its scores and summary. - The Editor is notified.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2.1-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2.1-A1
Related Use Case	UC-1.2.1 — Evaluate a Submitted Article
Requirement Traceability	FR-EDT-03
Test Objective	Confirm that an article below the passing mark returns to its Writer with the suggestions recorded as revision notes.
Priority	High
Execution	Automated TestAIPreScreeningGate::test_failing_score_returns_to_writer_with_notes
Preconditions	A draft will score below the passing mark
Test Data	Assessment returning an overall score of 55 with two suggestions
Test Steps	- Submit the article. - Inspect the resulting state and the revision notes.
Expected Result	- The article returns to its Writer. - Each suggestion is recorded as a revision note with no authoring Editor. - The Writer is notified.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2.1-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2.1-E1
Related Use Case	UC-1.2.1 — Evaluate a Submitted Article

TEST CASE ELEMENT SPECIFICATION	
Requirement Traceability	FR-EDT-03
Test Objective	Confirm that an unobtainable assessment does not block the Writer, and that its absence is stated rather than implied.
Priority	High
Execution	Manual
Preconditions	The evaluation service is unreachable
Test Data	Evaluation service: unreachable
Test Steps	- Submit an article. - Inspect the state, the version history and the assessment panel.
Expected Result	- The version snapshot is still recorded. - The article is routed to the Editor for manual review. - The assessment panel states plainly that no assessment was obtained. - The absence is not presented as a passing verdict.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2.1-REVISE

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2.1-REVISE
Related Use Case	UC-1.2.1 — Evaluate a Submitted Article
Requirement Traceability	FR-EDT-03
Test Objective	Confirm that a score between the rewrite mark and the passing mark returns the article with its quick fixes.
Priority	High
Execution	Automated TestQuickFixes::test_the_middle_band_returns_with_fixes
Preconditions	A draft will score 55
Test Data	Score 55 with two locatable fixes
Test Steps	Submit the article.
Expected Result	- The verdict is Revise. - The article returns to its writer. - Both fixes are kept against the assessment.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2.1-A2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2.1-A2
Related Use Case	UC-1.2.1 — Evaluate a Submitted Article
Requirement Traceability	FR-EDT-03
Test Objective	Confirm that a score below the rewrite mark returns the article with notes and no quick fixes.
Priority	High
Execution	Automated TestQuickFixes::test_a_rewrite_gets_no_fixes
Preconditions	A draft will score 30
Test Data	Score 30 with fixes proposed
Test Steps	1. Submit the article.
Expected Result	- The verdict is Rewrite. - The article returns to its writer. - No quick fixes are kept. - The writer is told the draft needs rework rather than line edits.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2.1-PASS

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2.1-PASS
Related Use Case	UC-1.2.1 — Evaluate a Submitted Article
Requirement Traceability	FR-EDT-03
Test Objective	Confirm that a passing article carries no quick fixes.
Priority	Medium
Execution	Automated TestQuickFixes::test_a_pass_gets_no_fixes
Preconditions	A draft will score 85
Test Data	Score 85 with fixes proposed
Test Steps	1. Submit the article.
Expected Result	- The verdict is Pass. - The article reaches the editor's review queue. - No quick fixes are kept.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2.1-NOKEY

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2.1-NOKEY
Related Use Case	UC-1.2.1 — Evaluate a Submitted Article
Requirement Traceability	FR-EDT-03
Test Objective	Confirm that with no evaluation credential the article goes to review without an assessment, rather than failing with a score of zero.
Priority	High
Execution	Automated TestQuickFixes::test_no_credential_means_review_without_assessment · test_the_real_service_raises_without_a_credential
Preconditions	No evaluation credential is configured
Test Data	—
Test Steps	1. Submit an article.
Expected Result	- No score is recorded. - The article reaches review, not its writer. - The response states that the evaluation was unavailable.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2.1-LOCATE

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2.1-LOCATE
Related Use Case	UC-1.2.1 — Evaluate a Submitted Article
Requirement Traceability	FR-EDT-03
Test Objective	Confirm that quick fixes that cannot be applied as proposed are dropped when the assessment arrives.
Priority	High
Execution	Automated test_fixes_that_cannot_be_located_are_dropped
Preconditions	An assessment proposes five fixes
Test Data	Fixes that appear twice, do not appear, change nothing, span formatting, and one valid fix containing an ampersand
Test Steps	1. Parse the fixes against the copy. 2. Apply the one that survives.
Expected Result	- Only the valid fix is kept. - Applying it changes the text and leaves the formatting intact. - The ampersand is written correctly in the copy.

TEST CASE ELEMENT SPECIFICATION	
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2.1-A3

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2.1-A3
Related Use Case	UC-1.2.1 — Evaluate a Submitted Article
Requirement Traceability	FR-EDT-03
Test Objective	Confirm the “Malformed Assessment” flow of UC-1.2.1: the system shows the writer “Sent for manual review”.
Priority	Medium
Execution	Manual
Preconditions	• An article has been submitted under UC-1.2 • The draft has passed the readiness check • Branches from step 2.1 of the basic flow.
Test Data	—
Test Steps	1. Bring about the situation: malformed assessment.
Expected Result	• The system treats the assessment as not obtained and keeps the reply for diagnosis. • The system shows the writer “Sent for manual review”. • Resumes at step 2.4 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.2.1-A4

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.2.1-A4
Related Use Case	UC-1.2.1 — Evaluate a Submitted Article
Requirement Traceability	FR-EDT-03
Test Objective	Confirm the “Editor-Authored Article Passes” flow of UC-1.2.1: the system lists the article with its assessment, for sign-off under UC-1.5.
Priority	Medium
Execution	Manual
Preconditions	• An article has been submitted under UC-1.2 • The draft has passed the readiness check • Branches from step 2.3 of the basic flow.

TEST CASE ELEMENT SPECIFICATION	
Test Data	—
Test Steps	1. Bring about the situation: editor-authored article passes. 2. Publisher opens Needs sign-off on the Publisher dashboard.
Expected Result	• The system adds the article to the Publisher's Needs sign-off list and notifies the publisher. • The system lists the article with its assessment, for sign-off under UC-1.5. • The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-1.3: Communicate About an Article — Test Suite

Requirement: FR-EDT-04

This suite contains 3 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-1.3.

Test Case ID	Scenario	Priority	Execution
TC-1.3-BF	Confirm that correspondence attaches to an article without changing its state.	Medium	Manual
TC-1.3-LINKS	Confirm that a message notification links each recipient to the view their role can open.	High	Automated
TC-1.3-A1	Confirm the “Recipient Has Muted This Notice” flow of UC-1.3: the system shows the message in the thread.	Medium	Manual

TC-1.3-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.3-BF
Related Use Case	UC-1.3 — Communicate About an Article
Requirement Traceability	FR-EDT-04
Test Objective	Confirm that correspondence attaches to an article without changing its state.
Priority	Medium
Execution	Manual
Preconditions	• An article exists within two users' scope
Test Data	—
Test Steps	1. Add a message as the Editor. 2. Sign in as the Writer and open the article. 3. Reply. 4. Inspect the article's state.

TEST CASE ELEMENT SPECIFICATION	
Expected Result	- Both messages are recorded against the article in order. - Each participant is notified of the other's message. - The article's state is unchanged throughout.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.3-LINKS

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.3-LINKS
Related Use Case	UC-1.3 — Communicate About an Article
Requirement Traceability	FR-EDT-04
Test Objective	Confirm that a message notification links each recipient to the view their role can open.
Priority	High
Execution	Automated test_article_links_follow_the_recipient
Preconditions	- An article under review has a writer, and an editor who did not write it - A designer and the publisher exist
Test Data	—
Test Steps	- Build the article link for the writer, the editor, the publisher and the designer. - Build it for an editor who wrote the article.
Expected Result	- The writer is linked to the composer. - The editor and the publisher are linked to the review screen. - The designer is linked to the designer's article view. - An editor who wrote the article is linked to the composer, as its author.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.3-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.3-A1
Related Use Case	UC-1.3 — Communicate About an Article
Requirement Traceability	FR-EDT-04
Test Objective	Confirm the “Recipient Has Muted This Notice” flow of UC-1.3: the system shows the message in the thread.
Priority	Medium
Execution	Manual

TEST CASE ELEMENT SPECIFICATION	
Preconditions	- Both people are signed in - The article exists and both work on it - Branches from step 2.1 of the basic flow.
Test Data	—
Test Steps	- Bring about the situation: recipient has muted this notice. - Recipient opens the article later.
Expected Result	- The system sends no notice; the message waits in the thread. - The system shows the message in the thread. - The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-1.3.1: Decide on a Submitted Article — Test Suite

Requirement: FR-EDT-05

This suite contains 10 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-1.3.1.

Test Case ID	Scenario	Priority	Execution
TC-1.3.1-BF	Confirm that an Editor can approve an article under review.	High	Manual
TC-1.3.1-A1	Confirm that an Editor can return an article with sectioned revision notes prefilled from the assessment.	High	Manual
TC-1.3.1-A2	Confirm that an Editor can approve against the assessment by recording a justification.	High	Manual
TC-1.3.1-A3	Confirm that withdrawal removes an article from its issue and corrects that issue's readiness.	Medium	Manual
TC-1.3.1-A4	Confirm that an article with no assessment can be decided on without an override.	Medium	Manual
TC-1.3.1-VIS	Confirm that an Editor can still reach an article the assessment returned, so that an override remains possible.	Medium	Automated
TC-1.3.1-E1	Confirm that an article not under review cannot be decided on, so that the assessment cannot be bypassed.	High	Manual
TC-1.3.1-E2	Confirm that an override without an adequate justification is refused.	High	Manual
TC-1.3.1-FIXES	Confirm that the editor can see exactly which AI-suggested fixes the writer accepted.	Medium	Manual
TC-1.3.1-A5	Confirm the "Approval Cancelled" flow of UC-1.3.1: the system closes the question and changes nothing.	Medium	Manual

TC-1.3.1-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.3.1-BF
Related Use Case	UC-1.3.1 — Decide on a Submitted Article
Requirement Traceability	FR-EDT-05
Test Objective	Confirm that an Editor can approve an article under review.
Priority	High
Execution	Manual
Preconditions	An article is under review with a passing assessment
Test Data	—
Test Steps	- Open the article as the Editor. - Read the copy, assessment and history. - Approve the article.
Expected Result	- The article is approved and the deciding Editor recorded. - The Writer is notified. - The article becomes eligible for scheduling into an issue.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.3.1-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.3.1-A1
Related Use Case	UC-1.3.1 — Decide on a Submitted Article
Requirement Traceability	FR-EDT-05
Test Objective	Confirm that an Editor can return an article with sectioned revision notes prefilled from the assessment.
Priority	High
Execution	Manual
Preconditions	An article is under review with assessment suggestions
Test Data	One note: section “Introduction”, type STRUCTURE, priority HIGH
Test Steps	- Select to return the article. - Observe the prefilled notes. - Amend one, remove one, and send.
Expected Result	- The composer is prefilled from the assessment suggestions. - Only the notes the Editor retained are recorded. - The article returns to its Writer. - The Writer is notified.

TEST CASE ELEMENT SPECIFICATION	
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.3.1-A2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.3.1-A2
Related Use Case	UC-1.3.1 — Decide on a Submitted Article
Requirement Traceability	FR-EDT-05
Test Objective	Confirm that an Editor can approve against the assessment by recording a justification.
Priority	High
Execution	Manual
Preconditions	An article was returned by the assessment
Test Data	Justification: "Reporting is sound; the score reflects sentence length, not quality."
Test Steps	- Open the article and select to override. - Enter a justification of at least ten characters and confirm. - Inspect the assessment panel and the article's state.
Expected Result	- The assessment is marked overridden. - The justification, Editor and time are recorded. - The article is approved. - The assessment panel presents the override and its justification. - The article is no longer reported as outstanding anywhere.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.3.1-A3

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.3.1-A3
Related Use Case	UC-1.3.1 — Decide on a Submitted Article
Requirement Traceability	FR-EDT-05
Test Objective	Confirm that withdrawal removes an article from its issue and corrects that issue's readiness.
Priority	Medium
Execution	Manual
Preconditions	An approved article is scheduled into an open issue

TEST CASE ELEMENT SPECIFICATION	
Test Data	Reason: "Source retracted their statement."
Test Steps	1. Withdraw the article with a reason. 2. Inspect the issue's contents and readiness.
Expected Result	• The article is withdrawn and the reason recorded. • The article no longer belongs to the issue. • The issue's readiness reflects the removal.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.3.1-A4

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.3.1-A4
Related Use Case	UC-1.3.1 — Decide on a Submitted Article
Requirement Traceability	FR-EDT-05
Test Objective	Confirm that an article with no assessment can be decided on without an override.
Priority	Medium
Execution	Manual
Preconditions	• An article was submitted while the evaluation service was unreachable
Test Data	—
Test Steps	1. Open the article as the Editor. 2. Inspect the available actions. 3. Approve the article.
Expected Result	• The absence of an assessment is stated plainly. • Approval is offered directly rather than through an override. • The approval succeeds.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.3.1-VIS

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.3.1-VIS
Related Use Case	UC-1.3.1 — Decide on a Submitted Article
Requirement Traceability	FR-EDT-05
Test Objective	Confirm that an Editor can still reach an article the assessment returned, so that an override remains possible.

TEST CASE ELEMENT SPECIFICATION	
Priority	Medium
Execution	Automated TestAIPreScreeningGate::test_editor_can_still_see_an_ai_returned_article
Preconditions	An article was returned by the assessment
Test Data	—
Test Steps	1. Sign in as the Editor and locate the article.
Expected Result	- The article is visible to the Editor. - Its returned state is identified.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.3.1-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.3.1-E1
Related Use Case	UC-1.3.1 — Decide on a Submitted Article
Requirement Traceability	FR-EDT-05
Test Objective	Confirm that an article not under review cannot be decided on, so that the assessment cannot be bypassed.
Priority	High
Execution	Manual
Preconditions	An article is in draft
Test Data	POST to the approval endpoint
Test Steps	1. Issue an approval directly against the API for the draft.
Expected Result	- The request is refused with a conflict response. - The response names the article's actual state. - The article is unchanged.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.3.1-E2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.3.1-E2
Related Use Case	UC-1.3.1 — Decide on a Submitted Article
Requirement Traceability	FR-EDT-05

TEST CASE ELEMENT SPECIFICATION	
Test Objective	Confirm that an override without an adequate justification is refused.
Priority	High
Execution	Manual
Preconditions	An article was returned by the assessment
Test Data	Justification: "ok"
Test Steps	- Open the override dialogue. - Enter fewer than ten characters and confirm.
Expected Result	- The override is refused. - The assessment verdict is unchanged. - The article remains returned. - The requirement is explained.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.3.1-FIXES

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.3.1-FIXES
Related Use Case	UC-1.3.1 — Decide on a Submitted Article
Requirement Traceability	FR-EDT-05
Test Objective	Confirm that the editor can see exactly which AI-suggested fixes the writer accepted.
Priority	Medium
Execution	Manual
Preconditions	A writer accepted two quick fixes and resubmitted
Test Data	—
Test Steps	- Open the article from the review queue as the editor. - Expand the accepted fixes on the evaluation panel.
Expected Result	- The panel states how many AI-suggested fixes were accepted. - Each shows the original struck through beside its replacement.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.3.1-A5

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.3.1-A5

TEST CASE ELEMENT SPECIFICATION	
Related Use Case	UC-1.3.1 — Decide on a Submitted Article
Requirement Traceability	FR-EDT-05
Test Objective	Confirm the “Approval Cancelled” flow of UC-1.3.1: the system closes the question and changes nothing.
Priority	Medium
Execution	Manual
Preconditions	• The Editor is signed in • The article is under review • Branches from step 3.1 of the basic flow.
Test Data	—
Test Steps	1. Editor clicks Cancel.
Expected Result	• The system closes the question and changes nothing. • Resumes at step 2 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-1.4: Correct an Editorial Decision — Test Suite

Requirement: FR-EDT-06

This suite contains 6 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-1.4.

Test Case ID	Scenario	Priority	Execution
TC-1.4-BF	Confirm that an Editor can correct their own approval where the article is not yet scheduled.	High	Automated
TC-1.4-E2	Confirm that an Editor cannot correct a decision once the article has been scheduled into an issue.	High	Automated
TC-1.4-CASCADE	Confirm that a Publisher correction removes the article from the issue, so no issue is left silently unpublishable.	High	Automated
TC-1.4-E1	Confirm that a correction without a reason is refused.	Medium	Automated
TC-1.4-A1	Confirm the “Article Already in an Issue” flow of UC-1.4: the system removes the article from the issue and corrects the issue's readiness.	Medium	Manual
TC-1.4-A2	Confirm the “Pull Back Cancelled” flow of UC-1.4: the system closes the reason field and changes nothing.	Medium	Manual

TC-1.4-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.4-BF
Related Use Case	UC-1.4 — Correct an Editorial Decision

TEST CASE ELEMENT SPECIFICATION	
Requirement Traceability	FR-EDT-06
Test Objective	Confirm that an Editor can correct their own approval where the article is not yet scheduled.
Priority	High
Execution	Automated TestPullBack::test_editor_can_pull_back_an_unassigned_article
Preconditions	An approved article belongs to no issue
Test Data	Reason: "Sources unverified."
Test Steps	1. Return the article to review with a reason.
Expected Result	- The article returns to the review queue. - The reason is recorded as a revision note. - The Writer is notified.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.4-E2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.4-E2
Related Use Case	UC-1.4 — Correct an Editorial Decision
Requirement Traceability	FR-EDT-06
Test Objective	Confirm that an Editor cannot correct a decision once the article has been scheduled into an issue.
Priority	High
Execution	Automated TestPullBack::test_editor_cannot_pull_back_once_it_is_in_an_issue
Preconditions	An approved article is scheduled into an issue
Test Data	Reason: "Changed my mind."
Test Steps	1. Attempt the correction as the Editor.
Expected Result	- The action is refused. - The article remains approved and scheduled. - The system explains that the Publisher must authorise it.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.4-CASCADE

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.4-CASCADE
Related Use Case	UC-1.4 — Correct an Editorial Decision
Requirement Traceability	FR-EDT-06
Test Objective	Confirm that a Publisher correction removes the article from the issue, so no issue is left silently unpublishable.
Priority	High
Execution	Automated TestPullBack::test_publisher_pull_back_removes_it_from_the_issue
Preconditions	An approved article is scheduled into an issue
Test Data	Reason: "Holding for next month."
Test Steps	- Perform the correction as the Publisher with a reason. - Inspect the issue's contents.
Expected Result	- The article returns to review. - It no longer belongs to the issue. - The issue's article count reflects the removal.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.4-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.4-E1
Related Use Case	UC-1.4 — Correct an Editorial Decision
Requirement Traceability	FR-EDT-06
Test Objective	Confirm that a correction without a reason is refused.
Priority	Medium
Execution	Automated TestPullBack::test_a_reason_is_required
Preconditions	An approved article belongs to no issue
Test Data	Reason: "no"
Test Steps	Attempt the correction with a reason below the minimum length.
Expected Result	- The action is refused. - The approval stands.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.4-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.4-A1
Related Use Case	UC-1.4 — Correct an Editorial Decision
Requirement Traceability	FR-EDT-06
Test Objective	Confirm the “Article Already in an Issue” flow of UC-1.4: the system removes the article from the issue and corrects the issue's readiness.
Priority	Medium
Execution	Manual
Preconditions	• The person is signed in as an Editor or the Publisher • The article is approved but not published • Branches from step 3.2 of the basic flow.
Test Data	—
Test Steps	1. Bring about the situation: article already in an issue.
Expected Result	• The system checks who is acting. • The system removes the article from the issue and corrects the issue's readiness. • Resumes at step 3.3 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.4-A2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.4-A2
Related Use Case	UC-1.4 — Correct an Editorial Decision
Requirement Traceability	FR-EDT-06
Test Objective	Confirm the “Pull Back Cancelled” flow of UC-1.4: the system closes the reason field and changes nothing.
Priority	Medium
Execution	Manual
Preconditions	• The person is signed in as an Editor or the Publisher • The article is approved but not published • Branches from step 2.1 of the basic flow.
Test Data	—
Test Steps	1. Editor clicks Cancel.
Expected Result	• The system closes the reason field and changes nothing. • The use case ends.

TEST CASE ELEMENT SPECIFICATION	
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-1.5: Sign Off Editor-Authored Copy — Test Suite

Requirement: FR-EDT-07

This suite contains 3 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-1.5.

Test Case ID	Scenario	Priority	Execution
TC-1.5-BF	Confirm that a Publisher can sign off editor-authored copy.	High	Manual
TC-1.5-A1	Confirm the “Returned to the Author” flow of UC-1.5: the system shows the publisher's notes beside the copy.	Medium	Manual
TC-1.5-A2	Confirm the “Sign-off Cancelled” flow of UC-1.5: the system closes the question and changes nothing.	Medium	Manual

TC-1.5-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.5-BF
Related Use Case	UC-1.5 — Sign Off Editor-Authored Copy
Requirement Traceability	FR-EDT-07
Test Objective	Confirm that a Publisher can sign off editor-authored copy.
Priority	High
Execution	Manual
Preconditions	An article written by an Editor awaits sign-off
Test Data	—
Test Steps	- Open the sign-off queue as the Publisher. - Read the article in the preview panel. - Confirm the sign-off.
Expected Result	- The article is approved. - The Publisher is recorded as its editor of record. - The author is notified. - The article becomes eligible for scheduling.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.5-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.5-A1
Related Use Case	UC-1.5 — Sign Off Editor-Authored Copy
Requirement Traceability	FR-EDT-07
Test Objective	Confirm the “Returned to the Author” flow of UC-1.5: the system shows the publisher’s notes beside the copy.
Priority	Medium
Execution	Manual
Preconditions	• The Publisher is signed in • An article written by an Editor has passed pre-screening • Branches from step 2.1 of the basic flow.
Test Data	—
Test Steps	1. Publisher opens the article’s review screen and clicks Request Revisions. 2. Publisher fills in the notes and clicks Send to Writer. 3. Editor opens the returned article.
Expected Result	• The system opens the note composer. • The system returns the article to its author with the notes and notifies them. • The system shows the publisher’s notes beside the copy. • The author revises and resubmits under UC-1.2. The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-1.5-A2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-1.5-A2
Related Use Case	UC-1.5 — Sign Off Editor-Authored Copy
Requirement Traceability	FR-EDT-07
Test Objective	Confirm the “Sign-off Cancelled” flow of UC-1.5: the system closes the question and changes nothing.
Priority	Medium
Execution	Manual
Preconditions	• The Publisher is signed in • An article written by an Editor has passed pre-screening • Branches from step 3.1 of the basic flow.
Test Data	—
Test Steps	1. Publisher clicks Cancel.

TEST CASE ELEMENT SPECIFICATION	
Expected Result	• The system closes the question and changes nothing. • Resumes at step 2 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

7. Module 2: Issue Production and Publication

UC-2.1: Schedule Articles into an Issue — Test Suite

Requirement: FR-PUB-01

This suite contains 5 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-2.1.

Test Case ID	Scenario	Priority	Execution
TC-2.1-BF	Confirm that scheduling an article into an issue makes it subscriber-only and visible to the Designer.	High	Manual
TC-2.1-ACCESS	Confirm that an Editor can override the default reader access.	Medium	Manual
TC-2.1-A1	Confirm that removing an article from an issue returns it to standalone and free.	Medium	Automated
TC-2.1-E1	Confirm that a closed issue refuses further scheduling and names the route back.	High	Automated
TC-2.1-A2	Confirm the “Article Runs Free” flow of UC-2.1: the system records that anyone may read the article.	Medium	Manual

TC-2.1-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.1-BF
Related Use Case	UC-2.1 — Schedule Articles into an Issue
Requirement Traceability	FR-PUB-01
Test Objective	Confirm that scheduling an article into an issue makes it subscriber-only and visible to the Designer.
Priority	High
Execution	Manual
Preconditions	• An approved article belongs to no issue • An open issue exists
Test Data	—
Test Steps	1. Schedule the article into the issue. 2. Inspect its reader access. 3. Sign in as the Designer and list the available copy.
Expected Result	• The article belongs to the issue. • It is marked subscriber-only by default. • The issue's readiness reflects the addition. • The article appears in the Designer's queue.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.1-ACCESS

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.1-ACCESS
Related Use Case	UC-2.1 — Schedule Articles into an Issue
Requirement Traceability	FR-PUB-01
Test Objective	Confirm that an Editor can override the default reader access.
Priority	Medium
Execution	Manual
Preconditions	An article is scheduled into an issue and marked subscriber-only
Test Data	—
Test Steps	- Set the article to run free. - Request it from the reader portal without authentication.
Expected Result	- The access change is recorded. - The article is returned in full to an anonymous reader. - No republication is required for the change to take effect.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.1-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.1-A1
Related Use Case	UC-2.1 — Schedule Articles into an Issue
Requirement Traceability	FR-PUB-01
Test Objective	Confirm that removing an article from an issue returns it to standalone and free.
Priority	Medium
Execution	Automated TestDesignerArticleAccess::test_approved_copy_without_an_issue_is_not_theirs_yet
Preconditions	An article is scheduled into an issue
Test Data	—
Test Steps	- Remove the article from the issue. - Inspect its access and the Designer's queue.
Expected Result	- The article belongs to no issue. - It is marked free to read. - It leaves the Designer's queue, since a web-only piece has no print layout.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.1-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.1-E1
Related Use Case	UC-2.1 — Schedule Articles into an Issue
Requirement Traceability	FR-PUB-01
Test Objective	Confirm that a closed issue refuses further scheduling and names the route back.
Priority	High
Execution	Automated TestIssueClosingAndPublishing::test_a_closed_issue_refuses_new_articles
Preconditions	• A closed issue exists • An approved article lies outside it
Test Data	—
Test Steps	1. Attempt to schedule the article into the closed issue.
Expected Result	• The change is refused with a conflict response. • The message states that the issue is closed. • The message directs the Editor to the Publisher. • The issue's contents are unchanged.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.1-A2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.1-A2
Related Use Case	UC-2.1 — Schedule Articles into an Issue
Requirement Traceability	FR-PUB-01
Test Objective	Confirm the “Article Runs Free” flow of UC-2.1: the system records that anyone may read the article.
Priority	Medium
Execution	Manual
Preconditions	• The Editor is signed in • The article is approved • Branches from step 2.2 of the basic flow.
Test Data	—
Test Steps	1. Editor clicks Free under Reader access.
Expected Result	• The system records that anyone may read the article. • Resumes at step 3 of the basic flow.

TEST CASE ELEMENT SPECIFICATION	
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-2.2: Produce a Magazine Layout — Test Suite

Requirement: FR-PUB-02

This suite contains 13 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-2.2.

Test Case ID	Scenario	Priority	Execution
TC-2.2-BF	Confirm that a Designer can submit an edition and that the Editor can accept it.	High	Automated
TC-2.2-E-PENDING	Confirm that a second version cannot be submitted while one is still with the Editor.	High	Manual
TC-2.2-DIRECT	Confirm that a large edition transfers directly to storage without passing through the application.	High	Manual
TC-2.2-E-ABANDONED	Confirm that an abandoned transfer leaves no record.	Medium	Manual
TC-2.2-E1	Confirm that a working file is refused in place of an exported edition.	High	Automated
TC-2.2-COVER	Confirm that the first edition for an issue requires a cover image.	High	Automated
TC-2.2-SCOPE-1	Confirm that a Designer sees scheduled copy.	High	Automated
TC-2.2-SCOPE-2	Confirm that drafts are never visible to a Designer.	High	Automated
TC-2.2-SCOPE-3	Confirm that a Designer can read the body of scheduled copy.	Medium	Automated
TC-2.2-E1-PUBLISHED	Confirm that a layout cannot be submitted for an issue that has already been published.	Medium	Manual
TC-2.2-A1	Confirm the “Corrected Version Submitted” flow of UC-2.2: the system opens the upload form for the same issue.	Medium	Manual
TC-2.2-E2	Confirm the “File Not Accepted” flow of UC-2.2: the system marks the problem beside the field and transfers nothing.	High	Manual
TC-2.2-E3	Confirm the “Upload Incomplete” flow of UC-2.2: the system creates no record and asks the designer to try again.	High	Manual

TC-2.2-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.2-BF
Related Use Case	UC-2.2 — Produce a Magazine Layout

TEST CASE ELEMENT SPECIFICATION	
Requirement Traceability	FR-PUB-02
Test Objective	Confirm that a Designer can submit an edition and that the Editor can accept it.
Priority	High
Execution	Automated TestMagazineDesignFlow::test_designer_uploads_and_editor_approves
Preconditions	• A Designer is authenticated • An issue holds at least one approved article
Test Data	File: edition.pdf · Cover: cover.png
Test Steps	1. Submit an edition PDF with a cover image. 2. Sign in as the Editor and accept it.
Expected Result	• The edition is recorded as version v1.0 awaiting review. • The Editor is notified. • Acceptance records the reviewing Editor and time.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.2-E-PENDING

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.2-E-PENDING
Related Use Case	UC-2.2 — Produce a Magazine Layout
Requirement Traceability	FR-PUB-02
Test Objective	Confirm that a second version cannot be submitted while one is still with the Editor.
Priority	High
Execution	Manual
Preconditions	• A version for the issue awaits the Editor
Test Data	—
Test Steps	1. Attempt to submit a further version for the same issue. 2. Inspect the response and the issue's versions.
Expected Result	• The submission is refused with a conflict response. • The pending version is named. • Nothing is transferred to storage. • The issue still holds exactly one version under review.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.2-DIRECT

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.2-DIRECT
Related Use Case	UC-2.2 — Produce a Magazine Layout
Requirement Traceability	FR-PUB-02
Test Objective	Confirm that a large edition transfers directly to storage without passing through the application.
Priority	High
Execution	Manual
Preconditions	• A Designer is authenticated • An issue awaits its edition
Test Data	A print-resolution PDF over 100 MB
Test Steps	1. Submit an edition PDF larger than one hundred megabytes. 2. Observe the network exchange and the progress indicator. 3. Inspect the resulting record.
Expected Result	• The application issues a signed instruction rather than receiving the file. • The transfer goes from the browser to storage directly. • Progress is reported while it runs. • The record is created only after storage confirms the object. • The application's memory is unaffected by the file size.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.2-E-ABANDONED

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.2-E-ABANDONED
Related Use Case	UC-2.2 — Produce a Magazine Layout
Requirement Traceability	FR-PUB-02
Test Objective	Confirm that an abandoned transfer leaves no record.
Priority	Medium
Execution	Manual
Preconditions	• A signed instruction has been issued
Test Data	—
Test Steps	1. Interrupt the transfer before it completes. 2. Attempt to complete the submission. 3. Inspect the issue's versions.

TEST CASE ELEMENT SPECIFICATION	
Expected Result	• Completion is refused, because storage holds no such object. • No record is created. • Any partial object is removed by the retention sweep.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.2-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.2-E1
Related Use Case	UC-2.2 — Produce a Magazine Layout
Requirement Traceability	FR-PUB-02
Test Objective	Confirm that a working file is refused in place of an exported edition.
Priority	High
Execution	Automated TestLayoutRequirements::test_a_working_file_is_rejected
Preconditions	• A Designer is authenticated
Test Data	File: layout.indd
Test Steps	1. Attempt to submit an edition with a working-file extension.
Expected Result	• The submission is refused and nothing is stored. • The message explains that the file becomes the edition readers receive.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.2-COVER

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.2-COVER
Related Use Case	UC-2.2 — Produce a Magazine Layout
Requirement Traceability	FR-PUB-02
Test Objective	Confirm that the first edition for an issue requires a cover image.
Priority	High
Execution	Automated TestLayoutRequirements::test_first_layout_requires_a_cover
Preconditions	• An issue holds no prior edition
Test Data	Cover: (omitted)
Test Steps	1. Submit an edition PDF with no cover image.

TEST CASE ELEMENT SPECIFICATION	
Expected Result	- The submission is refused. - The response identifies the cover image as the missing item.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.2-SCOPE-1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.2-SCOPE-1
Related Use Case	UC-2.2 — Produce a Magazine Layout
Requirement Traceability	FR-PUB-02
Test Objective	Confirm that a Designer sees scheduled copy.
Priority	High
Execution	Automated TestDesignerArticleAccess::test_designer_sees_approved_copy_that_is_in_an_issue
Preconditions	An approved article is scheduled into an unpublished issue
Test Data	—
Test Steps	1. List the available copy as the Designer.
Expected Result	The article is present.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.2-SCOPE-2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.2-SCOPE-2
Related Use Case	UC-2.2 — Produce a Magazine Layout
Requirement Traceability	FR-PUB-02
Test Objective	Confirm that drafts are never visible to a Designer.
Priority	High
Execution	Automated TestDesignerArticleAccess::test_drafts_are_never_visible_to_a_designer
Preconditions	A draft is scheduled into an issue
Test Data	—
Test Steps	1. List the available copy as the Designer.

TEST CASE ELEMENT SPECIFICATION	
Expected Result	The draft is absent.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.2-SCOPE-3

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.2-SCOPE-3
Related Use Case	UC-2.2 — Produce a Magazine Layout
Requirement Traceability	FR-PUB-02
Test Objective	Confirm that a Designer can read the body of scheduled copy.
Priority	Medium
Execution	Automated TestDesignerArticleAccess::test_designer_can_read_the_body_of_copy_in_their_issue
Preconditions	An approved article is scheduled into an unpublished issue
Test Data	—
Test Steps	1. Open the article as the Designer.
Expected Result	The article is returned with its body copy present.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.2-E1-PUBLISHED

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.2-E1-PUBLISHED
Related Use Case	UC-2.2 — Produce a Magazine Layout
Requirement Traceability	FR-PUB-02
Test Objective	Confirm that a layout cannot be submitted for an issue that has already been published.
Priority	Medium
Execution	Manual
Preconditions	An issue has been published with an approved edition
Test Data	—
Test Steps	1. As the graphic designer, attempt to submit a new layout version for that issue.

TEST CASE ELEMENT SPECIFICATION	
Expected Result	• The submission is refused before any transfer begins. • The response states that the issue is published. • No file is transferred and no version is recorded.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.2-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.2-A1
Related Use Case	UC-2.2 — Produce a Magazine Layout
Requirement Traceability	FR-PUB-02
Test Objective	Confirm the “Corrected Version Submitted” flow of UC-2.2: the system opens the upload form for the same issue.
Priority	Medium
Execution	Manual
Preconditions	• The Graphic Designer is signed in • The issue has articles scheduled into it • Branches at the start of the use case.
Test Data	—
Test Steps	1. Graphic Designer clicks My layouts. 2. Graphic Designer clicks Upload a new version.
Expected Result	• The system shows the returned version with the editor's notes. • The system opens the upload form for the same issue. • Resumes at step 4 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.2-E2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.2-E2
Related Use Case	UC-2.2 — Produce a Magazine Layout
Requirement Traceability	FR-PUB-02
Test Objective	Confirm the “File Not Accepted” flow of UC-2.2: the system marks the problem beside the field and transfers nothing.
Priority	High
Execution	Manual

TEST CASE ELEMENT SPECIFICATION	
Preconditions	- The Graphic Designer is signed in - The issue has articles scheduled into it - Branches from step 4.2 of the basic flow.
Test Data	—
Test Steps	1. Bring about the situation: file not accepted.
Expected Result	- The system marks the problem beside the field and transfers nothing. - Resumes at step 4 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.2-E3

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.2-E3
Related Use Case	UC-2.2 — Produce a Magazine Layout
Requirement Traceability	FR-PUB-02
Test Objective	Confirm the “Upload Incomplete” flow of UC-2.2: the system creates no record and asks the designer to try again.
Priority	High
Execution	Manual
Preconditions	- The Graphic Designer is signed in - The issue has articles scheduled into it - Branches from step 4.4 of the basic flow.
Test Data	—
Test Steps	1. Bring about the situation: upload incomplete.
Expected Result	- The system creates no record and asks the designer to try again. - Resumes at step 4 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-2.3: Approve a Magazine Layout — Test Suite

Requirement: FR-PUB-03

This suite contains 3 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-2.3.

Test Case ID	Scenario	Priority	Execution
TC-2.3-A1	Confirm that an edition can be returned and a corrected version submitted without losing the first.	Medium	Automated

Test Case ID	Scenario	Priority	Execution
TC-2.3-SUPERSEDE	Confirm that accepting a version retires every other version for the issue, including any still awaiting review.	High	Manual
TC-2.3-BF	Confirm the basic flow of UC-2.3: the system shows the version approved, and the others under Earlier versions.	High	Manual

TC-2.3-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.3-A1
Related Use Case	UC-2.3 — Approve a Magazine Layout
Requirement Traceability	FR-PUB-03
Test Objective	Confirm that an edition can be returned and a corrected version submitted without losing the first.
Priority	Medium
Execution	Automated TestMagazineDesignFlow::test_editor_requests_revision_and_designer_resubmits
Preconditions	An edition awaits review
Test Data	Notes: “Cover type is too tight.” · New version: v1.1
Test Steps	- Return the edition with notes as the Editor. - Submit a corrected edition as the Designer under a new version label. - Inspect both versions.
Expected Result	- The first version is marked as returned with its notes. - The second is recorded as a distinct version. - The first is retained. - The Editor is notified.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.3-SUPERSEDE

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.3-SUPERSEDE
Related Use Case	UC-2.3 — Approve a Magazine Layout
Requirement Traceability	FR-PUB-03
Test Objective	Confirm that accepting a version retires every other version for the issue, including any still awaiting review.
Priority	High
Execution	Manual

TEST CASE ELEMENT SPECIFICATION	
Preconditions	An issue holds one returned version, one pending, and one accepted earlier
Test Data	—
Test Steps	- Accept the pending version as the Editor. - Inspect every version for the issue. - Open the Editor's review queue.
Expected Result	- The accepted version is the issue's edition. - Every other version is retired, whether returned, pending or previously accepted. - No version for this issue remains in the review queue. - The retired versions appear under earlier versions rather than disappearing.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.3-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.3-BF
Related Use Case	UC-2.3 — Approve a Magazine Layout
Requirement Traceability	FR-PUB-03
Test Objective	Confirm the basic flow of UC-2.3: the system shows the version approved, and the others under Earlier versions.
Priority	High
Execution	Manual
Preconditions	- The Editor is signed in - A layout version is awaiting review
Test Data	—
Test Steps	- Editor clicks Layouts on the Editor dashboard. - Editor clicks the file name and checks the edition. - Editor clicks Approve Design. - Graphic Designer clicks My layouts.
Expected Result	- The system shows "Magazine layouts awaiting review" with each version, the designer's notes and the file. - The system opens the PDF. - The system records the approval with the editor and the time. - The system retires every other version for the issue. - The system notifies the designer. - The system shows the version approved, and the others under Earlier versions.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-2.4: Close an Issue — Test Suite

Requirement: FR-PUB-04

This suite contains 6 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-2.4.

Test Case ID	Scenario	Priority	Execution
TC-2.4-BF	Confirm that closing an issue fixes its table of contents.	High	Automated
TC-2.4-A1	Confirm that reopening requires a reason and restores scheduling.	High	Automated
TC-2.4-MINIMUM	Confirm that an issue below its planned count reports itself as not ready.	Medium	Automated
TC-2.4-E1	Confirm that an empty issue cannot be closed.	Medium	Automated
TC-2.4-A2	Confirm the “Closing Cancelled” flow of UC-2.4: the system closes the question and changes nothing.	Medium	Manual
TC-2.4-E2	Confirm the “Reason Absent on Reopening” flow of UC-2.4: the system refuses and leaves the issue closed.	High	Manual

TC-2.4-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.4-BF
Related Use Case	UC-2.4 — Close an Issue
Requirement Traceability	FR-PUB-04
Test Objective	Confirm that closing an issue fixes its table of contents.
Priority	High
Execution	Automated TestIssueClosingAndPublishing::test_closing_fixes_the_contents
Preconditions	An open issue holds at least one article
Test Data	—
Test Steps	- Close the issue as the Publisher. - Inspect its state and closure record.
Expected Result	- The issue's contents are fixed. - The closing Publisher and time are recorded. - The issue reports itself as closed.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.4-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.4-A1

TEST CASE ELEMENT SPECIFICATION	
Related Use Case	UC-2.4 — Close an Issue
Requirement Traceability	FR-PUB-04
Test Objective	Confirm that reopening requires a reason and restores scheduling.
Priority	High
Execution	Automated TestIssueClosingAndPublishing::test_reopening_requires_a_reason_and_restores_assignment
Preconditions	A closed issue exists
Test Data	First: "no" · Second: "Late feature confirmed for this issue."
Test Steps	- Attempt a reopening with a reason below the minimum length. - Reopen with an adequate reason. - Inspect the state and recorded reason.
Expected Result	- The first attempt is refused. - The second succeeds. - The issue is open for scheduling again. - The reason is recorded against the issue.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.4-MINIMUM

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.4-MINIMUM
Related Use Case	UC-2.4 — Close an Issue
Requirement Traceability	FR-PUB-04
Test Objective	Confirm that an issue below its planned count reports itself as not ready.
Priority	Medium
Execution	Automated TestLayoutRequirements::test_an_issue_below_its_minimum_is_not_ready
Preconditions	An issue planned for three articles holds one
Test Data	Planned: 3 · Actual: 1
Test Steps	Inspect the issue's readiness and blocking reasons.
Expected Result	- The issue reports itself as not ready. - A blocking reason states the shortfall.

TEST CASE ELEMENT SPECIFICATION	
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.4-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.4-E1
Related Use Case	UC-2.4 — Close an Issue
Requirement Traceability	FR-PUB-04
Test Objective	Confirm that an empty issue cannot be closed.
Priority	Medium
Execution	Automated TestIssueClosingAndPublishing::test_an_empty_issue_cannot_be_closed
Preconditions	An issue holds no articles
Test Data	—
Test Steps	1. Attempt to close the issue.
Expected Result	- The closure is refused with a conflict response. - The issue remains open.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.4-A2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.4-A2
Related Use Case	UC-2.4 — Close an Issue
Requirement Traceability	FR-PUB-04
Test Objective	Confirm the “Closing Cancelled” flow of UC-2.4: the system closes the question and changes nothing.
Priority	Medium
Execution	Manual
Preconditions	- The Publisher is signed in - The issue is in preparation - Branches from step 2.1 of the basic flow.
Test Data	—
Test Steps	1. Publisher clicks Cancel.

TEST CASE ELEMENT SPECIFICATION	
Expected Result	- The system closes the question and changes nothing. - The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.4-E2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.4-E2
Related Use Case	UC-2.4 — Close an Issue
Requirement Traceability	FR-PUB-04
Test Objective	Confirm the “Reason Absent on Reopening” flow of UC-2.4: the system refuses and leaves the issue closed.
Priority	High
Execution	Manual
Preconditions	- The Publisher is signed in - The issue is in preparation - Branches from step 2.1 of alternate flow A1.
Test Data	—
Test Steps	1. Bring about the situation: reason absent on reopening.
Expected Result	- The system refuses and leaves the issue closed. - Resumes at step 2 of alternate flow A1.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-2.5: Publish an Issue — Test Suite

Requirement: FR-PUB-05

This suite contains 11 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-2.5.

Test Case ID	Scenario	Priority	Execution
TC-2.5-BF	Confirm that publishing releases every article in the issue together.	High	Automated
TC-2.5-E-EDITION	Confirm that an issue with no accepted edition cannot be published, since the edition is what is published.	High	Automated
TC-2.5-E1	Confirm that an issue that has not been closed cannot be published.	High	Automated
TC-2.5-E1-CLOSED	Confirm that an unapproved article blocks the whole release, so that no partial issue reaches readers.	High	Automated

Test Case ID	Scenario	Priority	Execution
TC-2.5-PRE	Confirm that publication is refused before approval is complete.	High	Automated
TC-2.5-E2E	Confirm the complete path from commission to public readability.	High	Automated
TC-2.5-E1-ARTICLES	Confirm that a scheduled release is cancelled rather than publishing an issue that has become unready.	High	Manual
TC-2.5-SINGLE	Confirm that an article belonging to an issue cannot be published on its own, which would put the issue live without its layout.	High	Automated
TC-2.5-READY	Confirm that an issue without an approved layout reports itself as not ready, so readiness and publication agree.	High	Automated
TC-2.5-A1	Confirm the “Standalone Article Released” flow of UC-2.5: the system puts the article live on the reader portal, without any issue.	Medium	Manual
TC-2.5-A2	Confirm the “Publication Cancelled” flow of UC-2.5: the system closes the question and publishes nothing.	Medium	Manual

TC-2.5-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.5-BF
Related Use Case	UC-2.5 — Publish an Issue
Requirement Traceability	FR-PUB-05
Test Objective	Confirm that publishing releases every article in the issue together.
Priority	High
Execution	Automated TestIssueClosingAndPublishing::test_publishing_releases_every_article_together
Preconditions	A closed issue holds two approved articles and an accepted edition
Test Data	Two approved articles
Test Steps	- Publish the issue. - Inspect the issue and both articles.
Expected Result	- The issue is published with its release time recorded. - Both articles are published. - Each carries a publication timestamp.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.5-E-EDITION

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.5-E-EDITION
Related Use Case	UC-2.5 — Publish an Issue
Requirement Traceability	FR-PUB-05
Test Objective	Confirm that an issue with no accepted edition cannot be published, since the edition is what is published.
Priority	High
Execution	Automated TestIssueClosingAndPublishing::test_publishing_without_a_layout_is_refused
Preconditions	• A closed issue holds an approved article and no accepted edition
Test Data	—
Test Steps	1. Attempt to publish the issue. 2. Inspect the issue and its articles.
Expected Result	• Publication is refused with a conflict response. • The reason names the absent edition. • Nothing is published.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.5-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.5-E1
Related Use Case	UC-2.5 — Publish an Issue
Requirement Traceability	FR-PUB-05
Test Objective	Confirm that an issue that has not been closed cannot be published.
Priority	High
Execution	Automated TestIssueClosingAndPublishing::test_an_open_issue_cannot_be_published
Preconditions	• An open issue holds an approved article and an accepted edition
Test Data	—
Test Steps	1. Attempt to publish the issue.
Expected Result	• Publication is refused with a conflict response. • The reason names the closure requirement. • Nothing is published.

TEST CASE ELEMENT SPECIFICATION	
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.5-E1-CLOSED

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.5-E1-CLOSED
Related Use Case	UC-2.5 — Publish an Issue
Requirement Traceability	FR-PUB-05
Test Objective	Confirm that an unapproved article blocks the whole release, so that no partial issue reaches readers.
Priority	High
Execution	Automated TestIssueClosingAndPublishing::test_an_unapproved_article_blocks_publication
Preconditions	A closed issue holds one approved and one unapproved article
Test Data	—
Test Steps	- Attempt to publish the issue. - Inspect both articles.
Expected Result	- Publication is refused. - The blocking article is named. - Neither article is published.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.5-PRE

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.5-PRE
Related Use Case	UC-2.5 — Publish an Issue
Requirement Traceability	FR-PUB-05
Test Objective	Confirm that publication is refused before approval is complete.
Priority	High
Execution	Automated TestEditorialPipelineEndToEnd::test_publish_before_approval_is_rejected
Preconditions	An issue holds unapproved articles
Test Data	—
Test Steps	Attempt to publish.

TEST CASE ELEMENT SPECIFICATION	
Expected Result	- Publication is refused. - The blocking reasons are returned.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.5-E2E

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.5-E2E
Related Use Case	UC-2.5 — Publish an Issue
Requirement Traceability	FR-PUB-05
Test Objective	Confirm the complete path from commission to public readability.
Priority	High
Execution	Automated TestEditorialPipelineEndToEnd::test_full_flow_publishes_and_is_publicly_readable
Preconditions	A clean data set
Test Data	—
Test Steps	- Commission, draft, submit, approve, schedule, close and publish. - Request the article from the public endpoint without authentication.
Expected Result	- Each transition succeeds in order. - The published article is readable without an account where it runs free.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.5-E1-ARTICLES

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.5-E1-ARTICLES
Related Use Case	UC-2.5 — Publish an Issue
Requirement Traceability	FR-PUB-05
Test Objective	Confirm that a scheduled release is cancelled rather than publishing an issue that has become unready.
Priority	High
Execution	Manual
Preconditions	A closed issue is scheduled for release
Test Data	—

TEST CASE ELEMENT SPECIFICATION	
Test Steps	1. Withdraw one of its articles before the release time. 2. Wait for the appointed time. 3. Inspect the issue.
Expected Result	• The issue does not publish. • The release is cancelled rather than proceeding incomplete. • The Publisher is notified that intervention is required.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.5-SINGLE

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.5-SINGLE
Related Use Case	UC-2.5 — Publish an Issue
Requirement Traceability	FR-PUB-05
Test Objective	Confirm that an article belonging to an issue cannot be published on its own, which would put the issue live without its layout.
Priority	High
Execution	Automated test_an_issue_article_cannot_be_published_on_its_own
Preconditions	• An approved article belongs to an issue with no approved layout
Test Data	—
Test Steps	1. Publish the article through the standalone endpoint.
Expected Result	• The request is refused with a conflict response. • The article remains approved and unpublished.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.5-READY

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.5-READY
Related Use Case	UC-2.5 — Publish an Issue
Requirement Traceability	FR-PUB-05
Test Objective	Confirm that an issue without an approved layout reports itself as not ready, so readiness and publication agree.
Priority	High
Execution	Automated test_an_issue_without_a_layout_is_not_ready

TEST CASE ELEMENT SPECIFICATION	
Preconditions	An issue's copy is complete but it has no approved layout
Test Data	—
Test Steps	1. Inspect the issue's readiness and blocking reasons.
Expected Result	- The issue is not ready. - A blocking reason names the missing layout.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.5-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.5-A1
Related Use Case	UC-2.5 — Publish an Issue
Requirement Traceability	FR-PUB-05
Test Objective	Confirm the “Standalone Article Released” flow of UC-2.5: the system puts the article live on the reader portal, without any issue.
Priority	Medium
Execution	Manual
Preconditions	- The Publisher is signed in - The issue is closed, its edition is approved and every article in it is approved - Branches at the start of the use case.
Test Data	—
Test Steps	- Publisher clicks Single articles and clicks Publish on an article. - Publisher clicks Publish in the question.
Expected Result	- The system asks "Publish this article?". - The system puts the article live on the reader portal, without any issue. - The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.5-A2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.5-A2
Related Use Case	UC-2.5 — Publish an Issue
Requirement Traceability	FR-PUB-05

TEST CASE ELEMENT SPECIFICATION	
Test Objective	Confirm the “Publication Cancelled” flow of UC-2.5: the system closes the question and publishes nothing.
Priority	Medium
Execution	Manual
Preconditions	• The Publisher is signed in • The issue is closed, its edition is approved and every article in it is approved • Branches from step 2.1 of the basic flow.
Test Data	—
Test Steps	1. Publisher clicks Cancel.
Expected Result	• The system closes the question and publishes nothing. • The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-2.6: Retire an Issue — Test Suite

Requirement: FR-PUB-06

This suite contains 2 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-2.6.

Test Case ID	Scenario	Priority	Execution
TC-2.6-BF	Confirm that retiring an issue removes it from the active list while readers keep access.	Low	Manual
TC-2.6-A1	Confirm the “Archiving Cancelled” flow of UC-2.6: the system closes the question and changes nothing.	Medium	Manual

TC-2.6-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.6-BF
Related Use Case	UC-2.6 — Retire an Issue
Requirement Traceability	FR-PUB-06
Test Objective	Confirm that retiring an issue removes it from the active list while readers keep access.
Priority	Low
Execution	Manual
Preconditions	• A published issue exists
Test Data	—

TEST CASE ELEMENT SPECIFICATION	
Test Steps	1. Retire the issue as the Publisher. 2. Inspect the active publishing list. 3. Request the issue from the public archive.
Expected Result	• The issue is absent from issues in preparation. • The issue remains readable on the reader portal. • The issue remains searchable in the archive.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-2.6-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-2.6-A1
Related Use Case	UC-2.6 — Retire an Issue
Requirement Traceability	FR-PUB-06
Test Objective	Confirm the “Archiving Cancelled” flow of UC-2.6: the system closes the question and changes nothing.
Priority	Medium
Execution	Manual
Preconditions	• The Publisher is signed in • The issue is published • Branches from step 2.1 of the basic flow.
Test Data	—
Test Steps	1. Publisher clicks Cancel.
Expected Result	• The system closes the question and changes nothing. • The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

8. Module 3: Editorial Oversight

UC-3.1: Review Publication Performance — Test Suite

Requirement: FR-OVS-01

This suite contains 4 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-3.1.

Test Case ID	Scenario	Priority	Execution
TC-3.1-BF	Confirm that each report aggregates correctly for a chosen period.	Medium	Manual
TC-3.1-OVERRIDE	Confirm that the override rate is reported, since it is the evidence for whether the passing mark is correctly set.	High	Manual
TC-3.1-A1	Confirm that an empty period is stated rather than drawn as zero.	Medium	Manual
TC-3.1-E1	Confirm the “Report Not Permitted” flow of UC-3.1: the system refuses and states that revenue figures are for the publisher and administrators only.	High	Manual

TC-3.1-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-3.1-BF
Related Use Case	UC-3.1 — Review Publication Performance
Requirement Traceability	FR-OVS-01
Test Objective	Confirm that each report aggregates correctly for a chosen period.
Priority	Medium
Execution	Manual
Preconditions	Articles exist across several months at various stages
Test Data	—
Test Steps	- Open each of the four reports in turn. - Restrict each to the current month, then to the current year. - Compare the figures against the underlying records.
Expected Result	- Each report presents figures consistent with the records. - Changing the period changes the figures accordingly. - Each chart carries a textual description of its data.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-3.1-OVERRIDE

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-3.1-OVERRIDE

TEST CASE ELEMENT SPECIFICATION	
Related Use Case	UC-3.1 — Review Publication Performance
Requirement Traceability	FR-OVS-01
Test Objective	Confirm that the override rate is reported, since it is the evidence for whether the passing mark is correctly set.
Priority	High
Execution	Manual
Preconditions	Assessments exist, some of which were overridden
Test Data	—
Test Steps	- Open the assessment report. - Inspect the proportions passed, returned and overridden.
Expected Result	- The score distribution is shown against the passing mark. - The override rate is stated as a proportion. - The figures are consistent with the assessment records.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-3.1-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-3.1-A1
Related Use Case	UC-3.1 — Review Publication Performance
Requirement Traceability	FR-OVS-01
Test Objective	Confirm that an empty period is stated rather than drawn as zero.
Priority	Medium
Execution	Manual
Preconditions	A period exists holding no records
Test Data	Period: a month before the publication began
Test Steps	Open a report and select that period.
Expected Result	- The absence of data is stated in words. - A wider period is offered. - No empty chart is drawn, since an empty chart reads as zero.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-3.1-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-3.1-E1
Related Use Case	UC-3.1 — Review Publication Performance
Requirement Traceability	FR-OVS-01
Test Objective	Confirm the “Report Not Permitted” flow of UC-3.1: the system refuses and states that revenue figures are for the publisher and administrators only.
Priority	High
Execution	Manual
Preconditions	• The person is signed in as an Editor, the Publisher or an Administrator • Branches from step 2.1 of the basic flow.
Test Data	—
Test Steps	1. Bring about the situation: report not permitted.
Expected Result	• The system refuses and states that revenue figures are for the publisher and administrators only. • Resumes at step 2 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-3.2: Monitor Editorial Progress — Test Suite

Requirement: FR-OVS-02

This suite contains 6 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-3.2.

Test Case ID	Scenario	Priority	Execution
TC-3.2-BF	Confirm that each role sees work grouped by whether they can act on it.	High	Manual
TC-3.2-A1	Confirm that overdue work is identified and can be isolated.	High	Manual
TC-3.2-CAL	Confirm that the calendar presents deadlines and release targets for a month.	Medium	Manual
TC-3.2-A2	Confirm that the deadline sweep notifies those responsible.	High	Manual
TC-3.2-E1	Confirm that the sweep refuses an unauthenticated caller.	High	Manual
TC-3.2-ROUTES	Confirm that calendar entries open in each role's own view, and that staff cannot reach another role's workspace by address.	High	Manual

TC-3.2-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-3.2-BF
Related Use Case	UC-3.2 — Monitor Editorial Progress
Requirement Traceability	FR-OVS-02
Test Objective	Confirm that each role sees work grouped by whether they can act on it.
Priority	High
Execution	Manual
Preconditions	Work exists at several pipeline stages
Test Data	—
Test Steps	- Sign in as the Editor and inspect the queue counts. - Confirm that work sitting with Writers is separated from work awaiting the Editor. - Confirm that the Editor's own drafts are separated from commissioned work.
Expected Result	- Queues reflect what the actor can act on now. - Returned work appears with its Writer, not in the Editor's queue. - Published work appears in neither. - The Editor's own drafts are held separately.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-3.2-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-3.2-A1
Related Use Case	UC-3.2 — Monitor Editorial Progress
Requirement Traceability	FR-OVS-02
Test Objective	Confirm that overdue work is identified and can be isolated.
Priority	High
Execution	Manual
Preconditions	Two commissions are past their deadline
Test Data	Two commissions overdue by three and six days
Test Steps	- Open the Editor dashboard. - Select the overdue alert. - Inspect the filtered view.

TEST CASE ELEMENT SPECIFICATION	
Expected Result	• The overdue count is stated. • Selecting the alert filters to the overdue work alone. • Each overdue item is visibly marked. • A route back to the unfiltered view is offered.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-3.2-CAL

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-3.2-CAL
Related Use Case	UC-3.2 — Monitor Editorial Progress
Requirement Traceability	FR-OVS-02
Test Objective	Confirm that the calendar presents deadlines and release targets for a month.
Priority	Medium
Execution	Manual
Preconditions	• Commissions carry deadlines in the current month • An issue carries a target release date
Test Data	—
Test Steps	1. Open the calendar. 2. Move to the previous month and back. 3. Include settled work.
Expected Result	• Deadlines and the release target appear on their dates. • Overdue, in-hand and settled work are visually distinguished. • Navigation between months preserves the view. • Settled work is hidden by default and shown on request.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-3.2-A2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-3.2-A2
Related Use Case	UC-3.2 — Monitor Editorial Progress
Requirement Traceability	FR-OVS-02
Test Objective	Confirm that the deadline sweep notifies those responsible.
Priority	High

TEST CASE ELEMENT SPECIFICATION	
Execution	Manual
Preconditions	- A scheduler credential is configured - Work exists both approaching and past its deadline
Test Data	—
Test Steps	- Invoke the sweep with the correct credential. - Inspect the Writer's and the Editor's notifications.
Expected Result	- Each Writer is notified of their approaching or passed deadline. - The commissioning Editor is notified of overdue work. - The sweep records its outcome.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-3.2-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-3.2-E1
Related Use Case	UC-3.2 — Monitor Editorial Progress
Requirement Traceability	FR-OVS-02
Test Objective	Confirm that the sweep refuses an unauthenticated caller.
Priority	High
Execution	Manual
Preconditions	A scheduler credential is configured
Test Data	—
Test Steps	- Invoke the sweep with no credential. - Invoke it with an incorrect credential. - Invoke it with the correct credential.
Expected Result	- The first two are refused and produce no notifications. - The refusals are recorded. - The third runs the sweep.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-3.2-ROUTES

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-3.2-ROUTES
Related Use Case	UC-3.2 — Monitor Editorial Progress

TEST CASE ELEMENT SPECIFICATION	
Requirement Traceability	FR-OVS-02
Test Objective	Confirm that calendar entries open in each role's own view, and that staff cannot reach another role's workspace by address.
Priority	High
Execution	Manual
Preconditions	The calendar holds an article deadline and an issue release target
Test Data	—
Test Steps	- As a writer, select the issue release target. - As an editor, select the same target. - As a publisher, select it. - As a writer, enter the publisher's workspace address directly.
Expected Result	- The writer is not taken anywhere; the entry is informational. - The editor reaches the issues overview. - The publisher reaches the issue's page. - The writer is returned to their own dashboard.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-3.3: Consult the Published Archive — Test Suite

Requirement: FR-OVS-03

This suite contains 3 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-3.3.

Test Case ID	Scenario	Priority	Execution
TC-3.3-BF	Confirm that the archive returns published work by headline, body and author.	Medium	Manual
TC-3.3-A1	Confirm that an empty search states the absence without implying an empty archive.	Low	Manual
TC-3.3-ROLES	Confirm that every staff role can open any published article from the archive, including a colleague's, without being sent to another role's workspace.	High	Manual

TC-3.3-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-3.3-BF
Related Use Case	UC-3.3 — Consult the Published Archive
Requirement Traceability	FR-OVS-03
Test Objective	Confirm that the archive returns published work by headline, body and author.

TEST CASE ELEMENT SPECIFICATION	
Priority	Medium
Execution	Manual
Preconditions	At least ten articles are published across several months
Test Data	A distinctive phrase from one article's body
Test Steps	- Open the archive. - Search a term appearing only in one article's body. - Filter by issue, then by category, then by year. - Open a result.
Expected Result	- Articles are grouped by the month they ran. - The body search returns the expected article. - Each filter narrows the results correctly. - Only published work appears. - Opening a result presents the article in full.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-3.3-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-3.3-A1
Related Use Case	UC-3.3 — Consult the Published Archive
Requirement Traceability	FR-OVS-03
Test Objective	Confirm that an empty search states the absence without implying an empty archive.
Priority	Low
Execution	Manual
Preconditions	Published work exists
Test Data	Search: a nonsense string
Test Steps	Search for a term matching nothing.
Expected Result	- The absence of matches is stated. - Clearing the filters is offered. - The total published count remains visible for context.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-3.3-ROLES

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-3.3-ROLES
Related Use Case	UC-3.3 — Consult the Published Archive
Requirement Traceability	FR-OVS-03
Test Objective	Confirm that every staff role can open any published article from the archive, including a colleague's, without being sent to another role's workspace.
Priority	High
Execution	Manual
Preconditions	Articles by several writers are published
Test Data	—
Test Steps	- As a writer, open a colleague's article from the archive. - Repeat as a graphic designer, an editor and the publisher. - Select the link to the public page.
Expected Result	- Each role sees a read-only preview with the full text and publication details. - No role is redirected to its own dashboard. - The public page opens in a new tab.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

9. Module 4: Reader Experience

UC-4.1: Read Published Content — Test Suite

Requirement: FR-RDR-01

This suite contains 5 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-4.1.

Test Case ID	Scenario	Priority	Execution
TC-4.1-BF	Confirm that freely available work is readable without an account.	High	Manual
TC-4.1-A1	Confirm that a subscriber-only article returns its opening to everyone and its full text to subscribers.	High	Manual
TC-4.1-E1	Confirm that maintenance holds public traffic while staff continue working.	Medium	Manual
TC-4.1-ENTITLE	Confirm the paywall in each direction for readers.	High	Automated
TC-4.1-STAFF-LINK	Confirm that staff viewing the public site are offered a way back to their workspace rather than a sign-in link.	Low	Manual

TC-4.1-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.1-BF
Related Use Case	UC-4.1 — Read Published Content
Requirement Traceability	FR-RDR-01
Test Objective	Confirm that freely available work is readable without an account.
Priority	High
Execution	Manual
Preconditions	A published article runs free
Test Data	—
Test Steps	- Open the reader portal without authentication. - Filter by category. - Open the article.
Expected Result	- The lead and recent work are presented. - The filter narrows the listing. - The article is returned in full with no account required.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.1-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.1-A1
Related Use Case	UC-4.1 — Read Published Content
Requirement Traceability	FR-RDR-01
Test Objective	Confirm that a subscriber-only article returns its opening to everyone and its full text to subscribers.
Priority	High
Execution	Manual
Preconditions	A published article is marked subscriber-only
Test Data	—
Test Steps	- Request the article without authentication. - Request it as a free reader. - Request it as a subscriber.
Expected Result	- The first two return the standfirst and opening passage. - Both present the subscription notice beneath the extract. - The third returns the article in full without interruption.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.1-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.1-E1
Related Use Case	UC-4.1 — Read Published Content
Requirement Traceability	FR-RDR-01
Test Objective	Confirm that maintenance holds public traffic while staff continue working.
Priority	Medium
Execution	Manual
Preconditions	An Administrator is authenticated
Test Data	Notice: “Briefly unavailable while we make an update.”
Test Steps	- Enable maintenance with a notice. - Request a public page without authentication. - Request a staff page as an authenticated Editor. - Disable maintenance.
Expected Result	- The public request receives the notice and no content. - The staff request succeeds normally. - Public access is restored on disabling.

TEST CASE ELEMENT SPECIFICATION	
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.1-ENTITLE

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.1-ENTITLE
Related Use Case	UC-4.1 — Read Published Content
Requirement Traceability	FR-RDR-01
Test Objective	Confirm the paywall in each direction for readers.
Priority	High
Execution	Automated TestEntitlement::test_free_reader_gets_the_extract · test_subscriber_gets_the_full_article · test_anonymous_is_refused
Preconditions	A published article is subscriber-only
Test Data	—
Test Steps	- Request it as a free reader. - Request it as a subscriber. - Request it anonymously.
Expected Result	- The free reader and the anonymous visitor receive it locked. - The subscriber receives it in full.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.1-STAFF-LINK

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.1-STAFF-LINK
Related Use Case	UC-4.1 — Read Published Content
Requirement Traceability	FR-RDR-01
Test Objective	Confirm that staff viewing the public site are offered a way back to their workspace rather than a sign-in link.
Priority	Low
Execution	Manual
Preconditions	A staff member is signed in
Test Data	—
Test Steps	- Select 'View public site'. - Scroll to the footer.

TEST CASE ELEMENT SPECIFICATION	
Expected Result	• No 'Sign in' link is shown. • A 'Back to workspace' link leads to their own dashboard.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-4.2: Save Articles for Later — Test Suite

Requirement: FR-RDR-02

This suite contains 3 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-4.2.

Test Case ID	Scenario	Priority	Execution
TC-4.2-BF	Confirm that a reader can save and unsave an article.	Medium	Manual
TC-4.2-A1	Confirm that an anonymous visitor is prompted rather than navigated away.	Medium	Manual
TC-4.2-A2	Confirm the “Article Already Saved” flow of UC-4.2: the system removes the article from the list (Remove from saved articles).	Medium	Manual

TC-4.2-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.2-BF
Related Use Case	UC-4.2 — Save Articles for Later
Requirement Traceability	FR-RDR-02
Test Objective	Confirm that a reader can save and unsave an article.
Priority	Medium
Execution	Manual
Preconditions	• A reader is authenticated • A published article exists
Test Data	—
Test Steps	1. Select the save control. 2. Open the saved list. 3. Select the control again from within the list.
Expected Result	• The article appears in the saved list. • Selecting again removes it. • The article leaves the list. • Saving the same article twice produces no duplicate.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.2-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.2-A1
Related Use Case	UC-4.2 — Save Articles for Later
Requirement Traceability	FR-RDR-02
Test Objective	Confirm that an anonymous visitor is prompted rather than navigated away.
Priority	Medium
Execution	Manual
Preconditions	No session is established
Test Data	—
Test Steps	1. Open a published article and select the save control.
Expected Result	- Nothing is recorded. - A prompt offers to sign in. - The visitor remains on the article, keeping their place.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.2-A2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.2-A2
Related Use Case	UC-4.2 — Save Articles for Later
Requirement Traceability	FR-RDR-02
Test Objective	Confirm the “Article Already Saved” flow of UC-4.2: the system removes the article from the list (Remove from saved articles).
Priority	Medium
Execution	Manual
Preconditions	- The reader is signed in - Branches from step 1.2 of the basic flow.
Test Data	—
Test Steps	1. Bring about the situation: article already saved.
Expected Result	- The system removes the article from the list (Remove from saved articles). - Resumes at step 2 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-4.3: Subscribe to BOSS Magazine — Test Suite

Requirement: FR-RDR-03

This suite contains 5 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-4.3.

Test Case ID	Scenario	Priority	Execution
TC-4.3-BF	Confirm that a completed payment grants the subscriber tier.	High	Manual
TC-4.3-E2	Confirm that a declined payment grants nothing.	High	Manual
TC-4.3-E1	Confirm that a duplicate confirmation is processed only once.	High	Manual
TC-4.3-E1-FORGED	Confirm that a confirmation failing verification is rejected.	High	Manual
TC-4.3-A1	Confirm the “Checkout Abandoned” flow of UC-4.3: the system grants nothing and records no transaction.	Medium	Manual

TC-4.3-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.3-BF
Related Use Case	UC-4.3 — Subscribe to BOSS Magazine
Requirement Traceability	FR-RDR-03
Test Objective	Confirm that a completed payment grants the subscriber tier.
Priority	High
Execution	Manual
Preconditions	• A reader holds a free account • The payment provider is reachable
Test Data	Provider test card, successful authorisation
Test Steps	1. Select a plan. 2. Complete payment in the provider's checkout. 3. Return to the platform. 4. Request a subscriber-only article.
Expected Result	• A subscription exists with the provider. • The reader holds the subscriber tier. • The transaction is recorded with its amount and currency. • No card detail is held by the platform. • Paid content becomes accessible immediately.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.3-E2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.3-E2
Related Use Case	UC-4.3 — Subscribe to BOSS Magazine
Requirement Traceability	FR-RDR-03
Test Objective	Confirm that a declined payment grants nothing.
Priority	High
Execution	Manual
Preconditions	The payment provider is reachable
Test Data	Provider test card, forced decline
Test Steps	- Attempt payment with a card the provider will decline. - Inspect the reader's tier and the transaction record.
Expected Result	- No entitlement is granted. - The reader remains on the free tier. - The decline is recorded without disclosing the provider's reason to the reader. - The reader may retry.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.3-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.3-E1
Related Use Case	UC-4.3 — Subscribe to BOSS Magazine
Requirement Traceability	FR-RDR-03
Test Objective	Confirm that a duplicate confirmation is processed only once.
Priority	High
Execution	Manual
Preconditions	A payment confirmation has already been processed
Test Data	Identical provider transaction reference
Test Steps	- Resend the identical confirmation. - Inspect the transaction records and the entitlement.
Expected Result	- No second transaction is recorded. - The entitlement is not granted again. - The confirmation is acknowledged so the provider stops retrying.

TEST CASE ELEMENT SPECIFICATION	
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.3-E1-FORGED

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.3-E1-FORGED
Related Use Case	UC-4.3 — Subscribe to BOSS Magazine
Requirement Traceability	FR-RDR-03
Test Objective	Confirm that a confirmation failing verification is rejected.
Priority	High
Execution	Manual
Preconditions	The payment provider is configured
Test Data	Valid payload, tampered signature
Test Steps	- Submit a confirmation with an invalid signature. - Inspect the transaction records and the entitlement.
Expected Result	- The confirmation is not processed. - No entitlement is granted or revoked. - The rejection is recorded and an administrator alerted.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.3-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.3-A1
Related Use Case	UC-4.3 — Subscribe to BOSS Magazine
Requirement Traceability	FR-RDR-03
Test Objective	Confirm the “Checkout Abandoned” flow of UC-4.3: the system grants nothing and records no transaction.
Priority	Medium
Execution	Manual
Preconditions	- The reader is signed in with a free account - Branches from step 2.1 of the basic flow.
Test Data	Run once the feature is built (designed use case).
Test Steps	Reader closes the checkout without paying.

TEST CASE ELEMENT SPECIFICATION	
Expected Result	- The system grants nothing and records no transaction. - The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-4.3.1: Read Subscriber-Only Content — Test Suite

Requirement: FR-RDR-04

This suite contains 8 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-4.3.1.

Test Case ID	Scenario	Priority	Execution
TC-4.3.1-BF	Confirm that a subscriber can read the edition page by page.	High	Manual
TC-4.3.1-DL	Confirm that a subscriber receives a time-limited address for the edition.	High	Manual
TC-4.3.1-E1	Confirm that a free reader is refused the edition and that the file itself remains unreachable.	High	Manual
TC-4.3.1-A1	Confirm that reduced motion is honoured without being requested in the application.	Medium	Manual
TC-4.3.1-STAFF	Confirm that staff read subscriber-only content in full without holding a subscription.	High	Automated
TC-4.3.1-SUSPENDED	Confirm that a suspended staff account is refused paid content despite its role.	High	Automated
TC-4.3.1-A2	Confirm the “No Edition for the Issue” flow of UC-4.3.1: the system states that no digital edition is available and keeps the issue’s articles readable.	Medium	Manual
TC-4.3.1-A3	Confirm the “Edition Downloaded” flow of UC-4.3.1: the system checks access and downloads the PDF through a private link.	Medium	Manual

TC-4.3.1-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.3.1-BF
Related Use Case	UC-4.3.1 — Read Subscriber-Only Content
Requirement Traceability	FR-RDR-04
Test Objective	Confirm that a subscriber can read the edition page by page.
Priority	High
Execution	Manual
Preconditions	- A subscriber is authenticated - A published issue carries an accepted edition of four pages

TEST CASE ELEMENT SPECIFICATION	
Test Data	—
Test Steps	1. Open the issue and select to read it. 2. Turn pages by control, keyboard and slider. 3. Change the page-turn treatment and reload.
Expected Result	• The first page renders and the page count is reported. • Pages turn in both directions by every means offered. • The preference persists across the reload.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.3.1-DL

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.3.1-DL
Related Use Case	UC-4.3.1 — Read Subscriber-Only Content
Requirement Traceability	FR-RDR-04
Test Objective	Confirm that a subscriber receives a time-limited address for the edition.
Priority	High
Execution	Manual
Preconditions	• A subscriber is authenticated • A published issue carries an accepted edition
Test Data	—
Test Steps	1. Request the download. 2. Inspect the returned address. 3. Wait until the address expires and request the file again.
Expected Result	• An address carrying a signature and an expiry is returned. • The address resolves to the edition while valid. • The address ceases to resolve after expiry.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.3.1-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.3.1-E1
Related Use Case	UC-4.3.1 — Read Subscriber-Only Content
Requirement Traceability	FR-RDR-04

TEST CASE ELEMENT SPECIFICATION	
Test Objective	Confirm that a free reader is refused the edition and that the file itself remains unreachable.
Priority	High
Execution	Manual
Preconditions	• A free reader is authenticated • A published issue carries an accepted edition
Test Data	—
Test Steps	1. Request the download. 2. Attempt to reach the edition directly at its storage address.
Expected Result	• The request is refused and no address is issued. • The direct storage address is not publicly readable. • The paywall governs the file rather than the link.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.3.1-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.3.1-A1
Related Use Case	UC-4.3.1 — Read Subscriber-Only Content
Requirement Traceability	FR-RDR-04
Test Objective	Confirm that reduced motion is honoured without being requested in the application.
Priority	Medium
Execution	Manual
Preconditions	• A subscriber is authenticated • The device requests reduced motion
Test Data	—
Test Steps	1. Open an edition and turn a page.
Expected Result	• The page-turn treatment defaults to none. • Pages change without animation. • An animated treatment remains available by explicit choice.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.3.1-STAFF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.3.1-STAFF
Related Use Case	UC-4.3.1 — Read Subscriber-Only Content
Requirement Traceability	FR-RDR-04
Test Objective	Confirm that staff read subscriber-only content in full without holding a subscription.
Priority	High
Execution	Automated TestEntitlement::test_staff_read_the_magazine_they_produce
Preconditions	• A published article is subscriber-only
Test Data	—
Test Steps	1. Request it as an editor, a publisher, a designer and a writer.
Expected Result	• Each receives the article in full. • No staff account is given a subscriber tier.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.3.1-SUSPENDED

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.3.1-SUSPENDED
Related Use Case	UC-4.3.1 — Read Subscriber-Only Content
Requirement Traceability	FR-RDR-04
Test Objective	Confirm that a suspended staff account is refused paid content despite its role.
Priority	High
Execution	Automated TestEntitlement::test_a_suspended_account_is_refused
Preconditions	• An editor account is suspended
Test Data	—
Test Steps	1. Request a subscriber-only article as that account.
Expected Result	• The article is returned locked.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.3.1-A2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.3.1-A2
Related Use Case	UC-4.3.1 — Read Subscriber-Only Content
Requirement Traceability	FR-RDR-04
Test Objective	Confirm the “No Edition for the Issue” flow of UC-4.3.1: the system states that no digital edition is available and keeps the issue's articles readable.
Priority	Medium
Execution	Manual
Preconditions	• The person is signed in as a subscriber or a staff member • Branches from step 2.2 of the basic flow.
Test Data	—
Test Steps	1. Bring about the situation: no edition for the issue.
Expected Result	• The system states that no digital edition is available and keeps the issue's articles readable. • The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.3.1-A3

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.3.1-A3
Related Use Case	UC-4.3.1 — Read Subscriber-Only Content
Requirement Traceability	FR-RDR-04
Test Objective	Confirm the “Edition Downloaded” flow of UC-4.3.1: the system checks access and downloads the PDF through a private link.
Priority	Medium
Execution	Manual
Preconditions	• The person is signed in as a subscriber or a staff member • Branches from step 2.2 of the basic flow.
Test Data	—
Test Steps	1. Subscriber clicks Download the edition.
Expected Result	• The system checks access and downloads the PDF through a private link. • The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-4.4: Manage a Subscription — Test Suite

Requirement: FR-RDR-05

This suite contains 3 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-4.4.

Test Case ID	Scenario	Priority	Execution
TC-4.4-BF	Confirm that cancellation preserves access to the end of the paid period.	Medium	Manual
TC-4.4-A1	Confirm the “Payment Method Updated” flow of UC-4.4: the system shows the updated method.	Medium	Manual
TC-4.4-A2	Confirm the “Cancellation Not Confirmed” flow of UC-4.4: the system changes nothing.	Medium	Manual

TC-4.4-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.4-BF
Related Use Case	UC-4.4 — Manage a Subscription
Requirement Traceability	FR-RDR-05
Test Objective	Confirm that cancellation preserves access to the end of the paid period.
Priority	Medium
Execution	Manual
Preconditions	An active subscription exists with a future period end
Test Data	—
Test Steps	- Cancel the subscription. - Immediately request a subscriber-only article. - Advance beyond the period end and request it again.
Expected Result	- The subscription is cancelled with the provider. - The date access ends is stated and recorded. - Access continues until that date. - The reader returns to the free tier afterwards.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.4-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.4-A1
Related Use Case	UC-4.4 — Manage a Subscription
Requirement Traceability	FR-RDR-05

TEST CASE ELEMENT SPECIFICATION	
Test Objective	Confirm the “Payment Method Updated” flow of UC-4.4: the system shows the updated method.
Priority	Medium
Execution	Manual
Preconditions	- The person is signed in with an active subscription - Branches from step 1.1 of the basic flow.
Test Data	Run once the feature is built (designed use case).
Test Steps	- Subscriber clicks Update payment method. - Payment Gateway saves the new payment method.
Expected Result	- The system opens the Payment Gateway's billing page. - The system shows the updated method. - The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-4.4-A2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-4.4-A2
Related Use Case	UC-4.4 — Manage a Subscription
Requirement Traceability	FR-RDR-05
Test Objective	Confirm the “Cancellation Not Confirmed” flow of UC-4.4: the system changes nothing.
Priority	Medium
Execution	Manual
Preconditions	- The person is signed in with an active subscription - Branches from step 2.1 of the basic flow.
Test Data	Run once the feature is built (designed use case).
Test Steps	Subscriber clicks Keep subscription.
Expected Result	- The system changes nothing. - The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

10. Module 5: Accounts and Platform Administration

UC-5.1: Register and Authenticate — Test Suite

Requirement: FR-ACC-01

This suite contains 8 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-5.1.

Test Case ID	Scenario	Priority	Execution
TC-5.1-BF	Confirm that valid credentials establish a session scoped to the account's role.	High	Automated
TC-5.1-E1	Confirm that incorrect credentials are refused without disclosing which field was wrong.	High	Automated
TC-5.1-A1	Confirm that registration creates a reader account and records consent.	High	Manual
TC-5.1-A3	Confirm that registering an address already in use is refused without disclosing more than the visitor supplied.	Medium	Manual
TC-5.1-E2	Confirm that a suspended account cannot sign in.	High	Manual
TC-5.1-A2	Confirm that a reader account is turned away from the staff sign-in.	Medium	Manual
TC-5.1-E3	Confirm that sign-in is limited per account, and that the limit cannot be bypassed by changing the address's case.	High	Automated
TC-5.1-A4	Confirm the "Password Expired or Reset Required" flow of UC-5.1: the system opens Change your password instead of the user's home.	Medium	Manual

TC-5.1-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.1-BF
Related Use Case	UC-5.1 — Register and Authenticate
Requirement Traceability	FR-ACC-01
Test Objective	Confirm that valid credentials establish a session scoped to the account's role.
Priority	High
Execution	Automated TestAuthenticateUser::test_tc_6_2_bf_login_returns_access_and_refresh_tokens
Preconditions	An active account exists
Test Data	editor@boss.ph / editor1234
Test Steps	- Submit the account's address and password. - Inspect the credentials returned and the destination.

TEST CASE ELEMENT SPECIFICATION	
Expected Result	• An access credential is returned. • A renewal credential is returned. • The actor arrives at the interface for their role.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.1-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.1-E1
Related Use Case	UC-5.1 — Register and Authenticate
Requirement Traceability	FR-ACC-01
Test Objective	Confirm that incorrect credentials are refused without disclosing which field was wrong.
Priority	High
Execution	Automated TestAuthenticateUser::test_e_auth_wrong_password_is_rejected
Preconditions	• An active account exists
Test Data	editor@boss.ph / wrongpassword, then unknown@example.com
Test Steps	1. Submit the correct address with an incorrect password. 2. Submit an address belonging to no account. 3. Compare the two responses.
Expected Result	• Both are refused and no credential is issued. • The responses do not distinguish the two cases. • Account existence is not inferable.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.1-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.1-A1
Related Use Case	UC-5.1 — Register and Authenticate
Requirement Traceability	FR-ACC-01
Test Objective	Confirm that registration creates a reader account and records consent.
Priority	High
Execution	Manual
Preconditions	• The submitted address is not registered

TEST CASE ELEMENT SPECIFICATION	
Test Data	A new address and a strong password
Test Steps	1. Complete the registration form with a strong password. 2. Consent to the terms but decline marketing. 3. Submit. 4. Inspect the account's tier and recorded consent.
Expected Result	• The account is created on the free tier. • Consent to the terms is recorded. • Consent to marketing is recorded as declined. • A session is established.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.1-A3

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.1-A3
Related Use Case	UC-5.1 — Register and Authenticate
Requirement Traceability	FR-ACC-01
Test Objective	Confirm that registering an address already in use is refused without disclosing more than the visitor supplied.
Priority	Medium
Execution	Manual
Preconditions	• An account holds the submitted address
Test Data	An address already registered
Test Steps	1. Attempt registration with that address.
Expected Result	• Registration is refused. • The visitor is directed to sign in. • Nothing is disclosed beyond what they supplied.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.1-E2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.1-E2
Related Use Case	UC-5.1 — Register and Authenticate
Requirement Traceability	FR-ACC-01

TEST CASE ELEMENT SPECIFICATION	
Test Objective	Confirm that a suspended account cannot sign in.
Priority	High
Execution	Manual
Preconditions	An account has been suspended
Test Data	—
Test Steps	1. Sign in with correct credentials for that account.
Expected Result	- The sign-in is refused. - No session is established. - The actor is directed to an administrator.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.1-A2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.1-A2
Related Use Case	UC-5.1 — Register and Authenticate
Requirement Traceability	FR-ACC-01
Test Objective	Confirm that a reader account is turned away from the staff sign-in.
Priority	Medium
Execution	Manual
Preconditions	A reader account exists
Test Data	reader@boss.ph
Test Steps	1. Sign in on the staff portal with the reader's credentials.
Expected Result	- No session is kept. - The page states that readers sign in on the public site.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.1-E3

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.1-E3
Related Use Case	UC-5.1 — Register and Authenticate
Requirement Traceability	FR-ACC-01

TEST CASE ELEMENT SPECIFICATION	
Test Objective	Confirm that sign-in is limited per account, and that the limit cannot be bypassed by changing the address's case.
Priority	High
Execution	Automated test_sign_in_is_limited_per_account · test_changing_case_does_not_reset_the_limit
Preconditions	Two accounts exist
Test Data	—
Test Steps	- Make five failed sign-in attempts on the first account. - Attempt a sixth with the correct password. - Sign in to the second account.
Expected Result	- The sixth attempt is refused as too many attempts, even with the correct password. - The second account signs in normally. - Varying the address's case does not reset the limit.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.1-A4

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.1-A4
Related Use Case	UC-5.1 — Register and Authenticate
Requirement Traceability	FR-ACC-01
Test Objective	Confirm the “Password Expired or Reset Required” flow of UC-5.1: the system opens Change your password instead of the user's home.
Priority	Medium
Execution	Manual
Preconditions	- The user can reach the BOSS Magazine site or the staff sign-in page - Branches from step 2.5 of the basic flow.
Test Data	—
Test Steps	Bring about the situation: password expired or reset required.
Expected Result	- The system opens Change your password instead of the user's home. - The user changes the password under UC-5.2.1, alternate flow A1. The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-5.2: Manage Own Account — Test Suite

Requirement: FR-ACC-02

This suite contains 6 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-5.2.

Test Case ID	Scenario	Priority	Execution
TC-5.2-BF	Confirm that a name change requires no password.	Medium	Manual
TC-5.2-E1	Confirm that changing the sign-in address requires the current password.	High	Manual
TC-5.2-E1-EMAIL	Confirm that an address already in use is refused without disclosing whose account holds it.	Medium	Manual
TC-5.2-PREFS	Confirm that a muted notification kind is not recorded, and that the underlying work remains visible.	Medium	Manual
TC-5.2-A1	Confirm the “Name Change Only” flow of UC-5.2: the system saves the name without asking for the password and shows "Your details have been updated.".	Medium	Manual
TC-5.2-A2	Confirm the “Changes Discarded” flow of UC-5.2: the system restores the saved details.	Medium	Manual

TC-5.2-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2-BF
Related Use Case	UC-5.2 — Manage Own Account
Requirement Traceability	FR-ACC-02
Test Objective	Confirm that a name change requires no password.
Priority	Medium
Execution	Manual
Preconditions	An authenticated account
Test Data	First name: “Paolo” → “Paulo”
Test Steps	1. Amend the first name and save.
Expected Result	- The change is accepted without a password prompt. - The updated name is stored and displayed.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.2-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2-E1
Related Use Case	UC-5.2 — Manage Own Account

TEST CASE ELEMENT SPECIFICATION	
Requirement Traceability	FR-ACC-02
Test Objective	Confirm that changing the sign-in address requires the current password.
Priority	High
Execution	Manual
Preconditions	An authenticated account
Test Data	New address: paolo.reyes@example.com
Test Steps	- Amend the sign-in address. - Attempt to save without a password. - Supply an incorrect password and retry. - Supply the correct password and retry.
Expected Result	- The first attempt names the password requirement. - The second states that the password is not correct. - The third succeeds. - The address is unchanged after each refusal.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.2-E1-EMAIL

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2-E1-EMAIL
Related Use Case	UC-5.2 — Manage Own Account
Requirement Traceability	FR-ACC-02
Test Objective	Confirm that an address already in use is refused without disclosing whose account holds it.
Priority	Medium
Execution	Manual
Preconditions	Two accounts exist
Test Data	—
Test Steps	Attempt to change one account's address to the other's.
Expected Result	- The change is refused. - The address is described as unavailable. - The holder is not disclosed.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.2-PREFS

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2-PREFS
Related Use Case	UC-5.2 — Manage Own Account
Requirement Traceability	FR-ACC-02
Test Objective	Confirm that a muted notification kind is not recorded, and that the underlying work remains visible.
Priority	Medium
Execution	Manual
Preconditions	• A staff account is authenticated
Test Data	Muted kind: layout submitted
Test Steps	1. Mute a kind of notification. 2. Cause an event of that kind. 3. Inspect the notifications and the relevant dashboard.
Expected Result	• No notification of that kind is recorded. • The underlying event still occurred. • The work remains visible on the dashboard, so nothing is lost.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.2-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2-A1
Related Use Case	UC-5.2 — Manage Own Account
Requirement Traceability	FR-ACC-02
Test Objective	Confirm the “Name Change Only” flow of UC-5.2: the system saves the name without asking for the password and shows “Your details have been updated.”.
Priority	Medium
Execution	Manual
Preconditions	• The user is signed in • Branches from step 2.1 of the basic flow.
Test Data	—
Test Steps	1. Bring about the situation: name change only.
Expected Result	• The system saves the name without asking for the password and shows “Your details have been updated.” • The use case ends.

TEST CASE ELEMENT SPECIFICATION	
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.2-A2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2-A2
Related Use Case	UC-5.2 — Manage Own Account
Requirement Traceability	FR-ACC-02
Test Objective	Confirm the “Changes Discarded” flow of UC-5.2: the system restores the saved details.
Priority	Medium
Execution	Manual
Preconditions	- The user is signed in - Branches from step 1.1 of the basic flow.
Test Data	—
Test Steps	1. User clicks Discard changes.
Expected Result	- The system restores the saved details. - The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-5.2.1: Change Password — Test Suite

Requirement: FR-ACC-02a

This suite contains 10 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-5.2.1.

Test Case ID	Scenario	Priority	Execution
TC-5.2.1-BF	Confirm the basic flow of UC-5.2.1: the system shows "Password changed. Taking you back..." and returns to Your account.	High	Automated
TC-5.2.1-A1	Confirm the “Password Expired or Reset Required” flow of UC-5.2.1: the system opens Change your password with the notice "Your password has expired, or an administrator has asked you to change it." and keeps the user there.	Medium	Automated
TC-5.2.1-A2	Confirm the “Sign Out Instead” flow of UC-5.2.1: the system signs the user out without changing the password.	Medium	Manual

Test Case ID	Scenario	Priority	Execution
TC-5.2.1-E4	Confirm the “New Passwords Do Not Match” flow of UC-5.2.1: the system shows "The new passwords do not match." under Confirm new password.	High	Manual
TC-5.2.1-E5	Confirm the “Too Many Attempts” flow of UC-5.2.1: the system shows "Too many attempts. Wait a while before trying again." and saves nothing.	High	Manual
TC-5.2.1-E1	Confirm the “Current Password Incorrect” flow of UC-5.2.1: the system shows "That password is not correct." under Current password and saves nothing.	High	Automated
TC-5.2.1-E2	Confirm the “Password Used Recently” flow of UC-5.2.1: the system shows "You have used this password recently. Choose one that is not among your last 4 passwords." and saves nothing.	High	Automated
TC-5.2.1-E3	Confirm the “Password Too Weak” flow of UC-5.2.1: the system lists each rule the password breaks under New password and saves nothing.	High	Manual
TC-5.2.1-HISTORY	Confirm that every password an account holds is recorded in the password history, as a hash.	High	Automated
TC-5.2.1-PRUNE	Confirm that password history older than a year is pruned, while the last four entries are always kept.	High	Automated

TC-5.2.1-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2.1-BF
Related Use Case	UC-5.2.1 — Change Password
Requirement Traceability	FR-ACC-02a
Test Objective	Confirm the basic flow of UC-5.2.1: the system shows "Password changed. Taking you back..." and returns to Your account.
Priority	High
Execution	Automated TestPasswordPolicy::test_the_last_four_passwords_cannot_be_reused
Preconditions	The user is signed in
Test Data	—
Test Steps	- User clicks their name and picture: at the bottom of the workspace sidebar for staff, or at the top right of the magazine for readers. - User clicks Change your password. - User types their current password, then the new password twice. - User clicks Change password.

TEST CASE ELEMENT SPECIFICATION	
Expected Result	• The system opens Your account. • The system opens Change your password with Current password, New password, Confirm new password and the password rules. • The system checks that the two new passwords match. • The system checks that there have been no more than 10 attempts in the last hour. • The system checks that the current password is correct. • The system checks that the new password is not one of the last 4. • The system checks the other rules: at least 8 characters, not common, not all numbers, not like the user's name or email. • The system saves the new password, adds it to the password history and restarts the 90-day period. • The system shows "Password changed. Taking you back..." and returns to Your account.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.2.1-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2.1-A1
Related Use Case	UC-5.2.1 — Change Password
Requirement Traceability	FR-ACC-02a
Test Objective	Confirm the "Password Expired or Reset Required" flow of UC-5.2.1: the system opens Change your password with the notice "Your password has expired, or an administrator has asked you to change it." and keeps the user there.
Priority	Medium
Execution	Automated TestPasswordPolicy::test_an_expired_password_locks_everything_except_changing_it · test_an_administrator_can_require_a_change
Preconditions	• The user is signed in • Branches at the start of the use case.
Test Data	—
Test Steps	1. User signs in with a password set more than 90 days ago, or after an administrator required a reset.
Expected Result	• The system marks the account as needing a new password. • The system opens Change your password with the notice "Your password has expired, or an administrator has asked you to change it." and keeps the user there. • Resumes at step 3 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.2.1-A2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2.1-A2
Related Use Case	UC-5.2.1 — Change Password
Requirement Traceability	FR-ACC-02a
Test Objective	Confirm the “Sign Out Instead” flow of UC-5.2.1: the system signs the user out without changing the password.
Priority	Medium
Execution	Manual
Preconditions	- The user is signed in - Branches from step 1.2 of alternate flow A1.
Test Data	—
Test Steps	1. User clicks Sign out instead.
Expected Result	- The system signs the user out without changing the password. - The password must still be changed at the next sign-in. The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.2.1-E4

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2.1-E4
Related Use Case	UC-5.2.1 — Change Password
Requirement Traceability	FR-ACC-02a
Test Objective	Confirm the “New Passwords Do Not Match” flow of UC-5.2.1: the system shows "The new passwords do not match." under Confirm new password.
Priority	High
Execution	Manual
Preconditions	- The user is signed in - Branches from step 3.1 of the basic flow.
Test Data	—
Test Steps	1. Bring about the situation: new passwords do not match.
Expected Result	- The system shows "The new passwords do not match." under Confirm new password. - Resumes at step 3 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.2.1-E5

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2.1-E5
Related Use Case	UC-5.2.1 — Change Password
Requirement Traceability	FR-ACC-02a
Test Objective	Confirm the “Too Many Attempts” flow of UC-5.2.1: the system shows "Too many attempts. Wait a while before trying again." and saves nothing.
Priority	High
Execution	Manual
Preconditions	- The user is signed in - Branches from step 4.1 of the basic flow.
Test Data	—
Test Steps	1. Bring about the situation: too many attempts.
Expected Result	- The system shows "Too many attempts. Wait a while before trying again." and saves nothing. - The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.2.1-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2.1-E1
Related Use Case	UC-5.2.1 — Change Password
Requirement Traceability	FR-ACC-02a
Test Objective	Confirm the “Current Password Incorrect” flow of UC-5.2.1: the system shows "That password is not correct." under Current password and saves nothing.
Priority	High
Execution	Automated TestPasswordPolicy::test_a_change_needs_the_current_password
Preconditions	- The user is signed in - Branches from step 4.2 of the basic flow.
Test Data	—
Test Steps	1. Bring about the situation: current password incorrect.
Expected Result	- The system shows "That password is not correct." under Current password and saves nothing. - Resumes at step 3 of the basic flow.

TEST CASE ELEMENT SPECIFICATION	
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.2.1-E2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2.1-E2
Related Use Case	UC-5.2.1 — Change Password
Requirement Traceability	FR-ACC-02a
Test Objective	Confirm the “Password Used Recently” flow of UC-5.2.1: the system shows "You have used this password recently. Choose one that is not among your last 4 passwords." and saves nothing.
Priority	High
Execution	Automated TestPasswordPolicy::test_the_last_four_passwords_cannot_be_reused
Preconditions	- The user is signed in - Branches from step 4.3 of the basic flow.
Test Data	—
Test Steps	1. Bring about the situation: password used recently.
Expected Result	- The system shows "You have used this password recently. Choose one that is not among your last 4 passwords." and saves nothing. - Resumes at step 3 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.2.1-E3

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2.1-E3
Related Use Case	UC-5.2.1 — Change Password
Requirement Traceability	FR-ACC-02a
Test Objective	Confirm the “Password Too Weak” flow of UC-5.2.1: the system lists each rule the password breaks under New password and saves nothing.
Priority	High
Execution	Manual
Preconditions	- The user is signed in - Branches from step 4.4 of the basic flow.
Test Data	—

TEST CASE ELEMENT SPECIFICATION	
Test Steps	1. Bring about the situation: password too weak.
Expected Result	- The system lists each rule the password breaks under New password and saves nothing. - Resumes at step 3 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.2.1-HISTORY

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2.1-HISTORY
Related Use Case	UC-5.2.1 — Change Password
Requirement Traceability	FR-ACC-02a
Test Objective	Confirm that every password an account holds is recorded in the password history, as a hash.
Priority	High
Execution	Automated TestPasswordPolicy::test_every_password_is_recorded
Preconditions	An account is created
Test Data	—
Test Steps	- Create an account. - Inspect its password history and its password change date.
Expected Result	- One history entry exists for the account. - The password change date is set.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.2.1-PRUNE

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2.1-PRUNE
Related Use Case	UC-5.2.1 — Change Password
Requirement Traceability	FR-ACC-02a
Test Objective	Confirm that password history older than a year is pruned, while the last four entries are always kept.
Priority	High
Execution	Automated TestPasswordPolicy::test_history_older_than_a_year_is_pruned_but_four_are_kept

TEST CASE ELEMENT SPECIFICATION	
Preconditions	An account has changed its password six times, more than a year ago
Test Data	—
Test Steps	- Change the password once more. - Count the history entries.
Expected Result	Exactly four history entries remain.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-5.2.2: Recover a Forgotten Password — Test Suite

Requirement: FR-ACC-02b

This suite contains 4 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-5.2.2.

Test Case ID	Scenario	Priority	Execution
TC-5.2.2-BF	Confirm that a forgotten password can be recovered and that the link is single-use.	High	Manual
TC-5.2.2-A1	Confirm that recovery does not disclose whether an address holds an account.	High	Manual
TC-5.2.2-E1	Confirm the “Link Expired or Already Used” flow of UC-5.2.2: the system shows "This link has expired" and offers to send a new one.	High	Manual
TC-5.2.2-E2	Confirm the “Password Used Recently or Too Weak” flow of UC-5.2.2: the system shows the same messages as UC-5.2.1, exceptions E2 and E3, and saves nothing.	High	Manual

TC-5.2.2-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2.2-BF
Related Use Case	UC-5.2.2 — Recover a Forgotten Password
Requirement Traceability	FR-ACC-02b
Test Objective	Confirm that a forgotten password can be recovered and that the link is single-use.
Priority	High
Execution	Manual
Preconditions	An account exists
Test Data	—

TEST CASE ELEMENT SPECIFICATION	
Test Steps	1. Request recovery for the address. 2. Follow the emailed link and set a new password. 3. Sign in with the new password. 4. Follow the same link a second time.
Expected Result	• A single-use, time-limited link is dispatched. • The new password is accepted and stored as a hash. • Existing sessions are ended. • The new password authenticates successfully. • The second use of the link is refused.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.2.2-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2.2-A1
Related Use Case	UC-5.2.2 — Recover a Forgotten Password
Requirement Traceability	FR-ACC-02b
Test Objective	Confirm that recovery does not disclose whether an address holds an account.
Priority	High
Execution	Manual
Preconditions	• One address holds an account and one does not
Test Data	reader@boss.ph and unknown@example.com
Test Steps	1. Request recovery for each in turn. 2. Compare the responses. 3. Inspect the messages dispatched.
Expected Result	• Both responses are identical. • No message is dispatched for the unregistered address. • Account existence is not inferable.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.2.2-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2.2-E1
Related Use Case	UC-5.2.2 — Recover a Forgotten Password
Requirement Traceability	FR-ACC-02b

TEST CASE ELEMENT SPECIFICATION	
Test Objective	Confirm the “Link Expired or Already Used” flow of UC-5.2.2: the system shows "This link has expired" and offers to send a new one.
Priority	High
Execution	Manual
Preconditions	- The user has an account and can open its email inbox - Branches from step 4.1 of the basic flow.
Test Data	Run once the feature is built (designed use case).
Test Steps	1. Bring about the situation: link expired or already used.
Expected Result	- The system shows "This link has expired" and offers to send a new one. - Resumes at step 2 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.2.2-E2

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.2.2-E2
Related Use Case	UC-5.2.2 — Recover a Forgotten Password
Requirement Traceability	FR-ACC-02b
Test Objective	Confirm the “Password Used Recently or Too Weak” flow of UC-5.2.2: the system shows the same messages as UC-5.2.1, exceptions E2 and E3, and saves nothing.
Priority	High
Execution	Manual
Preconditions	- The user has an account and can open its email inbox - Branches from step 5.1 of the basic flow.
Test Data	Run once the feature is built (designed use case).
Test Steps	1. Bring about the situation: password used recently or too weak.
Expected Result	- The system shows the same messages as UC-5.2.1, exceptions E2 and E3, and saves nothing. - Resumes at step 5 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-5.3: Administer User Accounts — Test Suite

Requirement: FR-ACC-03

This suite contains 6 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-5.3.

Test Case ID	Scenario	Priority	Execution
TC-5.3-BF	Confirm that a role change takes effect and does not disturb existing work.	High	Manual
TC-5.3-SUSPEND	Confirm that suspension takes precedence over every role, including Administrator.	High	Manual
TC-5.3-TIER	Confirm that a directly granted subscription behaves identically to a purchased one.	Medium	Manual
TC-5.3-A3	Confirm the “New Staff Account” flow of UC-5.3: the system creates the account.	Medium	Manual
TC-5.3-A1	Confirm the “Several Accounts at Once” flow of UC-5.3: the system applies the action and shows how many accounts changed.	Medium	Manual
TC-5.3-E1	Confirm the “Invalid Change” flow of UC-5.3: the system shows "Please correct the error below." beside the field and saves nothing.	High	Manual

TC-5.3-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.3-BF
Related Use Case	UC-5.3 — Administer User Accounts
Requirement Traceability	FR-ACC-03
Test Objective	Confirm that a role change takes effect and does not disturb existing work.
Priority	High
Execution	Manual
Preconditions	An account holds the Writer role and has commissioned work
Test Data	—
Test Steps	- Change the account's role to Editor. - Sign in as that account. - Inspect the interface and the previously commissioned work.
Expected Result	- The account reaches the Editor interface. - The previously commissioned work is retained. - Nothing is reassigned or withdrawn automatically.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.3-SUSPEND

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.3-SUSPEND
Related Use Case	UC-5.3 — Administer User Accounts
Requirement Traceability	FR-ACC-03
Test Objective	Confirm that suspension takes precedence over every role, including Administrator.
Priority	High
Execution	Manual
Preconditions	• A second Administrator account exists
Test Data	—
Test Steps	1. Suspend that account. 2. Attempt any protected action as it. 3. Inspect its articles and history.
Expected Result	• Every request is refused. • The Administrator role does not override the suspension. • The account's articles, versions and history are retained.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.3-TIER

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.3-TIER
Related Use Case	UC-5.3 — Administer User Accounts
Requirement Traceability	FR-ACC-03
Test Objective	Confirm that a directly granted subscription behaves identically to a purchased one.
Priority	Medium
Execution	Manual
Preconditions	• A reader holds a free account
Test Data	—
Test Steps	1. Grant the subscriber tier directly. 2. Sign in as that reader and request a subscriber-only article. 3. Request the digital edition for a published issue.

TEST CASE ELEMENT SPECIFICATION	
Expected Result	- The article is returned in full. - The edition address is issued. - The entitlement checks do not distinguish the route by which the tier was granted.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.3-A3

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.3-A3
Related Use Case	UC-5.3 — Administer User Accounts
Requirement Traceability	FR-ACC-03
Test Objective	Confirm the “New Staff Account” flow of UC-5.3: the system creates the account.
Priority	Medium
Execution	Manual
Preconditions	- The person is signed in to the administration site as an administrator - Branches from step 1.1 of the basic flow.
Test Data	—
Test Steps	1. Administrator clicks Add user, fills in Email, First name, Last name, Role and the password twice, and clicks Save.
Expected Result	- The system creates the account. - The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.3-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.3-A1
Related Use Case	UC-5.3 — Administer User Accounts
Requirement Traceability	FR-ACC-03
Test Objective	Confirm the “Several Accounts at Once” flow of UC-5.3: the system applies the action and shows how many accounts changed.
Priority	Medium
Execution	Manual

TEST CASE ELEMENT SPECIFICATION	
Preconditions	- The person is signed in to the administration site as an administrator - Branches from step 1.1 of the basic flow.
Test Data	—
Test Steps	1. Administrator ticks the accounts, picks Suspend selected accounts, Restore selected accounts or Require a password reset from Action, and clicks Go.
Expected Result	- The system applies the action and shows how many accounts changed. - The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.3-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.3-E1
Related Use Case	UC-5.3 — Administer User Accounts
Requirement Traceability	FR-ACC-03
Test Objective	Confirm the “Invalid Change” flow of UC-5.3: the system shows "Please correct the error below." beside the field and saves nothing.
Priority	High
Execution	Manual
Preconditions	- The person is signed in to the administration site as an administrator - Branches from step 3.1 of the basic flow.
Test Data	—
Test Steps	1. Bring about the situation: invalid change.
Expected Result	- The system shows "Please correct the error below." beside the field and saves nothing. - Resumes at step 3 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

UC-5.4: Configure the Platform — Test Suite

Requirement: FR-ACC-04

This suite contains 4 test case(s) derived from the Basic Flow and every documented Alternate and Exception Flow of UC-5.4.

Test Case ID	Scenario	Priority	Execution
TC-5.4-BF	Confirm that configuration changes take effect without redeployment.	Medium	Manual

Test Case ID	Scenario	Priority	Execution
TC-5.4-STATUS	Confirm that integration status is reported without disclosing any credential.	Medium	Manual
TC-5.4-A1	Confirm the “Maintenance Mode” flow of UC-5.4: the system restores public access.	Medium	Manual
TC-5.4-E1	Confirm the “Invalid Value” flow of UC-5.4: the system names the invalid value and saves nothing.	High	Manual

TC-5.4-BF

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.4-BF
Related Use Case	UC-5.4 — Configure the Platform
Requirement Traceability	FR-ACC-04
Test Objective	Confirm that configuration changes take effect without redeployment.
Priority	Medium
Execution	Manual
Preconditions	An Administrator is authenticated
Test Data	Tagline: a new line · Page size: 8
Test Steps	- Change the publication tagline and the listing page size. - Save. - Open the reader portal.
Expected Result	- The values are validated and stored. - The updating Administrator is recorded. - The reader portal reflects both changes immediately.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.4-STATUS

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.4-STATUS
Related Use Case	UC-5.4 — Configure the Platform
Requirement Traceability	FR-ACC-04
Test Objective	Confirm that integration status is reported without disclosing any credential.
Priority	Medium
Execution	Manual
Preconditions	- An Administrator is authenticated - At least one external service is unconfigured

TEST CASE ELEMENT SPECIFICATION	
Test Data	—
Test Steps	1. Open platform settings. 2. Inspect the integration panel and the underlying response.
Expected Result	• Each service is reported as configured or not. • The consequence of an absent service is stated. • No credential value appears in the interface or the response.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.4-A1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.4-A1
Related Use Case	UC-5.4 — Configure the Platform
Requirement Traceability	FR-ACC-04
Test Objective	Confirm the “Maintenance Mode” flow of UC-5.4: the system restores public access.
Priority	Medium
Execution	Manual
Preconditions	• The person is signed in as an administrator • Branches from step 1.1 of the basic flow.
Test Data	—
Test Steps	1. Administrator types the Message shown to readers and clicks Enable maintenance. 2. Administrator clicks Enable maintenance in the question. 3. Administrator later clicks Bring site back online.
Expected Result	• The system asks "Enable maintenance mode?". • The system shows the message to readers while staff keep working. • The system restores public access. • The use case ends.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked

TC-5.4-E1

TEST CASE ELEMENT SPECIFICATION	
Test Case ID	TC-5.4-E1
Related Use Case	UC-5.4 — Configure the Platform

TEST CASE ELEMENT SPECIFICATION	
Requirement Traceability	FR-ACC-04
Test Objective	Confirm the “Invalid Value” flow of UC-5.4: the system names the invalid value and saves nothing.
Priority	High
Execution	Manual
Preconditions	• The person is signed in as an administrator • Branches from step 2.1 of the basic flow.
Test Data	—
Test Steps	1. Bring about the situation: invalid value.
Expected Result	• The system names the invalid value and saves nothing. • Resumes at step 2 of the basic flow.
Actual Result	
Status (Pass/Fail)	☐ Pass ☐ Fail ☐ Blocked