

FULLY DRESSED USE CASE DIAGRAM (CitiSense)

Lorenzo Bernal


Gab

Cabangcala Luis

Lazaro Mark

Marabi

Use Case Diagram:



Use Case Name: Register

<i>Use case ID:</i>	UC-01
<i>Author:</i>	Luis Lorenzo Lazaro, Lorenzo Emil Bernal
<i>Purpose:</i>	Users should be able to register an account to the CitiSense system.
<i>Priority</i>	High
<i>Preconditions:</i>	- User opens the CitiSense web app
<i>Postconditions:</i>	- User inputs valid credentials in registration - User/s information is saved in the system - User/s should be able to login successfully
<i>Actors:</i>	Employee
<i>Includes:</i>	Verify Email (UC-16)
<i>Flow of Actions:</i>	Basic Flow 1. User Registration - Open the CitiSense web app - The user goes to “Register” page - Register account using valid credentials (Email, Username, and Password) - Click “Submit” - The user will now be redirected to the Login Page of the app Alternative Flow 1a. Missing field - User navigates to the registration page - User leaves a required field (e.g., email or password) blank - User clicks the Register / Submit button System validates the input fields - System detects missing required fields - System displays an error message (e.g., “Please fill out this field”) next to the blank field(s) - Registration is not submitted, and the user remains on the registration page 1b. Existing Credentials - User fills out all required fields using an email or username already in the system - User clicks the Register / Submit button - System validates the input fields

	- System checks the database and finds the email and/or is already taken - System displays an error message (e.g., "Email already registered") - Registration is not submitted, and the user remains on the registration page
--	---

Use Case Name: Login

<i>Use case ID:</i>	UC-02
<i>Author:</i>	Luis Lorenzo Lazaro, Lorenzo Emil Bernal
<i>Purpose:</i>	All users should have the ability to log in to the CitiSense system.
<i>Priority</i>	High
<i>Preconditions:</i>	- User opens the Citisense web app - User is registered
<i>Postconditions:</i>	- User should be able to login successfully with valid credentials. - User can access the home page of the CitiSense web application
<i>Actors:</i>	Employee
<i>Extends:</i>	
<i>Flow of Actions:</i>	Basic Flow 1. Login - Open the CitiSense web app - User goes to the Login page - Input proper username and password - Click "Login" - The user will be redirected to the homepage of the app Alternative Flow 1a. <i>Unregistered user</i> - Click Login to the web app - User inputs invalid credentials - The system validates and matches the credentials entered - The user is prompted with the message "User is not registered" - The user stays on the Login page 1b. <i>Invalid Credentials for Login</i> - Click Login to the web app - User inputs invalid credentials - The system validates and matches the credentials entered

	- The user is prompted with the message “The username or password you entered is incorrect.” - The user stays on the Login page
--	--

Use Case Name: Edit user profile - Employee

<i>Use case ID:</i>	UC-03
<i>Author:</i>	Luis Lorenzo Lazaro
<i>Purpose:</i>	All registered users should be able to edit their own information through the profile page
<i>Priority</i>	High
<i>Preconditions:</i>	- User is logged in - User has an existing profile in the system
<i>Postconditions:</i>	- The user’s profile information is updated in the system/database - The updated information is reflected when the profile is viewed - A confirmation message has been displayed to the user
<i>Actors:</i>	Employee
<i>Extends:</i>	
<i>Flow of Actions:</i>	Basic Flow 1. Edit User Profile - The employee navigates to their profile page - The system displays the current profile information - The user clicks the “Edit Profile” button - The system displays editable fields (e.g., name, email, password) - The employee updates the desired profile information - The employee clicks the “Save” button - The system validates the entered data - The system updates the employee’s profile information in the database - The system shows a

	confirmation message that the profile has been successfully updated Alternative Flow 1a. Invalid Data Entered - The system detects that one or more fields contain invalid data (e.g., incorrect email format, required field left blank) - The system displays error messages indicating the invalid fields - The employee corrects the errors and clicks “Save” again - The use case resumes at “The system validates the entered data” onwards 1b. User Cancels Editing - The user clicks “Cancel” instead of “Save” - The system discards any changes made - The system returns the employee to profile view page.
--	--

Use Case Name: View dashboard - Guest

<i>Use case ID:</i>	UC-04
<i>Author:</i>	Lorenzo Emil Bernal
<i>Purpose:</i>	All users should be able to see the results displayed in the dashboard after the analysis
<i>Priority</i>	High
<i>Preconditions:</i>	- User opens the CitiSense web application - User navigates to the Dashboard
<i>Postconditions:</i>	- Users can see the Dashboard - System-generated reports are saved locally on the user’s computer
<i>Actors:</i>	Guest
<i>Extends:</i>	

<i>Flow of Actions:</i>	Basic Flow 1. View Dashboard - Open the CitiSense web app - The guest accesses the dashboard. - The CitiSense web app will show the visualization of sentiment analysis results as it updates in real-time. Alternative Flow 1a. Generate Report - Open the CitiSense web app - Navigate to Dashboard - Click on the “Export Data” in the Dashboard page. - The generated report will be downloaded to the guest’s local device.
-------------------------	--

Use Case Name: Manage Data Table

<i>Use case ID:</i>	UC-05
<i>Author:</i>	Lorenzo Emil Bernal
<i>Purpose:</i>	Employees should be able to manage the data table
<i>Priority</i>	High
<i>Preconditions:</i>	- User is logged in - The user must be of the “Data Analyst” role
<i>Postconditions:</i>	- User views the data table - The user can manage the data table - The exported table is saved locally on the user’s computer
<i>Actors:</i>	Employee
<i>Extends:</i>	
<i>Flow of Actions:</i>	Basic Flow 1. Manage Data Table - Open the CitiSense web app - Log in to the CitiSense web application - Click on the “Data Table” sub-process of the Dashboard button. - Verify that the user is in the “Data Analyst” role. - The Data Analyst user can then preview all or apply filters for the

	Data Table - The Data Analyst user can then view the labeled feedback Alternative Flow 1a. Update Data Table - Open the CitiSense web app - Log in to the CitiSense web application - Click on the “Data Table” sub-process of the Dashboard button. - Verify that the user is in the “Data Analyst” role - The user can then preview all or apply filters for the Data table - Users will see the sentiment-labeled feedback - Users can now edit the sentiment labels for each feedback in the data table 1b. Invalid Role - Open the CitiSense web app - Log in to the CitiSense web application - Click on the “Data Table” sub-process of the Dashboard button. - Verify that the user is in the “Data Analyst” role - The user is not assigned any role - The system will show an “Access Denied message.” 1c. Export Data Table - Open the CitiSense web app - Log in to the CitiSense web application - Click on the “Data Table” sub-process of the Dashboard button. - Verify that the user is in the “Data Analyst” role - The user can now export the data table.
--	---

Use Case Name: Perform Sentiment Analysis

<i>Use case ID:</i>	UC-06
---------------------	-------

<i>Author:</i>	Lorenzo Emil Bernal
<i>Purpose:</i>	To analyze textual data (raw feedback) and determine the sentiment expressed in positive, negative, or neutral automatically by the CitiSense system.
<i>Priority</i>	High
<i>Preconditions:</i>	- The CitiSense system is running and accessible. - The clean feedback is available and ready for processing.
<i>Postconditions:</i>	- Processed feedback is stored in the CitiSense system's database. - Sentiment labeling and classifications are stored and available for visualization or export.
<i>Actors:</i>	
<i>Includes</i>	UC-13 (Clean Data)
<i>Flow of Actions:</i>	Basic Flow 1. Perform Sentiment Analysis - The system takes in clean feedback from the database. - The system then performs sentiment analysis using the AI model on the cleaned feedback. - The system then stores the labeled feedback in CitiSense system's database.

Use Case Name: Administrator Panel Login

<i>Use case ID:</i>	UC-07
<i>Author:</i>	Lorenzo Emil Bernal
<i>Purpose:</i>	System Administrators should be able to login through an admin panel to access the admin dashboard.
<i>Priority</i>	High
<i>Preconditions:</i>	- Admin panel is accessible
<i>Postconditions:</i>	- System Admin is logged in and redirected to the Admin Dashboard
<i>Actors:</i>	System Admin
<i>Extends:</i>	
<i>Flow of Actions:</i>	Basic Flow 1. Assign Roles - System Administrator opens the CitiSense admin panel login page.

	- The system Admin enters a valid username and password. - The System Admin clicks on “Login” - The system validates the entered credentials. - The system admin will be authenticated and redirected to the Admin Dashboard. Alternative Flow 1a. Invalid Credentials - System Administrator opens the CitiSense admin panel login page. - The system Admin enters an invalid username and password. - The System Admin clicks on “Login” - The system shows an error message. - The system administrator stays at the admin panel login.
--	---

Use Case Name: Assign Roles

<i>Use case ID:</i>	UC-08
<i>Author:</i>	Luis Lorenzo Lazaro, Lorenzo Emil Bernal
<i>Purpose:</i>	System Administrators should be able to assign or update user roles and permissions in the CitiSense admin panel.
<i>Priority</i>	High
<i>Preconditions:</i>	- System Admin must be logged in. - Admin panel is accessible
<i>Postconditions:</i>	- User permissions are updated and saved in the system
<i>Actors:</i>	System Admin
<i>Extends:</i>	
<i>Flow of Actions:</i>	Basic Flow Assign Roles - The System Administrator opens the CitiSense administrator panel. - The System Administrator logs into the admin panel with valid

	credentials. - System verifies the credentials; if access is granted, they will be directed to the admin dashboard. - The administrator navigates to the User Management section - The system displays a list of registered users - The administrator selects a user from the list - The system displays the selected user's current access roles and permissions - The administrator updates the user's roles (e.g., gives a user the "Data Analyst" role). - The administrator saves the changes - The system validates the changes and updates the role of the user in the database. - The system will show a "success message."
--	--

Use Case Name: Manage user details

<i>Use case ID:</i>	UC-09
<i>Author:</i>	Luis Lorenzo Lazaro, Lorenzo Emil Bernal
<i>Purpose:</i>	System Administrators should be able to edit or update user credentials in the CitiSense admin panel.
<i>Priority</i>	High
<i>Preconditions:</i>	- System Admin must be logged in. - Admin panel is accessible
<i>Postconditions:</i>	- Edits and updates on user details are updated and saved in the system's database
<i>Actors:</i>	System Admin
<i>Extends:</i>	
<i>Flow of Actions:</i>	Basic Flow <i>Edit user details</i> - The System Administrator opens the CitiSense administrator panel. - The System Administrator logs into the admin panel with valid credentials. - System verifies the credentials; if access is granted, they will be

	directed to the admin dashboard. - The administrator navigates to the User Management section - The system displays a list of registered users - The administrator selects a user from the list - The system displays the selected user's information - The administrator updates the user's credentials (e.g., changes to their names or emails) - The administrator saves the changes - The system validates the changes and updates the details of the user in the database. - The system will show a "success message."
--	---

Use Case Name: Manage Account

<i>Use case ID:</i>	UC-10
<i>Author:</i>	Lorenzo Emil Bernal
<i>Purpose:</i>	Users should be able to view the dashboard, manage the data table, and generate reports for both functionalities.
<i>Priority</i>	High
<i>Preconditions:</i>	- The system is accessible
<i>Postconditions:</i>	- The user has either successfully logged in or created/updated their accounts within the system.
<i>Actors:</i>	Employee, System Administrator
<i>Extends:</i>	
<i>Includes:</i>	UC-01 (Register), UC-02 (Login), UC-03 (Edit user profile)
<i>Flow of Actions:</i>	Basic Flow - Open the CitiSense web application - The user selects an action: - o If the user chooses to Register: The flow includes Register (UC-01) - o Only the user chooses to Login: The flow

	- o includes Login (UC-02) - o If the user chooses to Edit their profile: The flow includes Edit User Profile (UC-03) - If the user is a system admin: - o They may only log in to the admin panel: The flow includes Login (UC-02). - The system executes the selected included use case. - The chosen included use case completes successfully.
--	--

Use Case Name: Manage Reports

<i>Use case ID:</i>	UC-11
<i>Author:</i>	Lorenzo Emil Bernal
<i>Purpose:</i>	Employees and users should be able to view the dashboard and generate reports. Only the employee can manage the data table.
<i>Priority</i>	High
<i>Preconditions:</i>	- The system is accessible - The employee is logged in (required to manage the data table).
<i>Postconditions:</i>	- The employee has successfully viewed the dashboard or managed the data table. - The user has successfully viewed the dashboard. - Both users have optionally downloaded the reports generated by the system.
<i>Actors:</i>	Employee, Guest
<i>Extends:</i>	
<i>Includes:</i>	UC-04 (View Dashboard), UC-05 (Manage Data Table)
<i>Flow of Actions:</i>	Basic Flow - Open the CitiSense web application - If the actor is a guest: - o They can only view the dashboard: The flow includes View Dashboard (UC-04) - If the actor is an employee: - o They need to log in first within the system before accessing the reports. - o They can choose to view the dashboard: The flow

	includes View Dashboard (UC-04) - o Or they can choose to manage the data table: The flow includes Manage Data Table (UC-05) - The system executes the selected included use case. - The chosen included use case completes successfully.
--	---

Use Case Name: Manage User

<i>Use case ID:</i>	UC-12
<i>Author:</i>	Gab Cabangcala
<i>Purpose:</i>	System Administrators should be able to manage user accounts, including updating user details and assigning roles.
<i>Priority</i>	High
<i>Preconditions:</i>	- The system administrator must be logged in.
<i>Postconditions:</i>	- The target user's details and roles have been successfully updated
<i>Actors:</i>	System Administrator
<i>Extends:</i>	
<i>Includes:</i>	UC-08 (Assign Roles), UC-09 (Manage User Details)
<i>Flow of Actions:</i>	Basic Flow - Open the CitiSense web application - The system admin selects a target user. - The system admin edits details: - o The flow includes the steps defined in UC-08 (Assign Roles). - o The flow includes the steps defined in UC-09 (Manage User Details) - The System returns the Administrator to the User Management dashboard.

Use Case Name: Clean Data

<i>Use case ID:</i>	UC-13
<i>Author:</i>	Luis Lorenzo Lazaro
<i>Purpose:</i>	To preprocess raw textual feedback obtained from the IRAD database by removing duplicates and irrelevant characters, ensuring that the data is ready for sentiment analysis.
<i>Priority</i>	High
<i>Preconditions:</i>	- The CitiSense system is running and accessible. - The DOST database is connected to the CitiSense system.
<i>Postconditions:</i>	- Cleaned feedback is stored in the CitiSense system's database. - Cleaned feedback is ready for inference.
<i>Actors:</i>	IRAD database
<i>Extends:</i>	
<i>Flow of Actions:</i>	Basic Flow 1. Clean Data - The raw feedback from the IRAD database is automatically synchronized to the CitiSense system's database. - The system cleans the raw feedback. - The system then stores the cleaned feedback in the CitiSense system's database.

Use Case Name: View dashboard - Employee

<i>Use case ID:</i>	UC-14
<i>Author:</i>	Mark Lyster Marabi
<i>Purpose:</i>	Employees should be able to see the results displayed in the dashboard after the analysis
<i>Priority</i>	High
<i>Preconditions:</i>	- The employee opens the CitiSense web application. - Employee navigates to the Dashboard
<i>Postconditions:</i>	- The Employee can view and interact with the dashboard. - System-generated reports are saved locally in the Employee's computer.
<i>Actors:</i>	Employee
<i>Extends:</i>	

<i>Flow of Actions:</i>	Basic Flow 1. View Dashboard – Open the CitiSense web app – The employee navigates to the Dashboard page. – The CitiSense web app will show the visualization of sentiment analysis results as it updates in real-time. Alternative Flow 1a. Generate Report – Open the CitiSense web app – Navigate to Dashboard – Click on the “Export Data” in the Dashboard page. – The generated report will be downloaded to the employee’s local computer
-------------------------	--

Use Case Name: Edit User Profile - System Administrator

<i>Use case ID:</i>	UC-15
<i>Author:</i>	Mark Lyster Marabi
<i>Purpose:</i>	Allow the System Administrator to edit and update their own profile information through the profile page.
<i>Priority</i>	High
<i>Preconditions:</i>	– System Administrator is logged in – The System Administrator has an existing profile in the system
<i>Postconditions:</i>	– The updated profile information is saved in the system/database – The updated information is reflected when the profile is viewed – A confirmation message is displayed to the System Administrator
<i>Actors:</i>	System Administrator
<i>Extends:</i>	

<i>Flow of Actions:</i>	Basic Flow 1. Edit User Profile - The System Administrator navigates to the profile page. - The system displays the current profile information - The user clicks the “Edit Profile” button - The system displays editable fields (e.g., name, email, password) - The user updates the desired profile information - The user clicks the “Save” button - The system validates the entered data - The system updates the user’s profile information in the database - The system shows a confirmation message that the profile has been successfully updated Alternative Flow 1a. Invalid Data Entered - The system detects that one or more fields contain invalid data (e.g., incorrect email format, required field left blank). - The system displays an error. messages indicating the invalid fields - The System Administrator corrects the errors and clicks “Save” again. - The use case resumes “The system validates the entered data” onwards. 1b. User Cancels Editing - The System Administrator clicks “Cancel” instead of “Save.” - The system discards any changes made. - The system returns the user to the profile view page.
--------------------------------	---

Use Case Name: Verify Email

<i>Use case ID:</i>	UC-16
<i>Author:</i>	Luis Lorenzo Lazaro
<i>Purpose:</i>	Ensure the user provides a valid email address to activate their account.
<i>Priority</i>	High
<i>Preconditions:</i>	- User has successfully submitted the registration form
<i>Postconditions:</i>	- User account status is updated to "Verified." - A confirmation message is displayed to the User - User gains access to the system dashboard/features
<i>Actors:</i>	Employee
<i>Extends:</i>	
<i>Flow of Actions:</i>	Basic Flow 1. Email Verification - After registration, the system redirects the user to the "Email Verification" landing page. - The system automatically sends an email containing a verification link to the user's registered address. - The user opens their email inbox and clicks the verification link. - The system validates the token. - The system displays a "Success" message and redirects the user to the login or home page. Alternative Flow 1a. Resend Verification Email - If the user does not receive the email, they click "Resend Email" on the verification page. - The system generates a new link and repeats step 2.

Use Case Name: Forgot Password

<i>Use case ID:</i>	UC-17
<i>Author:</i>	Luis Lorenzo Lazaro
<i>Purpose:</i>	Allow users to regain access to their account by resetting their password via email.
<i>Priority</i>	High
<i>Preconditions:</i>	- User has not yet logged in - User has an existing account already
<i>Postconditions:</i>	- User's password is updated in the databases. - A confirmation message is displayed to the User. - The user is redirected to the login page.
<i>Actors:</i>	Employee
<i>Extends:</i>	Login (UC-02)
<i>Flow of Actions:</i>	Basic Flow 1. Forgotten Password - User clicks "Forgot Password" on the login page. - User enters their registered email address and clicks "Send to email." - System redirects the user to an "Email Sent" confirmation page. - User clicks the reset link received in their email. - System displays a form for "New Password" and "Confirm Password." - User inputs their new password and clicks "Submit." - System validates that passwords match and updates the database. - System redirects the user to the Login page with a success message. Alternative Flow 1a. Unregistered Email - User inputs an email not found in the database. - The system (for security) may show the confirmation page, but no email is actually sent due to it being unregistered. 1b. Resend Reset Email - User clicks "Resend Link" if the first

	email was not received. - The system generates a new link and repeats step 4 from basic flow. 1c. Invalid Email Format - System detects an invalid format (e.g., missing "@"). - The system displays an error message and prevents submission until the format is corrected.
--	---