
Patient name _____ Date _____

Intestinal Permeability

Your gut barrier, and why it leaks

Your gut lining is a single layer of cells, sealed at the seams by **tight junctions**. It is built to let nutrients through and keep everything else out: undigested food, microbes and the toxins they make. Poor diet, infections, some medications, alcohol and chronic stress can loosen those seams. Researchers call this **increased intestinal permeability**; you may have heard it called leaky gut. The good news: your gut lining renews itself every few days, so the right food, habits and nutrients give it a real chance to rebuild.



Food reactions

Bloating or symptoms after foods such as gluten, dairy or soy

Immune overload

Seasonal allergies, skin flare-ups, catching every cold

Poor absorption

Running low on vitamin D, B12, iron, magnesium or zinc

Researchers are also studying how a leaky barrier connects to **autoimmune conditions** such as Hashimoto's thyroiditis, rheumatoid arthritis and lupus. If you live with one, ask your practitioner whether gut support belongs in your plan.

Lifestyle Modifications

- [ ] **Find and remove food triggers**
  - ○ Gluten
  - ○ Dairy
  - ○ Soy
  - ○ Ask about a 3-week elimination trial
- [ ] **Eat whole, unprocessed foods**
  - ○ Cut added sugar and ultra-processed snacks
  - ○ Fill half the plate with vegetables and fruit
  - ○ Work up to 25 to 30 g of fiber a day
- [ ] **Protect your gut flora**
  - ○ Use antibiotics only when truly needed
  - ○ Add one fermented food a day (kefir, yogurt, sauerkraut)
- [ ] **Ease the load on the lining**
  - ○ Keep alcohol low
  - ○ Ask before regular ibuprofen or naproxen
  - ○ Sleep 7 to 9 hours, manage stress

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

Rebuild the lining
L-glutamine, zinc carnosine, DGL, aloe

START HERE



GI Integrity
About 28 servings · Peach Tea, Berry or Chocolate

- Fuel for the cells that line your gut
- Soothing botanicals coat and calm

IN EACH SERVING
3 g L-glutamine, 16 mg zinc (as zinc carnosine), 400 mg DGL, 300 mg aloe, 200 mg slippery elm, marshmallow, okra, no added sugar

1 scoop daily
in 6 to 8 oz water

Rebalance gut flora
multi-strain probiotic + S. boulardii



UltraBiotic Daily Multi-Strain
Practitioner exclusive

- Seven friendly strains
- S. boulardii keeps working alongside antibiotics

IN EACH SERVING
30 billion CFU, seven strains: S. boulardii, L. reuteri, B. lactis, L. plantarum, L. acidophilus, L. gasseri, B. coagulans

1 capsule daily
at bedtime

Bind and calm
serum-derived bovine immunoglobulins



GI Defend
Practitioner exclusive · powder

- Immunoglobulins bind microbial toxins in the gut
- Supports barrier function and immune balance

IN EACH SERVING
2.5 g ImmunoLin serum-derived bovine immunoglobulin per scoop

1 scoop daily
before breakfast

Cool the fire
curcumin, the active compound in turmeric



Curcumin 400X
Practitioner exclusive · softgels

- Supports a healthy inflammatory response
- Enhanced-absorption curcumin

IN EACH SERVING
800 mg curcumin per 2 softgels, an enhanced-absorption form

2 softgels daily
with breakfast

Digest it fully
digestive enzymes



Digestive Vegetarian
180 capsules

- Breaks food down so fewer large particles reach the lining
- Take with your largest meals

IN EACH SERVING
Per 2 capsules: 24,000 DU amylase, 20,000 PC + 4,100 HUT protease, 800 LU lipase, 400 ALU lactase, 2,000 CU cellulase

2 capsules
with your largest meal

YOUR DAILY RHYTHM

Morning
GI Integrity 1 scoop
GI Defend 1 scoop
Curcumin 400X 2 softgels

Evening meal
Digestive Vegetarian 2 capsules

Bedtime
UltraBiotic Daily Multi-Strain 1 capsule

The full plan is **5 pills and 2 scoops a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

- **NSAIDs** (ibuprofen, naproxen) used regularly can irritate the gut lining. Ask about alternatives.
- **Antibiotics:** take the probiotic 2 hours apart from each dose and keep going 2 weeks after the course.
- **Acid blockers** long term can lower magnesium and B12. Ask about a check.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease. Nutrient support works alongside, never instead of, the care and medicines your practitioner prescribes.

NutriDyn


Patient name _____ Date _____

Fatty Liver Disease

MASLD, the condition formerly called NAFLD

Fatty liver disease is extra fat stored inside liver cells that is **not caused by heavy drinking**. In 2023, liver specialists renamed it **MASLD** (metabolic dysfunction-associated steatotic liver disease) because it runs on the same metabolism as insulin resistance, belly fat, high triglycerides and high blood pressure. It is the most common liver condition in the world, affecting roughly **1 in 3 adults**, and most people feel nothing. Caught early, it is often reversible.

HOW FATTY LIVER PROGRESSES



RISK FACTORS

- Sugary drinks and excess sugar
- Insulin resistance or prediabetes
- Weight carried at the belly
- High blood pressure
- PCOS
- Gut imbalance (dysbiosis)
- Family genes
- High triglycerides

Lifestyle Recommendations

Eat Mediterranean
Vegetables, lean protein, olive oil, nuts and fish. Cut sugary drinks, juice and refined carbs: they turn into liver fat fastest.

Lose 7 to 10 percent
Losing 7 to 10 percent of body weight is the change most tied to clearing liver fat and calming inflammation.

Move every day
150 minutes a week of brisk walking plus 2 strength days. A 10-minute walk after meals blunts the sugar spike.

Go easy on alcohol
Even though alcohol did not cause it, alcohol adds to the liver's load. Keep it minimal or skip it.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

Steady sugar and fat
berberine

START HERE



Berberine Pro
90 capsules

- Supports healthy glucose metabolism
- Supports healthy lipid levels already in a normal range

IN EACH SERVING
100 mg dihydroberberine + 84 mg organic cinnamon extract per capsule

1 capsule 3 times daily
before meals

Help the liver process fat
lipotropic nutrients



Lipo-Flow
Practitioner exclusive · tablets

- Supports normal fat metabolism in the liver
- Supports healthy bile flow

IN EACH SERVING
Lipotropic liver formula with 200 mg beet root per 2 tablets

2 tablets with meals
up to 3 times daily

Balance fats
omega-3 fatty acids, EPA and DHA



Omega Pure EPA-DHA 1000
120 softgels

- Supports healthy triglyceride levels
- Supports a healthy inflammatory response

IN EACH SERVING
1,000 mg EPA + DHA per softgel (730 mg EPA, 270 mg DHA)

1 softgel daily
with your evening meal

Protect cells
alpha lipoic acid, NAC, carnitine



Mito Recharge
90 capsules

- Antioxidants that work in water and fat
- Supports cellular energy

IN EACH SERVING
Per 3 capsules: 200 mg acetyl-L-carnitine, 100 mg NAC, 45 mg R-lipoic + 75 mg alpha lipoic acid, 100 mg resveratrol, 100 mg EGCG

3 capsules daily
with breakfast

YOUR DAILY RHYTHM

Morning
Berberine Pro 1 capsule
Lipo-Flow 2 tablets
Mito Recharge 3 capsules

Evening meal
Berberine Pro 2 capsules
Lipo-Flow 2 tablets
Omega Pure EPA-DHA 1000 1 softgel

Bedtime
nothing

The full plan is **11 pills a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

- **Statins:** often used alongside. They can lower CoQ10. Ask whether CoQ10 fits.
- **Metformin** long term can lower B12. Ask for a B12 check once a year.
- **Acetaminophen:** stay within label limits and never combine it with alcohol.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease. Nutrient support works alongside, never instead of, the care and medicines your practitioner prescribes.

NutriDyn


Patient name _____ Date _____

Acid Reflux and GERD

Gastroesophageal reflux disease

About **1 in 5 U.S. adults** has GERD. At the bottom of your esophagus sits a ring of muscle, the **lower esophageal sphincter (LES)**. It opens to let food into the stomach and closes to keep it there. In GERD the valve relaxes when it should not, so acid and digestive enzymes splash back into a tube that has no protective lining against them. Heartburn is the most common sign. Others include:

- A sour taste or food coming back up
- Hoarse voice, throat clearing
- Chronic dry cough
- Trouble swallowing
- Bad breath
- Fullness or upset stomach after meals



CALL YOUR DOCTOR PROMPTLY IF

food sticks when you swallow, you vomit blood or see black stools, you lose weight without trying, or you have chest pain (never assume it is only heartburn).

Left alone, reflux can inflame and scar the esophagus. A digestive tract that stays irritated also affects how well you absorb nutrients, and that ripples into energy, immunity and mood.

About acid-reducing medicines. Proton pump inhibitors (omeprazole, esomeprazole, pantoprazole) and H2 blockers lower acid and help many people heal. With long-term use they are linked to low **magnesium** and **vitamin B12**, and the FDA has warned about low magnesium and bone fractures with long-term, high-dose PPI use.[1] Do not stop one on your own: ask your prescriber and pharmacist for a plan. Food, habits and targeted nutrients can lower how often reflux shows up.

1. U.S. Food and Drug Administration. Drug Safety Communications on proton pump inhibitors: possible increased risk of fractures (2010) and low magnesium levels with long-term use (2011).

Lifestyle Modifications

Close the kitchen early
Finish eating 3 hours before you lie down.

Raise the head
Lift the head of your bed 6 to 8 inches.

Smaller meals
Eat slowly and stop before full.

A healthy weight
Even a few pounds lighter eases pressure on the valve.

Know your triggers
Fried food, chocolate, mint, caffeine, alcohol, citrus, tomato, fizzy drinks.

Stop smoking
Smoking relaxes the valve and slows healing.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

Coat and soothe
DGL, aloe, slippery elm, marshmallow, glutamine

START HERE



GI Integrity
About 28 servings · Peach Tea, Berry or Chocolate

- Sip it slowly so it coats your throat on the way down
- Zinc carnosine supports the stomach lining

IN EACH SERVING
3 g L-glutamine, 16 mg zinc (as zinc carnosine), 400 mg DGL, 300 mg aloe, 200 mg slippery elm, marshmallow, okra, no added sugar

1 scoop daily
sip over 10 minutes

Protect the stomach lining
zinc carnosine



Zinc-Carnosine
60 capsules

- Supports the stomach's natural mucosal defenses
- Studied for gastric comfort

IN EACH SERVING
75 mg zinc-carnosine complex: 17 mg zinc + 58 mg L-carnosine

1 capsule twice daily
between meals

Balance the gut
probiotic + S. boulardii



UltraBiotic Daily Multi-Strain
Practitioner exclusive

- Seven friendly strains
- Supports comfortable digestion

IN EACH SERVING
30 billion CFU, seven strains: S. boulardii, L. reuteri, B. lactis, L. plantarum, L. acidophilus, L. gasseri, B. coagulans

1 capsule daily
at bedtime

Refill magnesium
chelated magnesium



Magnesium Glycinate
60, 120, 160 or 320 capsules

- Acid blockers can drain magnesium
- Chelated forms are gentle on the stomach

IN EACH SERVING
260 mg magnesium per 2 capsules, Albion chelated (di-magnesium malate, lysinate glycinate)

2 capsules, 1 to 2 times daily
with food

Refill B12
active B vitamins



Methyl Complete
120 capsules

- Stomach acid is needed to absorb B12
- Methylated forms, ready to use

IN EACH SERVING
Per 2 capsules: 1 mg B12 (methyl + adenosyl), 800 mcg DFE folate as L-5-MTHF, 10 mg P5P, 700 mg TMG, 500 mg NAC

2 capsules daily
with breakfast

YOUR DAILY RHYTHM

Morning
GI Integrity 1 scoop
Zinc-Carnosine 1 capsule
Methyl Complete 2 capsules

Evening meal
Zinc-Carnosine 1 capsule

Bedtime
UltraBiotic Daily Multi-Strain 1 capsule
Magnesium Glycinate 2 capsules

The full plan is **7 pills and 1 scoop a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

- **PPIs and H2 blockers** can lower magnesium, B12, calcium and iron over time. Ask for levels once a year.
- **Take soothing powders 2 hours apart** from other medicines: coating herbs can slow their absorption.
- **Want to taper an acid blocker?** Plan it with your prescriber; stopping suddenly can bring a rebound.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease. Nutrient support works alongside, never instead of, the care and medicines your practitioner prescribes.

NutriDyn

Patient name _____ Date _____

High Blood Pressure

No symptoms, real risk

Nearly **half of U.S. adults** have high blood pressure, and many do not know it, because it rarely causes symptoms. Over the years, the extra force strains the heart, kidneys, brain and eyes and raises the risk of heart attack and stroke. One lever you control is **nitric oxide (NO)**, the signal that tells blood-vessel walls to relax. What you eat, how you move, how you sleep and how you handle stress all change how much of it your body makes.

Leafy greens and beets
bring in nitrate

↓


Friendly mouth bacteria
turn nitrate into nitrite

↓

Your body turns nitrite
into nitric oxide (NO)

↓

NO relaxes vessel walls
so pressure can ease



Nitric oxide is the signal that tells vessel walls to relax.

RISK FACTORS

- Extra weight
- High-sodium, processed food
- Too much alcohol
- Smoking
- Chronic stress
- Poor sleep or sleep apnea
- Kidney disease
- Hormone changes
- Family history
- Increasing age

Systolic
The top number: pressure on artery walls while the heart pumps.

Diastolic
The bottom number: pressure between beats, while the heart rests.

Measure it right
Sit 5 minutes, feet flat, back supported, arm at heart level. Take two readings a minute apart.

Category	Top number (systolic)		Bottom number (diastolic)
Normal	**under 120**	and	**under 80**
Elevated	**120 to 129**	and	**under 80**
Stage 1 high	**130 to 139**	or	**80 to 89**
Stage 2 high	**140 or more**	or	**90 or more**
Severe: call your doctor	**over 180**	and/or	**over 120**

Categories from the American Heart Association and American College of Cardiology.

Lifestyle Recommendations

Eat for nitric oxide
Beets, arugula, spinach and celery bring nitrate. Load up on potassium-rich produce.

Cut the sodium
Aim under 1,500 to 2,300 mg a day. Most hides in packaged and restaurant food.

Move, then hold
Walk daily and add isometric holds (wall sits, hand grips) 3 times a week.

Sleep and breathe
Sleep 7 to 9 hours. Loud snoring? Ask about sleep apnea.

Quit smoking
Each cigarette tightens vessels. Keep alcohol low, too.

Skip harsh mouthwash
Antiseptic rinses wipe out the mouth bacteria that help make NO.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

Relax vessel walls
magnesium

START HERE



Magnesium Glycinate
60, 120, 160 or 320 capsules

- Supports healthy vascular tone
- Supports healthy blood pressure already in a normal range

IN EACH SERVING
260 mg magnesium per 2 capsules, Albion chelated (di-magnesium malate, lysinate glycinate)

2 capsules, 1 to 2 times daily
with food

Calm and balance
omega-3 fatty acids, EPA and DHA



Omega Pure EPA-DHA 1000
120 softgels

- Supports heart and vessel health
- Supports healthy triglyceride levels

IN EACH SERVING
1,000 mg EPA + DHA per softgel (730 mg EPA, 270 mg DHA)

1 softgel daily
with your evening meal

Power the heart
CoQ10



CoQ10 Ubiquinol
30 softgels

- Fuel for heart-muscle cells
- Statins can lower CoQ10 levels

IN EACH SERVING
100 mg ubiquinol, the ready-to-use form of CoQ10, per softgel

1 softgel daily
with food

YOUR DAILY RHYTHM

Morning	Evening meal	Bedtime
CoQ10 Ubiquinol 1 softgel	Omega Pure EPA-DHA 1000 1 softgel	Magnesium Glycinate 2 capsules

The full plan is **4 pills a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

- **Diuretics** (HCTZ, furosemide) can drain magnesium and potassium. Ask about levels.
- **ACE inhibitors, ARBs and spironolactone** raise potassium: skip potassium pills and salt substitutes unless prescribed.
- **Beta blockers and statins** can lower CoQ10. Bring this sheet to your pharmacist.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease. Nutrient support works alongside, never instead of, the care and medicines your practitioner prescribes.

NutriDyn

Patient name _____ Date _____

Inflammatory Bowel Disease


Crohn's disease and ulcerative colitis

Inflammatory bowel disease (IBD) is a long-term condition in which the immune system keeps part of the digestive tract inflamed. About **3 million Americans** live with it. The two main types, **Crohn's disease** and **ulcerative colitis**, share belly pain, urgent diarrhea, fatigue and weight loss, with flares that can last weeks to months between quieter stretches. IBD is managed by a gastroenterologist. Food, lifestyle and nutrient support work alongside that care, never instead of it.

WHAT CAN STIR UP SYMPTOMS

STRESS	POOR SLEEP	ULTRA-PROCESSED FOOD	FOOD SENSITIVITIES	NSAID PAIN RELIEVERS	SMOKING	INFECTIONS

WHERE IT SHOWS UP



Ulcerative colitis | Crohn's disease

Ulcerative colitis		Crohn's disease
Colon and rectum only	WHERE	Anywhere from mouth to anus, most often the end of the small intestine
One continuous stretch, no gaps	PATTERN	Patches, with healthy tissue between them
Inner lining of the bowel	DEPTH	Can reach through the full thickness of the bowel wall
Often lower left belly	PAIN	Often lower right belly
Common with bowel movements	BLEEDING	Less common

Both conditions raise colon cancer risk over time, so keep up with the **colonoscopy schedule** your gastroenterologist sets, even in good stretches.

Lifestyle Modifications

Find food triggers
Remove foods your care team identifies as a sensitivity or intolerance.

Limit sugar
Sugar and ultra-processed food feed the wrong microbes.

Eat enough
More protein and calories during flares, to protect weight and muscle.

Lower stress
Stress is one of the most common flare triggers.

Ask about NSAIDs
Ibuprofen and naproxen can trigger flares. Use antibiotics only when needed.

Move gently
Regular low to moderate exercise.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

Rebalance the microbiome
high-potency probiotic



UltraBiotic Daily Extra Strength
Practitioner exclusive

- Supports a balanced gut microbiome
- Supports healthy bowel function

IN EACH SERVING
60 billion CFU per capsule, two strains at 30 billion each

1 capsule daily
at bedtime

Inflammatory balance
curcumin

START HERE



Curcumin 400X
Practitioner exclusive · softgels

- Supports a healthy inflammatory response
- Enhanced-absorption curcumin

IN EACH SERVING
800 mg curcumin per 2 softgels, an enhanced-absorption form

2 softgels daily
with breakfast

Vitamin D
D3 with K2



D3 5000 with K2
60 capsules

- Supports normal immune function
- Low vitamin D is common in IBD

IN EACH SERVING
5,000 IU vitamin D3, 60 mcg vitamin K2 (MK-7), 15 mcg vitamin K1

1 capsule daily
with your evening meal

Repair the lining
L-glutamine, DGL, aloe



GI Integrity
About 28 servings · Peach Tea, Berry or Chocolate

- Fuel for the cells that line your gut
- Soothing botanicals

IN EACH SERVING
3 g L-glutamine, 16 mg zinc (as zinc carnosine), 400 mg DGL, 300 mg aloe, 200 mg slippery elm, marshmallow, okra, no added sugar

1 scoop daily
in 6 to 8 oz water

Barrier and tolerance
serum-derived bovine immunoglobulins



GI Defend
Practitioner exclusive · powder

- Binds microbial toxins in the gut
- Supports barrier function

IN EACH SERVING
2.5 g ImmunoLin serum-derived bovine immunoglobulin per scoop

1 scoop daily
before breakfast

YOUR DAILY RHYTHM

Morning
Curcumin 400X 2 softgels
GI Integrity 1 scoop
GI Defend 1 scoop

Evening meal
D3 5000 with K2 1 capsule

Bedtime
UltraBiotic Daily Extra Strength 1 capsule

The full plan is **4 pills and 2 scoops a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

- **Steroids** (prednisone, budesonide) lower vitamin D and calcium. Ask about bone health.
- **Sulfasalazine and methotrexate** lower folate. Ask whether you need a folate supplement.
- **Never stop IBD medicine** during a good stretch without your gastroenterologist. Ask before any new supplement.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease. Nutrient support works alongside, never instead of, the care and medicines your practitioner prescribes.

Patient name _____ Date _____

Understanding Insulin Resistance

Insulin is the hormone your pancreas makes to move sugar out of your blood and into your cells for fuel. In **insulin resistance**, the cells stop answering the signal well, so sugar lingers in the blood and the pancreas works harder to keep up. Years can pass this way, with normal-looking blood sugar, before it rises far enough to be called prediabetes or type 2 diabetes. Insulin resistance also feeds inflammation, high blood pressure, high cholesterol and fatty liver.

WHAT DRIVES IT

- Sugar and processed food
- Sitting most of the day
- Short or poor sleep
- Chronic stress
- Extra belly fat
- Low magnesium or vitamin D
- Family history


SIGNS YOU MAY NOTICE

- Sugar cravings
- Tired after meals
- Weight gain at the waist
- Hungry soon after eating
- Hard to lose weight
- High triglycerides
- Skin tags, dark skin patches


WHERE IT LEADS

- Type 2 diabetes
- Heart disease and stroke
- High blood pressure
- Fatty liver (MASLD)
- PCOS and hormone shifts
- Memory decline

NORMAL



INSULIN RESISTANCE



1 in 3 U.S. adults has prediabetes, and **more than 8 in 10** of them do not know it (CDC). A fasting insulin, glucose and A1c panel can catch insulin resistance years before diabetes.

Lifestyle-Based Medicine

Low-glycemic Mediterranean plate

- Protein first at every meal
- Half the plate vegetables
- Whole-food carbs, paired with protein or fat
- Three to five balanced meals
- Limit sugar and sweet drinks

Lower stress, better sleep

- Commit to a simple plan
- Deep breathing, 5 minutes a day
- 7 to 9 hours of sleep, same times daily
- One 10-minute mindful walk a day

Move your muscles

- Walk 10 minutes after meals
- Strength training 2 to 3 times a week
- Stand up every 30 to 60 minutes
- Moderate to hard exercise 3 to 5 days a week

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

All-in-one glucose support

dihydroberberine, chromium, ALA, cinnamon

START HERE



Gluco IR

150 capsules · 30 servings

- Supports healthy glucose metabolism
- Supports insulin sensitivity

IN EACH SERVING

100 mg dihydroberberine (GlucoVantage), 300 mg alpha lipoic acid, 500 mg Ceylon cinnamon, 600 mcg chromium, 200 mg gymnema, green tea

5 capsules daily
with meals

Metabolic signaling

berberine



Berberine Pro

90 capsules

- Supports healthy glucose levels already in a normal range
- Supports healthy lipid levels

IN EACH SERVING

100 mg dihydroberberine + 84 mg organic cinnamon extract per capsule

1 capsule 3 times daily
before meals

Insulin's helper mineral

magnesium



Magnesium Glycinate

60, 120, 160 or 320 capsules

- Needed for normal insulin signaling
- Low magnesium is common with high blood sugar

IN EACH SERVING

260 mg magnesium per 2 capsules, Albion chelated (di-magnesium malate, lysinate glycinate)

2 capsules, 1 to 2 times daily
with food

Balance fats

omega-3 fatty acids



Omega Pure EPA-DHA 1000

120 softgels

- Supports healthy triglyceride levels
- Supports a healthy inflammatory response

IN EACH SERVING

1,000 mg EPA + DHA per softgel (730 mg EPA, 270 mg DHA)

1 softgel daily
with your evening meal

YOUR DAILY RHYTHM

Morning
Gluco IR 3 capsules
Berberine Pro 1 capsule

Evening meal
Gluco IR 2 capsules
Berberine Pro 2 capsules
Omega Pure EPA-DHA 1000 1 softgel

Bedtime
Magnesium Glycinate 2 capsules

The full plan is **11 pills a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

- **Metformin** lowers B12 over time. Ask for a B12 check every year.
- **On diabetes medicine?** Berberine adds to sugar-lowering effects: check your glucose and tell your prescriber.
- **Berberine interacts** with some medicines (for example cyclosporine). Let your pharmacist review your list.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease. Nutrient support works alongside, never instead of, the care and medicines your practitioner prescribes.

NutriDyn


Patient name _____ Date _____

Lyme Disease

and other tickborne infections

Lyme disease is the most common illness spread by ticks in the U.S. An estimated **476,000 Americans** are diagnosed and treated for it each year. It is caused by *Borrelia* bacteria passed on by the bite of an infected blacklegged (deer) tick, and the same ticks can carry other infections at the same time. The best intervention is prevention, and the second best is early treatment.

HOW IT SPREADS



LYME DISEASE

Borrelia burgdorferi

IN GEORGIA


The lone star tick is the one people meet most. It can spread ehrlichiosis and trigger alpha-gal (red-meat) allergy.

OTHER INFECTIONS THE SAME TICKS CAN CARRY

Anaplasmosis · Babesiosis · Borrelia miyamotoi · Powassan virus

SYMPTOMS

EARLY: DAYS TO WEEKS **LATER: WEEKS TO MONTHS**



See a clinician promptly if a rash, fever, aches or joint swelling show up after a tick bite or time outdoors. Early antibiotic treatment works best.

Not everyone sees the tick. Nymphs are the size of a poppy seed, and many people never get the bull's-eye rash, which is why Lyme gets mistaken for flu, fibromyalgia or chronic fatigue.

After treatment, some people have fatigue, pain or brain fog that lingers for months. That recovery stretch is where food, sleep and the support on the back of this page come in.

KNOW YOUR TICKS

Blacklegged (deer) tick
Eastern U.S., Georgia included. The main Lyme carrier.

Western blacklegged
Pacific coast states. Also spreads Lyme.

Lone star tick
Common across the Southeast. Ehrlichiosis, alpha-gal allergy.

Lifestyle Recommendations

Avoiding tick bites

Clothing
Light colors, long sleeves, pants tucked into socks. Treat gear with permethrin.

Repellent
Use an EPA-registered repellent: DEET, picaridin, IR3535 or oil of lemon eucalyptus.

High heat
Tumble dry clothes on high for 10 minutes after outdoor time to kill ticks.

Shower and check
Shower within 2 hours. Check scalp, ears, armpits, waist and behind knees.

Pets
Check pets daily and ask your vet about tick prevention.

Remove it right
Fine-tipped tweezers, close to the skin, pull straight up. Note the date.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

Protect your gut
probiotic + S. boulardii

START HERE



UltraBiotic Daily Multi-Strain
Practitioner exclusive

- S. boulardii keeps working during antibiotics
- Supports normal bowel function

IN EACH SERVING
30 billion CFU, seven strains: S. boulardii, L. reuteri, B. lactis, L. plantarum, L. acidophilus, L. gasseri, B. coagulans

1 capsule daily
2 hours from antibiotics

Immune readiness
beta-glucan



Immunity Pro
Practitioner exclusive

- Supports a healthy immune response
- One capsule a day

IN EACH SERVING
250 mg Wellmune beta-glucan, 85 mg FiberAid larch arabinogalactan

1 capsule daily

Inflammatory balance
curcumin



Curcumin 400X
Practitioner exclusive · softgels

- Supports a healthy inflammatory response
- Supports joint comfort

IN EACH SERVING
800 mg curcumin per 2 softgels, an enhanced-absorption form

2 softgels daily
with breakfast

Barrier support
serum-derived bovine immunoglobulins



GI Defend
Practitioner exclusive · powder

- Binds microbial toxins in the gut
- Supports immune balance

IN EACH SERVING
2.5 g ImmunoLin serum-derived bovine immunoglobulin per scoop

1 scoop daily
before breakfast

Cellular energy
mitochondrial support



Mito Recharge
90 capsules

- Supports energy production in every cell
- Antioxidant support

IN EACH SERVING
Per 3 capsules: 200 mg acetyl-L-carnitine, 100 mg NAC, 45 mg R-lipoic + 75 mg alpha lipoic acid, 100 mg resveratrol, 100 mg EGCG

3 capsules daily
with breakfast

YOUR DAILY RHYTHM

Morning
Immunity Pro 1 capsule
Curcumin 400X 2 softgels
GI Defend 1 scoop
Mito Recharge 3 capsules

Evening meal
nothing

Bedtime
UltraBiotic Daily Multi-Strain 1 capsule

The full plan is **7 pills and 1 scoop a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

- **Doxycycline:** take it 2 to 3 hours apart from calcium, magnesium, iron and zinc, which block it.
- **During any antibiotic,** take the probiotic 2 hours apart from each dose, then keep going 2 weeks after.
- **Antibiotics can lower vitamin K and B vitamins.** Eat leafy greens and ask before adding herbs.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease. Nutrient support works alongside, never instead of, the care and medicines your


NutriDyn

Patient name _____ Date _____

Polycystic Ovary Syndrome

PCOS

PCOS is a hormone condition in which the ovaries make more **androgens** (male-type hormones that women normally make in small amounts) than usual. It can disrupt periods, ovulation and fertility, and it shows up in skin, hair, weight and mood. Genes play a part, but **insulin resistance** is the engine behind most cases, which is why food, movement, sleep and stress change how PCOS behaves.



SIGNS AND SYMPTOMS

- Irregular or missed periods
- Acne
- Extra facial or body hair
- Thinning scalp hair
- Weight gain at the waist
- Fatigue
- Mood changes, anxiety
- Trouble getting pregnant
- Low-grade inflammation
- Blood sugar swings

PCOS FACT

Up to **1 in 8** women of reproductive age has PCOS, and up to **70 percent** have never been diagnosed (World Health Organization). PCOS happens at every body size: you can have it at a normal weight.

RISK FACTORS

- **You can change:** chronic stress, a high-sugar, low-nutrient diet, inactivity and weight swings, hormone-disrupting chemicals
- **Genetic:** a mother or sister with PCOS or type 2 diabetes raises your risk

Lifestyle Recommendations

Diet
Protein and fiber at every meal. Limit refined sugar and starch to steady blood sugar.

Exercise
150 minutes a week of activity plus 2 strength days improves insulin sensitivity.

Sleep
Seven to eight hours a night supports weight and healthy hormone production.

Limit hormone disruptors
Glass or steel containers, never heat food in plastic, fragrance-free products.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

Blood sugar and insulin
dihydroberberine, chromium, ALA

START HERE



Gluco IR
150 capsules · 30 servings

- Supports healthy glucose metabolism
- Supports insulin sensitivity

IN EACH SERVING
100 mg dihydroberberine (GlucoVantage), 300 mg alpha lipoic acid, 500 mg Ceylon cinnamon, 600 mcg chromium, 200 mg gymnema, green tea

5 capsules daily
with meals

Insulin signaling
inositol



Myo-Inositol Complex
180 capsules

- Supports healthy ovarian function
- Supports insulin signaling

IN EACH SERVING
Myo-inositol blend; follow the label for capsules per serving

As directed
split morning and evening

Vitamin D
D3 with K2



D3 5000 with K2
60 capsules

- Low vitamin D is common in PCOS
- Supports hormone and immune health

IN EACH SERVING
5,000 IU vitamin D3, 60 mcg vitamin K2 (MK-7), 15 mcg vitamin K1

1 capsule daily
with your evening meal

Calm inflammation
omega-3 fatty acids



Omega Pure EPA-DHA 1000
120 softgels

- Supports a healthy inflammatory response
- Supports healthy triglycerides

IN EACH SERVING
1,000 mg EPA + DHA per softgel (730 mg EPA, 270 mg DHA)

1 softgel daily
with your evening meal

Gut and hormones
multi-strain probiotic



UltraBiotic Daily Multi-Strain
Practitioner exclusive

- Your gut bacteria help process hormones
- Seven strains, one capsule

IN EACH SERVING
30 billion CFU, seven strains: S. boulardii, L. reuteri, B. lactis, L. plantarum, L. acidophilus, L. gasseri, B. coagulans

1 capsule daily
same time each day

YOUR DAILY RHYTHM

Morning
Gluco IR 3 capsules
Myo-Inositol Complex 1 serving

Evening meal
Gluco IR 2 capsules
Myo-Inositol Complex 1 serving
D3 5000 with K2 1 capsule
Omega Pure EPA-DHA 1000 1 softgel

Bedtime
UltraBiotic Daily Multi-Strain 1 capsule

The full plan is **8 pills a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

- **Birth control pills** can lower B6, B12, folate, magnesium and zinc. Ask about a quality multi.
- **Metformin** lowers B12 over time. Ask for a yearly check.
- **Spironolactone** raises potassium: avoid potassium supplements unless prescribed.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease. Nutrient support works alongside, never instead of, the care and medicines your practitioner prescribes.

NutriDyn

Patient name _____ Date _____

Mold Illness


Mycotoxin exposure and recovery

Mold grows wherever water lingers: a slow roof leak, a damp crawl space, a sweating HVAC line. Some molds release **mycotoxins** and other irritants into the air you breathe. Damp, moldy buildings are linked with coughing, wheezing and asthma flares, and many people also report fatigue, headaches, joint aches and brain fog. Because the symptoms are so broad, mold is easy to overlook. Recovery starts with removing the exposure; only then does supporting the body's clearance make sense.


Fatigue | Joint aches | Inflammation | Brain fog | Headaches | Sinus congestion | Cough or wheeze

YOUR RECOVERY, IN ORDER

1. **Remove the exposure**
   Find and fix the moisture first. A qualified inspector can test (ERMI or HERTSMI-2 dust tests are common). Check ceilings, crawl spaces, under sinks, HVAC and any water damage.
2. **Support liver and bile flow**
   Your liver packages toxins into bile for removal.
3. **Support the gut and elimination**
   Fiber and binders carry toxins out instead of letting them recirculate.
4. **Address the sinuses**
   Sinuses can hold on to mold long after you leave the building.
5. **Treat fungal overgrowth if found**
   Only when your practitioner confirms it.



WHY BINDERS MATTER



Lifestyle Recommendations

Limit moldy foods
Peanuts, corn, long-stored grains, dried fruit, wine and aged cheese carry more mycotoxins.

More fiber
Fiber binds toxins carried in bile. Aim for 30 g a day.

Dry the air
Keep indoor humidity between 30 and 50 percent with a dehumidifier.

Filter it
HEPA air purifiers and HEPA vacuums trap mold spores.

Sweat
Sauna or a good workout helps you sweat. Drink water.

Fix fast
Dry or repair any leak within 24 to 48 hours.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

Bind toxins in the gut
serum-derived bovine immunoglobulins

START HERE



GI Defend
Practitioner exclusive · powder

- Immunoglobulins bind microbial toxins in the gut
- Supports barrier function

IN EACH SERVING
2.5 g ImmunoLin serum-derived bovine immunoglobulin per scoop

1 scoop daily
before breakfast

Keep bile flowing
liver and bile support



Lipo-Flow
Practitioner exclusive · tablets

- Supports healthy bile flow
- Supports the liver's clearance pathways

IN EACH SERVING
Lipotropic liver formula with 200 mg beet root per 2 tablets

2 tablets with meals
up to 3 times daily

Master antioxidant
liposomal glutathione



Liposomal Glutathione
Liquid

- Supports the liver's detox pathways
- Liposomal form for absorption

IN EACH SERVING
100 mg glutathione per 1 mL dropper, liposomal for absorption

1 dropper, 2 to 4 times daily
shake well

Cellular energy and glutathione
NAC, carnitine, ALA



Mito Recharge
90 capsules

- Supports mitochondria and detoxification
- Antioxidant support

IN EACH SERVING
Per 3 capsules: 200 mg acetyl-L-carnitine, 100 mg NAC, 45 mg R-lipoic + 75 mg alpha lipoic acid, 100 mg resveratrol, 100 mg EGCG

3 capsules daily
with breakfast

Build glutathione
N-acetyl-L-cysteine



NAC-600
60 capsules

- The building block your body uses to make glutathione
- Supports respiratory health

IN EACH SERVING
600 mg N-acetyl-L-cysteine per capsule, the building block of glutathione

1 capsule daily

YOUR DAILY RHYTHM

Morning
GI Defend 1 scoop
Lipo-Flow 2 tablets
Liposomal Glutathione 1 dropper
Mito Recharge 3 capsules
NAC-600 1 capsule

Evening meal
Lipo-Flow 2 tablets
Liposomal Glutathione 1 dropper

Bedtime
nothing

The full plan is **8 pills and 1 scoop a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

- **Binders block absorption.** Take them 2 hours apart from food, supplements and every medicine.
- **Antifungal drugs,** if prescribed, interact with many medicines. Have your pharmacist review your list.
- **Stay regular.** Binders need a daily bowel movement to work. Constipated? Call your practitioner.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease. Nutrient support works alongside, never instead of, the care and medicines your

NutriDyn