
Patient name _____ Date _____

Intestinal Permeability

Your gut barrier, and why it leaks

Your gut lining is a wall just one cell thick, sealed at the seams by **tight junctions**. A healthy lining lets nutrients through and keeps out undigested food, microbes and the toxins they make. Poor diet, infections, alcohol, some medications and stress can loosen those seams. Researchers call this **increased intestinal permeability**; you may know it as leaky gut. The good news: the lining renews itself every few days, and food and daily habits help it stay strong.



HEALTHY BARRIER
Seams sealed. Nutrients pass through the cells.

LEAKY BARRIER
Inflammation: seams loosen, gaps open. Food, microbes and toxins leak in.

KEY Top: inside your gut · Middle: the lining and the tissue under it · Bottom: your blood

Each letter is a nutrient your gut absorbs: C vitamin C · Fe iron · Zn zinc · Mg magnesium · D vitamin D · B B vitamins · Ca calcium

- **Food particle** not fully digested
- **Microbe** germs like bacteria
- **Toxin** made by microbes
- **Medication** like ibuprofen
- **Stress signal** stress hormones
- **Red blood cell** carries oxygen
- **Microvilli** tiny fingers soak up nutrients
- **Absorbed** through a cell
- **Leak** through a gap
- **Tight junction** seals the seam
- **Torn junction** seam torn open
- **Inflammation** red, swollen cells

When the barrier leaks, you may notice

Food reactions
Bloating or other symptoms after foods such as gluten, dairy or soy

Immune reactions
Allergies and flare-ups of eczema (itchy, red skin)

Poor absorption
Damaged cells absorb less iron, zinc or vitamin D, so you may tire

Researchers are also studying how a leaky barrier connects to **autoimmune conditions** such as Hashimoto's thyroiditis, rheumatoid arthritis and lupus. If you live with one, tell your pharmacist and your doctor about any gut symptoms.

Lifestyle Modifications

From NutriDyn's 5R gut plan: Replace, Repair, Reinoculate and Retain here; Remove's herbs are on the Gut Overgrowth sheet.

- [ ] **Days 1 to 10: take a break from triggers**
  - ○ Gluten, dairy and soy
  - ○ Sugar, artificial sweeteners and alcohol
  - ○ Ultra-processed food and drinks
- [ ] **Days 11 to 24: bring foods back one at a time**
  - ○ Gluten, then dairy, then sugar: 1 serving a day for 3 days
  - ○ Keep alcohol, coffee and spicy food out
  - ○ A reaction? Stop that food and tell your care team
- [ ] **Eat to feed the lining**
  - ○ 5 or more fruits and vegetables a day, 1 leafy green
  - ○ Good-quality protein and healthy fats
  - ○ 1 fermented food a day: sauerkraut, kimchi or kombucha
- [ ] **Ease the load on the lining**
  - ○ Ask before regular ibuprofen or naproxen
  - ○ Eat slowly and calmly; nothing 2 hours before bed
  - ○ Move 30 minutes, 5 days a week; 10 calm minutes daily

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

Digest food fully

REPLACE betaine HCl, pepsin, ox bile, enzymes



Digestive Complete
60 or 180 capsules

- Supports protein, fat and starch digestion ◆
- Take with meals, never on an empty stomach

IN EACH SERVING
Per 2 capsules: 600 mg betaine HCl, 80 mg pepsin, 350 mg ox bile and pancreatic enzymes (from pork)

2 capsules
with each meal, days 1 to 10

START HERE — Nourish the lining

REPAIR L-glutamine, zinc carnosine, DGL, aloe



GI Integrity
Peach Tea, Berry, Chocolate

- Nourishes the cells that line your gut ◆
- Soothes and coats the lining ◆

IN EACH SERVING
3 g L-glutamine, 1 g glucosamine HCl, 400 mg DGL licorice, 300 mg aloe, 200 mg slippery elm, 16.1 mg zinc (as zinc carnosine)

1 scoop twice daily
days 1 to 10, in water

Bind and protect

REPAIR serum-derived bovine immunoglobulins



GI Defend
75 g powder

- Supports a healthy gut immune system ◆
- Supports healthy gut barrier function ◆

IN EACH SERVING
2.5 g ImmunoLin (serum-derived bovine immunoglobulin isolate), from beef serum, not milk

1 scoop twice daily
days 1 to 10, with GI Integrity

Add friendly microbes

REINOCULATE 7 strains with S. boulardii



UltraBiotic Daily Multi-Strain
30 or 60 capsules

- Supports a balanced gut microbiome ◆
- 2 hours from antibiotics

IN EACH SERVING
30 billion CFU at manufacture, 7 strains, including S. boulardii (5 billion), L. acidophilus and B. lactis

1 capsule daily
at bedtime, days 1 to 10

Keep the gains

RETAIN gut-support shake for days 11 to 24



GI Restore
Vanilla or Chocolate

- Supports the gut barrier and its mucus layer ◆
- Feeds your friendly bacteria ◆

IN EACH SERVING
12 g protein, 2.5 g L-glutamine, prebiotics (2.5 g arabinogalactan, 2 g 2′-FL), 500 mg quercetin, 300 mg turmeric, 18.75 mg zinc

1 scoop twice daily
days 11 to 24, in water

YOUR DAILY RHYTHM

Morning
Digestive Complete 2 capsules
GI Integrity 1 scoop
GI Defend 1 scoop, mixed in
GI Restore 1 scoop from day 11

Evening meal
Digestive Complete 2 capsules
GI Integrity 1 scoop
GI Defend 1 scoop, mixed in
GI Restore 1 scoop from day 11

Bedtime
UltraBiotic Daily Multi-Strain
1 capsule

Days 1 to 10: **7 pills and 4 scoops a day**, the first four products together; Digestive Complete with all three meals. Days 11 to 24: only GI Restore, 1 scoop twice a day.

PHARMACIST CHECK

Keep taking your medicines.

- **Ulcer, now or ever?** Skip Digestive Complete. Ask first with gastritis, acid blockers, NSAIDs or steroids.
- **Zinc, iron and calcium** in the shakes bind quinolone and tetracycline antibiotics: take those 2 hours before or 6 after.
- **Probiotic:** antifungals stop its S. boulardii; not with a central IV line or weak immunity.
- **Pregnant or nursing?** Skip GI Integrity; ask before the others. **Celiac test?** Do it before you stop gluten.
- **Blood thinner?** Ask first (glucosamine, turmeric). **Alpha-gal?** Skip Digestive Complete and GI Defend (pork, beef). **Smoker or ex-smoker?** Ask before GI Restore (high in beta-carotene).

Special considerations for you:

Recommended by _____ Phone _____


◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

Patient name _____ Date _____

Acid Reflux and GERD

Gastroesophageal reflux disease

Reflux now and then is normal. When it happens often or harms the food tube, it is called **GERD**, and about **1 in 5 U.S. adults** has it. A ring of muscle, the **LES valve** (lower esophageal sphincter), sits where the food tube (the **esophagus**) meets the stomach. It opens to let food in, then shuts tight. In GERD it opens when it should not, or does not close well, so acid splashes up. The stomach has a coat that shields it from acid; the esophagus does not, so it burns (**heartburn**).



KEY — Stomach acid: pool and drops · LES valve: halved up close · Diaphragm: hugs the valve · Reflux: acid moving up · Food tube lining · Stomach lining · Dashed circle: zoomed in

HOW IT CAN FEEL

- Burning behind the breastbone
- A sour taste, or food coming up
- Hoarse voice, throat clearing
- A dry cough that hangs on
- Upset stomach after meals
- Bad breath, worn tooth enamel

Why treat it? Left alone, acid can inflame, narrow or scar the esophagus, and in a few people it changes the lining (Barrett's esophagus), which needs checkups.

GET CARE RIGHT AWAY IF

- Food sticks, or it hurts to swallow
- You throw up blood or coffee-ground bits
- Your stools are black or tarry
- **Chest pain: call 911.** It can be the heart.

See a doctor soon if you lose weight without trying.

COMMON TRIGGERS

They differ from person to person. Notice which ones bother you.

Fried or fatty food · Spicy food · Chocolate · Peppermint · Coffee · Alcohol · Citrus and tomato · Fizzy drinks · Big or late meals · Smoking

ABOUT ACID-BLOCKING MEDICINES

PPIs (like omeprazole) and H2 blockers (like famotidine) help many people heal. But acid also helps you absorb nutrients. The FDA has warned about low magnesium with long-term PPI use, and about broken bones, mostly at high doses or after a year or more.[1] **Taken one for months? Do not stop suddenly:** ask your pharmacist or your prescriber for a plan.

LONG-TERM PPIs CAN LOWER ABSORPTION OF

Mg Magnesium · Ca Calcium · B12 Vitamin B12 · Fe Iron · Zn Zinc

Ask your pharmacist if a nutrient check makes sense.

1. U.S. FDA Drug Safety Communications on proton pump inhibitors (PPIs): possible fracture risk (2010); low magnesium with long-term use (2011).

Lifestyle Modifications

Early dinner
Finish eating 3 hours before you lie down.

Raise the head
Blocks or a wedge, 6 to 8 inches. Not pillows.

Smaller meals
Eat slowly, with plenty of plants.

Stay upright
No bending or hard exercise after meals.

A healthy weight
Lose extra weight: less pressure on the valve.

Stop smoking
Smoking loosens the valve.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

START HERE

Strengthen the lining
zinc carnosine



Zinc-Carnosine
60 capsules · 60 servings

- Supports the lining of your stomach and food tube ◆
- Try it on its own for the first week

IN EACH SERVING
17 mg zinc + 58 mg L-carnosine (75 mg zinc carnosine, as PepZin GI)

1 capsule daily
at bedtime, empty stomach

Mucus layer support
chewable DGL licorice



Licorice DGL Pro
90 tablets · 30 servings

- Supports the stomach's soothing mucus layer ◆
- Most of the licorice part that can raise blood pressure is removed

IN EACH SERVING
Per 3 tablets: 75 mg DGL extract, 100 mg glycine, 100 mg L-glutamine, 30 mg NAC, 5 mg zinc

Chew 3 tablets
after dinner

Lining blend
zinc carnosine, aloe, DGL



GI Integrity
Peach Tea, Berry, Chocolate

- Supports the lining from food tube to gut ◆
- Sip it slowly in 6 to 8 oz water; skip it if pregnant or nursing

IN EACH SERVING
3 g L-glutamine, 1 g glucosamine HCl, 400 mg DGL, 300 mg aloe, 200 mg slippery elm, 16 mg zinc

1 scoop daily
in place of Zinc-Carnosine

Balance the gut
spore probiotic



UltraBiotic Spore Probio
60 capsules · 30 servings

- Supports a healthy, balanced gut ◆
- Adds XOS, a prebiotic fiber

IN EACH SERVING
Per 2 capsules: a 4-strain spore probiotic blend (5 billion CFU), 300 mg XOS, 100 mg enzymes

2 capsules daily
with breakfast

Cover the basics
daily multivitamin



Essential Multi with Iron
90 capsules · 30 servings

- Supports daily vitamin and mineral needs ◆
- Skip it if pregnant or nursing

IN EACH SERVING
Per 3 capsules: 18 mg iron, 15 mg zinc, 200 mcg B12, 1,360 mcg DFE folate, 120 mcg vitamin K

3 capsules daily
with breakfast

YOUR DAILY RHYTHM

Morning	Evening meal	Bedtime
UltraBiotic Spore Probio 2 capsules Essential Multi with Iron 3 capsules	Licorice DGL Pro 3 tablets	Zinc-Carnosine 1 capsule

The full plan is **9 pills a day**. Some doses are lower than the bottle says **on purpose**, to limit zinc: follow this plan unless your pharmacist changes it. Start with the **Start here** pick, then add one a week. Your pharmacist may swap the Zinc-Carnosine capsule for 1 scoop of GI Integrity between meals, never both.

PHARMACIST CHECK

Keep taking your medicines.

- **Zinc adds up.** The plan gives about 37 mg of zinc a day. With the zinc in food (about 10 mg), that is above the 40 mg adult upper limit, so use it only as long as your pharmacist advises: long use can lower copper. Take no other zinc or multi unless your prescriber says so. Doses are for adults.
- **Iron check.** The multi has 18 mg of iron. Men and women past menopause usually need no extra iron unless a test shows it: ask your pharmacist.
- **Space the minerals.** Take antibiotics like cipro or doxycycline 2 hours before or 6 hours after the zinc and iron here, and thyroid pills 4 hours apart.
- **On a blood thinner?** The multi's vitamin K and GI Integrity's glucosamine can change how warfarin works: ask your pharmacist and whoever manages it first.
- **Stomach acid check.** Many people with reflux may actually run low on stomach acid. Your practitioner may check it with an HCl challenge (an acid-pill test). Never test yourself, and never take stomach-acid pills (betaine hydrochloride) on your own, with an ulcer or gastritis, or with NSAIDs (like ibuprofen).

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

Patient name _____ Date _____


Inflammatory Bowel Disease

Ulcerative colitis and Crohn's disease

Inflammatory bowel disease (IBD) is a long-term condition in which the immune system keeps part of the digestive tract inflamed. **More than 2 million Americans** live with it. The two main types, **ulcerative colitis** and **Crohn's disease**, share belly pain, urgent diarrhea, tiredness and weight loss, with flares that come and go between quieter stretches. A gastroenterologist leads the care. Food, lifestyle and nutrient support work alongside that care, never instead of it.

WHERE THE INFLAMMATION IS

Ulcerative colitis



One unbroken stretch of inflammation that starts in the rectum and climbs the colon.


VS

KEY

Inflamed red, swollen, sore

Healthy bowel no inflammation

Crohn's disease



Patchy inflammation with healthy gaps, most often at the end of the small intestine.

Ulcerative colitis		Crohn's disease
Colon and rectum only	WHERE	Anywhere from mouth to anus, most often the end of the small intestine
The inner lining of the bowel	DEPTH	Can go through the whole bowel wall
Uncommon	FISTULAS	Can form: tunnels to the skin or another organ
Often the left side of the belly	PAIN	Often the lower right belly
Common, with bowel movements	BLEEDING	Less common

WHAT CAN STIR UP A FLARE

- STRESS
- POOR SLEEP (CROHN'S)
- TRIGGER FOODS
- NSAID PAIN RELIEVERS
- ANTIBIOTICS
- GUT INFECTIONS
- SMOKING (CROHN'S)
- MISSED MEDICINE

NUTRIENTS THAT OFTEN RUN LOW IN IBD

More than half of people with IBD run low on at least one vitamin or mineral, more often in Crohn's and during flares.

- **Fe** — **Iron** lost with bleeding
- **D** — **Vitamin D** less sun and poor absorption
- **B12** — **Vitamin B12** absorbed at the end of the small intestine
- **B9** — **Folate** lowered by some IBD medicines
- **Zn** — **Zinc** lost with diarrhea

Ask your pharmacist or doctor whether a nutrient blood test makes sense for you.

Years of colon inflammation raise colon cancer risk: keep every **colonoscopy**, even in good stretches.

Lifestyle Modifications

Keep every prescribed IBD medicine; your gastroenterologist leads. These steps and nutrients work alongside that care.

Mediterranean
Fish, olive oil and lots of vegetables; less sugar and processed food.

Spot triggers
Skip gluten, dairy and soy for 10 days, then add back one at a time.

Flare days
Small meals with protein. Cook or blend produce if raw hurts.

Lower stress
10 calm minutes and a gentle walk daily. Stress can stir up flares.

Smoke-free (Crohn's)
Smoking makes Crohn's worse. Get help to quit.

Skip NSAIDs
Ibuprofen and naproxen can trigger flares. Ask what to take instead.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

START HERE

Inflammatory balance
turmeric shake, days 1 to 10



Inflam-Eze
Canister · 14 servings · 2 flavors

- Supports a healthy inflammatory response ◆
- Mix in 8 oz water; drink within 10 minutes

IN EACH SERVING
400 mg turmeric root extract, 500 mg quercetin, 200 mg ginger root extract, 2.5 g L-glutamine

1 scoop twice daily
days 1 to 10 · 2 canisters

Gut immune support
antibodies from cow serum



GI Defend
75 g unflavored powder

- Supports a healthy gut immune system ◆
- Supports gut barrier function ◆

IN EACH SERVING
2.5 g ImmunoLin (serum-derived bovine immunoglobulin), from cow serum, not milk

1 scoop twice daily
days 1 to 10, in Inflam-Eze

Gut lining support
L-glutamine and aloe shake



GI Restore
14 servings · 2 flavors

- Supports the gut lining and its mucus layer ◆
- Feeds your friendly gut bacteria ◆

IN EACH SERVING
2.5 g L-glutamine, 18.75 mg zinc, 200 mg NAC, 400 mg aloe, 200 mg slippery elm, 2.5 g larch arabinogalactan

1 scoop twice daily
from day 11, in 8 oz water

Microbiome balance
3 strains, with S. boulardii



UltraBiotic Defense
30 capsules

- Supports a balanced gut microbiome ◆
- Take it 2 hours away from antibiotics

IN EACH SERVING
5.5 billion CFU S. boulardii, 3 billion B. lactis, 1 billion L. rhamnosus HN001

1 capsule daily
at bedtime

Vitamin D support
D3 with K2



D3 5000 with K2
60 softgels

- Supports healthy vitamin D levels ◆
- Supports bone and immune health ◆

IN EACH SERVING
5,000 IU vitamin D3, 60 mcg vitamin K2 (MK-7), 15 mcg vitamin K1

1 softgel daily
at dinner · check your level

YOUR DAILY RHYTHM

Morning
Inflam-Eze
1 scoop to day 10
GI Defend
1 scoop to day 10
GI Restore
1 scoop from day 11

Evening meal
Inflam-Eze
1 scoop to day 10
GI Defend
1 scoop to day 10
GI Restore
1 scoop from day 11
D3 5000 with K2
1 softgel

Bedtime
UltraBiotic Defense
1 capsule

Days 1 to 10: **2 pills and 4 scoops a day**. From day 11, GI Restore is the only shake: **2 pills and 2 scoops**. Overwhelmed? Start with the **Start here** shake; ask your pharmacist when to add the rest.

PHARMACIST CHECK

Keep taking your medicines.

- **Steroids** (prednisone, budesonide) can thin bones and are linked to low vitamin D. **Sulfasalazine and methotrexate** lower folate: ask about folic acid.
- **Vitamin D:** with the shakes, vitamin D is 5,800 IU a day (upper limit 4,000 IU): keep D3 5000 with K2 short term and ask your doctor to check your level.
- **Looser stools on days 1 to 10?** Inflam-Eze gives 520 mg of magnesium a day (supplement limit 350 mg): tell your pharmacist before you count it as a flare.
- **On warfarin or another blood thinner?** Skip D3 5000 with K2, and ask your pharmacist before the shakes: both have turmeric.
- **On ciprofloxacin, levofloxacin or doxycycline?** Take it 2 hours before or 6 hours after a shake: the shake's calcium, magnesium, zinc and iron block it.
- **Weak immunity or a central IV line?** Many IBD medicines calm the immune system: ask your pharmacist before UltraBiotic Defense, whose S. boulardii is a live yeast.
- **Pregnant or nursing?** Ask your pharmacist before you start any of these.
- **Beef or red-meat (alpha-gal) allergy?** Skip GI Defend, and ask your pharmacist before D3 5000 with K2: its softgel shell is gelatin.
- **Smoker or ex-smoker?** Ask your pharmacist before GI Restore: it is high in beta-carotene, which raised lung cancer risk in smokers.
- **Fever, heavy bleeding or a flare that won't settle?** Call your gastroenterologist right away, or go to the emergency room.

Special considerations for you: _____

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.


Patient name _____ Date _____

Fatty Liver Disease

MASLD, the condition formerly called NAFLD

Fatty liver disease means extra fat is stored inside liver cells. In 2023, liver specialists named the most common kind **MASLD** (metabolic dysfunction-associated steatotic liver disease) because it goes hand in hand with insulin resistance, belly fat, high triglycerides and high blood pressure. This kind is **not caused by heavy drinking**. It is the most common liver condition in the world, affecting about **1 in 3 adults**, and most people feel nothing. Caught early, it is often reversible.

HOW FATTY LIVER PROGRESSES



WHAT RAISES YOUR RISK

- Sugary drinks, added sugar
- Insulin resistance or diabetes
- Weight carried at the belly
- High blood pressure
- High blood fats (triglycerides)
- PCOS (polycystic ovary syndrome)
- Family history and genes
- Gut imbalance (being studied)

ASK ABOUT LIVER CHECKS

You may feel fine. Ask your pharmacist which checks fit you; your doctor can order them.

1 Liver enzymes (ALT, AST)

A routine blood test. High levels can mean the liver is irritated, but normal levels do not rule out fatty liver.

- Healthy ALT, women: up to 25 U/L
- Healthy ALT, men: up to 33 U/L

2 FIB-4 score

Worked out from your age and routine labs (ALT, AST, platelets) to estimate the risk of advanced scarring.

- Under 1.3: low risk
- 1.3 or higher: a FibroScan is next

3 FibroScan (elastography)

A no-needle scan that measures liver stiffness (scarring) and estimates liver fat. The next step if FIB-4 is 1.3 or higher.

- Under 8 kPa: low risk
- 8 kPa or more: see a liver specialist

Two or more metabolic risks, like prediabetes or belly fat? Check FIB-4 every 1 to 2 years.

AASLD practice guidance, 2023

Lifestyle Recommendations

Eat Mediterranean
Vegetables, beans, olive oil, nuts and fish. Skip sugary drinks and sweets: sugar easily turns into liver fat.

Lose extra weight
Extra weight? Losing 5% cuts liver fat; 7–10% calms inflammation; 10% or more eases scarring.

Move every day
150 minutes a week of brisk walking plus 2 strength days. A 10-minute walk after meals blunts the sugar spike.

Feed your gut
Fiber and colorful plants feed helpful gut bacteria, like Akkermansia, that help keep the gut lining strong.

Less alcohol, or none
Even if alcohol did not cause this, it adds to the liver's load. Less is better; none at all if there is scarring.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

START HERE

Steady blood sugar, blood fats
berberine (as dihydroberberine)



Berberine Pro
90 capsules

- Supports healthy glucose metabolism ◆
- Supports lipid levels already in a normal range ◆

IN EACH SERVING
Per capsule: 100 mg dihydroberberine (GlucoVantage) + 84 mg organic Ceylon cinnamon bark extract

1 capsule 3 times daily
before meals

Liver and bile support
artichoke, citrus peel, inositol



Lipo-Flow
180 tablets

- Supports healthy fat metabolism ◆
- Supports healthy bile flow ◆

IN EACH SERVING
2 tablets: 400 mg artichoke, 250 mg dandelion, 200 mg beet, 150 mg inositol, 100 mg each of tangerine, gentian, taurine, methionine

2 tablets 3 times daily
with meals

Antioxidant liver support
milk thistle (silymarin), NAC



Milk Thistle Complex
60 capsules

- Promotes healthy liver function ◆
- Supports the liver's natural detox processes ◆

IN EACH SERVING
Per capsule: 375 mg milk thistle extract (80% silymarin), 300 mg silymarin, 50 mg NAC, 25 mg each of turmeric and artichoke

1 capsule twice daily
morning and evening

Help cells make energy
alpha-lipoic acid, CoQ10, NAC



Cellular Energy
60 capsules

- Supports energy production ◆
- Provides antioxidant support ◆

IN EACH SERVING
2 capsules: 300 mg acetyl-L-carnitine HCl, 300 mg NAC, 200 mg CoQ10, 150 mg alpha-lipoic acid, 150 mg grape seed extract

2 capsules daily
at breakfast

YOUR DAILY RHYTHM

Breakfast and lunch
Berberine Pro 2 capsules: 1 before breakfast, 1 before lunch
Lipo-Flow 4 tablets: 2 at breakfast, 2 at lunch
Milk Thistle Complex 1 capsule at breakfast
Cellular Energy 2 capsules at breakfast

Evening meal
Berberine Pro 1 capsule before dinner
Lipo-Flow 2 tablets at dinner
Milk Thistle Complex 1 capsule

The full plan is **13 pills a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

Keep taking your medicines.

- **Diabetes medicines:** Berberine Pro (and, more mildly, the alpha-lipoic acid in Cellular Energy) may lower blood sugar along with them. Ask your doctor before you start, and check your blood sugar more often.
- **Statins, warfarin and other medicines:** Berberine Pro can slow the enzymes that clear some drugs (CYP2D6, 2C9, 3A4), including warfarin, simvastatin, lovastatin and atorvastatin, and the CoQ10 in Cellular Energy may change how warfarin works. Show your pharmacist your full medicine list; your doctor may recheck your INR (a clotting test) after you start.
- **Pregnant, planning to be, or nursing?** Ask your pharmacist before taking any of these, and skip Berberine Pro unless your doctor says otherwise.
- **Gallstones, a blocked bile duct, or a ragweed or daisy allergy?** Ask your pharmacist or your doctor before Lipo-Flow (it boosts bile flow) and Milk Thistle Complex.

Special considerations for you:

Recommended by _____ Phone _____


◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

Patient name _____ Date _____

Understanding Insulin Resistance


Insulin is a hormone your pancreas releases, especially after you eat. It tells your muscle and fat cells to open their **glucose doors** and your liver to store sugar (glucose), so it leaves your blood and fuels your body. With **insulin resistance**, the cells stop listening well. Sugar starts to back up, so the pancreas pushes out more and more insulin to keep blood sugar normal. This can go on quietly for years before blood sugar climbs high enough to be called prediabetes or type 2 diabetes.

NORMAL — cells answer insulin



1. Insulin from the blood (gold dashes) fits into its receptor.
2. The signal (green arrow) lifts a bubble of doors to the surface.
3. Glucose (purple arrows) goes in through an open door.

INSULIN RESISTANCE — cells barely answer



1. Insulin still fits its receptor, but the cell barely listens.
2. The signal (gray dashes) dies at the X. Most doors stay inside.
3. Glucose stays in the blood. The pancreas makes more insulin.

KEY Glucose (sugar) | Insulin | Insulin receptor | GLUT4 glucose door | Storage bubble | Cell membrane | Red blood cell

WHAT DRIVES IT

Sugary drinks and processed food
Sitting most of the day
Short sleep, long-term stress
Extra fat around the belly
Family history, age 45 or older
Some medicines, such as steroids

CLUES TO WATCH FOR

Often no signs at all
Blood sugar creeping up on labs
High fasting insulin on a lab test
Dark skin at the neck or armpits
Skin tags in those same spots
High triglycerides, low good HDL

WHERE IT CAN LEAD

Prediabetes, then type 2 diabetes
Heart disease and stroke
High blood pressure
Fatty liver disease
PCOS and hormone shifts
Memory and thinking problems

MORE THAN 1 in 3 U.S. adults have prediabetes, and **more than 8 in 10** of them do not know it (CDC). Insulin often climbs years before blood sugar does, so ask your doctor about a **fasting insulin** test along with the numbers below.

Know your numbers

Review your results with your pharmacist. **Fasting insulin** _____ µIU/mL **Lab range** _____

Fasting blood sugar mg/dL, after 8 hours with no food

NORMAL	PREDIABETES	DIABETES	My result
under 100	100 to 125	126 or more	

A1c average blood sugar over about 3 months

NORMAL	PREDIABETES	DIABETES	My result
under 5.7%	5.7 to 6.4%	6.5% or more	

Metabolic syndrome check Check each sign you have. If you take medicine for one, check it. **Any 3 of these 5** means metabolic syndrome.

Waist	Triglycerides	HDL (good) cholesterol	Blood pressure	Fasting blood sugar
☐	☐	☐	☐	☐
40 inches or more (men) 35 inches or more (women)	150 mg/dL or more	under 40 mg/dL (men) under 50 mg/dL (women)	130/85 or higher (either number)	100 mg/dL or more

Sources: American Diabetes Association (a diabetes result is confirmed with a repeat test); NHLBI and American Heart Association. Cell drawing not to scale.

Lifestyle-Based Medicine

When you eat, what you eat and how you move: three levers that help your cells answer insulin

10-hour eating window

- Example: 8 AM to 6 PM
- Same hours, weekends too
- Outside it: water, plain tea or black coffee
- On blood sugar medicine? Ask your doctor first

A slow-sugar plate

- Non-starchy veggies: half the plate
- Veggies and protein first
- Slow carbs last, about a fist
- Whole fruit, not juice

Move often, sleep well

- Walk 10 minutes after meals
- Strength training 2 to 3 days a week
- Stand up every 30 minutes
- Sleep 7 to 9 hours a night

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

START HERE

All-in-one glucose support

dihydroberberine, chromium, alpha-lipoic acid



Gluco IR

150 capsules · 30 servings

- Promotes healthy blood glucose levels already in the normal range ◆
- Supports the normal action of insulin (chromium) ◆

IN EACH SERVING

Per 5 capsules: 100 mg dihydroberberine, 300 mg alpha-lipoic acid, 600 mcg chromium, 2,000 mcg biotin, 500 mg Ceylon cinnamon, 200 mg gymnema, plus fenugreek, nettle, bitter melon, green tea and banaba

5 capsules daily
with meals

Cell energy switch

dihydroberberine + cinnamon



Berberine Pro

90 capsules

- Promotes healthy glucose metabolism ◆
- Supports heart health and healthy lipid balance ◆

IN EACH SERVING

Per capsule: 100 mg dihydroberberine + 84 mg organic Ceylon cinnamon bark extract

1 capsule 3 times daily
before meals

Friendly gut bacteria

Akkermansia + 4 probiotic strains



UltraBiotic Akkermansia Plus

30 capsules

- Supports healthy glucose metabolism ◆
- Supports healthy weight and a healthy gut lining ◆

IN EACH SERVING

Per capsule: 500 million TFU Akkermansia muciniphila (80% pasteurized), 22 billion CFU B. animalis and L. rhamnosus GG, 30 million CFU C. butyricum

1 capsule daily
any time, such as bedtime

Essential omega-3 fats

EPA + DHA from fish oil



Omega Pure EPA-DHA 1000

120 softgels

- Supports healthy cardiovascular function ◆
- Supports healthy cell membranes in the body ◆

IN EACH SERVING

Per softgel: 1,000 mg EPA + DHA (730 mg EPA, 270 mg DHA) from anchovy, sardine and mackerel

1 softgel twice daily
with breakfast and dinner

YOUR DAILY RHYTHM

Morning

Gluco IR
3 capsules
with breakfast
Berberine Pro
2 capsules:
1 before breakfast,
1 before lunch
Omega Pure
EPA-DHA 1000
1 softgel with
breakfast

Evening meal

Gluco IR
2 capsules
Berberine Pro
1 capsule
before dinner
Omega Pure
EPA-DHA 1000
1 softgel

Bedtime

UltraBiotic
Akkermansia Plus
1 capsule

The full plan is **11 pills a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

Keep taking your medicines.

- **Both have dihydroberberine.** Gluco IR and Berberine Pro give 400 mg a day together: avoid both if pregnant or breastfeeding. It can slow the enzymes (CYP3A4, 2D6, 2C9) that clear drugs such as warfarin and cyclosporine. Fish oil and fenugreek can add to bleeding on a blood thinner: bring your full list.
- **Insulin or a sulfonylurea** (such as glipizide)? Ask your prescriber before you start, and watch for low blood sugar. **Metformin** can lower B12 over time: ask for a check.
- **Thyroid medicine?** Take it several hours apart from Gluco IR (with a morning thyroid pill, move Gluco IR to lunch and dinner): its chromium can lower how much you absorb. Gluco IR's biotin can throw off some lab tests: tell the lab.
- **Weak immune system** or on cyclosporine? Ask your pharmacist before Akkermansia Plus: it has live bacteria.
- **Allergic to fish, peanuts or chickpeas?** Ask your pharmacist first: Omega Pure is fish oil, and the fenugreek in Gluco IR can trigger it too.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.


NutriDyn

Patient name _____ Date _____

Polycystic Ovary Syndrome

PCOS, now also called PMOS

PCOS is a common hormone condition. The ovaries make extra **androgens**. These are male-type hormones like testosterone; women normally make a little. Too much can upset periods, ovulation (releasing an egg) and fertility, and it shows up in skin, hair, weight and mood. Genes play a part, but in most women with PCOS **insulin resistance** (cells answer insulin poorly) helps drive it. That is why food, movement, sleep and stress change how PCOS behaves.



1 **The pancreas makes insulin.** Insulin moves sugar out of the blood and into your cells for fuel.

2 **Cells answer insulin poorly.** So the pancreas pumps out extra insulin to keep sugar in check.

3 **Extra insulin reaches the ovaries.** The ovaries make extra androgens, and eggs get stuck in follicles (the "cysts").

KEY

- **Glucose** sugar in the blood
- **Insulin** lets sugar into cells
- **Red blood cell**
- **Pancreas** makes insulin
- **Bloodstream** carries insulin all over
- **Androgens** male-type hormones
- **Follicle** egg sac, the "cyst"
- **Fallopian tube** carries eggs

SIGNS AND SYMPTOMS

- Irregular or missed periods
- Acne
- Extra facial or body hair
- Thinning scalp hair
- Weight gain at the waist
- Fatigue
- Mood changes, anxiety
- Trouble getting pregnant
- Dark skin patches (neck, armpits)
- Skin tags

PCOS FACTS

About **1 in 8** women of childbearing age has PCOS, and up to **7 in 10** of them have never been diagnosed. It happens at every body size, even at a healthy weight. Adults are diagnosed with **2 of 3**: irregular periods, high androgens (a blood test or signs like extra hair) or many follicles on ultrasound (or a blood test showing high AMH, a follicle hormone), once other causes are ruled out. You can have PCOS without "cysts."
In 2026 experts renamed it polyendocrine metabolic ovarian syndrome (**PMOS**), because the "cysts" are really stalled egg follicles. Same condition, same tests.

RISK FACTORS

- **Runs in families:** a mother or sister with PCOS or type 2 diabetes raises your risk.
- **Diabetes:** type 1 or 2 raises the risk.
- **Can make it worse (you can change):** weight gain at the waist, a high-sugar diet, sitting most of the day, poor sleep, stress and hormone-disrupting chemicals (in some plastics and fragrances).

Why it matters: PCOS raises the risk of type 2 diabetes, heart disease and sleep apnea (breathing pauses in sleep), so ask your doctor about a blood sugar test. Long gaps between periods can thicken the womb lining, so tell your doctor if yours are often months apart.

Lifestyle Recommendations

Protein first
Start every meal with protein. Never eat carbs on their own, and skip sugary drinks.

Feed your gut
Plain kefir, yogurt or sauerkraut daily, plus 4 to 6 servings of vegetables.

Move and lift
At least 30 minutes on most days, plus strength work 2 days a week.

Sleep 7 to 9 hours
Snoring or always tired? Ask about sleep apnea.

Spearmint tea
Two cups a day. In a small 30-day study, testosterone came down.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

START HERE

Ovaries and cycles
myo- + D-chiro-inositol



Myo-Inositol Complex
180 capsules · 30 servings

- Supports healthy ovaries and cycles ◆
- Supports optimal blood glucose balance ◆

IN EACH SERVING
6 capsules: 3,902 mg myo-inositol + 97 mg D-chiro-inositol (40:1), 200 mcg chromium, 500 mg fenugreek seed extract, 300 mg Ceylon cinnamon

3 capsules twice daily
morning and evening

Blood sugar and insulin
berberine + cinnamon



Berberine Pro
90 capsules

- Promotes healthy glucose metabolism ◆
- Supports heart health and lipid balance ◆

IN EACH SERVING
Per capsule: 100 mg dihydroberberine + 84 mg organic Ceylon cinnamon extract

1 capsule 3 times daily
before meals

Vitamin D
D3 5,000 IU with K2



D3 5000 with K2
60 softgels

- Supports healthy vitamin D levels ◆
- Supports mood, bone and immune health ◆

IN EACH SERVING
5,000 IU (125 mcg) vitamin D3, 60 mcg vitamin K2 (MK-7), 15 mcg vitamin K1

1 softgel with dinner
short-term; check your level

Essential omega-3 fats
EPA + DHA from fish oil



Omega Pure EPA-DHA 1000
120 softgels

- Supports healthy heart function ◆
- Supports healthy immunity and skin ◆

IN EACH SERVING
Per softgel: 1,000 mg EPA + DHA (730 mg EPA, 270 mg DHA)

1 softgel twice daily
with breakfast and dinner

Gut and hormones
7-strain probiotic



UltraBiotic Daily Multi-Strain
30 or 60 capsules

- Supports a healthy gut microbiome ◆
- Promotes healthy hormone function ◆

IN EACH SERVING
30 billion CFU, 7 strains: 4 Lactobacillus, B. lactis, Bacillus coagulans, S. boulardii

1 capsule with a meal
give it 12 weeks

YOUR DAILY RHYTHM

Morning
- Myo-Inositol Complex 3 capsules
- Berberine Pro 2 capsules: 1 before breakfast, 1 before lunch
- Omega Pure EPA-DHA 1000 1 softgel
- UltraBiotic Daily Multi-Strain 1 capsule

Evening meal
- Myo-Inositol Complex 3 capsules
- Berberine Pro 1 capsule before dinner
- D3 5000 with K2 1 softgel
- Omega Pure EPA-DHA 1000 1 softgel

The full plan is **13 pills a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

Keep taking your medicines.

- **Trying to get pregnant, pregnant or nursing?** Do not take Berberine Pro. Myo-Inositol Complex has fenugreek, which is not advised in pregnancy: ask your pharmacist before taking it or the rest.
- **Keep any prescribed medicine.** On insulin or a sulfonylurea (such as glipizide)? Ask the prescriber before you start Berberine Pro or Myo-Inositol Complex, and watch for low blood sugar. Berberine can also slow the liver enzymes (CYP3A4, 2D6, 2C9) that clear many drugs: ask your pharmacist to check your list.
- **On a blood thinner?** The label says D3 5000 with K2 is not recommended: its vitamin K (K1 and K2) works against warfarin. Fish oil and fenugreek can also add to bleeding risk. Ask your pharmacist about a vitamin D without K.
- **Allergic to fish, peanuts or chickpeas?** Omega Pure is fish oil, and the fenugreek in Myo-Inositol Complex, a legume like peanuts, can trigger it too: ask first.
- **The pill** can lower B6, B12, folate, magnesium and zinc, and **metformin** can lower B12 over time: ask about a check.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.


Patient name _____ Date _____

High Blood Pressure

No symptoms, real risk

Nearly **half of U.S. adults** have high blood pressure, and about **4 in 10** of them do not know it, because it rarely causes symptoms. Over the years, the extra force strains the heart, kidneys, brain and eyes and raises the risk of heart attack and stroke. One signal you can influence is **nitric oxide (NO)**, which tells blood-vessel walls to relax. What you eat, how you move, how you sleep and how you handle stress all change how much of it your body makes.

1. **Eat greens and beets**
   They are rich in nitrate, a building block for NO.
2. **Mouth bacteria help**
   Friendly tongue bacteria turn nitrate into nitrite.
3. **Your body makes NO**
   Nitrite becomes nitric oxide in your blood and tissues.
4. **NO relaxes vessel walls**
   Vessels widen and blood flows with less pressure.



RISK FACTORS

- Extra weight
- High-sodium, processed food
- Sitting most of the day
- Too much alcohol
- Smoking
- Chronic stress
- Poor sleep or sleep apnea
- Diabetes
- Kidney disease
- Birth control pills, or high BP in a past pregnancy
- Family history
- Increasing age

READING YOUR NUMBERS

118 / **76**

Systolic (top number): the push on artery walls when your heart beats.

Diastolic (bottom number): the push between beats, while your heart rests.

MEASURE IT RIGHT

- ✓ No caffeine, smoking or exercise for 30 minutes. Rest 5 minutes first.
- ✓ Sit back supported, feet flat, legs uncrossed, arm at heart level.
- ✓ Cuff on bare skin. Take 2 readings, 1 minute apart. Write them down.
- ✓ Ask your pharmacist to check your cuff size.

Reading ____ / ____ **Goal** ____ / ____

WHAT THE NUMBERS MEAN

Category	Top number		Bottom number
Normal	**under 120**	and	**under 80**
Elevated	**120 to 129**	and	**under 80**
Stage 1 high	**130 to 139**	or	**80 to 89**
Stage 2 high	**140 or more**	or	**90 or more**
Severe	**over 180**	and/or	**over 120**

Over 180/120 with chest or back pain, shortness of breath, numbness, weakness, or trouble seeing or speaking? **Call 911 now.** No symptoms? Wait 5 minutes and check again. Still that high: call your doctor right away.

Some medicines raise blood pressure, like decongestants in cold remedies and pain relievers such as ibuprofen and naproxen. Ask your pharmacist first.

Categories in mm Hg: 2025 AHA/ACC high blood pressure guideline (same cutoffs as 2017).

Lifestyle Recommendations

Make nitric oxide
Greens, beets and fruit daily. Skip antiseptic mouthwash unless your dentist prescribed it.

Cut the sodium
Under 2,300 mg a day; 1,500 is better. Most comes from packaged and restaurant food.

Lighten the load
Losing even 5 to 10 pounds can help lower your numbers.

Move, then hold
Walk 30 minutes most days. Under 160/100? Add wall sits or hand grips; breathe normally.

Sleep, breathe
Sleep 7 to 9 hours; breathe slowly a few minutes a day. Snoring? Ask about a sleep test.

Quit, cut back
Quit smoking: it tightens vessels. Drink less alcohol; none is best.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

START HERE

Healthy pressure
olive leaf, garlic, celery, grape



Cardio Essentials BP Support
90 capsules · 30 servings

- Supports healthy blood pressure already in the normal range ◆
- Helps make nitric oxide ◆

IN EACH SERVING
Per 3 capsules: 750 mg olive leaf, 750 mg black garlic, 300 mg celery seed, 200 mg grape seed (all extracts)

3 capsules daily
with your evening meal

Boost nitric oxide
beet root and potassium nitrate



Nitric Boost
90 capsules · 30 servings

- Helps make nitric oxide ◆
- Supports healthy blood flow ◆

IN EACH SERVING
Per 3 capsules: 375 mg beet root extract, potassium nitrate (150 mg potassium), 120 mg magnesium, 300 mg vitamin C, 100 mg B1, plus D3, B12, zinc, pomegranate, tart cherry, pine bark and grape seed

3 capsules daily
with breakfast

Healthy vessels
magnesium



Magnesium Glycinate
60 to 320 capsules

- Supports healthy blood vessels ◆
- Ask about your magnesium level

IN EACH SERVING
Per 2 capsules: 260 mg magnesium. Nitric Boost adds 120 mg, so take just 1.

1 capsule at bedtime
2 if you skip Nitric Boost

Heart-healthy fats
EPA and DHA omega-3s



Omega Pure EPA-DHA 1000
120 softgels

- Supports heart and vessel health ◆
- Supports healthy cell membranes ◆

IN EACH SERVING
Per softgel: 1,000 mg EPA + DHA (730 mg EPA, 270 mg DHA)

1 softgel twice daily
at breakfast and dinner

Power the heart
coenzyme Q10



CoQ10 100 mg
60 softgels

- Statins can lower your CoQ10
- Fuel for heart cells ◆

IN EACH SERVING
Per softgel: 100 mg CoQ10, 67 mg vitamin E, 698 mcg RAE vitamin A (as beta-carotene)

1 softgel daily
with your evening meal

YOUR DAILY RHYTHM

Morning
Nitric Boost 3 capsules
Omega Pure EPA-DHA 1000 1 softgel

Evening meal
Cardio Essentials BP Support 3 capsules
Omega Pure EPA-DHA 1000 1 softgel
CoQ10 100 mg 1 softgel

Bedtime
Magnesium Glycinate 1 capsule

The full plan is **10 pills a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

Keep taking your medicines.

- **Water pills** (HCTZ, furosemide) can drain magnesium and potassium; **statins** lower CoQ10. Ask about a blood test. **Fish allergy?** Skip Omega Pure.
- **Kidney disease, an ACE inhibitor (like lisinopril), ARB (like losartan) or spironolactone?** Potassium can build up: skip salt substitutes, and ask your pharmacist before magnesium or Nitric Boost (150 mg potassium).
- **BP pills, nitroglycerin or ED pills?** Show your pharmacist and your prescriber this sheet first: doses may need a check. Never stop a medicine on your own.
- **Diabetes medicine?** Olive leaf can lower blood sugar; check it more often.
- **Blood thinner?** Garlic, fish oil, grape seed, pine bark, pomegranate, vitamin E and CoQ10 can change it: ask your pharmacist (on warfarin, get an INR clotting test).
- **Thyroid or bone (alendronate) pills?** 4 hours apart from magnesium and Nitric Boost; **antibiotics:** ask your pharmacist. **Pregnant or nursing?** Ask first.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

Patient name _____ Date _____

Lyme Disease

and other tickborne infections

Lyme disease is the most common illness spread by ticks in the U.S.: an estimated **476,000 Americans** are diagnosed and treated for it each year. *Borrelia* bacteria pass from the bite of an infected blacklegged (deer) tick, and the same tick can carry other germs too. Avoiding bites is the best defense; early treatment is the next best.

HOW IT SPREADS



WAITS
on grass and leaves, front legs reaching out



CLIMBS ON
as you brush past



BITES
Lyme usually needs 24+ hours; some other germs pass faster. **Remove ticks right away.**

LYME DISEASE



Borrelia burgdorferi
the Lyme bacterium

IN GEORGIA

Lyme is reported far less here than in the Northeast, but deer ticks live here too. The tick people meet most is the **lone star tick**. It is not known to spread Lyme, but its bite can cause a rash that looks like it (STARI).

OTHER INFECTIONS DEER TICKS CAN CARRY

Anaplasmosis *bacterium*	**Babesiosis** *parasite*
Hard tick relapsing fever *bacterium*	**Powassan virus disease** *virus*


SYMPTOMS

EARLY SIGNS
3 to 30 days after the bite

- **Fever, chills, headache and tiredness**
- **Swollen lymph nodes**
- **Muscle and joint aches**
- **Expanding rash, sometimes like a bull's-eye**

LATER SIGNS
days to months, if untreated

- **Face droop (palsy), bad headache, stiff neck**
- **Pounding or skipped heartbeat (Lyme carditis)**
- **More rashes on other parts of the body**
- **Nerve pain, numbness or tingling in the hands**
- **Arthritis: swollen joints, most often the knees**
- **Numbness or tingling in the feet**



KEY
- Early sign
- Later sign
- Rash at the bite: plain red or bull's-eye; grows to 2 inches or more

See a clinician promptly if a rash, fever, aches or swollen joints follow a tick bite or time outdoors. Early antibiotics work best.

Not everyone sees the tick. Nymphs, poppy-seed small, spread most Lyme. Up to 3 in 10 people never get a rash. Many rashes are plain red, not a bull's-eye, and on darker skin a rash can be hard to see. Early Lyme can pass for the flu.

ACTUAL SIZE
deer tick



After treatment, some people have tiredness, pain or brain fog that lingers. Most get better with time, though it can take months. Focus on food, sleep and steady habits, and tell your clinician how you feel.

KNOW YOUR TICKS adult females shown



Blacklegged (deer) tick
Black legs and shield, red-orange body. Eastern U.S., Georgia included. The main Lyme carrier.



Lone star tick
White dot on the female's back. Spreads ehrlichiosis and can trigger alpha-gal (red-meat) allergy.



American dog tick
White-marked shield. Spreads Rocky Mountain spotted fever: fever after a bite needs a clinician fast.

Lifestyle Recommendations

Avoid the next bite, and stay on your medicine

Dress for ticks
Light colors, pants in socks. Permethrin is for clothes, never skin.

Repellent
EPA-registered: DEET, picaridin, IR3535 or oil of lemon eucalyptus.

Dry, then shower
Dry clothes on high heat for 10 minutes. Shower within 2 hours.

Check daily
Hair, ears, armpits, belly button, waist, groin, behind knees. Pets, too.

Remove it right
Fine-tipped tweezers at the skin, pull straight up. Note the date.

Worse on day 1?
Antibiotics killing germs can do that. Never stop them on your own.

Nutrient Solutions

General wellness support, not a treatment for any infection. Antibiotics come first.

START HERE

Gut support
with *S. boulardii*



UltraBiotic Daily Multi-Strain
30 or 60 capsules

- Supports a healthy gut microbiome ◆
- Antibiotics spare its yeast, not its bacteria

IN EACH SERVING
Per capsule: 30 billion CFU when made, 7 strains: 5 billion *S. boulardii* (a yeast) and six bacteria (*Lactobacillus*, *Bifidobacterium*, *Bacillus*)

1 capsule at bedtime
2 hours from antibiotics

Immune support
colostrum immunoglobulins



Immune PRP Pro
120 capsules · contains milk

- Promotes healthy immune function ◆
- Supports the gut lining ◆

IN EACH SERVING
Per 4 capsules: 1,720 mg bovine colostrum, standardized to 30% IgG antibodies, with PRP, IgA, IgM and lactoferrin

4 capsules twice daily
morning and evening

Inflammatory balance
ginger, curcumin, boswellia



Inflam-Eze Plus
90 or 180 capsules

- Promotes healthy inflammatory markers ◆
- Supports overall health and well-being ◆

IN EACH SERVING
Per 3 capsules: 800 mg ginger root; extracts: 250 mg CurQfen (curcumin with fenugreek fiber), 250 mg boswellia, 200 mg white willow bark, 150 mg hops, 60 mg devil's claw

3 capsules once daily
with breakfast

Detox support
liposomal glutathione



Liposomal Glutathione
60 mL · contains alcohol

- Supports healthy glutathione levels ◆
- Provides antioxidant and detox support ◆

IN EACH SERVING
100 mg reduced L-glutathione per 1 mL dropper, in liposomes made with sunflower lecithin

1 dropper twice daily
shake well

Cellular energy
mitochondrial support



Mito Recharge
90 capsules

- Supports your cells' energy production ◆
- Promotes healthy antioxidant status ◆

IN EACH SERVING
Per 3 capsules, including 300 mg taurine, 200 mg acetyl-L-carnitine, 100 mg CoQ10, 75 mg alpha-lipoic + 45 mg R-lipoic acid, 75 mg magnesium, 250 mcg vitamin K1

3 capsules at bedtime
with a snack

YOUR DAILY RHYTHM

Morning	Evening meal	Bedtime
Immune PRP Pro 4 capsules Inflam-Eze Plus 3 capsules Liposomal Glutathione 1 dropper	Immune PRP Pro 4 capsules Liposomal Glutathione 1 dropper	UltraBiotic Daily Multi-Strain 1 capsule Mito Recharge 3 capsules with a snack, 2 to 3 hours from doxycycline

The full plan is **15 pills and 2 droppers a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

Keep taking your medicines.

- **Doxycycline:** take it 2 to 3 hours apart from calcium, magnesium (Mito Recharge has some), iron, zinc and antacids, which block it.
- **Blood thinners:** Inflam-Eze Plus (ginger, curcumin, willow bark) can add to bleeding risk with warfarin, apixaban, aspirin or clopidogrel. Doxycycline can make warfarin stronger; Mito Recharge's vitamin K1 can make it weaker. Ask your pharmacist first.
- **Aspirin-like willow bark:** Inflam-Eze Plus is not for children, teens or aspirin allergy.
- **Green tea in Mito Recharge:** take with food. Liver problem? Ask your doctor first.
- **Probiotic:** take UltraBiotic at least 2 hours apart from each antibiotic dose. Its *S. boulardii* is not for people with a central IV line or a weakened immune system.
- **Hives, swelling or trouble breathing** mean an allergy, not die-off: get help now. **Alpha-gal (red-meat) or milk allergy?** Skip Immune PRP Pro (cow's colostrum).
- **Doses are for adults.** Pregnant, nursing or under 18? Ask your pharmacist first.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

Patient name _____ Date _____

Mold Illness

Mycotoxin exposure and recovery

Mold grows wherever water lingers: a slow roof leak, a damp crawl space, an overflowing AC drip pan. Some molds make **mycotoxins**, natural toxins carried on spores and dust. Damp, moldy homes raise the chances of coughing, wheezing and asthma symptoms by about **30 to 50 percent**, and many people also report tiredness, headaches and brain fog. The signs are broad, so mold is easy to miss. Recovery starts with removing the exposure.

BREATHING AND ALLERGY

Stuffy nose · Cough, wheeze · Itchy, red eyes · Asthma flares

MANY PEOPLE ALSO REPORT


Fatigue · Brain fog · Headaches · Joint aches

YOUR RECOVERY, IN ORDER


1. **Remove the exposure**
   Find and fix the water first. Dry any leak within 24 to 48 hours. Mold over 10 square feet? Hire a pro.
2. **Keep bile flowing**
   Bile carries toxins out of the liver. Regular meals with a little healthy fat keep it moving.
3. **Bind toxins in the gut**
   Fiber and binders hold on to toxins so they leave with stool. Aim for an easy bowel movement every day.
4. **Check the sinuses**
   Stuffy long after you leave the building? Ask a clinician whether your sinuses need care too.
5. **Treat fungal overgrowth only if found**
   Antifungal care is for when a clinician confirms it.

1 in 5 U.S. asthma cases is tied to dampness and mold at home, researchers estimate.

WHERE MOLD HIDES AT HOME



WHY BINDERS MATTER



Lifestyle Recommendations

Don't wait
Start the plan while home and work are checked for mold.

Dry the air
Keep indoor humidity at 30 to 50 percent. A dehumidifier helps.

Filter it
HEPA air purifiers and HEPA vacuums trap mold spores.

Limit risky foods
Peanuts, corn, stored grains and dried fruit can carry mycotoxins.

More fiber
Fiber holds on to toxins in bile. Aim for about 30 g a day.

Stay regular
Binders leave with stool. Constipated? Ask about magnesium citrate.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

START HERE

Bind toxins in the gut
pectin, Humiplex, chlorella



Binder Pro
60 or 120 capsules

- Helps carry toxins out with stool ◆
- No charcoal or clay

IN EACH SERVING
Per 2 capsules: 500 mg apple pectin, 300 mg humic-fulvic complex (Humiplex), 300 mg chlorella

2 capsules twice daily
between meals, as directed

Guard the gut lining
immune proteins from cows



GI Defend
75 g powder

- Supports a healthy gut barrier ◆
- Helps bind toxins in the gut ◆

IN EACH SERVING
Per scoop: 2.5 g ImmunoLin serum-derived bovine immunoglobulin protein isolate

1 scoop daily
in water, before breakfast

Keep bile flowing
artichoke, dandelion bitters



Lipo-Flow
180 tablets

- Promotes healthy bile flow ◆
- Supports healthy liver function ◆

IN EACH SERVING
Per 2 tablets: 400 mg artichoke, 250 mg dandelion, 200 mg beet, 150 mg inositol, 100 mg each of gentian, tangerine, taurine, methionine

2 tablets twice daily
with meals, as directed

Top up glutathione
the detox antioxidant



Liposomal Glutathione
60 mL liquid · 60 droppers

- Supports antioxidant health ◆
- Supports healthy glutathione levels ◆

IN EACH SERVING
Per dropper (1 mL): 100 mg reduced L-glutathione, in liposomes made with sunflower lecithin

1 dropper twice daily
with breakfast and supper

Fuel your cells
mitochondrial support



Mito Recharge
90 capsules

- Promotes healthy mitochondria ◆
- Supports healthy detox capacity ◆

IN EACH SERVING
Per 3 capsules: 200 mg acetyl-L-carnitine HCl, 75 mg alpha-lipoic + 45 mg R-lipoic acid, 100 mg each of CoQ10, NAC and EGCG, 250 mcg vitamin K1

3 capsules daily
with breakfast

YOUR DAILY RHYTHM

Morning
GI Defend 1 scoop before breakfast
Lipo-Flow 2 tablets
Liposomal Glutathione 1 dropper
Mito Recharge 3 capsules
Binder Pro 2 capsules, 2 hours after breakfast

Evening meal
Lipo-Flow 2 tablets
Liposomal Glutathione 1 dropper

Bedtime
Binder Pro 2 capsules, 2 hours after supper

The full plan is **11 pills, 1 scoop and 2 droppers a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

Keep taking your medicines.

- **Binders can catch medicines and nutrients too.** Keep Binder Pro 2 hours from food, other supplements and every medicine.
- **On warfarin?** Vitamin K can weaken it: Mito Recharge has 250 mcg vitamin K1, and Binder Pro's chlorella adds some. Ask your pharmacist first, and tell whoever manages your warfarin.
- **Gallstones, a blocked bile duct, a stomach ulcer or a ragweed allergy?** Ask your pharmacist or your doctor before Lipo-Flow.
- **Prescribed an antifungal?** Many interact with other medicines. Show your pharmacist your full list, supplements included.
- **Pregnant, nursing or a liver problem?** Ask your pharmacist first (Mito Recharge has green tea extract).
  Beef or red-meat (alpha-gal) allergy? Skip GI Defend.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

NutriDyn

Patient name _____ Date _____


Menopause and Perimenopause

Every system changes. Every system can be supported.

Menopause is the day you reach **12 months in a row with no period**, on average around age 51. The years before it, **perimenopause**, often last 4 to 8 years while estrogen and progesterone swing, then fall. These hormones act on nearly every tissue, so changes show up head to toe. **Hormone therapy works best for hot flashes**: ask your doctor if it fits you.

ONE WOMAN, EVERY SYSTEM

KEY
- Where a change can show up
- Blood rich in oxygen
- Blood low in oxygen



BRAIN
Its thermostat (the hypothalamus) misfires as estrogen falls: hot flashes, night sweats. Sleep and mood can shift.

BREASTS
Can feel tender while hormones swing. Keep up with mammograms and report any new lump.

GUT AND WEIGHT
Fat gain speeds up and shifts to the belly. Gut bacteria change too.

BONES AND MUSCLES
Bone thins fastest around the last period. Muscle and strength slip too.

SKIN AND HAIR
Less collagen, so skin gets thinner and drier. Hair can thin.

HEART AND VESSELS
LDL (bad) cholesterol tends to rise, so heart risk climbs. Know your numbers.

OVARIES AND UTERUS
Eggs run low, so hormones swing, then fall. Periods change, then stop. You can still get pregnant, so use birth control until 12 months with no period.

See your doctor for any bleeding after menopause, very heavy periods, periods closer than 3 weeks apart, bleeding after sex, or these changes before 45.


BLADDER AND VAGINA
Dryness, painful sex, urgency and bladder infections. Common and treatable.

WHY HOT FLASHES HAPPEN



Low estrogen shrinks the brain's comfort zone for body heat, so a small rise sets off a hot flash, often followed by chills.

HOW YOUR HORMONES CHANGE



KEY Estrogen · Progesterone · Life stages · Comfort zone · Body heat · Hot flash

Track your symptoms

Circle in pen today; at 6 weeks, use a new color.

Circle **0** none, **1** mild, **2** bothers you some days, **3** bothers you most days.

Hot flashes or night sweats	0 1 2 3	Poor sleep	0 1 2 3	Mood or anxiety	0 1 2 3
Vaginal dryness	0 1 2 3	Bladder infections	0 1 2 3	Low sex drive	0 1 2 3
Weight change	0 1 2 3	Sore breasts	0 1 2 3	Headaches	0 1 2 3
Brain fog	0 1 2 3	Joint or muscle pain	0 1 2 3	Hair changes	0 1 2 3

Add them up. Bring this to your visit. **Today** ____ / 36 **In 6 weeks** ____ / 36

Hot flashes: what works best

1. **Hormone therapy works best.** For most healthy women under 60, the benefits outweigh the risks. It needs a prescription, so ask your doctor.
2. **Also proven:** CBT (a brief talk therapy), clinical hypnosis and some prescriptions.
3. **Supplements** are not proven for hot flashes. If you try one, score your symptoms again at 6 weeks to see whether it helps.

Source: The Menopause Society, 2022 and 2023.

Lifestyle Recommendations

Lift weights
Strength work 2 to 3 days a week guards muscle and bone.

Walk most days
150 minutes a week helps your heart, mood, sleep and weight.

Bone-smart plate
Protein at each meal and calcium foods like yogurt and greens.

Guard your sleep
Same bedtime, a cool dark room, less alcohol and late caffeine.

Try talk therapy
CBT (a talk therapy) and hypnosis are proven to ease hot flashes.

Skip smoking
Smoking speeds bone loss and raises heart risk.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

Menopausal comfort
START HERE

EstroG-100 and ashwagandha



Menopause Support
90 tablets

- Supports comfort through menopause ◆

☐ **Menopause Support**: no period for a year or more

☐ **PeriMenopause Support**, 30 tablets: period in the past year

IN EACH SERVING
500 mg EstroG-100 blend, 250 mg ashwagandha, 80 mg black cohosh. **Peri:** 500 mg each EstroG-100 and ashwagandha, 100 mg milk thistle

1 tablet daily
with food, same time daily

Sleep and calm

magnesium, myo-inositol, L-theanine



Mag Calm Pro
About 60 scoops
Raspberry Lemon

- Supports relaxation and restful sleep ◆
- Supports a healthy stress response and mood ◆

IN EACH SERVING
200 mg magnesium (as malate), 2 g myo-inositol, 500 mg taurine, 100 mg L-theanine, 5 mg vitamin B6

1 to 2 scoops daily
in 6 oz water · try bedtime

Vitamin D

only if your level is low



D3 5000 with K2
60 softgels

- Supports bone health when a blood test shows low vitamin D ◆
- K2 helps put calcium to work in bone ◆

IN EACH SERVING
5,000 IU (125 mcg) vitamin D3, 60 mcg vitamin K2 (MK-7), 15 mcg vitamin K1

1 softgel daily
test first · with a meal

Good bacteria

women's probiotic, 9 strains



UltraBiotic Women's
60 capsules · 30 servings

- Supports healthy vaginal bacteria ◆
- Supports healthy gut bacteria ◆

IN EACH SERVING
25 billion CFU (live bacteria, at manufacture) from 9 strains: 7 Lactobacillus and 2 Bacillus

2 capsules daily
same time each day

Muscle and strength

creatine monohydrate



Creatine Powder
505 g · about 100 scoops

- Supports muscle and strength with strength training ◆
- 5 g a day plus training helped in studies after menopause ◆
- Can raise creatinine on kidney blood tests

IN EACH SERVING
5 g creatine monohydrate per scoop

1 scoop daily
in 8 to 16 oz of any drink

YOUR DAILY RHYTHM

Morning
Menopause Support
1 tablet, or
PeriMenopause Support

Evening meal
D3 5000 with K2
1 softgel, if vitamin D is low
Creatine Powder
1 scoop

Bedtime
Mag Calm Pro
1 scoop
UltraBiotic Women's
2 capsules

The full plan is **4 pills and 2 scoops a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

Keep taking your medicines.

- **Pregnant, could be, or nursing? Ever had breast cancer or another estrogen-fed cancer?** The labels say Menopause and PeriMenopause Support are not for you.
- **Liver disease, dark urine, or yellow skin or eyes?** Stop Menopause or PeriMenopause Support and call your doctor: black cohosh and ashwagandha can rarely harm the liver.
- **Warfarin or another blood thinner?** The label does not recommend D3 5000 with K2. **Thyroid pills, or drugs that make you sleepy?** Ashwagandha can add to them.
- **Vitamin D:** test first, use short-term, recheck; 5,000 IU is over the 4,000 IU upper limit. **Kidney disease?** Ask your pharmacist before Mag Calm Pro or Creatine.
- **Doxycycline, ciprofloxacin or similar antibiotics?** Take them 2 hours before or 4 to 6 hours after Mag Calm Pro. Keep alendronate (a bone drug) 2 hours apart, and thyroid pills 4 hours.

Special considerations for you:

Recommended by _____ Phone _____


◆ **These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.**

Patient name _____ Date _____

Gut Overgrowth

Yeast, parasites and SIBO

Trillions of microbes live in your gut, almost all of them in the **colon** (large intestine). Stomach acid, the gut's sweeping waves and your immune system keep bacteria in the **small intestine** few and yeast in check. When those defenses slip, bacteria crowd the small intestine (**SIBO**) or **Candida** yeast multiplies. **Parasites** are caught from water, food or people.



KEY

- Friendly bacteria
- Unfriendly bacteria
- Gas: hydrogen, methane
- Yeast (Candida): cells and chains
- Parasite (pinworm, about 1 cm)
- Villi: small-intestine lining
- Colon lining (no villi)
- Zoomed spot

Three kinds of overgrowth

Testing shows which one you have. Your provider sets the plan and its length, often a few weeks.

SIBO
small intestinal bacterial overgrowth

CLUES
- Bloating and gas after meals
- Belly pain, diarrhea
- Constipation (methane, IMO)

RISKS
- Low stomach acid, acid blockers
- A slow gut (diabetes, opioids)
- Past belly surgery

TEST Breath test (see below)

Yeast
Candida, normally in small numbers

CLUES
- No single gut sign
- Mouth or vaginal yeast infections share the same risks

RISKS
- Antibiotics, steroid medicines
- High blood sugar
- A weakened immune system

TEST Stool test; some yeast is normal

Parasites
such as Giardia or pinworm

CLUES
- Diarrhea, cramps and gas
- Greasy stools that float
- Itchy bottom at night (pinworm)

RISKS
- Untreated lake or stream water
- Travel, swimming, child care
- Someone close to you has it

TEST Stool test; tape test for pinworm

Breath test: know your numbers

After an overnight fast you drink a sugar solution, then breathe into tubes for 2 to 3 hours. Misplaced microbes turn the sugar into gas, measured in ppm (parts per million).

HYDROGEN
rises 20 ppm or more
within 90 minutes: SIBO

METHANE
10 ppm or more
at any point: methane overgrowth (IMO)

My result
Hydrogen _____
Methane _____

⚠ **Get checked soon** for blood or black stools, a high fever or weight loss you did not try for. Confirmed parasites usually need medicine.

The 5R gut plan

Repair: see the **Intestinal Permeability** sheet.

1. **REMOVE** unwanted microbes — THIS SHEET
2. **REPLACE** stomach acid, enzymes
3. **REINOCULATE** friendly bacteria
4. **REPAIR** heal the lining
5. **RETAIN** keep the balance

Lifestyle Recommendations

Cut the sugar, let your gut sweep, and keep new germs out

Cut the sugar
Skip added sugar, sweet drinks, alcohol and junk food during the plan.

Space your meals
No grazing: the gut sweeps itself between meals. Stop eating 2 hours before bed.

Wash, cook, filter
Wash hands and produce, cook meat through, and boil or filter lake water.

Eat calm, chew well
Slow, unhurried meals give stomach acid and enzymes a head start.

Review acid blockers
They lower stomach acid, a key defense. Never stop one without your prescriber.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

START HERE

Balance the flora
berberine, Oregon grape



Spectrum BR
90 or 180 tablets

- Promotes a healthy gastrointestinal tract ◆
- Berberine plus a six-herb blend

IN EACH SERVING
Per 2 tablets: 400 mg berberine HCl, 300 mg six-herb blend, 70 mg Oregon grape root, 30 mg coptis root

2 tablets twice daily
with meals

Plant oils + enzyme
oregano, thyme, clove and more



Nutricidin
60 or 120 gelatin softgels

- Supports balanced gut flora with eight plant oils and ginger ◆
- Supports healthy biofilms with an enzyme and a mineral binder ◆

IN EACH SERVING
Per 2 softgels: 400 mg calcium EDTA, 250 mg ginger root, 30,000 SPU serratiopeptidase, 725 mg of 8 plant oils (100 mg each oregano, coriander, black cumin, basil, fennel; 75 mg each thyme, cinnamon, clove)

1 softgel twice daily
with meals

Herbal cleanse
black walnut, wormwood



Paradex
90 capsules

- Supports a healthy intestinal environment ◆
- Five traditional cleanse herbs

IN EACH SERVING
Per capsule: 250 mg black walnut hulls, 100 mg wormwood, 100 mg pau d'arco, 50 mg garlic, 50 mg pumpkin seed

1 capsule twice daily
with meals

A friendly yeast
S. boulardii probiotic



S. boulardii
UltraBiotic · 60 capsules

- Supports a balanced gut microbiome ◆
- Antifungals harm it; antibiotics do not

IN EACH SERVING
5 billion CFU Saccharomyces boulardii (Lynside) per capsule

1 capsule twice daily
2 hours from the herbs

Bind and carry out
apple pectin, chlorella



Binder Pro
60 or 120 capsules

- Helps bind unwanted compounds ◆
- Take 2 hours from medicines and pills

IN EACH SERVING
Per 2 capsules: 500 mg apple pectin, 300 mg humic-fulvic complex, 300 mg chlorella

2 capsules at bedtime
2 hours after dinner

YOUR DAILY RHYTHM

Morning
Spectrum BR 2 tablets
Nutricidin 1 softgel
Paradex 1 capsule
S. boulardii 1 capsule, 2 hours after breakfast

Afternoon + dinner
Spectrum BR 2 tablets
Nutricidin 1 softgel
Paradex 1 capsule
S. boulardii 1 capsule, mid-afternoon

Bedtime
Binder Pro
2 capsules

The full plan is **12 pills a day**. Start with Spectrum BR; ask your pharmacist when to add the rest.

PHARMACIST CHECK

Keep taking your medicines.

- **Spectrum BR:** berberine slows liver enzymes (CYP3A4, 2D6, 2C9: cyclosporine, warfarin) and can push blood sugar too low with diabetes drugs; its licorice can raise blood pressure and lower potassium (diuretics, digoxin, steroids).
- **Blood thinners:** Spectrum BR (ginger), Nutricidin (ginger, clove oil, serratiopeptidase) and Paradex (garlic, pau d'arco) may add to bleeding; Binder Pro's chlorella (vitamin K) can weaken warfarin.
- **Pregnant or nursing?** Do not take Spectrum BR or Paradex; ask your pharmacist about the rest. **For a child?** These are adult doses: ask first.
- **S. boulardii** is a live yeast: skip it with a central IV line or weak immunity; antifungals stop it. **Tree-nut allergy or a seizure disorder?** Ask before Paradex.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

NutriDyn


Patient name _____ Date _____

Healing After Injury

Sprains, strains, whiplash and recovery from surgery


A **sprain** hurts a ligament, which ties bone to bone. A **strain** hurts a muscle or the tendon that ties it to bone. After a sprain, strain, whiplash or surgery, the body heals in three overlapping phases. **Inflammation** comes first, and it is part of healing. Then repair cells lay down new **collagen**, the rope-like protein of ligaments and tendons. Over months, the patch is **remodeled** and grows stronger. How you eat, sleep and move helps each phase.

THE THREE PHASES OF HEALING



WHIPLASH

A crash snaps the head back (dashed outline), then forward. Neck ligaments and muscles overstretch.



1 INFLAMMATION — Days 0 to 7

The tear bleeds and a clot forms. Swelling and immune cells move in to clean up.

You may feel: swollen, warm, sore

YOUR PART Protect it.
Gentle motion as advised.

2 REPAIR — Day 2 to a few weeks

Repair cells (fibroblasts) lay down new collagen in a loose criss-cross. New vessels sprout.

You may feel: less pain, still weak

YOUR PART Move it gently.
Easy, pain-free range.

3 REMODEL — Week 3 to a year or more

Steady pull lines the new fibers up, so the patch grows stronger over many months.

You may feel: stiff, but stronger

YOUR PART Load it.
Keep up your exercises.

KEY

- Ligament fibers
- Red blood cell
- Lined-up new fibers
- Magnified spot
- Swelling (inflammation)
- Immune cell, moving in
- Pull of movement
- Blood clot
- Fibroblast (repair cell)
- Neck bones and disc
- Blood vessel, new sprouts
- New collagen
- Spinal cord

Times on the ribbon are typical. Bigger injuries and surgery take longer.

WHAT CAN SLOW HEALING

- Smoking or nicotine
- Short or poor sleep
- Too little protein
- High blood sugar
- Alcohol
- Ongoing stress
- Too much rest
- Too much, too soon

GET CARE RIGHT AWAY

Healing should get a little better week by week. Some signs cannot wait.

CALL 911 NOW

- **Chest pain** or sudden trouble breathing
- **Stroke signs:** face drooping, a weak or numb arm or leg, trouble speaking or seeing, severe dizziness, or a sudden, severe headache or neck pain
- **After a crash or blow to the head:** passing out, a seizure, a worsening headache, repeated vomiting, confusion or unusual sleepiness
- **New weakness or numbness** with loss of bladder or bowel control

CALL YOUR DOCTOR THE SAME DAY

- **Calf pain or swelling** in one leg
- **Fever,** or redness, warmth or cloudy drainage at a surgery cut
- **Numbness or tingling** that builds slowly
- **Pain or swelling getting worse** instead of better, or you cannot put weight on it

Lifestyle Recommendations

Protein every meal
Fish, eggs, chicken or beans, a palm-size portion.

Vitamin C every day
Oranges, kiwi and peppers help you make collagen.

Sleep 7 to 9 hours
Short sleep slows repair. Keep a steady bedtime.

Move as advised
Gentle motion early, then exercises that line fibers up.

Skip smoking
Smoking starves tissue of oxygen. Go easy on alcohol.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

START HERE

Inflammation balance
ginger, curcumin, boswellia + 3 herbs



Inflam-Eze Plus
90 or 180 capsules

- Supports a healthy inflammatory response ◆
- Supports joint and muscle comfort ◆

IN EACH SERVING
Per 3 capsules: 800 mg ginger, 250 mg CurQfen curcumin-fenugreek (35% curcuminoids), 250 mg boswellia, 200 mg white willow extract, 150 mg hops, 60 mg devil's claw

3 capsules once daily
with food

Resolution support
PRMs from fish oil, the body's finish-up signals



PRM Resolve
60 or 120 softgels

- Supports the body's natural resolution response ◆
- EPA and DHA omega-3s

IN EACH SERVING
Per 2 softgels: 400 mcg PRMs (pro-resolving mediators), 1,200 mg omega-3 with 580 mg EPA and 420 mg DHA

2 softgels daily
with your evening meal

Collagen support
collagen peptides for tendon, ligament, bone



Collagen Renew
525 g · about 30 scoops

- Supports healthy tendons and ligaments ◆
- Pair with a vitamin C food, like an orange

IN EACH SERVING
Per scoop: 17.5 g collagen peptides (FORTIGEL 5 g, FORTIBONE 5 g, TENDOFORTE 5 g, VERISOL 2.5 g), 15 g protein

1 scoop daily
in 8 oz of water or a drink

Muscle relaxation
magnesium, L-theanine, passion flower



Muscle Eze
90 capsules

- Helps relax muscle tissue ◆
- Supports calmness at bedtime ◆

IN EACH SERVING
Per 3 capsules: 200 mg magnesium (citrate), 100 mg calcium (lactate), 50 mg L-theanine, 40 mg passion flower

3 capsules at bedtime
may cause drowsiness

Protein support
grass-fed whey isolate, a complete protein



Whey Protein
Chocolate or vanilla

- Supports lean muscle while you move less ◆
- An easy way to get protein at a meal

IN EACH SERVING
Per scoop (32 g): 25 g protein from whey protein isolate, with 2.65 g leucine

1 scoop daily
in 8 to 10 oz of water

PHARMACIST CHECK

Keep taking your medicines.

- **Bleeding problem or blood thinner (warfarin, apixaban, clopidogrel), aspirin, or NSAIDs like ibuprofen or naproxen?** White willow (salicin), ginger, curcumin, devil's claw and fish oil may add to bleeding risk. Ask your pharmacist and your prescriber.
- **Allergic to aspirin?** Skip Inflam-Eze Plus: white willow contains salicin, a natural relative of aspirin.
- **Surgery coming up, or just had one?** Tell your surgeon about every supplement and ask when to stop and restart. Many ask you to stop herbs and fish oil 2 weeks before surgery.
- **Muscle relaxers, opioids or sleep aids?** Muscle Eze and the hops in Inflam-Eze Plus may add drowsiness. **Diabetes medicine?** The ginger and curcumin in Inflam-Eze Plus may lower blood sugar; ask your pharmacist about checking it.
- **Antibiotics or thyroid medicine?** Calcium and magnesium in Muscle Eze can block some of them; ask your pharmacist how to space them.
- **Pregnant, nursing, under 18, allergic to fish, shellfish or milk, or have liver or kidney disease, stomach ulcers or gallstones?** Ask your pharmacist first.

YOUR DAILY RHYTHM

Morning
Inflam-Eze Plus 3 capsules
Collagen Renew 1 scoop

Evening meal
PRM Resolve 2 softgels
Whey Protein 1 scoop

Bedtime
Muscle Eze 3 capsules

The full plan is **8 pills and 2 scoops a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.


NutriDyn

Patient name _____ Date _____

Joint Pain and Osteoarthritis

Knees, hips and hands

Osteoarthritis (OA), the most common arthritis, changes the whole joint: the smooth **cartilage** on the bone ends thins and cracks, bone **spurs** grow at the joint's edges, and the lining can swell. It hits **knees, hips and hands** most. About **595 million people** had it in 2020, and the number is rising. Moving more and carrying less weight help most people stay active.



HOW IT CAN FEEL

- Pain with use (stairs, kneeling, opening jars) that eases with rest
- Brief stiffness on waking or after sitting still
- Creaking, grinding or clicking as it bends
- Some swelling, or a joint that feels unsteady
- Hard knobs on the finger joints
- A sore hip often aches in the groin or buttock

GET CHECKED PROMPTLY IF

- A **hot, red, very swollen** joint, above all with a fever: **get care the same day**
- Morning stiffness **over 30 minutes**, or several swollen joints at once
- It began with a **fall or injury**, or is worsening fast
- It **suddenly locks or gives way**, or **changes shape fast**

WHAT RAISES YOUR RISK

Getting older · Extra body weight · An old joint injury · Being a woman · Family history · Heavy lifting or kneeling work · Weak thigh muscles

GOOD TO KNOW

1 lb → 4 lb
Each pound you lose takes about **4 pounds** of load off your knee with every step.

Where OA strikes
Red dots: knees, hips and hands most; also the spine and big toe.

150 min
a week of walking, cycling or water exercise, plus **2 days** of strength work.

My pain today

0	1	2	3	4	5	6	7	8	9	10

No pain — Worst

Circle it today and at each visit.

Lifestyle Recommendations

Move most days
Moving feeds cartilage: walk, cycle or swim 150 minutes a week.

Build strength
Thigh and hip work 2 days a week takes load off the joint.

Lighten the load
Each pound lost takes about 4 pounds off your knees with every step.

Tai chi or yoga
Slow, steady moves ease stiffness and build balance.

Food for joints
Mediterranean style: fish, olive oil, beans, nuts, colorful plants.

Heat and support
Heat for stiffness, ice after a flare, a cane on your good side.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

START HERE

Inflammatory balance
ginger, curcumin, boswellia



Inflam-Eze Plus
90 or 180 capsules

- Supports a healthy inflammatory response ◆
- Supports joint comfort and movement ◆

IN EACH SERVING
3 capsules: ginger 800 mg, curcumin-fenugreek blend (CurQfen) 250 mg, boswellia 250 mg, white willow 200 mg, hops 150 mg, devil's claw 60 mg

3 capsules once daily
with food

Building blocks
glucosamine, MSM, green-lipped mussel



Chondro-Relief Intensive Care
120 capsules

- Provides raw materials for cartilage and joint fluid ◆
- Supports joint tissues ◆

IN EACH SERVING
4 capsules: glucosamine HCl 500 mg, chondroitin sulfate 400 mg, MSM 1 g, hyaluronic acid 100 mg, green-lipped mussel 1 g, plus vitamin C, manganese

4 capsules daily
with your evening meal

Joint comfort
UC-II undenatured collagen



Joint Eze
60 capsules

- UC-II blend, 40 mg a day in 2 capsules
- Supports joint comfort and flexibility ◆

IN EACH SERVING
1 capsule: undenatured collagen blend (UC-II) 20 mg, hops extract 50 mg, magnesium 37.5 mg

1 capsule twice daily
with food

Collagen support
collagen peptides



Collagen Renew
525 g · about 30 scoops

- Supports cartilage, tendons and ligaments ◆
- Pair it with a vitamin C food, like an orange

IN EACH SERVING
1 scoop: 17.5 g bovine collagen peptides (FORTIGEL, FORTIBONE and TENDOFORTE 5 g each, VERISOL 2.5 g)

1 scoop daily
in 8 oz water or a smoothie

Willow-free option
curcumin on its own



Curcumin 400X
60 softgels

- A curcumin pick without willow bark
- Supports a healthy inflammatory response ◆

IN EACH SERVING
2 softgels: BioCurc turmeric extract 800 mg

2 softgels daily
instead of Inflam-Eze Plus

YOUR DAILY RHYTHM

Morning
Inflam-Eze Plus
3 capsules
Joint Eze 1 capsule
Collagen Renew
1 scoop

Evening meal
Chondro-Relief Intensive Care
4 capsules
Joint Eze 1 capsule

The full plan is **9 pills and 1 scoop a day**.
Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

Keep taking your medicines.

- **On a blood thinner, or surgery coming up?** Ask your pharmacist before Inflam-Eze Plus, Curcumin 400X or Chondro-Relief Intensive Care: you may need to pause them.
- **Inflam-Eze Plus has willow bark, a cousin of aspirin.** Aspirin allergy? Skip it; Curcumin 400X is willow-free. On aspirin, ibuprofen or naproxen? Ask your pharmacist.
- **Liver or gallbladder trouble, or a stomach ulcer?** Ask your pharmacist before Inflam-Eze Plus, Curcumin 400X or Chondro-Relief Intensive Care. Yellow skin or eyes, or dark urine? Stop them and call your doctor.
- **Shellfish allergy?** Skip Chondro-Relief Intensive Care: it has green-lipped mussel.
- **Red-meat (alpha-gal) allergy?** Skip Collagen Renew (beef). Chondro-Relief Intensive Care and Curcumin 400X may contain cow or pig gelatin or chondroitin: ask your pharmacist.
- **Pregnant or nursing?** Skip Joint Eze and Inflam-Eze Plus (willow bark); ask your pharmacist about the rest. **Already take a multivitamin?** Chondro-Relief Intensive Care adds manganese: ask your pharmacist.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

NutriDyn

Patient name _____ Date _____


Shoulder and Tendon Pain

Rotator cuff, tennis elbow and Achilles

Tendons are tough cords of **collagen** that join muscle to bone. Most tendon pain builds slowly, when a tendon does more than it is ready for and its rope-like fibers fray. Shoulder pain is the **third most common** muscle and joint reason to see a family doctor, usually from the **rotator cuff**: 4 muscles whose tendons hug the ball of the arm bone and keep it in its socket. The **supraspinatus** helps lift your arm. The other three turn it in and out.


ROTATOR CUFF FROM THE FRONT

big outer shoulder muscle lifted away




ROTATOR CUFF FROM THE BACK

big outer shoulder muscle lifted away



INSIDE A TENDON

the circled spot, magnified many times



HEALTHY
Neat, parallel collagen fibers

OVERLOADED
Frayed, tangled fibers; new blood vessels

HOW TENDONS GET STRONGER

Load it exercise is the signal

Feed it protein and vitamin C foods

Sleep on it 7 to 9 hours a night

KEY Muscle · Tendon · Bone · Sore bursa · Collagen fibers · Frayed fibers · New blood vessels

WHERE TENDON PAIN SHOWS UP

where it usually hurts

Shoulder *rotator cuff*
- Ache on the outer upper arm
- Worse when you lift your arm
- Hurts to lie on it at night

Elbow *tennis elbow*
- Pain on the outer elbow bump
- Worse when you grip or twist
- Common with gripping work

Ankle *Achilles tendon*
- Pain just above the heel bone
- Stiff in the morning
- Sore with running or jumping

WHAT RAISES YOUR RISK

- Age over 50
- Overhead work or sports
- A sudden jump in training
- Diabetes
- High cholesterol
- Smoking
- Family history
- Some antibiotics and steroids

YOUR PAIN GUIDE DURING EXERCISE

0 = no pain, 10 = the worst pain

0	1	2	3	4	5	6	7	8	9	10

0 to 2: safe
Keep going.

3 to 5: OK
if it settles by the next morning.

6 or more: too much
Stop or go lighter now, and do less next time.

12 **weeks** is a typical length for a tendon exercise plan. Tendons rebuild slowly, and the gains last.

⚠ **Get checked right away for:** a pop or sudden weakness after a fall or heavy lift. An arm you cannot lift. A hot, red, swollen joint, or a fever. Numbness running down the arm. A pop at the back of the ankle, or not being able to stand on tiptoe on that foot. **Shoulder or arm pain with chest pressure, shortness of breath or a cold sweat can be a heart attack: call 911.**

Lifestyle Recommendations

Habits that help tendons rebuild

Load, don't rest
Exercise most days. Full rest weakens tendons.

Build up slowly
Add weight, miles or reps in small steps.

Lower your reach
Keep heavy lifting below shoulder height.

Feed the rebuild
Eat protein and foods rich in vitamin C.

Sleep 7 to 9 hours
Your repair hormone peaks in deep sleep.

Stop smoking
Smoking is tied to more rotator cuff tears.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

START HERE

Tendon building blocks
collagen peptides



Collagen Renew
525 g · about 30 scoops

- Supports tendons, ligaments and joints ◆
- Includes TENDOFORTE collagen peptides

IN EACH SERVING
17.5 g collagen peptides: TENDOFORTE, FORTIGEL and FORTIBONE 5 g each, VERISOL 2.5 g

1 scoop in 8 oz water
about 1 hour before exercise, any time on rest days

Build collagen
vitamin C



Vitamin C 1000
100 capsules

- Your body needs it to build collagen ◆
- Collagen Renew has none, so pair them

IN EACH SERVING
1,000 mg vitamin C (as ascorbic acid) per capsule

1 capsule daily
with your collagen

Comfort after activity
ginger, curcumin, boswellia



Inflam-Eze Plus
90 or 180 capsules

- Supports joint and muscle comfort ◆
- Supports a healthy inflammatory response ◆

IN EACH SERVING
Per 3 capsules: ginger 800 mg, CurQfen curcumin-fenugreek 250 mg, boswellia 250 mg, white willow 200 mg, hops 150 mg, devil's claw 60 mg

3 capsules daily
with food

Inflammatory balance
omega-3s EPA and DHA



Omega Pure EPA-DHA 1000
120 softgels

- Supports a balanced inflammatory response ◆
- Supports muscle, joint and heart health ◆

IN EACH SERVING
1,000 mg EPA + DHA per softgel (730 mg EPA, 270 mg DHA)

1 softgel twice daily
with meals

Muscle and bone
vitamin D3 with K2



D3 5000 with K2
60 softgels

- Supports muscle and bone health ◆
- High dose: check your vitamin D level first

IN EACH SERVING
5,000 IU (125 mcg) vitamin D3, 60 mcg vitamin K2 (MK-7), 15 mcg vitamin K1

1 softgel daily
with your evening meal

YOUR DAILY RHYTHM

Morning
Collagen Renew
1 scoop, or before exercise
Vitamin C 1000
1 capsule, with the scoop
Omega Pure EPA-DHA 1000
1 softgel

Evening meal
Inflam-Eze Plus 3 capsules
Omega Pure EPA-DHA 1000
1 softgel
D3 5000 with K2 1 softgel

The full plan is **7 pills and 1 scoop a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

Keep taking your medicines.

- **Blood thinner, aspirin, ibuprofen, naproxen, or surgery soon?** Fish oil and the Inflam-Eze Plus herbs can add to bleeding; many surgeons stop them 2 weeks before. D3 5000 with K2's vitamin K affects warfarin. Ask your pharmacist first.
- **Fluoroquinolone antibiotics** (ciprofloxacin, levofloxacin) can injure tendons, more so after 60 or on steroids. Stop and call your doctor if a tendon hurts.
- **Allergic to aspirin, red meat (alpha-gal) or fish?** Skip Inflam-Eze Plus (willow, aspirin's cousin), Collagen Renew (beef) or Omega Pure (fish oil, gelatin shell).
- **Diabetes medicine?** Ask your pharmacist: Inflam-Eze Plus may lower blood sugar. **Yellow skin or eyes, or dark urine?** Stop Inflam-Eze Plus and call your doctor.
- **Under 18, pregnant or nursing? On sleep aids or other medicines? Stomach ulcer, gallstones, or liver or kidney disease?** Ask your pharmacist first.

Special considerations for you:

Recommended by _____ Phone _____


◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

Patient name _____ Date _____

Muscle Cramps and Spasms

Why a muscle locks up, and how to help it let go

A **cramp**, or spasm, is a muscle that suddenly tightens on its own and stays tight for seconds to minutes. It usually grabs the **calf**, foot or thigh, often at night, and it can strike the back or neck too. A spasm can also be a muscle **guarding** a sore back, neck or joint: it tightens to protect the sore spot and is slow to let go. Cramps are very common: **up to 6 in 10 adults** have had a night leg cramp, and nearly **half of people over 60** get them. Most are harmless, and simple habits help.



KEY: Nerve signal · Calcium: switch ON · ATP: energy, switch OFF · Magnesium: helps ATP · Sodium, potassium · Tight knot · Thin filament (actin) · Thick filament (myosin) · Ring or bracket: zoom in · Z-line: the anchor

1. **The nerve says "squeeze."** Sodium and potassium carry the signal into the muscle.
2. **Calcium switches it ON.** Filaments grab and slide. In your blood, enough calcium and magnesium keep nerves calm; too little can set off cramps.
3. **ATP switches it OFF.** With magnesium's help, the filaments let go and calcium goes back into storage.
4. **A cramp is the switch stuck ON.** A tired or over-excited nerve keeps firing.

WHAT MAKES CRAMPS MORE LIKELY

- Tired, overused muscles
- Sweat, heat, too little fluid
- Sitting still for hours
- Injury or a sore joint
- Getting older
- Pregnancy
- Some water and heartburn pills, inhalers, statins
- Low magnesium, calcium or potassium
- Diabetes, nerve, kidney, liver or thyroid problems

WHAT THE RESEARCH SAYS

HELPED (1 trial each) — **Stretches and stockings.** Adults over 55 who stretched calves and hamstrings nightly had fewer, milder night cramps; calf stretches alone did not. Knee-high compression stockings by day helped people with good circulation (2026).

EARLY (1 trial) — **Vitamin K2 (MK-7).** One trial (adults 65+, 180 mcg nightly) found fewer night cramps. Its report was reissued with fixes in 2025; it needs a second trial.

NOT PROVEN — **Magnesium.** Unlikely to prevent ordinary night cramps in older adults (Cochrane 2020; a 2026 trial agreed). But low magnesium can itself cause cramps, and some water pills and heartburn pills lower it.

MIXED — **CoQ10 with a statin.** A 2025 review found a little less muscle pain. A 2020 review found no clear benefit.

Hallegraeff 2012 · Coppin 2005 · Kuusipalo 2026 · Tan 2024 (notice 2025) · Cochrane 2020 · Kovacic 2025 · Kennedy 2020

⚠ GET CHECKED

- A sore calf that is **swollen, warm or red. It can be a blood clot. Get care today.**
- On a statin, with **unexplained muscle pain or weakness**, or **dark urine. Call your prescriber now.**
- **Calf pain when you walk** that eases when you stop. **Have your circulation checked.**
- Cramps that come **often**, or with **weakness or numbness. Have a doctor check them.**

Quinine pills are no longer advised for leg cramps.

Lifestyle Recommendations

Bedtime stretch
Gently stretch your calves and the backs of your thighs every night before sleep.

Drink enough
Sip water all day. After long, sweaty workouts, add electrolytes, not just water.

Eat your minerals
Magnesium: greens, beans, nuts and seeds. Potassium: potatoes and bananas.

Build up slowly
Add exercise a little at a time. Tired muscles cramp more easily.

Stop a cramp
Straighten the leg, pull your toes toward you, rub the knot, add warmth.

Check medicines
Water pills, heartburn pills, inhalers and statins can play a part. Ask before stopping.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

START HERE

Relaxed muscles
magnesium + calcium, theanine, passion flower



Muscle Eze
90 capsules · 30 servings

- Helps muscles relax ◆
- Supports calm and rest ◆

IN EACH SERVING
Per 3 capsules: 200 mg magnesium (citrate), 100 mg calcium (lactate), 50 mg L-theanine, 40 mg passion flower extract

3 capsules at bedtime
may cause drowsiness

Calm and relaxed
magnesium, taurine, B6, L-theanine



Mag Calm Pro
About 60 servings · Raspberry Lemon

- Supports relaxation ◆
- Supports restful sleep ◆

IN EACH SERVING
Per scoop: 200 mg magnesium (malate), 500 mg taurine, 2 g myo-inositol, 100 mg L-theanine, 5 mg vitamin B6

1 scoop a day in water
in place of Muscle Eze

Bone calcium
vitamin K2 as MK-7



Vitamin K2
30 capsules · Progressive Professional brand

- Helps activate bone proteins that bind calcium ◆
- Long-acting MK-7 form

IN EACH SERVING
100 mcg vitamin K2 as menaquinone-7 (MK-7) per capsule

1 capsule daily
with a meal

Muscle cell energy
CoQ10 as ubiquinol



CoQ10 Ubiquinol
30 softgels

- Helps muscle cells make energy ◆
- Ready-to-use ubiquinol form

IN EACH SERVING
100 mg ubiquinol, the ready-to-use form of CoQ10, per softgel

1 softgel daily
with a meal

Mineral balance
magnesium + potassium



Mag-K
90 capsules · Progressive Professional brand

- Supports normal muscle and nerve signals ◆
- Supports healthy mineral levels ◆

IN EACH SERVING
Per 3 capsules: 200 mg magnesium, 99 mg potassium

1 capsule with each meal
in place of Muscle Eze

YOUR DAILY RHYTHM

Evening meal	Vitamin K2 1 capsule
Bedtime	Muscle Eze 3 capsules

The full plan is **4 pills a day**. Start with Muscle Eze; add Vitamin K2 after a week. Swap magnesium products, never stack them.

PHARMACIST CHECK

Keep taking your medicines.

- **Bring your medicine list.** Your pharmacist can check it: some water pills, heartburn pills, asthma inhalers, statins and bone or estrogen medicines are linked to cramps. Never stop one on your own.
- **One magnesium product at a time:** Muscle Eze, Mag Calm Pro or Mag-K. Too much gives loose stools.
- **Kidney disease?** Ask your prescriber before any magnesium product. **On an ACE inhibitor or ARB, or spironolactone, triamterene or amiloride?** Skip Mag-K unless your prescriber says yes.
- **On warfarin (Coumadin)?** K2 and CoQ10 affect it. Start neither without your prescriber.
- **On a statin?** Ask your pharmacist if CoQ10 fits you.
- **Pregnant, nursing, or on sleep or anxiety pills?** Ask your pharmacist first. Muscle Eze can make you drowsy.
- **Thyroid pills:** 4 hours apart from magnesium or calcium. Take **alendronate, doxycycline or ciprofloxacin** 2 hours before magnesium or calcium, or 6 hours after.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

NutriDyn


Patient name _____ Date _____

Nerve Pain and Neuropathy

Burning, tingling or numb feet and hands


Peripheral neuropathy means damage to the nerves outside the brain and spinal cord. The longest ones, which reach your toes, are hit first, so it often starts as burning, tingling or numb feet. More than **20 million Americans** are thought to have it. **High blood sugar is the top cause**, and many other causes can be found and treated.

WHERE YOU FEEL IT




INSIDE ONE NERVE FIBER *magnified*

HEALTHY NERVE FIBER — *signals travel fast and clear*



A thick coat (myelin) wraps the fiber, so signals jump fast from gap to gap.

DAMAGED NERVE FIBER — *signals slow, misfire or stop*



High sugar, low B12 and "rust" (oxidative stress) wear down the coat and the fiber.

KEY

- Nerves and nerve fiber
- Myelin coat
- Nerve signal
- Signal that fails
- Oxidative stress ("rust")
- Extra blood sugar (glucose)
- Numb or tingling area

WHAT YOU MAY FEEL

- **Burning** or sharp, electric jolts
- **Numb**, as if wearing socks or gloves
- **Poor balance**, stumbles and falls
- **Weak** muscles or cramps
- **Tingling**, pins and needles
- Often **worse at night**
- Cuts or blisters you **do not feel**
- Sometimes you **feel nothing** at first

COMMON CAUSES

- **High blood sugar:** diabetes or prediabetes **TOP CAUSE**
- **Heavy alcohol** use
- **Low thyroid** (hypothyroidism)
- **Infections** or autoimmune disease
- **Low vitamin B12**, as with metformin or acid blockers
- **Chemotherapy**, other medicines or too much B6
- **Kidney disease**
- **Family genes**

Ask for these checks

New numbness, tingling or burning? These tests find the most common causes, and many can be treated.

Blood sugar A1c: 3-month average

NORMAL	PREDIABETES	DIABETES
under 5.7%	5.7 to 6.4%	6.5% or more

Normal A1c? A 2-hour glucose test (sweet drink, then blood test) can catch early trouble.

My A1c _____

Vitamin B12

Test **before** you take B12. Low or borderline? An **MMA** (methylmalonic acid) test shows if it is really low. On metformin? Ask how often to recheck it.

My B12 _____

Thyroid TSH

An underactive thyroid can cause tingling too. **TSH** is the main thyroid blood test.

My TSH _____

Foot touch test

A thin nylon thread touched to your feet (10-gram monofilament). It does not hurt. Have diabetes? **Every year.**

Date _____

Your doctor may also check folate, a blood count, kidney and liver tests and a blood protein test.

ADA and American Academy of Neurology guidance

⚠ **Sudden numbness or weakness on one side, a drooping face or slurred speech: call 911. Get care right away** for numbness or weakness that comes on fast or spreads over days, a foot sore that will not heal, or a red, hot, swollen foot. **See your doctor soon** if numbness on one side only came on slowly.

Lifestyle Recommendations

Protect your nerves and your feet

Steady sugar
Protein and veggies first, fewer sweets.

Move most days
Walk, bike or swim. Practice balance.

Check your feet
Daily: look for cuts, blisters, red spots.

Guard your feet
No bare feet. Test bath water with your elbow.

Limit alcohol
Alcohol is toxic to nerves. Keep it low.

Stop smoking
Linked to nerve damage and slow healing.

Nutrient Support

What your body needs, and the NutriDyn formula that delivers it

START HERE

Healthy nerve function
PEA + alpha lipoic acid



Nerve Eze
60 capsules

- Supports healthy nerve function ◆
- PEA is a fat-based messenger your body makes too

IN EACH SERVING
Per capsule: 300 mg PEA (palmitoylethanolamide, as Levagen+), 150 mg alpha lipoic acid (ALA)

2 capsules a day = 600 mg PEA + 300 mg ALA. Vegetarian capsule.

1 capsule twice daily
morning and bedtime

Healthy blood sugar
dihydroberberine + ALA



Gluco IR
150 capsules · 30 servings

- Supports healthy blood sugar already in the normal range ◆
- With Nerve Eze: 600 mg of ALA a day

IN EACH SERVING
Per 5 capsules: 100 mg dihydroberberine, 300 mg ALA, 600 mcg chromium, 2,000 mcg biotin, 500 mg Ceylon cinnamon, plus fenugreek, stinging nettle, bitter melon, gymnema, green tea and banaba

5 capsules daily
with meals

Feed the nerve coat
after your B12 test



B12 Pro
60 quick-dissolve tablets

- Supports healthy myelin, the nerve's coat ◆
- Methylcobalamin, a ready-to-use form of B12 ◆

IN EACH SERVING
Per tablet: 5,000 mcg (5 mg) vitamin B12 as methylcobalamin, quick-dissolve

Cherry flavor, sweetened with xylitol and stevia. Vegetarian.

1 tablet daily
let it dissolve in your mouth

The B-vitamin team
active folate, B6 and B12



Methyl Complete
120 capsules

- Active forms, ready for your body to use ◆
- Supports healthy methylation ◆

IN EACH SERVING
Per 2 capsules: 1 mg B12 (methyl + adenosyl), 10 mg B6 (as P5P), 30 mg B2 (as R5P), 800 mcg DFE folate (L-5-MTHF), 500 mcg biotin, 5 mg zinc, 700 mg TMG, 500 mg NAC, 25 mg intrinsic factor (from pork)

2 capsules daily
with breakfast

Nerve membranes
omega-3s, EPA and DHA



Omega Pure EPA-DHA 1000
120 softgels

- Building blocks of nerve cell membranes ◆
- Supports a healthy inflammatory response ◆

IN EACH SERVING
Per softgel: 1,000 mg EPA + DHA from fish oil (730 mg EPA, 270 mg DHA)

Contains fish (anchovy, sardine, mackerel). Gelatin softgel.

1 softgel daily
with your evening meal

YOUR DAILY RHYTHM

Morning
Nerve Eze (1 capsule)
Gluco IR (3 capsules)
B12 Pro (1 tablet, if advised)
Methyl Complete (2 capsules)

Evening meal
Gluco IR (2 capsules)
Omega Pure EPA-DHA 1000 (1 softgel)

Bedtime
Nerve Eze (1 capsule)

The full plan is **11 pills a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

Keep taking your medicines.

- **Test B12 first (MMA if borderline):** B12 Pro and Methyl Complete make it read high. Years on metformin or acid blockers? Ask how often to recheck.
- **On diabetes medicine?** Gluco IR (dihydroberberine, chromium, ALA) and the ALA in Nerve Eze may add to it. Check your sugar more often and tell your prescriber.
- **Blood test coming?** Biotin (Gluco IR 2,000 mcg, Methyl Complete 500 mcg) can throw off heart, thyroid and other tests. Tell the lab; ask what to pause.
- **B6 adds up.** Methyl Complete has 10 mg; too much B6 can itself cause tingling. Show your pharmacist every bottle.
- **Pregnant or nursing, in cancer care, or on blood thinners or transplant medicines?** Ask your pharmacist (and your cancer doctor) before any of these.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

Patient name _____ Date _____


Better Sleep

When falling asleep or staying asleep is hard

Adults need **7 or more hours** of sleep, yet **more than 1 in 3** U.S. adults usually get less (CDC). **Insomnia** means trouble falling asleep, staying asleep, or waking too early, even with time to sleep. Sleep runs on a **body clock** in your brain: light sets it each morning, and the hormone **melatonin** tells your body that night has come.

YOUR BRAIN'S CLOCK


light by day, melatonin by night



1. Morning light sets your master clock and turns melatonin off.
2. When it gets dark, the clock signals the pineal gland.
3. The pineal gland releases melatonin, the body's night hormone.

ONE DAY, TWO HORMONES


your 24-hour rhythm



4. Before dawn, melatonin fades and cortisol rises.
- ! Bright light late at night delays melatonin.
- ! Stress can keep cortisol up at bedtime.

ONE NIGHT OF SLEEP

you cycle through these stages about every 90 minutes



- Deep sleep comes mostly early in the night.
- REM (dream) sleep grows longer toward morning.
- Short wake-ups between cycles are normal.

KEY

Daylight / Awake	Day signal / REM sleep	Night signal / Light sleep	Melatonin / Deep sleep	Cortisol

WHAT GETS IN THE WAY OF SLEEP

- Caffeine late in the day
- Screens, bright light at night
- Alcohol close to bedtime
- Changing sleep schedules
- Stress and a racing mind
- Hot flashes or pain
- Loud snoring, sleep apnea
- Decongestants, some medicines

Know your sleep

Tick what fits you, then go over it with your pharmacist.

How much sleep?

Ages 18–60	**7+ hours**
Ages 61–64	**7–9 hours**
Ages 65+	**7–8 hours**

My usual _____ **hours**

Is it long-term insomnia?

- ☐ Trouble falling or staying asleep, or waking too early
- ☐ 3 or more nights a week, for 3+ months
- ☐ Your days suffer: tired, moody or foggy

All 3? Ask about **CBT-I**, the sleep-coaching program experts recommend first.

Sleep apnea warning signs

- ☐ Loud snoring
- ☐ Gasping or breathing pauses in sleep
- ☐ Large collar size
- ☐ Sleepy or tired by day
- ☐ High blood pressure

Snoring or breathing pauses, plus one more box? Ask about a sleep test (a doctor orders it).

Sources: CDC; AASM (ICSD-3-TR; sleep apnea guideline 2009); American College of Physicians 2016.

Reset Your Sleep Clock

Habits from CBT-I, the sleep-coaching program experts recommend first

Morning: set the clock

- Get up at the same time every day, even after a rough night
- Get outdoor light within an hour of waking
- Once you wake, get up: your bed is for sleep

Day: build sleep drive

- Sleep drive builds while you are awake; naps drain it
- Skip naps, or keep them short and early
- Caffeine in the morning only
- Move your body most days

Night: wind down

- Dim lights and put screens away an hour before bed
- No alcohol or big meals late
- A cool, dark, quiet bedroom
- Awake 20 minutes? Get up. Go back to bed when sleepy

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

START HERE

Ease into sleep

melatonin + calming herbs



GoodNight
60 capsules · 30 servings

- Supports falling asleep and restful sleep ◆
- Melatonin plus lemon balm, hops and valerian

IN EACH SERVING
Per 2 capsules: 5 mg melatonin, 500 mg L-tryptophan, 300 mg lemon balm, 200 mg L-theanine, 120 mg hops, 100 mg valerian, 40 mg vitamin B6

1 to 2 capsules
1 hour before bed

Quiet a busy mind

GABA + L-theanine



Stress Essentials Calm
60 capsules · 30 servings

- Supports a calm, relaxed state of mind ◆
- For the wind-down hours before bed

IN EACH SERVING
Per 2 capsules: 500 mg GABA, 200 mg L-theanine

2 capsules
before bed

Evening wind-down

magnesium drink



Mag Calm Pro
About 60 servings

- Supports relaxation and a calm mood ◆
- Magnesium, inositol and taurine in one drink

IN EACH SERVING
Per scoop: 200 mg magnesium, 2 g myo-inositol, 500 mg taurine, 100 mg L-theanine (Suntheanine), 5 mg vitamin B6

1 scoop in 6 oz water
after dinner

Magnesium, no drink

instead of Mag Calm Pro



Magnesium Glycinate
60, 120, 160 or 320 capsules

- Helps maintain normal muscle and nerve function ◆
- Supports relaxation at bedtime ◆

IN EACH SERVING
Per 2 capsules: 260 mg magnesium (Albion magnesium malate and glycinate)

2 capsules
at bedtime

Handle daily stress

cortisol support



Stress Essentials Cortisol Pro
60 capsules · 30 servings

- Supports a healthy stress response ◆
- Helps keep cortisol at healthy levels ◆

IN EACH SERVING
Per 2 capsules: 300 mg maral, 250 mg rhodiola, 250 mg Relora, 150 mg ashwagandha, 100 mg L-theanine, 100 mg phosphatidylserine

2 capsules
in the morning

YOUR DAILY RHYTHM

Morning
Stress Essentials Cortisol Pro
2 capsules

Evening meal
Mag Calm Pro
1 scoop, or 2 Magnesium Glycinate capsules at bedtime

Bedtime
GoodNight
1 capsule, 1 hour before bed
Stress Essentials Calm 2 capsules

The full plan is **5 pills and 1 scoop a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

Keep taking your medicines.

- **Ask your pharmacist before GoodNight** if you take antidepressants (SSRIs, SNRIs, MAOIs), migraine triptans or sleep pills: it adds to them. Do not drive after a dose. Its B6 (up to 40 mg) adds up: tingling hands or feet? Stop it and ask.
- **Snoring or gasping?** Go over the apnea check on page 1 with your pharmacist. A doctor orders the sleep test; supplements are no substitute for apnea care.
- **Pick Mag Calm Pro (200 mg magnesium) or Magnesium Glycinate (260 mg), not both:** either stays under the 350 mg daily limit for supplements. Kidney disease or an antibiotic? Ask first. Keep it 4+ hours from thyroid or bone pills.
- **Pregnant, nursing or on medicine?** Ask your pharmacist first. **No Cortisol Pro if pregnant.** Its ashwagandha can raise thyroid levels and add to sleep pills. Yellow skin or eyes? Stop it and call a doctor.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.

Patient name _____ Date _____


Stress and Cortisol

How your stress system works, and how to steady it

Your brain and **adrenal glands** answer every stress, from a deadline to a sleepless night, as one team: the **HPA axis**. Its messenger, the hormone **cortisol**, gives you fuel and focus, then switches off. When stress never lets up, the system stays on alert and your daily rhythm can flatten: **tired in the morning, wired at night**.

YOUR STRESS SYSTEM

the HPA axis: H for hypothalamus, P for pituitary, A for adrenal glands



1 THE ALARM
When stress hits, your hypothalamus, deep in the brain, sends out a signal called CRH.

2 THE RELAY
Your pea-sized pituitary gland answers with ACTH, which travels through the blood.


3 THE RESPONSE
Your adrenal glands, on your kidneys, release cortisol. It raises blood sugar for quick fuel.

4 THE BRAKE
Cortisol tells the brain to ease off. When stress never lets up, the alarm stays on.

KEY
- Blue arrow: a stress signal (CRH, ACTH)
- Gold dot: cortisol
- Grey dashed arrow: the brake
- Yellow: adrenal glands, on the kidneys

YOUR CORTISOL CLOCK

one day, two rhythms



GREEN LINE: HEALTHY RHYTHM
High soon after you wake, to get you going. Lowest near midnight, so you can sleep.

RED DASHED LINE: LONG STRESS
The curve can flatten: a smaller morning rise and higher evening levels.

Shapes after Debono 2009, Stalder 2016, Miller 2007

WHEN STRESS RUNS TOO LONG

tick the signs that fit you, then go over them with your pharmacist

- ☐ Trouble sleeping
- ☐ Tired, even after sleep
- ☐ Headaches, tight muscles
- ☐ Foggy, hard to focus
- ☐ Anxious, cranky or low
- ☐ Upset stomach
- ☐ Sick more often
- ☐ Slow belly weight gain

Is it "adrenal fatigue"?

You may hear stress-tiredness called that, but it is **not a medical diagnosis**. A review of 58 studies found no proof that stress wears out the adrenal glands. What can change is your cortisol rhythm, and the daily habits on the back can help reset it.

See a doctor soon if you notice

Signs of too little cortisol
- Weight loss with deep tiredness
- Dizzy or faint when you stand
- Craving salt, darkening skin
- Nausea, vomiting or belly pain

Signs of too much cortisol
- A rounder, redder face with fast belly weight gain
- Wide purple stretch marks
- Easy bruising, weak thigh muscles
- New high blood pressure or blood sugar

On a steroid such as prednisone? Never stop it suddenly. **Thinking of harming yourself?** Call or text **988**, any time.

Sources: Endocrine Society guidelines (adrenal insufficiency 2016, 2024; Cushing's 2008); Pituitary Society 2021; Cadegiani 2016; Smith 2006; Miller 2007.

Steady Your Stress Response

Six daily habits that help reset your cortisol rhythm

Morning light
Get outdoors within an hour of waking.

Slow breathing
Five minutes a day of long, slow exhales.

Move daily
150 minutes a week. A brisk walk counts.

Protect sleep
7+ hours. Short nights raise cortisol.

Coffee by noon
Late coffee can cost you sleep.

Lean on people
Friends soften your stress response.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

START HERE — Stress response

stress herbs (adaptogens)



Stress Essentials Cortisol Pro
60 capsules

- Supports a healthy stress response ◆
- Helps maintain healthy cortisol levels ◆

IN EACH SERVING
Per 2 capsules: 300 mg maral root, 250 mg Relora bark, 250 mg rhodiola, 150 mg ashwagandha, 100 mg L-theanine, 100 mg phosphatidylserine

2 capsules daily
with breakfast

Daytime energy

mushroom plus stress herbs



Stress Essentials Balance
90 or 180 capsules

- Supports energy and stamina under stress ◆
- Helps your body adapt to daily demands ◆

IN EACH SERVING
Per 3 capsules: 800 mg cordyceps, 400 mg ashwagandha (Sensoril), 107 mg Asian ginseng extract, 100 mg rhodiola, 58 mg ginseng root

3 capsules at breakfast
half the label dose

Quiet a busy mind

calming amino acids



Stress Essentials Calm
60 capsules

- Promotes a calm, relaxed mood ◆
- Helps you unwind in the evening ◆

IN EACH SERVING
Per 2 capsules: 500 mg GABA, 200 mg L-theanine
Formerly Calm Eze

2 capsules daily
in the evening

Restore magnesium

magnesium, inositol, taurine



Mag Calm Pro
About 60 servings
Raspberry Lemon

- Supports relaxation and restful sleep ◆
- Stress can use up magnesium

IN EACH SERVING
Per scoop: 200 mg magnesium, 2 g myo-inositol, 500 mg taurine, 100 mg L-theanine, 5 mg vitamin B6

1 scoop in 6 oz water
at bedtime

Coming off a glandular?

only if you already take one



Stress Essentials Adrenal Renew
60 capsules

- Replaces your current glandular (dried cow adrenal)
- B vitamins and vitamin C for a healthy stress response ◆

IN EACH SERVING
Per 2 capsules: 300 mg vitamin C, 50 mg B1, 15 mg B2, 60 mg B6, 50 mg B5, 15 mg zinc, 300 mg cow adrenal, 200 mg holy basil, 100 mg L-tyrosine, 50 mg cow spleen

2 capsules at breakfast
then step down as directed

YOUR DAILY RHYTHM

Morning
Stress Essentials Cortisol Pro 2 capsules
Stress Essentials Balance 3 capsules

Evening meal
Stress Essentials Calm 2 capsules

Bedtime
Mag Calm Pro 1 scoop

The full plan is **7 pills and 1 scoop a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

Keep taking your medicines.

- **Ashwagandha** (Cortisol Pro, Balance): 550 mg a day. It can make sleep, anxiety or thyroid pills stronger: tell your pharmacist if you take any. Yellow skin or eyes, or dark urine? Stop both and call a doctor.
- **Adrenal Renew is a glandular** (dried cow adrenal): never with another. On prednisone, hydrocortisone or thyroid pills? Ask your pharmacist first, and stop glandulars slowly.
- **On warfarin, an antidepressant, or diabetes or heart medicine?** Rhodiola, ginseng and holy basil can change how some of these work. Ask your pharmacist first.
- **A day adds up to** 350 mg rhodiola and 400 mg L-theanine. With Adrenal Renew, B6 reaches 65 mg: tingling or numb hands or feet? Tell your pharmacist.
- **Pregnant, trying to get pregnant or breastfeeding?** Skip Cortisol Pro and Balance, and ask your pharmacist before the others.

Special considerations for you:

Recommended by _____ Phone _____

◆ **These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.**

NutriDyn

Patient name _____ Date _____


Thyroid Health

Underactive thyroid and Hashimoto's

Your **thyroid**, a butterfly-shaped gland in your neck, sets the pace of nearly every cell. Too little hormone slows the body down: an **underactive thyroid** (hypothyroidism). In the U.S. the usual cause is **Hashimoto's**, an immune attack on the gland.

HOW YOUR THYROID WORKS

a feedback loop, like a thermostat




1. **Hypothalamus:** checks levels, sends TRH to the pituitary.
2. **Pituitary:** answers with TSH, the "make more" signal.
3. **Thyroid:** uses iodine and iron to make T4 (and a little T3).
4. **Liver, kidneys, muscles:** turn T4 into active T3.
5. **Every cell:** T3 sets your energy, warmth and heartbeat.

Feedback: when levels are right, the brain eases off.

KEY — T4, storage form · T3, active form · TSH signal (from the pituitary) · Feedback · Se A nutrient that step needs

HASHIMOTO'S: THE IMMUNE SYSTEM TURNS ON THE THYROID

thyroid tissue, magnified



1. Immune cells mistake the thyroid for a threat.
2. They move in, and antibodies tag TPO, the gland's hormone-making enzyme.
3. Over months or years, the gland makes less hormone.
4. The pituitary pushes harder, so TSH rises. On a routine blood test, this is usually the first sign.

Linked to Hashimoto's: excess iodine (kelp, iodine drops).
Worth checking: your iron and vitamin D levels.

KEY
- Thyroid cells
- Stored hormone
- Immune cell
- TPO antibody

USUAL TREATMENT
Levothyroxine pills replace the missing hormone.

Signs of an underactive thyroid

Slow to show. Up to 1 in 10 Americans has a slow thyroid, treated or not. It can raise cholesterol.

Tired, low energy · Always cold · Weight gain · Dry skin, thinning hair · Constipation · Foggy thinking, low mood · Heavy or irregular periods · Slow heartbeat

Higher risk: women (5 to 8 times more likely than men), age 60 or older, a family history, type 1 diabetes, celiac or another autoimmune disease, a baby in the past 6 months, thyroid surgery, radioactive iodine, radiation to the neck or chest, and some medicines (lithium, amiodarone).

Know your numbers

Write your results in the boxes, then go over them with the provider who ordered them.

TSH the "make more" signal, mIU/L

Below 0.45	0.45 to 4.5	Above 4.5	My result
may be overactive, or too much medicine	a common normal range; lower in pregnancy	may be underactive: the brain pushes harder	

BEFORE ANY THYROID BLOOD TEST
Stop **biotin** (in Essential Multi, many multis and hair, skin and nail formulas) 2 to 3 days ahead. It can make results look falsely high or low.

Free T4	TPO antibodies	Ferritin	Vitamin D
the main thyroid hormone	positive: a sign of Hashimoto's	your iron stores **low: under 30 ng/mL**	25-hydroxy vitamin D **low: under 20 ng/mL**

Sources: NIDDK; American Thyroid Assn.; Surks 2004; Wyne 2022; Kotwal 2020; Hu and Rayman 2017; Li 2017; IOM 2011; British Soc. of Gastroenterology 2021.

Lifestyle Recommendations

Whole-food plate
Fish, eggs, beans, nuts and seeds bring selenium, zinc and iron.

Go easy on iodine
No kelp or iodine drops. Iodized salt or a multi (150 mcg) is plenty.

Move most days
Walk most days. Add strength work 2 to 3 days a week.

Sleep 7 to 9 hours
Steady sleep helps energy, mood and weight.

Ask about celiac
More common with thyroid disease. Test before you cut gluten.

Same time daily
Take thyroid medicine the same way each day, with water only.

Nutrient Solutions

What your body needs, and the NutriDyn formula that delivers it

START HERE — Thyroid nutrient base
selenium, zinc and more



Essential Multi
90 capsules · 30 servings

- Selenium and zinc support thyroid health ◆
- Iodine at a normal dose (150 mcg)

IN EACH SERVING
Per 3 capsules: 100 mcg selenium, 15 mg zinc, 150 mcg iodine, 1,000 IU D3, 500 mcg biotin, 120 mcg vitamin K; no iron

3 capsules with dinner
4 hours after thyroid meds

Vitamin D
only if your level is low



D3 5000 with K2
60 softgels

- Supports healthy immune function ◆
- K2 helps put calcium to work in bone ◆

IN EACH SERVING
5,000 IU (125 mcg) vitamin D3, 60 mcg vitamin K2 (MK-7), 15 mcg vitamin K1

1 softgel with dinner
short term; recheck D levels

Iron
only if ferritin is low



Iron Support
180 capsules

- Supports healthy iron levels and energy ◆
- Iron supports TPO, the thyroid's hormone-making enzyme ◆

IN EACH SERVING
29 mg iron (bisglycinate), 80 mg vitamin C, 350 mcg B12, 1,020 mcg DFE folate, 5 mg B6, 1 mg copper

1 capsule at bedtime
4 hours from thyroid meds

Gut balance
for steady digestion



UltraBiotic Daily Multi-Strain
30 or 60 capsules

- Supports a healthy gut microbiome ◆
- Supports regular, comfortable digestion ◆

IN EACH SERVING
30 billion CFU when made: S. boulardii, L. reuteri, B. lactis, L. plantarum, L. acidophilus, L. gasseri, Bacillus coagulans

1 capsule with breakfast
after your thyroid medicine

Omega-3s
for heart health



Omega Pure EPA-DHA 1000
120 softgels

- Supports a healthy inflammatory response ◆
- Supports heart health and healthy triglycerides ◆

IN EACH SERVING
1,000 mg EPA + DHA per softgel (730 mg EPA, 270 mg DHA)

1 softgel with dinner
same meal as the multi

YOUR DAILY RHYTHM

Morning
UltraBiotic Daily Multi-Strain
1 capsule

Evening meal
Essential Multi
3 capsules
D3 5000 with K2
1 softgel, if D is low
Omega Pure EPA-DHA 1000
1 softgel

Bedtime
Iron Support
1 capsule, if ferritin is low

The full plan is **7 pills a day**. Overwhelmed? Start with the **Start here** pick, then add one product a week.

PHARMACIST CHECK

Keep taking your medicines.

- **Thyroid medicine alone:** water, empty stomach, 30 to 60 minutes before breakfast. Iron, calcium, magnesium, antacids and multis 4 hours later. Bedtime dose? Ask your pharmacist to re-time them.
- **Biotin can throw off thyroid labs.** It is in many multis (Essential Multi too) and hair, skin and nail formulas. Stop it 2 to 3 days before a blood test.
- **D3 5000 and Iron Support need a low lab first.** With the multi, D3 is 6,000 IU a day, over the 4,000 IU upper limit: recheck it.
- **On warfarin or another blood thinner?** Skip D3 5000 with K2 (its label says so); ask your pharmacist about plain D3 5000 and the multi's vitamin K.
- **Never change your thyroid dose on your own.** Glandular thyroid products can hold real hormone. **Pregnant or planning?** Tell your prescriber right away: the dose usually goes up, and iodine needs rise.

Special considerations for you:

Recommended by _____ Phone _____

◆ These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure, or prevent any disease.