

Mapping from generic IDSR COVID-19 data to OMOP 6.0

Section: 03 Specimen Collection

Contents

| | |
|---|----|
| Source Data Mapping Approach to CDMV6.0 | 2 |
| Table name: observation | 3 |
| Table name: specimen | 13 |
| Appendix: source tables | 20 |

Source Data Mapping Approach to CDMV6.0



Table name: observation

The OBSERVATION table captures clinical facts about a Person obtained in the context of examination, questioning or a procedure. Any data that cannot be represented by any other domains, such as social and lifestyle facts, medical history, family history, etc. are recorded here. New to CDM v6.0 An Observation can now be linked to other records in the CDM instance using the fields OBSERVATION_EVENT_ID and OBS_EVENT_FIELD_CONCEPT_ID. To link another record to an Observation, the primary key goes in OBSERVATION_EVENT_ID (CONDITION_OCCURRENCE_ID, DRUG_EXPOSURE_ID, etc.) and the Concept representing the field where the OBSERVATION_EVENT_ID was taken from go in the OBS_EVENT_FIELD_CONCEPT_ID.

Reading from who_idsr_synthetic_v1



| Destination Field | Source Field | Logic | Comment |
|-------------------|--------------|-------|---|
| observation_id | | | <p>A unique key given to an Observation record for a Person. Each instance of an observation present in the source data should be assigned this unique key. This is to be an auto generated number (integer) for every recorded inserted.</p> <p>Data type: bigint</p> <p>Required: yes</p> <p>Primary key: yes</p> <p>Foreign key: no</p> <p>Foreign key table: n/a</p> <p>Foreign key domain: n/a</p> |
| person_id | | | <p>The PERSON_ID of the Person for whom the Observation is recorded.</p> |

| | | | |
|------------------------|--|--|--|
| | | | <p>Data type: bigint</p> <p>Required: yes</p> <p>Primary key: no</p> <p>Foreign key: yes</p> <p>Foreign key table: PERSON</p> <p>Foreign key domain: n/a</p> <p>Important note for ETL: This is a foreign key referencing to the person_id in the PERSON table.</p> |
| observation_concept_id | | | <p>The CONCEPT_ID that the OBSERVATION_SOURCE_CONCEPT_ID maps to. There is no specified domain that the Concepts in this table must adhere to. The only rule is that records with Concepts in the Condition, Procedure, Drug, Measurement, or Device domains MUST go to the corresponding table.</p> <p>Sample sent to laboratory for test -> 4013828</p> <p>Data type: integer</p> <p>Required: yes</p> <p>Primary key: no</p> <p>Foreign key: yes</p> <p>Foreign key table: CONCEPT</p> <p>Foreign key domain: Observation</p> <p>Important note for ETL: If no code is found, set it to 0.</p> |

| | | | |
|-----------------------------|-------------------------|--|--|
| observation_date | date_specimen_collected | Populate this with the value with the date the specimen was collected for laboratory test (date_specimen_collected) for testing. | <p>Store it in YYYY-MM-DD format.</p> <p>The date of the Observation.</p> <p>Data type: date</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: no</p> <p>Foreign key table: n/a</p> <p>Foreign key domain: n/a</p> |
| observation_datetime | date_specimen_collected | Populate this with the value with the date the specimen was collected for laboratory test (date_specimen_collected) for testing. | <p>Store it in YYYY-MM-DD HH:MM:ss format. Since no time is specified in the source data so set it to midnight (00:00:00).</p> <p>The date of the Observation. If no time is given set to midnight (00:00:00).</p> <p>Data type: datetime (datetime without timezone)</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: no</p> <p>Foreign key table: n/a</p> <p>Foreign key domain: n/a</p> |
| observation_type_concept_id | | | <p>Observation type concept id: 32809 for case report form</p> <p>Data type: integer</p> <p>Required: yes</p> <p>Primary key: no</p> <p>Foreign key: yes</p> <p>Foreign key table: CONCEPT</p> |

| | | | |
|---------------------|--|--------------------------------|--|
| | | | <p>Foreign key domain: Type concept</p> <p>Important note for ETL: If no code is found, set it to 0.</p> |
| value_as_number | | | <p>This is the numerical value of the Result of the Observation. It is not expected that all Observations will have numeric results, rather, this field is here to house values should they exist.</p> <p>Set it to NULL.</p> <p>Data type: float</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: no</p> <p>Foreign key table: n/a</p> <p>Foreign key domain: n/a</p> |
| value_as_string | | | <p>This is the categorical value of the Result of the Observation, if applicable and available.</p> <p>Set it to NUL.</p> <p>Data type: varchar(60)</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: no</p> <p>Foreign key table: n/a</p> <p>Foreign key domain: n/a</p> |
| value_as_concept_id | | Sample sent for examination => | <p>The value of VALUE_AS_CONCEPT_ID may</p> |

| | | | |
|----------------------|--|---------|--|
| | | 4057740 | <p>be provided through mapping from a source Concept which contains the content of the Observation.</p> <p>Data type: integer</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: yes</p> <p>Foreign key table: CONCEPT</p> <p>Foreign key domain: n/a</p> |
| qualifier_concept_id | | | <p>This field contains all attributes specifying the clinical fact further, such as as degrees, severities, drug-drug interaction alerts etc. Here we are using it to specify the adequacy of the specimen collected.</p> <p>Set it to NULL.</p> <p>Data type: integer</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: yes</p> <p>Foreign key table: CONCEPT</p> <p>Foreign key domain: n/a</p> |
| unit_concept_id | | | <p>There is no standardization requirement for units associated with OBSERVATION_CONCEPT_IDs.</p> <p>Set it to NULL.</p> |

| | | | |
|---------------------|--|--|--|
| | | | <p>Data type: integer</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: yes</p> <p>Foreign key table: CONCEPT</p> <p>Foreign key domain: n/a</p> |
| provider_id | | | <p>This is a foreign key referencing to the provider_id in the PROVIDER table.</p> <p>Data type: bigint</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: yes</p> <p>Foreign key table: Provider</p> <p>Foreign key domain: n/a</p> |
| visit_occurrence_id | | | <p>The visit during which the condition occurred or has been reported. This is a foreign key referencing to the visit_occurrence_id in the VISIT_OCCURRENCE table.</p> <p>Data type: bigint</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: Yes</p> <p>Foreign key table: VISIT_OCCURRENCE</p> <p>Foreign key domain: n/a</p> |
| visit_detail_id | | | <p>The VISIT_DETAIL record during which the condition occurred or has been reported. This is a foreign key</p> |

| | | | |
|-------------------------------|--|--|--|
| | | | <p>referencing to the visit_detail_id in the VISIT_DETAIL table.</p> <p>Data type: bigint</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: Yes</p> <p>Foreign key table: VISIT_DETAIL</p> <p>Foreign key domain: n/a</p> |
| observation_source_value | | | <p>This field houses the verbatim value from the source data representing the Observation that occurred.</p> <p>Data type: varchar(50)</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: no</p> <p>Foreign key table: n/a</p> <p>Foreign key domain: n/a</p> |
| observation_source_concept_id | | | <p>If the OBSERVATION_SOURCE_VALUE is coded in the source data using an OMOP supported vocabulary put the concept id representing the source value here. If not available, set to 0.</p> <p>1) Complete -> 4112431</p> <p>2) Not complete -> 4256478 (Stopped before completion)</p> <p>3) No code found -> 0</p> |

| | | | |
|------------------------|--|--|--|
| unit_source_value | | | <p>Data type: integer</p> <p>Required: yes</p> <p>Primary key: no</p> <p>Foreign key: yes</p> <p>Foreign key table: CONCEPT</p> <p>Foreign key domain: n/a</p> <p>This field houses the verbatim value from the source data representing the unit of the Observation that occurred. This code is mapped to a Standard Condition Concept in the Standardized Vocabularies and the original code is stored here for reference.</p> <p>Set it to NULL.</p> <p>Data type: varchar(50)</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: no</p> <p>Foreign key table: n/a</p> <p>Foreign key domain: n/a</p> |
| qualifier_source_value | | | <p>This field houses the verbatim value from the source data representing the qualifier of the Observation that occurred. This code is mapped to a Standard Condition Concept in the Standardized Vocabularies and the original code is stored here for reference.</p> <p>Set it to NULL.</p> |

| | | | |
|----------------------------|--|--|---|
| observation_event_id | | | <p>Data type: varchar(50)</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: no</p> <p>Foreign key table: n/a</p> <p>Foreign key domain: n/a</p> <p>If the Observation record is related to another record in the database, this field is the primary key of the linked record.</p> <p>Set it to NULL</p> <p>Data type: bigint</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: no</p> <p>Foreign key table: n/a</p> <p>Foreign key domain: n/a</p> |
| obs_event_field_concept_id | | | <p>If the Observation record is related to another record in the database, this field is the CONCEPT_ID that identifies which table the primary key of the linked record came from.</p> <p>Set it to 0 (zero).</p> <p>Data type: bigint</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: Yes</p> <p>Foreign key table: CONCEPT</p> |

| | | | |
|-------------------|--|--|--|
| | | | Foreign key domain: n/a |
| value_as_datetime | | | <p>It is possible that some Observation records might store a result as a date value.</p> <p>Set it to NULL.</p> <p>Data type: datetime (datetime without timezone)</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: no</p> <p>Foreign key table: n/a</p> <p>Foreign key domain: n/a</p> |

Table name: specimen

The specimen domain contains the records identifying biological samples from a person.

Reading from who_idsr_synthetic_v1



| Destination Field | Source Field | Logic | Comment |
|-------------------|--------------|-------|--|
| specimen_id | | | <div>Unique identifier for each specimen. This is to be an auto generated number (integer) for every recorded inserted.</div> <div>Data type: bigint</div> <div>Required: yes</div> <div>Primary key: yes</div> <div>Foreign key: no</div> <div>Foreign key table: n/a</div> <div>Foreign key domain: n/a</div> |
| person_id | | | <div>The person from whom the specimen is collected.</div> <div>Data type: bigint</div> <div>Required: yes</div> <div>Primary key: no</div> <div>Foreign key: yes</div> <div>Foreign key table: PERSON</div> <div>Foreign key domain: n/a</div> <div>Important note for ETL: This is a foreign key referencing to the person_id in the</div> |

| | | |
|--------------------------|--|--|
| | | PERSON table. |
| specimen_concept_id | | <p>The standard CONCEPT_ID that the SPECIMEN_SOURCE_VALUE maps to in the specimen domain.</p> <p>Here the specimen is of Nasopharyngeal swab and Oropharyngeal swab for COVID-19 test.</p> <p>Nasopharyngeal swab (NP Swab) -> 4122259</p> <p>Oropharyngeal swab (OP Swab) -> 42606036</p> <p>Take two instances of each collection for this specimen.</p> <p>Data type: integer</p> <p>Required: yes</p> <p>Primary key: no</p> <p>Foreign key: yes</p> <p>Foreign key table: CONCEPT</p> <p>Foreign key domain: Specimen</p> |
| specimen_type_concept_id | | <p>Put the source of the specimen record, as in an EHR system. Case report form = 32809</p> <p>Data type: integer</p> <p>Required: yes</p> <p>Primary key: no</p> <p>Foreign key: yes</p> |

| | | | |
|-------------------|-------------------------|--|---|
| | | | <p>Foreign key table: CONCEPT</p> <p>Foreign key domain: Type concept</p> |
| specimen_date | date_specimen_collected | <p>Populate this with the value from date of sample specimen collection (date_specimen_collected).</p> | <p>Store it in YYYY-MM-DD format.</p> <p>The date the specimen was collected.</p> <p>Data type: date</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: no</p> <p>Foreign key table: n/a</p> <p>Foreign key domain: n/a</p> |
| specimen_datetime | date_specimen_collected | <p>Populate this with the value from date of sample specimen collection (date_specimen_collected).</p> | <p>Store it in YYYY-MM-DD HH:MM:ss format.</p> <p>Since no time is specified in the source data so set it to midnight (00:00:00).</p> <p>The date and time the specimen was collected.</p> <p>Data type: datetime (without time zone)</p> <p>Required: yes</p> <p>Primary key: no</p> <p>Foreign key: no</p> <p>Foreign key table: n/a</p> <p>Foreign key domain: n/a</p> |
| quantity | | | <p>The amount of specimen collected from the person.</p> <p>Set it to NULL.</p> |

| | | |
|--------------------------|--|---|
| unit_concept_id | | <p>Data type: float</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: no</p> <p>Foreign key table: n/a</p> <p>Foreign key domain: n/a</p> <p>The unit for the quantity of the specimen. Map the UNIT_SOURCE_VALUE to a Standard Concept in the Unit domain.</p> <p>Set it to NULL.</p> <p>Data type: integer</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: yes</p> <p>Foreign key table: CONCEPT</p> <p>Foreign key domain: n/a</p> |
| anatomic_site_concept_id | | <p>This is the site on the body where the specimen is from. Map the ANATOMIC_SITE_SOURCE_VALUE to a Standard Concept in the Spec Anatomic Site domain.</p> <p>This should be coded at the lowest level of granularity.</p> <p>Set it to 0 (zero).</p> <p>Data type: integer</p> <p>Required: yes</p> |

| | | |
|---------------------------|--|--|
| | | <p>Primary key: no</p> <p>Foreign key: yes</p> <p>Foreign key table: CONCEPT</p> <p>Foreign key domain: n/a</p> |
| disease_status_concept_id | | <p>Set it to 0 (zero).</p> <p>Data type: integer</p> <p>Required: yes</p> <p>Primary key: no</p> <p>Foreign key: yes</p> <p>Foreign key table: PERSON</p> <p>Foreign key domain: n/a</p> |
| specimen_source_id | | <p>This is the identifier for the specimen from the source system.</p> <p>Set it to NULL.</p> <p>Data type: varchar(50)</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: no</p> <p>Foreign key table: n/a</p> <p>Foreign key domain: n/a</p> |
| specimen_source_value | | <p>Set it to NULL.</p> <p>Data type: varchar(50)</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: no</p> <p>Foreign key table: n/a</p> |

| | | |
|-----------------------------|--|--|
| | | Foreign key domain: n/a |
| unit_source_value | | <p>This unit for the quantity of the specimen, as represented in the source.</p> <p>Set it to NULL.</p> <p>Data type: varchar(50)</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: no</p> <p>Foreign key table: n/a</p> <p>Foreign key domain: n/a</p> |
| anatomic_site_source_value | | <p>This is the site on the body where the specimen was taken from, as represented in the source.</p> <p>Set it to NULL.</p> <p>Data type: varchar(50)</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: no</p> <p>Foreign key table: n/a</p> <p>Foreign key domain: n/a</p> |
| disease_status_source_value | | <p>Set it to NULL.</p> <p>Data type: varchar(50)</p> <p>Required: no</p> <p>Primary key: no</p> <p>Foreign key: no</p> |

| | | |
|--|--|---|
| | | Foreign key table: n/a Foreign key domain: n/a |
|--|--|---|

Appendix: source tables

Table: who_idsr_synthetic_v1

| Field | Type | Most freq. value | Comment |
|------------------------|-------------------|-----------------------------------|---------|
| recnr | bigint | | |
| rec_identifier | text | | |
| report_country | character varying | Wakanda | |
| report_province | character varying | Northern | |
| report_district | character varying | Mena Ngai | |
| report_site | character varying | Public Healthcare Services Center | |
| diagnosis | character varying | | |
| patient_type | character varying | Out-Patient | |
| date_health_facility | date | 2022-03-25 | |
| patient_name | character varying | Baba P | |
| patient_dob | date | 2003-12-29 | |
| age_years | integer | 21 | |
| age_months | integer | 0 | |
| age_days | integer | 15 | |
| patient_sex | character varying | Male | |
| patient_residence | character varying | Lion cult | |
| patient_town_city | character varying | | |
| patient_district | character varying | Mena Ngai | |
| patient_area_type | character varying | Urban | |
| patient_address | character varying | | |
| patient_occupation | character varying | | |
| date_onset_symptoms | date | 2021-01-08 | |
| travel_history | character varying | No | |
| travel_destination | character varying | | |
| vaccine_doses_received | integer | 99 | |
| date_last_vaccine | date | | |
| vaccine_name | character varying | | |

| | | | |
|---------------------------------|-------------------|-----------------|--|
| date_specimen_collected | date | 2020-08-15 | |
| date_specimen_sent_lab | date | 2021-07-03 | |
| lab_result | character varying | Negative | |
| outcome | character varying | Transferred out | |
| final_classification | character varying | | |
| date_form_sent_district | date | 2022-05-18 | |
| date_facility_notified_district | date | 2022-08-19 | |
| person_form_complete | character varying | Everett Ross | |