backend 1.0 OAS3

https://localhost:15000/swagger/v1/swagger.json

## Files   ∧

POST   `/Files/images`   ∧

Parameters   [Try it out]

No parameters

Request body   [multipart/form-data]

file
`string($binary)`

Responses

Code	Description	Links
200	Success	*No links*

Login   ∧

POST   `/Login`   ∧

Parameters

Try it out

No parameters

Request body   application/json

Example Value   Schema

```
{
  "id": 0,
  "name": "string",
  "username": "string",
  "email": "string",
  "password": "string",
  "createdAt": "2023-04-27T00:38:46.581Z"
}
```

Responses

Code	Description	Links
200	Success	*No links*

Properties ︿

| GET | /Properties | ︿ |

Parameters   Try it out

No parameters

Responses

Code	Description	Links
200	Success	*No links*

Code	Description	Links

Media type

```
text/plain
```

Controls `Accept` header.

Example Value   Schema

```
[
  {
    "id": 0,
    "name": "string",
    "address": "string",
    "city": "string",
    "state": "string",
    "photo": "string",
    "status": "string",
    "beds": 0,
    "baths": 0,
    "weekRent": 0,
    "model": "string"
  }
]
```

POST   `/Properties`   ∧

Parameters   Try it out

No parameters

Request body   application/json

Example Value   Schema

```
{
  "id": 0,
  "name": "string",
  "address": "string",
  "city": "string",
  "state": "string",
  "photo": "string",
  "status": "string",
  "beds": 0,
  "baths": 0,
  "weekRent": 0,
  "model": "string"
}
```

Responses

Code	Description	Links
200	Success	*No links*

Media type

text/plain

Controls `Accept` header.

Example Value   Schema

```
{
  "id": 0,
  "name": "string",
  "address": "string",
  "city": "string",
  "state": "string",
  "photo": "string",
  "status": "string",
  "beds": 0,
  "baths": 0,
  "weekRent": 0,
  "model": "string"
}
```

PUT   `/Properties`   ⌃

Parameters   Try it out

No parameters

Request body   application/json

Example Value   Schema

```
{
  "id": 0,
  "name": "string",
  "address": "string",
  "city": "string",
  "state": "string",
  "photo": "string",
  "status": "string",
  "beds": 0,
  "baths": 0,
  "weekRent": 0,
  "model": "string"
}
```

Responses

Code	Description	Links
200	Success	*No links*

Media type

```
text/plain
```

Controls `Accept` header.

Example Value   Schema

```
{
  "id": 0,
  "name": "string",
  "address": "string",
  "city": "string",
  "state": "string",
  "photo": "string",
  "status": "string",
  "beds": 0,
  "baths": 0,
  "weekRent": 0,
  "model": "string"
}
```

GET   `/Properties/{id}`   ⌃

Parameters

[Try it out]

Name	Description
id * required `integer($int32)` *(path)*	[id]

Responses

Code	Description	Links
200	Success	*No links*

Media type

```
text/plain
```

Controls `Accept` header.

Example Value   Schema

```
{
  "id": 0,
  "name": "string",
  "address": "string",
  "city": "string",
  "state": "string",
  "photo": "string",
  "status": "string",
  "beds": 0,
  "baths": 0,
  "weekRent": 0,
  "model": "string"
}
```

DELETE   `/Properties/{id}`   ⌃

Parameters   Try it out

Name	Description
id * required `integer($int32)` *(path)*	id

Responses

Code	Description	Links
200	Success	*No links*

Media type

Code	Description	Links

text/plain

Controls `Accept` header.

Example Value   Schema

```
{
  "id": 0,
  "name": "string",
  "address": "string",
  "city": "string",
  "state": "string",
  "photo": "string",
  "status": "string",
  "beds": 0,
  "baths": 0,
  "weekRent": 0,
  "model": "string"
}
```

Users   ⌃

GET	/Users	⌃

Parameters

[Try it out]

No parameters

Responses

Code	Description	Links
200		*No links*

Success

Media type

text/plain

Controls `Accept` header.

Example Value   Schema

```
[
  {
    "id": 0,
    "name": "string",
    "username": "string",
```

Code	Description	Links

```
          "email": "string",
          "password": "string",
          "createdAt": "2023-04-27T00:38:46.591Z"
        }
      ]
```

POST   /Users   ⌄

Parameters   [Try it out]

No parameters

Request body   [application/json]

Example Value   Schema

```
{
  "id": 0,
  "name": "string",
  "username": "string",
  "email": "string",
  "password": "string",
  "createdAt": "2023-04-27T00:38:46.593Z"
}
```

Responses

Code	Description	Links
200	Success	*No links*

Media type

[**text/plain**]

Controls `Accept` header.

Example Value   Schema

```
{
  "id": 0,
  "name": "string",
  "username": "string",
  "email": "string",
  "password": "string",
```

Code	Description	Links

```
        "createdAt": "2023-04-27T00:38:46.593Z"
      }
```

PUT   /Users   ∧

Parameters   Try it out

No parameters

Request body   application/json

Example Value   Schema

```
{
  "id": 0,
  "name": "string",
  "username": "string",
  "email": "string",
  "password": "string",
  "createdAt": "2023-04-27T00:38:46.594Z"
}
```

Responses

Code	Description	Links
200	Success	No links

Media type

```
text/plain
```

Controls `Accept` header.

Example Value   Schema

```
{
  "id": 0,
  "name": "string",
  "username": "string",
  "email": "string",
  "password": "string",
  "createdAt": "2023-04-27T00:38:46.595Z"
}
```

GET   /Users/{id}   ⌃

Parameters   Try it out

Name	Description
id * required integer($int32) *(path)*	id

Responses

Code	Description	Links
200	Success	No links

Media type

```
text/plain
```

Controls `Accept` header.

Example Value   Schema

Code	Description	Links

```
{
  "id": 0,
  "name": "string",
  "username": "string",
  "email": "string",
  "password": "string",
  "createdAt": "2023-04-27T00:38:46.596Z"
}
```

DELETE /Users/{id}   ⌃

Parameters

<div style="text-align:right">

Try it out

</div>

Name	Description
id * required integer($int32) *(path)*	id

Responses

Code	Description	Links
200	Success	*No links*

Media type

text/plain

Controls `Accept` header.

Example Value   Schema

```
{
  "id": 0,
  "name": "string",
  "username": "string",
  "email": "string",
  "password": "string",
  "createdAt": "2023-04-27T00:38:46.597Z"
}
```

Schemas

Property

User