

HULTI-GEN v2.0 - Quickstart Guide

Applied Psychoacoustics Laboratory
The University of Huddersfield

October 2020

Contents

1	Creating a new test	2
1.1	Step 1 - Test method setup	3
1.2	Step 2 - Customising the test interface	3
1.3	Step 3 - Loading and assigning stimuli	3
2	Running a test	4

Creating a new test

HULTI-GEN provides a step-by-step, test creation setup assistant. This assistant guides you through selecting a test method appropriate for your experiment, setting the parameters for your chosen method, customising the interface¹, adding stimuli, and assigning the stimuli into sessions and groups.

To create a new test, from the main menu you first see when you first open HULTI-GEN, click the 'Create' button.




Figure 1.1: Click on the 'Create' button to begin the test setup assistant.

¹Currently only available for grading tests

1.1 Step 1 - Test method setup

Each test method available in HULTI-GEN is grouped by *Procedure* and *Task*. Procedure groups each task by its testing process. There are currently three available procedures:

- Grading
- Non-adaptive psychophysical
- Adaptive psychophysical

Task is specific task the subjects will carry out during the experiment, e.g. MUSHRA.

1.2 Step 2 - Customising the test interface

1.3 Step 3 - Loading and assigning stimuli

Running a test