

# TITLE

AUTHOR1, AUTHOR2

# Outline

## Structure

- Subsections and Navigation
- Multiple Images
- Huge Image with no Footline
- Cite

## Options

- Description
- Application

Hier kommt Text!

## Ein “normaler” Block

Inhalt hier.

itemize und enumerate:

- ▶ Ein Punkt
    - ▶ Ein Unterpunkt
  - ▶ Noch ein Punkt
1. Ein Punkt
    - 1.1 Ein Unterpunkt
  2. Noch ein Punkt

# Ein Block

## Ein Folien-Untertitel

Ein Alert-Block!

Hier kommt Rot ins Spiel!

Ein Example-Block

Hier kommt Grün ins Spiel!

# Subsections and Navigation



framesubtitle

The iframe environment automatically uses the subsection as frametitle.  
Then the structure is preserved in the toc.  
This allows the user to navigate to sections by clicking on them.

# Multiple Images

subfigures

- ▶ as
- ▶ above



- ▶ so
- ▶ below

# Multiple Images

isplit

Image 1






Image 2



$$\Gamma_{\text{eik}}^{\mu} = g_s T^j \frac{\Delta_i v^{\mu}}{\delta_i v \cdot k + i\epsilon}$$

Huge Image with no Footline





# Cite

- ▶ Only cite arxiv: [arXiv: hep-ph/0011222],[arXiv: hep-ph/0201036]
- ▶ Footnote cite:<sup>1</sup>
- ▶ Default cite: [2]

Print bibliography:

1. Catani, S., Dittmaier, S. & Trocsanyi, Z. One loop singular behavior of QCD and SUSY QCD amplitudes with massive partons. *Phys. Lett. B* **500**, 149–160. arXiv: hep-ph/0011222 (2001).
2. Catani, S., Dittmaier, S., Seymour, M. H. & Trocsanyi, Z. The Dipole formalism for next-to-leading order QCD calculations with massive partons. *Nucl. Phys. B* **627**, 189–265. arXiv: hep-ph/0201036 (2002).

---

<sup>1</sup>Catani, S. *et al.* *Nucl. Phys. B* **627**, 189–265. arXiv: hep-ph/0201036 (2002).

# Description

There are several boolean flags set if one includes/imports/inputs various files in “/tex/conf/”. Some default constellations are available via the default main files:

**Notes:** show notes on second half of the slides.

**Long:** include/exclude with `\iflong{}`, `\ifnotlong{}`.

**Theme:** switch in “/tex/conf/theme.tex”.

**Language:** English default (`\ifger{de text}{en text}`, for bilingual).

**Alignment:** `\itframe` and `\icframe` allow to switch between top and centered text alignment. Set the global behaviour with `\renewcommand{\ialignment}{t}` (default is c).

**Font:** put “Meta Office Pro” “\*.ttf” files in “font/” folder for WWU theme else resorts to the font theme “professionalfonts”.

## Options

Here we adjusted `\renewcommand {\ialignment}{t}` and `\renewcommand {\iframetitle}{\secname}` to adjust alignment and the show the section as title.

Thank you!