

Dear Member.

The following document is being circulated for vote at CENELEC level:

Work Item Number : 61916

CLC reference : FprEN 62890:2016

Reference document : IEC 62890:201X (65/617/CDV) (EQV)

Title : Life-cycle management for systems and products used in industrial-process

measurement, control and automation

Technical Body : CLC/TC 65X IEC/TC : IEC/TC 65

Procedure : Parallel Vote on CDV

BT decision : -

 Submission date
 : 2016-02-12

 Deadline
 : 2016-05-13

 doa
 : dor + 3 months

 dop
 : dor + 9 months

 dow
 : dor + 36 months

Directive(s) : Mandate(s) : Supersedes : Available languages : Document link : -

(Acting) Secretary: Dr Marcus AdamsAssistant Secretary: Mr Bernard DumortierChairman/Convenor: Mr Regnar Schultz

Permanent Delegate : c.c : CCMC comment : -

CCMC general remarks:

- The National Committees are invited to check carefully the validity of the proposed implementation dates and Directive(s).
- Superseded documents are withdrawn at the dow of the new EN/HD or at the publication date of the new TS/TR.
- If the above project is submitted simultaneously to the IEC voting procedure in the framework of the IEC/CENELEC cooperation agreement (parallel procedure) you will receive the text of the document from the IEC Central Office. Should your vote be different in IEC and CENELEC, a detailed technical justification shall be sent to the CCMC, with copy to the IEC Central Office.
- If the above project is an amendment circulated to withdraw special national conditions and/or A-deviations from a standard the National Committees are invited to check their national situation regarding the same standard and to inform the CCMC of any change, with a copy to the Secretary of the relevant Technical Body. There is no possibility to vote through the usual online voting system.

Yours sincerely,

Standards Publications
production@cencenelec.eu
CEN-CENELEC Management Centre
17 avenue Marnix
B-1000 Brussels
Belgium



65/617/CDV

COMMITTEE DRAFT FOR VOTE (CDV) PROJET DE COMITÉ POUR VOTE (CDV)

	Project number Numéro de projet	IEC 62	890 Ed. 1.0		
	IEC/TC or SC: 65 CEI/CE ou SC:		Secretariat / Secrétariat France		
Submitted for parallel voting in CENELEC Soumis au vote parallèle au CENELEC	Date of circulation Date de diffusion 2016-02-12		Closing date for voting (Voting mandatory for P-members) Date de clôture du vote (Vote obligatoire pour les membres (P)) 2016-05-13		
Also of interest to the following committees Intéresse également les comités suivants		Supersedes docume Remplace le docum 645/577/CD 65/	ent		
Proposed horizontal standard Norme horizontale suggérée					
Other TC/SCs are requested to indicate their interest, if any, in this CDV to the TC/SC secretary Les autres CE/SC sont requis d'indiquer leur intérêt, si nécessaire, dans ce CDV à l'intention du secrétaire du CE/SC					
Functions concerned Fonctions concernées					
	MC EM	Environmen Environnem	~ ~ ~ · · · · · · · · · · · · · · · · ·		
CE DOCUMENT EST TOUJOURS À L'ÉTUDE ET SUSCEPTIBLE DE MODIFICATION. IL NE PEUT SERVIR DE RÉFÉRENCE.		THIS DOCUMENT IS STILL UNDER STUDY AND SUBJECT TO CHANGE. IT SHOULD NOT BE USED FOR REFERENCE PURPOSES.			
LES RÉCIPIENDAIRES DU PRÉSENT DOCUMENT SONT INVITÉS À PRÉSENTER, AVEC LEURS OBSERVATIONS, LA NOTIFICATION DES DROITS DE PROPRIÉTÉ DONT ILS AURAIENT ÉVENTUELLEMENT CONNAISSANCE ET À FOURNIR UNE DOCUMENTATION EXPLICATIVE.		RECIPIENTS OF THIS DOCUMENT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.			
Titre :		Title: IEC 62890 Ed. 1.0: Life-cycle management for systems and products used in industrial-process measurement, control and automation			
Note d'introduction		Introductory note			

ATTENTION VOTE PARALLÈLE IEC – CENELEC

L'attention des Comités nationaux de la IEC, membres du CENELEC, est attirée sur le fait que ce projet de comité pour vote (CDV) de Norme internationale est soumis au vote parallèle.

Un bulletin de vote séparé pour le vote CENELEC leur sera envoyé par le Secrétariat Central du CENELEC.

ATTENTION IEC – CENELEC PARALLEL VOTING

The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) for an International Standard is submitted for parallel voting.

A separate form for CENELEC voting will be sent to them by the CENELEC Central Secretariat.

Copyright © 2016 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

CONTENTS

FOF	REWORD)		4
INT	RODUCT	TON		6
1	Scope			7
2	Normati	ve referenc	ces	8
3	Terms a	and definition	ons	9
	3.1	Definitions	S	9
	3.2	Abbreviate	ed terms and acronyms	13
4	Generic	models for	Life-Cycle-Management	13
	4.1	Product T	ype and Product Instance	13
	4.2	Life-Cycle	-Model	14
	4.3	Structure	model	17
	4.4	•	lity model	
5	Strategi		Cycle-Management	
	5.1			
	5.2		buy	
	5.3		on	
	5.4	•	l	
	5.5	•		
	5.6	•	on of the strategies	
	5.7		n of Life-Cycle-Management strategies for Service	
		5.7.1	Life-Cycle-Management service overview	
		5.7.2	Service levels	
		5.7.3	Standard service	
c	lataanat	5.7.4	Service through special agreement	
6	_	=	cle-Management	
	6.1		Life-Cycle-Management	
Δ	6.2	•	-Excellence	
	•	•	The current status of life-cycle aspects	
Ann	-	· ·	Requirements, influencing factors, industry-specifics	
			'	39
	B.2		tion of industry-specific requirements	
	B.3	•	ents of the energy industry	
		B.3.1	General industry characteristics	
		B.3.2	Life-cycle related requirements	
		B.3.3	Industry-specific economic aspects	
	D 4	B.3.4	Anticipated industry trends	
	B.4	B.4.1	eutral aspects Overview	
		B.4.1 B.4.2	Examples of external technical influences	
		В.4.2 В.4.3	Examples of external technical influences Examples of the influence of standardization and legislation	
		Б.4.3 В.4.4	Examples of the influence of standardization and legislation	
	B.5		Examples of socio-economic influences	
Ann		•	Life-cycle considerations for selected examples	
, ,,,,,,	C.1	,	nt life-cycles	
	J. I	Compone	iit iiio oyoloo	🗸

C.2 Microprocessors	54
C.3 Field device integration	55
C.4 Standards and regulations	
Annex D (informative) Example for the application of the Life-Cycle-Management strategie	
Annex E (informative) Plant user strategies	
Annex F (informative) UML diagram semantics	
Annex G (informative) Glossary	
BIBLIOGRAPHY	68
Figure 1 – Relationship of Product Type and its Product Instance(s)	14
Figure 2 – Generic Life-Cycle-Model of a product type	15
Figure 3 – Evolution of products (type with version and revision)	16
Figure 4 – Maintenance of products (type with version and revision)	16
Figure 5 – Life time of a product instance	17
Figure 6 – UML diagram of a hierarchical system structure	18
Figure 7 – Hierarchical system structure (example)	18
Figure 8 – Example for Life-Cycle-Management of a system (type) by integrating components (types)	19
Figure 9 – Example of integrating components into a system	19
Figure 10 – Example of mapping of compatibility requirements to the level of compatibility .	23
Figure 11 – Example of a compatibility assessment of a product	24
Figure 12 – Relationships between the partners in the value chain	24
Figure 13 – Ensuring delivery of a system through last-time buy of a component	26
Figure 14 – Ensuring delivery of a system through substitution of a component	27
Figure 15 – Re-design of a system due to end of production of a component	28
Figure 16 – Level model for migration steps	29
Figure 17 – Typical characteristics of the Life-Cycle-Management strategies	30
Figure 18 – Life-Cycle-Excellence	34
Figure A.1 – Typical structure of an instrumentation and control system with functional leve according IEC 62264-1	
Figure A.2 – Example of the effects of component failure	36
Figure A.4 – The iceberg effect	37
Figure B.1 – Trade-off between procurement costs (initial investments) and costs for operating and maintenance	40
Figure B.2 – Typical ranges of variables which influence the life-cycle	53
Figure C.3 – Examples of component life-cycles	54
Figure D.1 – Compatibility assessment of replacement devices	57
Figure D.2 – Replacement of the defective device with a new device	58
Figure F.1 – Semantics of UML elements used in this document	62
Table B.1– Overview of industry-specific requirements (part 1)	42
Table B.2 – Overview of industry-specific requirements (part 2)	45
Table E.1 – Fundamental characteristics of plant users	61

INTERNATIONAL ELECTROTECHNICAL COMMISSION

2 3

1

4

5

6

7

8901123456 789 0123 456 789 0 1234 56 78

₫.0

₹39

42

41

43

44

45

46 47

48

49 50

Industrial-process measurement, control and automation – Life-Cycle-Management for systems and components

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international cooperation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62890 has been prepared by IEC technical committee 65: Industrialprocess measurement, control and automation.

The text of this standard is based on the following documents:

FDIS	Report on voting
65/XX/FDIS	65/XX/RVD

- Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.
- This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.
- The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be
 - reconfirmed,
- withdrawn.

62890 © IEC − 5 − 65/xyz/CDV

- replaced by a revised edition, or
- 52 amended.

53

54

55

51

The National Committees are requested to note that for this publication the stability date is 2018

THIS TEXT IS INCLUDED FOR THE INFORMATION OF THE NATIONAL COMMITTEES AND WILL BE DELETED AT THE PUBLICATION STAGE.

56 57

58

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

61 INTRODUCTION

9

18048e81

3

\$5

6

-337

9

Ogev

ૐ2

3

4

5

Z ∰6

₽7

In today's automation applications, an increasing divergence of the life-cycles of components, devices and systems in comparison to the life time of overall plants is evident. The increasing functionality of components, the advancing development of electronics and the innovation dynamics inherent to hardware and software are continuously shortening the life-cycle of individual automation components. Certain semiconductor components are only manufactured for a short period of time, for example, and subsequently abandoned.

By comparison, the time in use of automation systems is considerably longer. Moreover, there are considerable differences depending on the industry sector. The time in use of a production line in the automobile industry is usually identical with the period of time in which a new model is manufactured which is around 7 to 8 years today. By comparison, the operational life of a process plant in the chemical industry is typically some 15 years, while up to 50 years may be reached in the case of oil and energy, and power plants. In spite of the considerable differences between the time in use of plants and the product life-cycles, the operation of the overall plant or system is to ensure across the entire time in use of the plant - both in terms of functionality, as well as in terms of economic considerations.

Increased utilization and integration of plant process data from automation systems towards enterprise and asset management systems has caused technology dependencies between hierarchy layers. A more uniform way of dealing with life-cycle management between these layers and vendors/manufacturers is essential with respect to plant regularity, operability and security aspects.

Consequently, this necessitates different strategies to maintain the availability of the plant, which extend to sophisticated migration strategies. As a result, considerable demands are made on the delivery capacity of automation products and spare parts, as well as the provision of services, such as maintenance and repairs. For example, when the planning of a new plant envisages the usage of a newer version of an engineering system, the producer have to ensure that this newer version can also be employed for older products and systems already in use in the existing plant, and may have to develop upgrades accordingly. To an increasing extent, this calls for close cooperation between the partners along the value chain.

The presented situation illustrates that mastering these conflicting characteristics of Life-Cycle-Management will become increasingly significant in automation, not least in the ongoing discussions between end users and manufacturers as well as manufacturers and suppliers. The interaction between global, legal and technical aspects - including demands for high functionality and efficiency, as well as the influence of IT technologies in automation - helps to demonstrate the scope of this topic.

In response to this situation this document is defined. It is comprised of basic, complementary and consistent models and strategies for Life-Cycle-Management in automation. These generic models and strategies are then applied to various examples.

Consequently, this document represents a consistent general approach, which is applicable to automation in various industrial sectors. The economic significance of Life-Cycle-Management is a recurring theme of this document. The definitions of generic models, terms, processes and strategies form an indispensable foundation for a joint understanding between plant users and manufacturers and between manufacturers and suppliers regarding Life-Cycle-Management.

Proactive Life-Cycle-Management focuses on the selection of robust components, specifications, and technologies that consequently have long-term stability. The proactive approach includes the application of this set of generic reference models in the development of standards in order to be able to efficiently ensure sustainable interoperability and compatibility.

- 110 Scope
- 111 This International Standard establishes basic principles for Life-Cycle-Management of
- products and systems focused on industrial-process measurement, control and automation. 112
- These principles are applicable to various industrial sectors. This standard provides 113
- 114 definitions and reference models related to the life-cycle and the life time of a product, and is
- applicable to hardware and software of automation products and systems. It defines a 115
- consistent set of generic reference models and terms. The key content of definitions are: 116
- 117 Life-Cycle-Model;
- 118 structure model:
- 119 compatibility model.
- 120 This document also describes the application of these models for Life-Cycle-Management
- strategies. The content is strongly focused on technical aspects concerning the design, 121
- 122 planning, development and maintenance of automation products and system and the
- 123 operation of the plant in addition to existing, predominantly market-oriented approaches.
- The definitions of generic models and terms regarding Life-Cycle-Management are
- indispensable for a common understanding and application by all partners in the value chain
- such as plant user, product and system producer, service provider, and component supplier.
- The models and strategies described in this standard are also applicable for related
 - management systems, i.e. MES and ERP.