COMMUNITY AND TECHNICAL COLLEGES
Washington State Board



DATA DICTONARY

TRANSCRIPTS 2.4

Revisions

Change reference	Date	Version
Annual review and updated with PeopleSoft sources	01/28/2019	1.0
Added ACPL crosswalk to SECT	05/05/2020	1.1
Added primary key (PK) designation to COURSE_NUM and DEPT_DIV	06/30/2020	1.2
Updated table description to reference X based EMPLIDs	04/05/2022	1.3
Expanded the length of the DEPT_DIV field to accommodate ctcLink data and added ACAD_CAREER requirements for transcripts pull	06/02/2022	1.4
Added ACPL codes IBSL and CLEAS to SECT crosswalk	08/03/2022	1.5
Added RFTE Exception Code to criteria list	12/12/2022	1.6
Updated CLVL_IND valid values criteria	04/19/2023	1.7
Added STRM and INSTITUTION fields	08/02/2023	1.8
Added TRANSCRIPTS_UNGRADED/STUCLASS_UNGRADED table	04/14/2025	1.9
Added Grading Basis valid values to GR_QLFR field	04/22/2025	2.0
Added ACAD_CAREER field	09/08/2025	2.1
Updated definitions for COURSE_NUM, COURSE_NUM_PREFIX, and COURSE_NUM_SUFFIX Updated field size for COURSE_NUM_PREFIX	1/9/2026	2.2
Added CTE Dual Credit enrollment to SECT crosswalk	2/18/2026	2.3
Updated the SECT field definition to include Seal of Biliteracy ACPL and clarify coding	2/26/2026	2.4

Contacts

Data Services

dataservices@sbctc.edu

Table of Contents

Revisions 2
Contacts 2
Table of Contents 3
Table Description 5
Data Elements 6
DW_KEY (PK) 6
SID *(and EMPLID combined)* 7
COLLEGE (PK) 7
YEAR (PK) 7
QUARTER (PK) 8
ITEM (PK) 8
DEPT_DIV (PK) 8
COURSE_NUM (PK) 9
CIP 9
CLOCK_HR_IND 9
CLVL_IND 10
COURSE_FLAG *(retired data element)* 10
COURSE_TITLE 11
CR 11
CR_IND 11
DIST_ED 12
EARN_IND 13
ENR_HR 13
GPA_IND 13
GR 14
GR_DEC 14
GR_QLFR 14
REQR_DEPT_DIV (*retired data element*) 15
REQR_COURSE_NUM (*retired data element*) 15
SECT 16
SEC_STAT 17
VOC_IND 17
QTR_ADDED 17
YRQ 17
COURSE_NUM_PREFIX 18

COURSE_NUM_SUFFIX 18
EMPLID 18
STRM 18
INSTITUTION 19
ACAD_CAREER 19
Appendix: Data Classification Appendix 20

Table Description

- The transcript tables contain both Legacy and ctcLink sourced data.
- The Summer Quarter snapshot is used as the academic year-end snapshot for the previous year. This allows time over the summer for colleges to make corrections or enter any missing transcripts and completions for the prior year.
- The TRANSCRIPT tables contain data ranging back to Fall Quarter 1933-34 to the most current academic YRQ.
- Each row in the TRANSCRIPT tables is uniquely identified by a combination of DW_KEY, COLLEGE, YEAR, QUARTER, ITEM, DEPT_DIV, and COURSE_NUM. The YEAR, QUARTER, COLLEGE and DW_KEY represent an enrolled student in a given year and quarter at a particular college. ITEM, DEPT_DIV, and COURSE_NUM identify the class for which the student has been graded.
- Transcript data is stored in the Data Warehouse in two tables which are updated quarterly:
    - DW_OUTCOMES.STUCLASS_GRADE
        - In dataLink: WAREHOUSE_TRANSCRIPTS.TRANSCRIPTS
    - DW_OUTCOMES.STUCLASS_UNGRADED
        - In dataLink: WAREHOUSE_TRANSCRIPTS.TRANSCRIPTS_UNGRADED
- Both transcript tables have identicle table structures using.
- For Legacy records, the data was provided to SBCTC through the quarterly SR1280J process. This process extracted transcript and related data from the college Transcript database (data sets TRANS-START-D, TRAN-CLASS-D, TRAN-DEGREE-D, and TRAN-REGR-D), TBL4 (data set GR-ATTR-D which contained the grade attribute table), and SM (data set COURSE-ASSGN-D which contained the CIP code and clock_hr_ind for a course) for any student enrolled in the current quarter or the previous eight quarters.
- Legacy sourced records are frozen and not updated with ctcLink data as there is not a crosswalk between the legacy ITEM and the ctcLink CLASS_NBR.
- For ctcLink records, a snapshot of the transcript data is taken for all students and terms since the college's ctcLink go-live term and replaces the previous ctcLink snapshotted data.

The criteria for the ctcLink extract are as follows:

- For the main **Transcripts** extract, the data is pulled from the STDNT_ENRL table where:
    - STDNT_ENRL_STATUS= E
      and
    - GRADING_BASIS_ENRL= GRD or PNP or SUS
      and
    - REPEAT_CODE is null ("" or " ") or RPIN or REXP, RLMT or RFTE
      and
    - EMPLID NOT LIKE 'X%'
      and
    - ACAD_CAREER = UGRD

- The main **Transcripts** table also include Academic Credit for Prior Learning (ACPL) credits awarded. The data is pulled from the TRNS_OTHR_DTL and TRNS_TEST_DTL tables where:
    - GRADING_BASIS = GRD or PNP or SUS
      and
    - REPEAT_CODE is null ("" OR " ") or RPIN or REXP, RLMT or RFTE
      and
    - EMPLID NOT LIKE 'X%'
      and
    - ACAD_CAREER = UGRD
    - For more information about ACPL, see the SECT field.

- For the **Ungraded Transcripts** extract, the data is pulled from the STDNT_ENRL table where:
    - For UGRD career:
        - GRADING_BASIS_ENRL **is not** GRD or PNP or SUS

      and
        - STDNT_ENRL_STATUS= E

      and
        - REPEAT_CODE is null or RPIN or REXP, RLMT or RFTE

      and
        - EMPLID NOT LIKE 'X%'
    - For CNED career:
        - STDNT_ENRL_STATUS= E

      and
        - EMPLID NOT LIKE 'X%'

Data Elements

DW_KEY (PK)

Data Type: Text

Size: 10

Definition: The Data Warehouse system-wide unique identifier assigned to each student. This field is used to track students longitudinally across all colleges. This field is used across all student related tables in the Data Warehouse and *is not college specific*.

Data Classification: Category 3

Legacy Source: DW_KEY is retrieved based on available student identifiers in the following order: SID, SSN. If no identifier is found to exist in the Data Warehouse, a new DW_KEY is created.

PeopleSoft Source: DW_KEY is retrieved based on available student identifiers in the following order: CS.EMPLID, SID, and SSN. If no identifier is found to exist in the Data Warehouse, a new DW_KEY is created.

Examples of Use: A system identifier and the primary key on many tables. Used for system unduplicated headcounts.

SID *(and EMPLID combined)*

Data Type: Text

Size: 11

Definition: A unique identifier for the student. The identifier is assigned by the college.

Note: If the field length of the SID field is 11 characters, it contains both the SID and the EMPLID. If the length of the value of the SID is 11 characters, it represents the EMPLID. Because some EMPLID values matched the legacy SID values, the EMPLID is padded with leading zeros to 11 characters to enforce uniqueness.

Source: The SID field has been modified in most tables to contain both the legacy SID and the PeopleSoft EMPLID in an effort to retain the existing joins between tables and to include PeopleSoft colleges in the joins. If the PeopleSoft student record was converted with an SID in the EXTERNAL_SYSTEM_ID field, we retain the legacy SID on the record to allow for longitudinal analysis. If there is no legacy SID associated to a PeopleSoft EMPLID, the EMPLID is used to populate this field.

Data Classification: Category 3

Legacy Source: TRAN-CLASS-D.SID

PeopleSoft Source: CS.EMPLID and CS.PS_EXTERNAL_SYSTEM.EXTERNAL_SYSTEM_ID

COLLEGE (PK)

Data Type: Text

Size: 3

Definition: A three-digit code used to identify each community or technical college in the state of Washington. College codes begin with the two-digit district code.

History: Pierce District split into two colleges in 2001-02.

Data Classification: Category 2

Legacy Source: TRAN-CLASS-D.COLLEGE

PeopleSoft Source: The last three characters of CS.INSTITUTION.

Lookup/Crosswalk: LOOKUP.DW_REF_ENR.COLLEGE; LOOKUP.DW_REF_ENR.COLLEGE4RPT; LOOKUP.DW_REF_ENR.COL_CD

YEAR (PK)

Data Type: Text

Size: 3

Definition: A three-character field identifying the academic year. The academic year begins with summer quarter and ends with spring quarter.

Data Classification: Category 2

Legacy Source: TRAN-CLASS-D.YEAR

PeopleSoft Source: Derived from first three characters of CS.STRM and converted to the legacy year code.

Lookup/Crosswalk: LOOKUP.DW_REF_ENR.YRQ_CONVERT

Examples of Valid Values:

Values	Value Descriptions
990	1999-2000
A01	2000-2001
B01	2010-2011
C01	2020-2021

QUARTER (PK)

Data Type: Text

Size: 1

Definition: A one-character code identifying the academic quarter. The academic year begins with summer quarter and ends with spring quarter.

Data Classification: Category 2

Legacy Source: TRAN-CLASS-D.QUARTER

PeopleSoft Source: Derived from the fourth character of CS.STRM and converted to the legacy quarter code.

Lookup/Crosswalk: LOOKUP.DW_REF_ENR.YRQ_CONVERT

Valid Values:

Values	Value Descriptions
1	Summer
2	Fall
3	Winter
4	Spring

ITEM (PK)

Data Type: Text

Size: 38

Definition: A unique identifier of each class section during a given quarter at the specified college.

Data Classification: Category 2

Legacy Source: TRAN-CLASS-D.ITEM

PeopleSoft Source: CS.PS_STDNT_ENRL.CLASS_NBR

DEPT_DIV (PK)

Data Type: Text

Size: 8

Definition: Represents the assigned course division or department. A common coding system was implemented in summer 2008. If the course has common numbering than the last character of DEPT_DIV will be "&". Prior to that time there was no common coding for the system. Math may be represented as MAT at one college and MATH at another.

Data Classification: Category 2

Legacy Source: TRAN-CLASS-D.DEPT-DIV

PeopleSoft Source: CS.PS_CRSE_OFFER.SUBJECT

COURSE_NUM (PK)

Data Type: Text

Size: 4

Definition: CATALOG_NBR padded to four characters beginning fall term 2025. COURSE_NUM_PREFIX should be used for joining CLASS.

Data Classification: Category 2

Legacy Source: TRAN-CLASS-D.COURSE-NUM

PeopleSoft Source: CS.PS_CRSE_OFFER.CATALOG_NBR

CIP

Data Type: Text

Size: 6

Definition: A six-character code representing the Classification of Instructional Programs (CIP). Every course has a CIP code, which places it into a subject area with other similar courses. The federal government issues CIP codes. They do make periodic changes. A classification may have a different code in past years than today.

If the CIP code is not supplied on the transcript record, it is obtained from the CLASS table for the given ITEM number.

History: There was a major change in coding beginning in academic year 1996-97, including changes related to basic skills and developmental course coding. Basic skills codes for ABE and ESL were again changed in academic year 1998-99. The CIP was updated to the CIP 2000 version in 2002-03. Updated in 2010-11 for the CIP 2010 revision.

Prior to Fall 2002, Developmental Math = 320104, 330101 and Developmental English = 320103, 320108, 330102, 330103, 330104

Data Classification: Category 2

Legacy Source: SMIS.MIS-CLASS-D.CIP

PeopleSoft Source: CS.PS_CRSE_OFFER.CIP_CODE

Lookup/Crosswalk: LOOKUP.DW_REF_ENR.CIP

CLOCK_HR_IND

Data Type: Text

Size: 1

Definition: A field that indicates whether a course's hours are based on clock hours. Used by the technical colleges only.

Data Classification: Category 2

Legacy Source: TRAN-CLASS-D.CLOCK-HR-IND

PeopleSoft Source: Not Populated

Valid Values:

Values	Value Descriptions
Y	Yes
N	No
Blank	No

CLVL_IND

Data Type: Text

Size: 1

Definition: A one-character code indicating whether a course is college level.

Data Classification: Category 2

Source: Set during the Data Warehouse Reengineering process based on COURSE_NUM, CIP and REC_TYPE.

Valid Values:

Values	Value Descriptions
Y	Course number >= 100 and <= 499 and CIP does not begin with 32 or 33 OR REC_TYPE = ACPL (regardless of course number or CIP)
N	Course number < 100 or > 499 and REC_TYPE not ACPL OR Course number >= 100 and <= 499 and CIP begins with 32 or 33

COURSE_FLAG *(retired data element)*

Data Type: Text

Size: 1

Definition: A one-character code indicating whether a class is intermediate algebra offered prior to 1998-99 as a college level course. Until the 1998-99 academic year, students could take intermediate algebra as a college level class. Most colleges offered this course under CIP 270101.

For records dated 1997-98 or before, if the CIP = 270101 and the course title is like "*INT*ALG*" or like "*ALG*INT*", then the COURSE_FLAG is set to "Y", the CIP is set to 330101 and the CLVL_IND is set to "N".

Data Classification: Category 2

Legacy Source: Derived during the Data Warehouse Reengineering process.

PeopleSoft Source: Not Populated

COURSE_TITLE

Data Type: Text

Size: 24

Definition: Title of the class.

Data Classification: Category 2

Legacy Source: TRAN-CLASS-D.COURSE-TITLE

PeopleSoft Source: CS.PS_CLASS_TBL.DESCR

CR

Data Type: Decimal

Size: Precision 4, Scale 1

Definition: The number of enrolled credits for a specific class. For technical colleges, if the CLOCK_HR_IND is equal to "Y" and the CR value is 0, the CR value is calculated based on the value of ENR_HR and YEAR.

History: Prior to year 967, CR = ENR_HR/20. From 967 forward, the calculation is CR = ENR_HR/16.5. To select only earned credits, then use the EARN_IND where it equals "Y".

Data Classification: Category 2

Legacy Source: TRAN-CLASS-D.CR

PeopleSoft Source: CS.PS_STDNT_ENRL.UNT_TAKEN

CR_IND

Data Type: Text

Size: 1

Definition: A one character field used to identify courses to be used in grade or credit analysis. Classes not yet graded are set to "F" and are not included in the transcripts table. The records that are set to "F" are stored in the TRANSCRIPTS_CRF table. (Prior to A892, repeated courses were also set to "F" and stored in TRANSCRIPTS_CRF).

Data Classification: Category 2

Source: Derived during the Data Warehouse Reengineering process.

Examples of Use: When calculating Attempted Credits, CR_IND = "T"

When calculating Earned Credits, CR_IND = "T" or "R" and EARN_IND = "Y".

Valid Values:

Values	Value Descriptions
T	Attempted Credits (community and technical colleges)
R	Program requirement credits for technical colleges only (credits are not included in attempted totals but are included in earned totals where the EARN_IND = "Y")

DIST_ED

Data Type: Text

Size: 2

Definition: A field used to indicate whether a course is taught via distance education.

Note: As of A90, if the code comes to SBCTC with only 1 character, "X" is added to the end so that it is always a two-character field. Invalid Dist_Ed codes are set to null.

History: Added in 1997-98 with the valid codes being Y or N. In 1998-99, the codes were expanded to allow for coding of different kinds of distance education courses, though only about half of the colleges used the new schema.

NOTE: South Puget Sound CC did not code any distance education courses for fall 1998. When summarizing distance education courses for Fall 1998, use special database ORAGEN\Look-Up\Dist_ed.mdb.

In 2003-04, a coding modification was made in order to distinguish how much of the online course is taught online. If the online code is "3C", then the course is taught completely (100%) online. If the online code is "3?", then the course is taught 51%-99% online. A code of "H" or "H?" designates a hybrid online course. If "H" is in the second character, it will not be counted as a hybrid course. If the code is "H?", then the course uses online technologies for less than 51%, AND for which the interactive online learning environment displaces some face-to-face classroom time.

In 2010-11, a new set of codes were established that expanded the selection to include Web Enhanced courses. All 2003-04 codes were retained and additional codes were added. The only modification was for Hybrid courses that changed from "H?" to "8?"and "nC" codes were retired. For a detailed list of coding changes beginning in 2010-11, see the eLearningCodeSchemaChangeMatrix.xls workbook.

Data Classification: Category 2

Legacy Source: SMIS.MIS-CLASS-D.SBCTC-MISC-1

PeopleSoft Source: CS.PS_CLASS_TBL.INSTRUCTION_MODE

Valid Values: Null values represent a non-eLearning class.

Values	Description
1n	Tele-course: A course which uses videotapes, CD's, DVD's or other portable modalities of video / audio delivery to deliver the course content. Limited or no face-to-face time with instructor.
2n	Correspondence: A course which uses mailed information between instructor and student. Limited or no face-to-face time with instructor.
3n	On-line: A course that uses web-based tools and where 100% of the instruction and interaction between instructor and student is done online. (Proctored exams still allowed for this classification).
4n	Interactive Television: A course which uses the K-20 or network-based video conferencing tools to distribute the course materials in real (synchronous) time.
5n	Tele-Class: (will discontinue use) A distance class which uses satellite, cable, streaming video over the internet, or other broadcast technology to distribute a

Values	Description
	predominant portion of course material in real (synchronous) time.
6n	Other: A course that uses other modes of delivery that do not fit within the listed categories.
7n	Optional: A course in which the student can choose to attend class face-to-face or take the class online (both options are within one item number).
8n	Hybrid: A course that displaces some, but not all face-to-face class time with web-based tools.
9n	Web Enhanced: A face-to-face course that does not replace any face-to-face seat time, and access to web-based tools is required.

EARN_IND

Data Type: Text

Size: 1

Definition: A one-character code which indicates whether or not the credits for a class are included in the credits earned calculation.

Data Classification: Category 3

Legacy Source: TBL4.GR-ATTR-D.

PeopleSoft Source: CS.PS_STDNT_ENRL.EARN_CREDIT

Valid Values:

Values	Value Descriptions
Y	Credits were earned
N	Credits were not earned

ENR_HR

Data Type: Decimal

Size: Precision 5, Scale 1

Definition: The number of clock hours for which a student is enrolled in a class.

Data Classification: Category 3

Legacy Source: TRAN-CLASS-D.ENR_HR

PeopleSoft Source: Not Populated

GPA_IND

Data Type: Text

Size: 1

Definition: A one character code which indicates whether or not a grade should be used in the calculation of a student's grade point average.

Data Classification: Category 3

Legacy Source: TBL4.GR-ATTR-D

PeopleSoft Source: CS.PS_STDNT_ENRL.INCLUDE_IN_GPA

Valid Values:

Values	Value Descriptions
Y	Include grade in GPA calculation
N	Do not include the grade in GPA calculation

GR

Data Type: Text

Size: 4

Definition: A two character field containing the letter grade earned by the student in the specific class section. Not all colleges use letter grading.

Data Classification: Category 3

Legacy Source: TRAN-CLASS-D.GR

PeopleSoft Source: CS.PS_STDNT_ENRL.CRSE_GRADE_OFF

GR_DEC

Data Type: Decimal

Size: Precision 3, Scale 1

Definition: The decimal grade earned by the student for the specific class section.

Data Classification: Category 3

Legacy Source: TRAN-CLASS-D.DECIMAL-GR

PeopleSoft Source: CS.PS_STDNT_ENRL.CRSE_GRADE_OFF

GR_QLFR

Data Type: Text

Size: 5

Definition: A one character symbol that can be added to the student's grade to designate a specific condition.

Data Classification: Category 3

PeopleSoft Source: CS.PS_STDNT_ENRL.GRADING_BASIS_ENRL

PeopleSoft Valid Values:

Values	Value Descriptions	In Table
GRD	Graded	STUCLASS_GRADE
SUS	Satisfactory/Unsatisfactory	STUCLASS_GRADE
PNP	Pass/Fail	STUCLASS_GRADE
BGB	Basic Education for Adults Grade	STUCLASS_UNGRADED
ADM	Administrative Grades	STUCLASS_UNGRADED
AUD	Audit	STUCLASS_UNGRADED

Values	Value Descriptions	In Table
CNC	Credit / No Credit	STUCLASS_UNGRADED
GFG	Grade Forgiveness	STUCLASS_UNGRADED
NOG	No Grade Associated	STUCLASS_UNGRADED
NON	Non-Graded Component	STUCLASS_UNGRADED
REP	Repeated Class	STUCLASS_UNGRADED

Legacy Source: TRAN-CLASS-D.GR_QLFR

Valid Values:

Values	Value Descriptions
/	Suppress printing of course section on grading output
#	High school credit
R	Course was repeated
*	Grade forgiveness (GPA_IND = N)
I	In-Process Grade (CR_IND = F)

REQR_DEPT_DIV (*retired data element*)

Data Type: Text

Size: 5

Definition: Department Division of the Technical Program of which the course is a requirement. If the REQR_DEPT_DIV and the REQR_COURSE_NUM equal the DEPT_DIV and COURSE NUM, then the record represents the student's enrollment in the program. The credits listed in this record are attempted credits only. The credits earned for this program will be contained in the records for the individual program requirements. These are the records where the REQR_DEPT_DIV and the REQR_COURSE_NUM do not equal the DEPT_DIV and COURSE NUM (CR_IND = "R").

Data Classification: Category 3

Legacy Source: SR1280S4

PeopleSoft Source: Not Populated

REQR_COURSE_NUM (*retired data element*)

Data Type: Text

Size: 4

Definition: Course Number assigned to the Technical Program of which the course is a requirement.

Data Classification: Category 3

Legacy Source: SR1280S4

PeopleSoft Source: Not Populated

SECT

Data Type: Text

Size: 4

Definition: Identifies each section of the specific class. This field is used extensively to identify credits award through CTE Dual Credit or Acadmic Credit for Prior Learning (ACPL).

Data Classification: Category 2

Legacy Source: TRAN-CLASS-D.SECT

PeopleSoft Source: CS.PS_TRNS_TEST_DTL.TEST_ID and
CS.PS_TRNS_OTHR_DTL.OTHR_CREDIT_TYPE

Examples of Use: CTE Dual Credit (formerly known as Tech Prep) students are identified by SECT = "T#P"

Note: In transcripts, the PeopleSoft coding is crosswalked to be consistent with Legacy coding as seen in the table below.

Acadmic Credit for Prior Learning:

Category	PS Source Table	PS Test ID/Other Credit Type Code	Transcripts SECT coding
American Council on Education	TRNS_OTHR_DTL	ACE	ACE
Credit by Exam	TRNS_OTHR_DTL	CLG	CLG
Individual Industry Certification	TRNS_OTHR_DTL	CRT	CRT
HS+ Portfolio Review	TRNS_OTHR_DTL	HSPR	HSP
Joint Services Transcript	TRNS_OTHR_DTL	JST	JST
Occupational Crosswalk	TRNS_OTHR_DTL	OCW	OCW
Portfolio Review	TRNS_OTHR_DTL	PORT	PEL
Seal of Biliteracy	TRNS_OTHR_DTL	SOBL	SOBL
Advanced Placement	TRNS_TEST_DTL	AP	A#P
International Baccalaureate	TRNS_TEST_DTL	IB	I#B
College Level Examiniation Program	TRNS_TEST_DTL	CLEP	C#P
DANTES Subject Standardized Tests	TRNS_TEST_DTL	DSST	DST
Cambridge "A" Level Exam	TRNS_TEST_DTL	CLE	CLE
International Baccalaureate SL	TRNS_TEST_DTL	IBSL	IBSL
Cambridge AS Level Exam	TRNS_TEST_DTL	CLEAS	CLES

CTE Dual Credit:

CTE Dual Credit	PS Source Table	TECH	Transcripts SECT coding
CTE Dual Credit - Direct Transcription	TRNS_OTHR_DTL	TECH	T#P
CTE Dual Credit - Enrollment	STDNT_ENRL and CRSE_ATTRIBUTE	CRSE_ATTRIBUTE = SCTE	T#P

SEC_STAT

Data Type: Text

Size: 4

Definition: A four character field for identifying section status for the specific class.

Data Classification: Category 2

Legacy Source: TRAN-CLASS-D.SEC_STAT

PeopleSoft Source: Not Populated

VOC_IND

Data Type: Text

Size: 1

Definition: A one character code which indicates whether or not the course is recognized as a vocational course based on the CIP Code.

Data Classification: Category 2

Source: Derived during the Data Warehouse Reengineering process based on the class CIP Code.

QTR_ADDED

Data Type: Text

Size: 4

Definition: A four character code identifying the year and quarter of the source transcript record. This is the year and quarter when a record was added or last processed to the Data Warehouse Transcripts table.

Data Classification: Category 3

YRQ

Data Type: Text

Size: 4

Definition: The concatenation of YEAR and QUARTER. The first three characters are the YEAR, and the last character is the QUARTER.

Data Classification: Category 2

Legacy Source: TRAN-CLASS-D.YRQ

PeopleSoft Source: CS.STRM Converted to the legacy year code.

Lookup/Crosswalk: LOOKUP.DW_REF_ENR.YRQ_CONVERT

COURSE_NUM_PREFIX

Data Type: Text

Size: 4

Definition: This is the left three digits or characters of the COURSE_NUM data element or all four digits or characters for CNED classes with four-digit/character COURSE_NUM. This field should be used for joining CLASS.

Data Classification: Category 2

Legacy Source: Derived from TRAN-CLASS-D.COURSE-NUM

PeopleSoft Source: CS.PS_CRSE_OFFER.CATALOG_NBR

COURSE_NUM_SUFFIX

Data Type: Text

Size: 1

Definition: This is the 4th digit or character of the COURSE_NUM data element for course numbers that have additional characters. Not populated for CNED courses with four-digit/character COURSE_NUM

Data Classification: Category 2

Legacy Source: Derived from TRAN-CLASS-D.COURSE-NUM

PeopleSoft Source: Not Populated

EMPLID

Data Type: Text

Size: 11

Definition: The PeopleSoft unique identifier assigned to each student and employee. The same EMPLID is used across all pillars and all institutions for each student/employee. The same EMPLID is used whether the student is an employee or student or both.

Data Classification: Category 3

Legacy Source: Not populated

People Source: CS.EMPLID

STRM

Data Type: VARCHAR

Size: 4

Definition: A ctcLink variable that indicates the academic year and term. STRM stands for Session Term. The first character represents the millennium. The second and third characters represent the 2-digit calendar year, and the last character represents the term (or quarter).

The academic year begins with summer quarter and ends with spring quarter, however the Financial Aid year may differ by college. Some colleges offer financial aid starting summer quarter through spring quarters (header colleges), others offer aid fall through summer quarters (trailing colleges).

The use of AID_YEAR will assist when determining which STRM's should be included when using the data for a specified academic year.

Data Classification: Category 2

PeopleSoft Source: CS. STDNT_ENRL

Lookup/Crosswalk: LOOKUP.DW_REF_ENR.YRQ_CONVERT

Example Valid Values:

Values	Value Descriptions
2197	Fall Quarter 2019
2201	Winter Quarter 2020
2213	Spring Quarter 2021
2225	Summer Quarter 2022

INSTITUTION

Data Type: VARCHAR

Size: 5

Definition: The five-digit code used in ctcLink to identify each community or technical college in the state of Washington.

Data Classification: Category 2

PeopleSoft Source: CS. STDNT_ENRL

Lookup/Crosswalk: LOOKUP.DW_REF_ENR.COLLEGE_MASTER

ACAD_CAREER

Data Type: VARCHAR

Size: 4

Definition: Identifies the ctcLink academic career associated to the record. There are two academic careers in ctcLink, ungraduated (UGRD) and continuing education (CNED).

Data Classification: Category 2

PeopleSoft Source: CS. STDNT_ENRL

Appendix: Data Classification Appendix

Each data element in the Data Warehouse is associated with a category classification that indicates the method of which to use and store the data.

For more information, see the Data Classification brief.

Category	Description
Category 1	**Public Information** SBCTC does not consider any Data Warehouse data to be category 1. SBCTC does not release data to the public unless specifically requested. The release of public information is reserved for the college's discretion based upon their FERPA directory information policies.
Category 2	**Sensitive Information** Student related information that is considered "directory information" under FERPA and is generally not considered harmful or to be an invasion of privacy if released. This information can be disclosed to outside organizations with the student's prior consent. This is information that would be released during a public records request of Data Warehouse data.
Category 3	**Confidential Information** Enrollment information protected under FERPA, personnel and financial data. Category 3 includes all data elements except those explicitly stated in categories 2 and 4. Category 3 data is not distributed unless governed by a contract or data sharing agreement.
Category 4	**Confidential Information requiring Special Handling** Highly confidential data that is exempt from disclosure under applicable state and federal laws such as personally identifiable data protected under FERPA. Category 4 data is information whose unauthorized use, access, disclosure, acquisition, modification, loss, or deletion could result in severe damage to SBCTC or colleges, students, employees or customers. This information has limited use per specific state and federal laws.



Content is licensed under a Creative Commons Attribution 4.0 International License, unless noted otherwise.

Washington State Board for Community and Technical Colleges