



FEWD - LAYOUT

LEON NOEL

8th Grade Science Champion.

AGENDA

- Review
- Classes Ids
- HTML5 Structural Elements
- Floats
- Lab Time

REVIEW


What would you like to review?

CLASS & ID

With classes and ids we can target specific elements on a page, so we can manipulate it uniquely.

CLASS & ID





CLASS & ID

<http://codepen.io/nevan/pen/JnfEd>

CLASS & ID

IDS ARE UNIQUE

CLASSES ARE NOT UNIQUE

CLASS & ID

When should you use them?

CLASS & ID

How to select classes in CSS

```
.className
```

```
#idName
```


HTML5 STRUCTURAL ELEMENTS

Adding structure to HTML elements that are related to content layout.

- header
- aside
- footer

FLOATS

Float is a CSS positioning property, used to layout a web page.




15 MINUTES OF PAIN

1. Create a new website (use the template)
2. Try to duplicate the design below using Divs and floating
3. Hint: Place borders around the divs to see where they go (border: 1px solid black;)

FLOATING

- Start by creating 3 divs
 - Each 33.3333% wide
 - Give each a border
- Float each div to the left
- Place header, footer
- Troubleshoot



FLOATING SECTIONS

DIV UP THE CONTENT

- When Do I need a Div, Section or Article?
- When do I need a class or id?

- Div
 - Has no semantic meaning
 - Purely for styling
- Article
 - Content that could be placed on its own (i.e. on a different web page) without losing meaning
 - Each article can have a header and footer tag
- Section
 - Defines non-standalone content that is part of a larger document
 - Can have its own h1



FASHION BLOG