# Weekly evidence brief assistant

### The system in one sentence

Find evidence in supplied notes and draft a weekly brief that shows disagreement.

### Key design calls

Start with review drafts. Rejected: Automatic action. Why: Staff retain every decision.

Use supplied sources. Rejected: Open browsing. Why: Claims need checked evidence.

Code checks hard facts. Rejected: Model authority. Why: Values and access must be repeatable.

### Who acts and who decides

| Action | Autonomy |
|---|---|
| Check supplied evidence | acts alone |
| Draft an explanation | suggests |
| Send or take action | human decides |

### Top risks by RPN

FM4 | Revoked source access | RPN 108

FM1 | Unsupported prevalence | RPN 96

FM2 | Note injection | RPN 84

FM3 | Repeated observation | RPN 84

FM6 | Stale concurrent replacement | RPN 84

### Launch blockers and owners

H1, H3, H5: Use only the team-supplied, authorized...; One workday response target, coordinator...; Proposed quality target is 95%... Owner: Product research lead.

H2: Authorized staff supply source bundles... Owner: Integration owner.

### Illustrative cost per case

USD 0.00720 per case in the model budget. This is an estimate, not a current provider quote. Staff and tools cost extra.

Review status: self-review; round 3; pass.

Proposed design. Full rules and blockers: design.json and assumptions.md.

## Task tree




Labels show each leaf mode and risk. Full task inputs, examples and limits are in design.json and PRD.md.

## Plain words and scope

Use only the team-supplied, authorized note collection for the selected week and question. Draft a brief with citations, contrary evidence and gaps. Exclude web search, roadmap updates and automatic distribution.

A fingerprint is a check that the approved details have not changed. A record ID is proof from a tool that the change was saved.

## Workflow diagram




Diamonds mark choices. Arrows show all routes, including retry and recovery. Exact branch rules are in architecture.md.

| Colour | Role |
|---|---|
| #E8E0FA | Agents (LLM) |
| #E0EDF8 | Code: tools |
| #DDF2E9 | Code: validation |
| #FFF0D5 | Code: human triggers |

## Top risks and release checks

## Risk heat table - severity x occurrence

Each cell names the risks at that severity and occurrence. The full scores, causes, controls and owners are in fmea-register.csv.

| S / O | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| 10 | - | - | - | - | - | - | - | - | - | - |
| 9 | - | - | FM4 | - | - | - | - | - | - | - |
| 8 | - | - | FM1 | - | - | - | - | - | - | - |
| 7 | - | - | FM2, FM3, FM6, FM7, FM9, FM10, FM11, FM12, FM13 | - | - | - | - | - | - | - |
| 6 | - | - | FM5, FM8 | - | - | - | - | - | - | - |
| 5 | - | - | - | - | - | - | - | - | - | - |
| 4 | - | - | - | - | - | - | - | - | - | - |
| 3 | - | - | - | - | - | - | - | - | - | - |
| 2 | - | - | - | - | - | - | - | - | - | - |
| 1 | - | - | - | - | - | - | - | - | - | - |

| Risk | Control summary / full register linked |
|---|---|
| FM1 Unsupported prevalence | Reject prevalence and causality claims without supplied study denominators and design. |
| FM2 Note injection | Notes are untrusted quoted data; no tool or distribution permission. |
| FM3 Repeated observation | Group by study and participant alias, preserve duplicates as provenance, never count as independent. |
| FM4 Revoked source access | Fresh access checks before source reads and final ready output. |
| FM5 Model output unavailable | Bounded call and explicit fallback; no ready success claim. |
| FM6 Stale concurrent replacement | Compare revision at intake and handoff; same requestId/revision returns same artifact; changed intent needs next revision. |
| FM7 Missing receipt | C4 verifies receipt before ready. A failed receipt remains unconfirmed; staff may create a new local export. No external commit exists. |
| FM8 Cancellation | Cancellation precedes draft; cancellation during a call discards response and returns cancelled receipt. |
| FM9 Overdue human review | Packet includes proposed one-workday target, owner and backup. An operator checks pending list at daily opening; overdue remains visibly pending. Receiving... |
| FM10 Exact duplicate request | Return same local artifact for exact request/version; changed revision never reuses a draft. |
| FM11 Conflicting supplied evidence | Do not pick one conflicting record silently; name both sources and ask staff to resolve. |
| FM12 Missing supplied evidence | Allow provisional intake, list missing source and owned next step; no invented claim. |
| FM13 Forged citation | Verify citation ID/version/quote against frozen authorized view, never only syntax. |

Risk scores are proposed estimates. They are not measured odds or risk acceptance.

## Components and contracts

This inventory is a summary. Exact typed inputs, outputs and permission rules are in architecture.md and the build milestone files.

| Component / group | Responsibility | Task IDs |
|---|---|---|
| C1 / Code: validation | Check case envelope | T1 |
| C2 / Code: tools | Build trusted evidence view | T2 |
| C3 / Agents (LLM) | Draft bounded recommendation | T3 |
| C4 / Code: validation | Check claims and output proof | T3, T4 |
| C5 / Code: human triggers | Prepare human handoff | T4 |

## Shared control boundary

Code checks identity, money, dates and limits. A model may suggest a choice. It cannot authorise or perform a business write.

## Architecture and model budget

### F1 - Workflow choice

Workflow choice

Why: Bound the work and make the result reviewable.

### F2 - Permissions and data

Permissions and data

Why: Bound the work and make the result reviewable.

### F3 - Storage and deployment options

Storage and deployment options

Why: Bound the work and make the result reviewable.

### Model cost

Illustrative model cost is USD 0.00720 per case. Unknown prices are not free service. Confirm rates, traffic, staff and tools before launch.

Full call counts, token budgets, rejected choices and costs: design.json, architecture.md and assumptions.md.

## Evaluation coverage matrix

| Risk / task | EV1 | EV2 | EV3 | EV4 | EV5 | EV6 | EV7 | EV8 | EV9 | EV10 | EV14 | EV15 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| FM1 | - | X | - | - | - | - | - | - | - | - | - | - |
| FM2 | - | - | X | - | - | - | - | - | - | - | - | - |
| FM3 | - | - | - | X | - | - | - | - | - | - | - | - |
| FM4 | - | - | - | - | X | - | - | - | - | - | - | - |
| FM5 | - | - | - | - | - | X | - | - | - | - | - | - |
| FM6 | - | - | - | - | - | - | X | - | - | - | - | - |
| FM7 | - | - | - | - | - | - | - | X | - | - | - | - |
| FM8 | - | - | - | - | - | - | - | - | X | - | - | - |
| FM9 | - | - | - | - | - | - | - | - | - | X | - | - |
| FM10 | - | - | - | - | - | - | - | - | - | - | X | - |
| FM11 | - | - | - | - | - | - | - | - | - | - | - | X |
| FM12 | - | - | - | - | - | - | - | - | - | - | - | - |
| FM13 | - | - | - | - | - | - | - | - | - | - | - | - |
| T1 | X | X | X | X | X | - | X | - | X | - | X | - |
| T2 | X | X | X | X | - | - | - | - | - | - | - | X |
| T4 | X | X | X | X | X | X | X | X | X | X | X | X |

## Evaluation coverage matrix - continued

| Risk / task | EV16 | EV17 |
|---|---|---|
| FM1 | - | - |
| FM2 | - | - |
| FM3 | - | - |
| FM4 | - | - |
| FM5 | - | - |
| FM6 | - | - |
| FM7 | - | - |
| FM8 | - | - |
| FM9 | - | - |
| FM10 | - | - |
| FM11 | - | - |
| FM12 | X | - |
| FM13 | - | X |
| T1 | X | - |
| T2 | X | - |
| T4 | X | X |

X means the test is linked to that risk or task. It does not mean the test passed. Complete fixtures and assertions: eval-set.json.

## Evaluation plan

| Test | Layer | Purpose |
|---|---|---|
| EV1 | golden | Useful bounded packet |
| EV2 | golden | Unsupported prevalence |
| EV3 | golden | Note injection |
| EV4 | golden | Repeated observation |
| EV5 | golden | Revoked source access |
| EV6 | golden | Model output unavailable |
| EV7 | golden | Stale concurrent replacement |
| EV8 | golden | Missing receipt |
| EV9 | golden | Cancellation |
| EV10 | golden | Overdue human review |
| EV11 | offline | Held-out staff usefulness and evidence audit |
| EV12 | online | Review-only operating monitor |
| EV13 | release | Release gate for all specified branches |
| EV14 | golden | Exact duplicate request |
| EV15 | golden | Conflicting supplied evidence |
| EV16 | golden | Missing supplied evidence |
| EV17 | golden | Forged citation |

These are test plans. No business controls, provider quality or user outcomes were measured. See eval-set.json for fixtures and pass rules.

## Measurement and rollout

### R1 - Business measure

Business measure

Why: Bound the work and make the result reviewable.

### R2 - Shadow on historical cases

Shadow on historical cases

Why: Bound the work and make the result reviewable.

### R3 - Assist-only pilot

Assist-only pilot

Why: Bound the work and make the result reviewable.

### R4 - Measure review effort

Measure review effort

Why: Bound the work and make the result reviewable.

### R5 - Accountable owner and stop plan

Accountable owner and stop plan

Why: Bound the work and make the result reviewable.

## Build handoff and review

Start with build/00-overview.md. Load one milestone file at a time. Exact source rules remain in design.json; do not treat design approval as live write permission.

X1: Build a review-only tool

## Review dimensions - evidence in review.json

| Dimension | Score | Dimension | Score |
|---|---|---|---|
| D1 | 3/4 | D7 | 3/4 |
| D2 | 3/4 | D8 | 3/4 |
| D3 | 3/4 | D9 | 3/4 |
| D4 | 3/4 | D10 | 3/4 |
| D5 | 3/4 | D11 | 3/4 |
| D6 | 3/4 | D12 | 3/4 |

I1 major resolved: W1-W5 decision fields were authored as strings rather than booleans; structural validation fails. Repair type without removing predicates from description.

I2 major resolved: F1-F3 alternatives were authored as strings rather than arrays; structural validation fails.

I3 major resolved: Exceptional paths reach C5 without a C4.checked value. Declare a typed union handoff envelope carrying exception evidence; do not require an absent successful artifact.

I4 major resolved: Supplement domain cases with exact duplicate, evidence conflict, missing source and forged citation cases; release must include these actual IDs.

## Glossary

canonical: agreed

discriminated: typed

payload binding: approved details

digest: fingerprint

idempotency: duplicate-write protection

reciprocal: two-way

terminal disposition: final outcome

calc_digest: a fingerprint of the approved amount

After delivering DESIGN.pdf, ask the user: Would you also like a visual HTML version in the same ten-stage structure as the app? Generate HTML only after opt-in, unless already requested.

Full assumptions, owners and evidence: assumptions.md. Review method and failed rounds are preserved in review.json and review-round-*.json.