# VISOKA ICT SKOLA

# WEB PROGRAMIRANJE PHP1

DOKUMENTACIJA:

https://homecinemaproject1337.000webhostapp.com/index.php?page=all

#### 1. UVOD

## 1.1 Koriscenje programskih jezika:

HTML, CSS, JavaScript, jQuery, PHP, MySQL baza

## 1.2 Opis funkcionalnosti:

Ceo sajt je radjen u Visual Studio Code, sajt je namenjen video klubu i pregledanju filmova na izboru. Sajtu mogu pristupiti neutralizovani i autorizovani korisnici, dok samo autorizovani korisnici mogu videti odredjenje delove.

Na sajtu postoje tri glavna dela: index.php, form.php i movie.php. Uz pomoc superglobalnih promenjivih se moze doci do svake indivitualne stranice. Glavni meni je sastavljen tako da je naslov strane uvek ispisan prvi, a ostali linkovi se menjaju u zavisnosti od toga na kojoj strani se nalazite i da li ste ulogovani ili ne. Sa strane na svakoj stranici se nalazi lista zanrova koji postoje na sajtu i ova lista, kao i linkovi u glavnom meniju su ispisani iz baze podataka.

Na index strani i svim njenim specificnim stranicama se nalazi glavni deo koji sadrzi listu filmova, minimalne informacije o njima i link ka vise specificnoj strani za taj film. Postoji i paginacija i borj filmova na jednoj strani je 16. Na All Movies stranici filmovi si oragizovani po godini zdavanja a na ostalim su po tome kako su dodavani u bazu.

Kada se pritisne na boilo koji film u spisku odlazi se na stranu movie.php tj. stranicu na kojoj se moze videti vise informacija o tom filmu. Kada je korisnik ulogovan vidi se i rezultat ankete tj. broj ljudi koji je glasao za ovaj film.

Stranica form.php obuhvata sve ostale straice sajta i uglavnom vodi ka nekoj strani na kojoj se vrsi obrada informacija iz baze ili upis novih informacija.

Sing up i log in linkovi se vide samo ako korisnik nije ulogovan. Sing up sluzi za prvobitnu registraciju(korisnik se ne moze registrovati kao admin, to pravo moze da samo drugi admin, radi pregledanja sajta jedan od administratorskih naloga je admin@gmail.com i sifra je admin :D) a Log in sluzi za pristup nalogu posle registracije.

Posle aktiviranog i ulogovanog naloga, korisnik na svakoj stranici sajta vidi log out link koji sluzi za odjavljivanje korisnika. Sing up i log in linkovi vise se ne ucitavaju. Isto tako korisniku se pojavljuju dva nova lika survey i "ime korisnika ovde".

Survey je anketa koju je moguce uraditi samo jednom i sluzi za glasanje za tvoj omiljeni film. Glasovi se mogu videti u svakoj pojedinacoj movie.php stranici.

User strana tj. "ime korisnika ovde" je link koji izgleda koa korisnicko ime ulogovanog korisnika. Ako je korisnik samo gost na toj strani moze videti neke informacije koje je dao. Ako je korisnik admin moze videti sve naloge i moze ih menjati i brisati po zenji.

U futeru strane postoje tri linka: contact, gallery i link ka ovom dokumentu.

Contact daje izmisljene informacije o video klubu i prave informacije o meni kao autoru.

Gallery sluzi kao galerija i iz baze se ispisuju sve slike za sve filmove koji postoje u bazi.


Mane su sledec:

Kada se korisnik loguje ponekad ne ispisuje link ka users.php tj link sa natpisaom "ime korisnika ovde".

Kada korisnik glasa za anketu dobijace opciju da opet glasa sve dok se ne izloguje i opet uloguje.

# 1.3 Template


# 1.3.1 index.php




# 1.3.2 movie.php




## 1.3.3 form.php?page=singup




# 1.3.4 form.php?page=login




## 1.3.5 form.php?page=form



# 1.3.6 form.php?page=user(ADMIN)




## 1.3.7 form.php?page=user(GUEST)




# 1.3.9 form.php?page=contact



# 1.3.10 form.php?page=gallery



# 1.3.11 form.php? page=edit&user="borj id-a"



```
margin: 0px;
    padding: 0px;
.cleaner {
   clear: both;
   text-decoration:none;
ul
   list-style:none;
body
   background-image: url('../img/film.png'), url('../img/film.png');
   background-repeat: repeat-y;
   background-position: right top, left top;
#wrapper
   width: 1200px;
   height: 100%;
   margin: 0px auto;
#meni
   height:150px;
   width: 1200px;
   border-bottom: 1px solid black;
   position:fixed;
   z-index: 10;
   background: white;
#meni img
   width: 250px;
    float: left;
#meni h1
   padding: 50px 0px 0px 50px;
   font-family: 'Sylfaen Regular', 'Times New Roman', Times, serif;
   font-size: 45px;
   float: left;
   color: black;
#meni h2 a
    padding: 65px 0px 0px 50px;
   font-family: 'Sylfaen Regular', 'Times New Roman', Times, serif;
```

```
font-size: 25px;
   float: left;
#meni h2 a:hover
   font-size: 28px;
#meni i
   font-size: 35px;
    padding-top: 70px;
   float:right;
#search
   padding: 8px;
   margin: 70px 10px 0px 0px;
   float:right;
   border: 1.5px solid black;
#meni a
   color:black;
#categorys
   margin: 160px 0px 0px 10px;
   width: 200px;
   border-right: 1px solid black;
   position:absolute;
#categorys a
   font-family: 'Sylfaen Regular', 'Times New Roman', Times, serif;
   font-size: 20px;
   display: block;
   margin-top:15px;
   padding: 2px 0px 2px 8px;
   color:black;
   transition: background-color .3s;
#categorys a:hover
   font-size: 23px;
   background: black;
   color:white;
#content
   position: relative;
   left:220px;
   top:165px;
   padding: 5px;
   width: 1000px;
   min-height: 600px;
```

```
.movie-block
   float: left;
   width: 182px;
   height: 280px;
   margin: 25px 25px 45px 35px;
.movie-block h3
   padding: 5px;
   margin-top: -55px;
   text-align: center;
   background: black;
   font-size: 15px;
.movie-block a
   color: white;
.movie-block a:hover
   font-size: 16px;
.movie-tag
   position: relative;
   top: -273px;
  left: -5px;
   padding:5px;
   background: black;
   color: white;
.movie-year
   position: relative;
  top: -273px;
  padding:5px;
   background: black;
   color: white;
.cart-add
   position: relative;
   top: -150px;
   left:50px;
   visibility:hidden;
.add
   background: black;
   color: white;
   border: none;
   padding: 10px;
   font-size: 15px;
```

```
#footer
   position: relative;
   top:180px;
   margin-top: 50px;
   height: 100%;
   width: 100%;
   background: black;
   padding: 50px 0px 50px 0px;
   text-align: center;
#footer a
   color:white;
   font-size: 15px;
   display: block;
   padding-bottom: 15px;
#footer a:hover
   font-size: 20px;
#sponsore img
   height: 100px;
   margin-top: 10px;
   margin-right: 10px;
#headline h2
   font-size: 40px;
iframe
   width: 520px;
   height: 345px;
   margin: 20px 30px 150px 0px;
   float: left;
#movie-info
   margin-top:20px;
   float: left;
   width: 400px;
   border-collapse: collapse;
#movie-info tr td
   text-align: left;
   vertical-align: top;
   padding: 10px ;
   border-bottom: 1px solid black;
```

```
#form
   margin:20px 0px 350px 200px;
   border-collapse: collapse;
   padding:10px;
   text-align: left;
   border-bottom: 1.5px solid black;
#form tr td
   font-size: 20px;
   padding: 10px ;
#form input
   padding: 5px 100px;
#form button
   padding:12px 20px;
   background: black;
   color: white;
   border: none;
#pagination
   text-align: center;
   padding: 15px;
   margin-top: 710px;
#pagination a {
   color: black;
   padding: 8px 16px;
   text-decoration: none;
   transition: background-color .3s;
   margin: 5px;
#pagination a:hover
   background-color: black;
   color: white;
#me
   position: relative;
   top:-300px;
   float:left;
#aboutme
   position: relative;
   top:-300px;
   float: right;
#aboutme li
```


```
margin-bottom: 10px;
.gallery
   float: left;
   width: 182px;
   height: 280px;
   margin: 25px 25px 45px 35px;
#minTitle
   font-size: 40px;
   position: relative;
   top:-330px;
   left:210px;
#edit
   padding:10px;
   background: black;
   color: white;
   border: none;
   position: relative;
   top:-330px;
   left:200px;
#edit-tab
   position: relative;
   top: -300px;
   visibility: hidden;
#form2
   margin:20px 0px -200px 200px;
   border-collapse: collapse;
   padding:10px;
   text-align: left;
#form2 tr td
    font-size: 20px;
   padding: 10px ;
#form2 input
   padding: 5px 100px;
#form2 button
   padding:12px 20px;
   background: black;
   color: white;
   border: none;
```

```
.profile
   border:1px solid black;
   float:left;
   padding:10px;
   width: 350px;
   margin: 20px 10px 0px 10px;
.profile-tab
   border-collapse: collapse;
.profile-tab tr td
   height: 30px;
   border-bottom: 1px solid black;
   vertical-align: bottom;
.profile-tab a
   padding:5px 10px 1px 5px;
   background: white;
   color: black;
   transition: background-color .3s;
.profile-tab a:hover
   background: black;
   color: white;
#favorite
   margin-top: 20px;
   margin-bottom: 450px;
#favorite h4
   font-size: 30px;
#drop
    padding:10px 20px 10px 20px;
#surveySubmit
   padding: 10px;
   border: 1px solid black;
   background: white;
#surveySubmit:hover
   background: black;
   color: white;
```

```
#sorry
   margin-bottom: 550px;
#message
   position: relative;
   top:-300px;
   left:200px;
   font-size: 30px;
   color: red;
.delete
   padding:5px 10px 1px 5px;
   background: white;
   color: #cc0000;
   border: none;
   transition: background-color .3s;
   font-weight: bold;
   font-size: 15px;
.delete:hover
   background: black;
   color: #cc0000;
#sent
   font-size: 20px;
   position: relative;
   top:-300px;
   left:200px;
   color: green;
   padding:5px 10px 5px 5px;
#sent a
   color: black;
#sent a:hover
   color: #cc0000;
```

# 2. ORGANIZACIJA

# 2.1 Organizaciona shema



views/activation(sa linka u mailu poslatom)

#### 3. KODOVI

## 3.1 JavaScript

```
$(document).ready(function(){
   $(".movie-block").hover(function(){
       $(".cart-add", this).css("visibility", "visible");
       $(this).css("filter", "grayscale(70%)");
   }, function(){
       $(".cart-add", this).css("visibility", "hidden");
       $(this).css("filter", "")
   })
})
function edit()
   var x = document.getElementById("edit-tab");
   if (x.style.visibility === "hidden") {
       x.style.visibility = "visible";
   } else {
       x.style.visibility = "hidden";
function regCheck()
   var x = false;
   var email = document.querySelector("#email").value;
   var username = document.querySelector("#name").value;
   var pass = document.querySelector("#pass").value;
   var passCon = document.querySelector("#passCon").value;
   9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\])|(([a-zA-Z\-0-9]+\.)+[a-zA-Z]{2,}))$/;
   var regName = /^[a-zA-Z0-9]{4,20}$/;
   var regPass = /^[a-zA-Z0-9]{5,20}$/;
   var errors = [];
   if(!regEmail.test(email))
       document.querySelector("#email").style.borderColor = "red";
       errors.push("Emaile is not regular");
       x = false;
   }
   else
       document.querySelector("#email").style.borderColor = "green";
   }
   if(!regName.test(username))
       document.querySelector("#name").style.borderColor = "red";
       errors.push("Usrename is not regular")
       x = false;
   else
       document.querySelector("#name").style.borderColor = "green";
```

```
if(!regPass.test(pass))
       document.querySelector("#pass").style.borderColor = "red";
       errors.push("Password is regular");
       x = false;
   }
   else
       document.querySelector("#pass").style.borderColor = "green";
   if(pass != passCon || pass == "")
       document.querySelector("#passCon").style.borderColor = "red";
       errors.push("Passwords do not match");
       x = false;
   else if(pass == passCon)
       document.querySelector("#passCon").style.borderColor = "green";
   }
   if(errors.length > 0)
       x = false;
   else{
       x = true;
   return x;
function editCheck3()
       var x = true;
       var email = document.querySelector("#email").value;
       var username = document.querySelector("#name").value;
       var active = document.querySelector("#active").value;
       var role = document.querySelector("#role").value;
       9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\])|(([a-zA-Z\-0-9]+\.)+[a-zA-Z]{2,}))$/;
       var regName = /^[a-zA-Z0-9]{4,20}$/;
       var errors = [];
       if(!regEmail.test(email))
       {
           document.querySelector("#email").style.borderColor = "red";
           errors.push(" Email is not regular");
          x= false;
       else
           document.querySelector("#email").style.borderColor = "green";
           x= true;
```

```
if(!regName.test(username))
           document.querySelector("#name").style.borderColor = "red";
           errors.push(" Usrename is not regular")
           x= false;
       else
           document.querySelector("#name").style.borderColor = "green";
           x= true;
       if(active!=1 && active!=0)
           document.querySelector("#active").style.borderColor = "red";
           errors.push(" Active value is regular");
           x= false;
       else
           document.querySelector("#active").style.borderColor = "green";
           x= true;
       if(role!="guest" && role!="admin")
           document.querySelector("#role").style.borderColor = "red";
           errors.push(" Role value is iregular");
           x= false;
       else
           document.querySelector("#role").style.borderColor = "green";
           x= true;
       if(errors.length > 0)
           var message = "";
           for($i=0; $i<errors.length; $i++)</pre>
               message+= ""+ errors[$i] +"";
           message += "";
           document.querySelector("#message").innerHTML = message;
           x= false;
       else
           x= true;
       return x;
function surveyCheck()
   var x = false;
   var pick = document.querySelector("#drop").value;
```

```
if(pick=="0")
{
    var pick = document.querySelector("#drop").style.borderColor = "red";
    x = false
}
else
{
    var pick = document.querySelector("#drop").style.borderColor = "green";
    x = true;
}
//alert(x);
return x;
}
```

## **3.2 PHP**

## 3.2.1 index.php

```
<?php
session_start();
    require_once "php/connection.php";
    if(!isset($_GET['page']))
    {
        header("Location: index.php?page=all");
    }
    include"views/header.php";
    include"views/meni.php";
    include"views/category.php";
    include"views/content.php";
    include"views/footer.php";
}</pre>
```

## 3.2.2 movie.php

```
4. <?php
5. session_start();
require_once "php/connection.php";
7.
       include"views/header.php";
8.
       include"views/meni.php";
9.
       include"views/category.php";
10.
       include"views/moviedetail.php";
11.
12.
13.
       include"views/footer.php";
14.
15.?>
```

```
<?php
session_start();
require_once "php/connection.php";
    include"views/header.php";
    include"views/meni.php";
    include"views/category.php";
    if(isset($_GET['page']))
        $page = $_GET['page'];
        switch($page)
            case 'singup':
                include"views/singup.php";
                break;
            case 'login':
                include"views/login.php";
            case 'contact':
                include"views/contact.php";
                break;
            case 'form':
                include"views/form.php";
                break;
            case 'gallery':
case 'gallery2':
            case 'gallery3':
            case 'gallery4':
            case 'gallery5':
            case 'gallery6':
            case 'gallery7':
            case 'gallery8':
            case 'gallery9':
                include"views/gallery.php";
                break;
                include"views/user.php";
                break;
            case 'edit':
                include"views/edit.php";
                break;
        }
include"views/footer.php";
```

## 3.2.4 php/connection.php

```
<?php
$serverBaze = 'localhost';
$username = 'id6242216_homeadmin';
$password = 'Kalgon123';
$bazaPodataka = 'id6242216_homecinema';
try{
     $connect = new PDO("mysql:host=$serverBaze;dbname=$bazaPodataka", $username, $password);
     $connect->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $x)
{
     echo $x->getMessage;
}
}
```

## 3.2.5 views/header.php

## 3.2.6 views/meni.php

```
<body>
   <div id="wrapper">
       <div id="meni">
           <a href="index.php?page=all"><img src="img/logo.png" alt="logo"></a>
               if(isset($_GET['page']))
                   $page = $_GET['page'];
                   switch($page)
                        case 'all':
                       case 'all2':
                       case 'all3':
                       case 'all4':
                       case 'all5':
                       case 'all6':
                        case 'all7':
                        case 'all8':
                            echo "<h1>All Movies</h1>";
                            break;
                       case 'Action':
```

```
case 'Action2':
case 'Action3':
case 'Action4':
case 'Action5':
case 'Action6':
case 'Action7':
case 'Action8':
    echo "<h1>Action</h1>";
    break;
case 'Adventure':
case 'Adventure2':
case 'Adventure3':
case 'Adventure4':
case 'Adventure5':
case 'Adventure6':
case 'Adventure7':
case 'Adventure8':
    echo "<h1>Adventure</h1>";
    break;
case 'Animation':
case 'Animation2':
case 'Animation3':
case 'Animation4':
case 'Animation5':
case 'Animation6':
case 'Animation7':
case 'Animation8':
    echo "<h1>Animation</h1>";
    break;
case 'Comedy':
case 'Comedy2':
case 'Comedy3':
case 'Comedy4':
case 'Comedy5':
case 'Comedy6':
case 'Comedy7':
case 'Comedy8':
    echo "<h1>Comedy</h1>";
    break;
case 'Drama':
case 'Drama2':
case 'Drama3':
case 'Drama4':
case 'Drama5':
case 'Drama6':
case 'Drama7':
case 'Drama8':
    echo "<h1>Drama</h1>";
    break;
case 'Fantasy':
case 'Fantasy3':
case 'Fantasy4':
case 'Fantasy5':
case 'Fantasy6':
case 'Fantasy7':
case 'Fantasy8':
    echo "<h1>Fantasy</h1>";
    break;
case 'Horror':
case 'Horror2':
case 'Horror3':
```

```
case 'Horror4':
case 'Horror5':
case 'Horror6':
case 'Horror7':
case 'Horror8':
   echo "<h1>Horror</h1>";
    break;
case 'Musical':
case 'Musical2':
case 'Musical3':
case 'Musical4':
case 'Musical5':
case 'Musical6':
case 'Musical7':
case 'Musical8':
   echo "<h1>Musical</h1>";
    break;
case 'Romance':
case 'Romance2':
case 'Romance3':
case 'Romance4':
case 'Romance5':
case 'Romance6':
case 'Romance7':
case 'Romance8':
    echo "<h1>Romance</h1>";
    break;
case 'Sci Fi':
case 'Sci Fi2':
case 'Sci Fi3':
case 'Sci Fi4':
case 'Sci Fi5':
case 'Sci Fi6':
case 'Sci Fi7':
case 'Sci Fi8':
   echo "<h1>Sci-Fi</h1>";
    break;
case 'Thriller':
case 'Thriller2':
case 'Thriller3':
case 'Thriller4':
case 'Thriller5':
case 'Thriller6':
case 'Thriller7':
case 'Thriller8':
    echo "<h1>Thriller</h1>";
    break;
case 'War':
case 'War2':
case 'War3':
case 'War4':
case 'War5':
case 'War6':
case 'War8':
   echo "<h1>War</h1>";
   break;
case 'Western':
case 'Western2':
case 'Western3':
case 'Western4':
case 'Western5':
```

```
case 'Western6':
                         case 'Western7':
                         case 'Western8':
                             echo "<h1>Western</h1>";
                             break;
                         case 'singup':
                             echo "<h1>Sing Up</h1>";
                             break;
                         case 'login':
                             echo "<h1>Log In</h1>";
                             break;
                             echo "<h1>Contact</h1>";
                         case 'gallery':
                         case 'gallery':
                         case 'gallery2':
                         case 'gallery3':
                         case 'gallery4':
case 'gallery5':
case 'gallery6':
                         case 'gallery7':
                         case 'gallery8':
                         case 'gallery9':
                             echo "<h1>Useless Gallery</h1>";
                             break;
                         case 'form':
                             echo "<h1>Survey</h1>";
                             break;
                if($connect)
                     $query = "SELECT * FROM meni";
                     $meni = $connect->query($query)->fetchAll();
                     if(count($meni)>0)
                         if(isset($_SESSION['user']))
                             $user = $_SESSION['user'];
                             foreach($meni as $tab)
                             {
                                 if($page=="form")
                                     if($tab['href']!="form" && $tab['href']!="singup" &&
$tab['href']!="login")
                                          echo "<h2><a href='form.php?page=" . $tab['href'] . "'>" .
$tab['name'] ."</a></h2>";
                                 if($page!="form" )
                                     if($tab['href']!="singup" && $tab['href']!="login")
                                          echo "<h2><a href='form.php?page=" . $tab['href'] . "'>" .
$tab['name'] ."</a></h2>";
                             echo "<h2><a href='views/logout.php'>Log Out</a></h2>";
```

```
echo "<h2><a href='form.php?page=user'>" . $user['username']
 "</a></h2>";
                        else{
                            foreach($meni as $tab)
                                if($page=="login")
                                    if($tab['href']!="form" && $tab['href']!="login")
                                        echo "<h2><a href='form.php?page=" . $tab['href'] . "'>" .
$tab['name'] ."</a></h2>";
                                else if($page=="singup")
                                    if($tab['href']!="form" && $tab['href']!="singup")
                                        echo "<h2><a href='form.php?page=" . $tab['href'] . "'>" .
$tab['name'] ."</a></h2>";
                                else
                                    if($tab['href']!="form")
                                        echo "<h2><a href='form.php?page=" . $tab['href'] . "'>" .
$tab['name'] ."</a></h2>";
            <form method="#" action="#">
                <a href="#"><i class="fa fa-shopping-cart"></i></a>
                <input type="text" placeholder="Search..." name="search" id="search">
        </div>
        <div class="cleaner"></div>
```

## 3.2.7 views/category.php

```
}
}

//div>
//div>
//div>
```

## 3.2.8 views/footer.php

```
<div id="footer">
       <h6><a href="form.php?page=contact">Contact</a> </h6>
       <h6><a href="form.php?page=gallery">Gallery</a> </h6>
       <h6> <a href="#">Documentation</a> </h6>
       <span id="sponsore">
           <img class="studio" src="img/studio1.jpg" alt="#">
           <img class="studio" src="img/studio2.jpg" alt="#">
           <img class="studio" src="img/studio3.jpg" alt="#">
           <img class="studio" src="img/studio4.jpg" alt="#">
           <img class="studio" src="img/studio5.jpg" alt="#">
           <img class="studio" src="img/studio6.jpg" alt="#">
           <img class="studio" src="img/studio7.jpg" alt="#">
           <img class="studio" src="img/studio8.jpg" alt="#">
       </span>
</div>
</body>
<script src="js/jquery.js"></script>
<script src="js/script.js"></script>
</html>
```

## 3.2.8 views/content.php

```
<div id="content"><?php</pre>
                if(isset($_GET['page'])):
                    $page = $_GET['page'];
                    include 'views/switch.php';
                         $rowCount = $connect->query($rowQuery)->fetch();
                         $number_of_rows = $rowCount['rowCount'];
                        $rows_per_page = 16;
                        $number_of_pages = ceil($number_of_rows / $rows_per_page);
                        $list = $connect->query($query)->fetchAll();
                        if(count($list)>0):
                             foreach($list as $movie):
                                 <div class="movie-block">
                                     <a href="movie.php?page=<?php echo $movie['id_movies']?>"><img</pre>
src="img/<?php echo $movie['image']?>" alt="<?php echo $movie['name']?>"></a>
                                         <span class="movie-tag"><?php echo $movie['gName']?></span>
                                         <span class="movie-year"><?php echo $movie['year']?></span>
                                         <span class="cart-add">
                                             <form action="#" method="#">
                                                 <button class="add" type="button">Add to
Cart</button>
                                             </form>
                                         </span>
```

```
<a href="movie.php?page=<?php echo</pre>
$movie['id_movies']?>"><?php echo $movie['mName'] . " (" . $movie['copies'] . ")"?></a>
                                 </div>
            <?php endforeach; endif;</pre>
            else:
                header("Location: index.php?page=all");
            $startingGroup = ['all', 'Action', 'Adventure', 'Animation', 'Comedy', 'Drama',
 Fantasy', 'Horror', 'Musical', 'Romance', 'Sci Fi', 'Thriller', 'War', 'Western', 'gallery'];
            if($number_of_pages > 1)
                echo "<div id='pagination'>";
                    if(in_array($page, $startingGroup))
                        echo "<a href='index.php?page=". $page ."'>1</a>";
                    else
                        echo "<a href='index.php?page=". substr($page, 0, -1) ."'>1</a>";
                    //echo "<a href='index.php?page=". $page ."'>1</a>";
                    for($i=2; $i<=$number_of_pages; $i++)</pre>
                        if(!in_array($page, $startingGroup))
                            echo "<a href='index.php?page=". substr($page, 0, -1) . $i ."'>$i</a>";
                        else
                            echo "<a href='index.php?page=". $page . $i ."'>$i</a>";
                echo "</div>";
</div>
</div>
    <div class="cleaner"></div>
```

```
<?php
switch($page){
    case 'all':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre ORDER BY m.year DESC LIMIT 0,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
       break;
    case 'all2':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre ORDER BY m.year DESC LIMIT 16,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
        break;
   case 'all3':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre ORDER BY m.year DESC LIMIT 32,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
    case 'all4':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre ORDER BY m.year DESC LIMIT 48,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
        break;
    case 'all5':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre ORDER BY m.year DESC LIMIT 64,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
        break:
    case 'all6':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre ORDER BY m.year DESC LIMIT 80,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
       break;
    case 'all7':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre ORDER BY m.year DESC LIMIT 96,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
        break;
    case 'all8':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre ORDER BY m.year DESC LIMIT 112,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
       break;
    case 'al19':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre ORDER BY m.year DESC LIMIT 128,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
        break;
    case 'Action':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre WHERE m.genre_id = 1 LIMIT 0,8";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies WHERE genre_id = 1";
        break;
    case 'Action8':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre WHERE m.genre_id = 1 LIMIT 56,8";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies WHERE genre_id = 1";
        break;
   case 'Adventure':
```

```
$query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre WHERE m.genre_id = 2 LIMIT 0,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies WHERE genre_id = 2";
       break;
    case 'Animation':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre WHERE m.genre_id = 3 LIMIT 0,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies WHERE genre_id = 3";
       break;
    case 'Comedy':
       $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre WHERE m.genre_id = 4 LIMIT 0,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies WHERE genre_id = 4";
    case 'Drama':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre WHERE m.genre_id = 5 LIMIT 0,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies WHERE genre_id = 5";
        break;
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre WHERE m.genre_id = 6 LIMIT 0,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies WHERE genre_id = 6";
       break;
    case 'Horror':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre WHERE m.genre_id = 7 LIMIT 0,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies WHERE genre_id = 7";
       break;
    case 'Musical':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre WHERE m.genre_id = 8 LIMIT 0,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies WHERE genre_id = 8";
       break;
    case 'Romance':
       $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre WHERE m.genre_id = 9 LIMIT 0,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies WHERE genre_id = 9";
       break;
    case 'Sci Fi':
       $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre WHERE m.genre_id = 10 LIMIT 0,16";
       $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies WHERE genre_id = 10";
       break;
    case 'Thriller':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre WHERE m.genre_id = 11 LIMIT 0,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies WHERE genre_id = 11";
    case 'War':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre WHERE m.genre_id = 12 LIMIT 0,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies WHERE genre_id = 12";
       break;
    case 'Western':
        $query = "SELECT *, g.name AS gName, m.name AS mName FROM movies m INNER JOIN genres g ON
m.genre_id = g.id_genre WHERE m.genre_id = 13 LIMIT 0,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies WHERE genre_id = 13";
       break;
    case 'gallery':
        $query = "SELECT * FROM movies LIMIT 0,16";
        $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
```

```
break;
case 'gallery2':
    $query = "SELECT * FROM movies LIMIT 16,16";
    $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
   break;
case 'gallery3':
    $query = "SELECT * FROM movies LIMIT 32,16";
    $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
   break;
case 'gallery4':
    $query = "SELECT * FROM movies LIMIT 48,16";
    $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
   break;
case 'gallery5':
   $query = "SELECT * FROM movies LIMIT 64,16";
    $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
   break;
case 'gallery6':
    $query = "SELECT * FROM movies LIMIT 80,16";
    $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
    break;
case 'gallery7':
    $query = "SELECT * FROM movies LIMIT 96,16";
    $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
   break;
case 'gallery8':
    $query = "SELECT * FROM movies LIMIT 112,16";
    $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
   break;
case 'gallery9':
    $query = "SELECT * FROM movies LIMIT 128,16";
    $rowQuery = "SELECT COUNT(*) AS rowCount FROM movies";
    break;
```

# 3.2.10 views/moviedetail.php

```
<div id="content">
<?php
              if(isset($_GET['page'])):
                 $movie = $_GET['page'];
                 //if($movie == 0):
                 for($i=1; $i<200; $i++):
                     if($movie == $i):
                         $query = "SELECT * FROM movies WHERE id_movies = $i";
                        $detail = $connect->query($query)->fetch();
              <span id="headline">
                 <h2><?php echo $detail['name']?></h2>
              <iframe src="<?php echo $detail['video']?>"></iframe>
              <b>Copies:</b>
                     <?php echo $detail['copies']?>
```

```
<?php echo $detail['year']?>
                 <b>Description:</b>
                     <?php echo $detail['info']?>
                 <?php
                     if(isset($_SESSION['user'])):
                        $surveyQuery = "SELECT COUNT(*) AS score FROM movies m INNER JOIN users u
ON m.id_movies = u.movies_id WHERE u.movies_id = $i";
                        $survey = $connect->query($surveyQuery)->fetch();
                     <b>Survey Score:</b>
                     <?php echo $survey['score']?> points
                 <?php endif;?>
                        <form action="#" method="#">
                           <button class="add" type="button">Add to Cart</button>
                        </form>
                     <?php
          endif;endfor; endif;
</div>
   <div class="cleaner"></div>
```

## 3.2.11 views/gallery.php

```
if(count($list)>0):
                            foreach($list as $movie):
                                <div class="gallery">
                                     <img src="img/<?php echo $movie['image']?>" alt="<?php echo</pre>
$movie['name']?>">
                                 </div>
            <?php endforeach; endif;</pre>
            endif;
            $startingGroup = ['all', 'Action', 'Adventure', 'Animation', 'Comedy', 'Drama',
 Fantasy', 'Horror', 'Musical', 'Romance', 'Sci Fi', 'Thriller', 'War', 'Western', 'gallery'];
            if($number_of_pages > 1)
                echo "<div id='pagination'>";
                    if(in_array($page, $startingGroup))
                        echo "<a href='form.php?page=". $page ."'>1</a>";
                    else
                        echo "<a href='form.php?page=". substr($page, 0, -1) ."'>1</a>";
                    //echo "<a href='index.php?page=". $page ."'>1</a>";
                    for($i=2; $i<=$number_of_pages; $i++)</pre>
                        if(!in_array($page, $startingGroup))
                            echo "<a href='form.php?page=". substr($page, 0, -1) . $i ."'>$i</a>";
                        else
                            echo "<a href='form.php?page=". $page . $i ."'>$i</a>";
                echo "</div>";
</div>
</div>
    <div class="cleaner"></div>
```

```
<div id="content">
  <b>Street:</b>
          2530 Benson Park Drive
     Oklahoma City
       Oklahoma
       73102
       >
       <b>Phone Number:</b>
          405-416-9886
       <b>Mobile Number:</b>
          405-909-5621
     <h4 id="minTitle">About the Author</h4>
  <img src="img/me.jpg" alt="me" id="me">
  <b>Full Name:</b> Aleksandar Pehar
     <b>Student Number:</b> 44/16
     <b>E-mail:</b> aleksandar.pehar.44.16@ict.edu.rs
     <b>Date of Birth:</b> 12.04.1997.
     <b>Place of Residence:</b> Belgrade, Serbia
     <b>Spoken Languages:</b> Seriban, English
     <b>School:</b> Visoka ICT
     <b>Studying:</b> Internet Technology(IT)
     <b>Year of Study:</b> Second
     <b>Hobies:</b> Listening to music, Gaming, Watching movies, Reading, Drawing
     <b>Aspirations:</b>Creating Websites, Learning JavaScript, Learning PHP
  </div>
</div>
  <div class="cleaner"></div>
```

```
<div id="content">
   <form method="POST" onsubmit="return regCheck();" action="views/register.php">
   <input type="text" name="email" id="email">
         <input type="text" name="name" id="name">
         <b>Password:</b>
            <input type="password" name="pass" id="pass">
         <b>Confirm Password:</b>
             <input type="password" name="passCon" id="passCon">
         <button type="reset">Clear</button>
            <button type="submit" name="sub" >Submit</button>
         </form>
   <?php
if(isset($_GET['sent']))
   echo "<h4 id='sent'>A validation has been sent to your email. Please validate it to <a
href='form.php?page=login'>log in</a></h4>";
</div>
  <div class="cleaner"></div>
```

```
<?php
session_start();
require_once "../php/connection.php";
use PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\Exception;
require '../php/php_mailer/src/Exception.php';
 require '../php/php_mailer/src/PHPMailer.php';
 require '../php/php_mailer/src/SMTP.php';
            if(isset($_POST['sub']))
                         $email = $_POST['email'];
                         $username = $_POST['name'];
                         $pass = $_POST['pass'];
                         regUsername = "/^[a-zA-Z0-9]{4,20}$/";
                         percent = \frac{1}{2} \frac{1}{3} \frac{
                         $errors = [];
                         if(!filter_var($email, FILTER_VALIDATE_EMAIL))
                                     $errors[] = "Email not valid";
                        if(!preg_match($regUsername, $username))
                                     $errors[] = "Username not valid";
                         if(!preg_match($regPass, $pass))
                                     $errors[] = "Password not valid";
                        if(count($errors)>0)
                                     var_dump($errors);
                                     //header("Location: form.php?page=user");
                        else
                                     pass = md5(pass);
                                      //echo $pass;
                                     $token = md5(time() . $email);
                                     $insert = "INSERT INTO users (username, email, pass, active, form, token, role_id) VALUES
 (:user, :email, :pass, 0, 0, :token, 2)";
                                     $in = $connect->prepare($insert);
                                     $in->bindParam(':user', $username);
                                     $in->bindParam(':email', $email);
                                     $in->bindParam(':pass', $pass);
                                     $in->bindParam(':token', $token);
                                     try{
                                                  $try = $in->execute();
                                                  if($try){
                                                              $mail = new PHPMailer(true);
                                                              $mail->isSMTP();
                                                              $mail->Host = 'smtp.gmail.com';
                                                              $mail->SMTPAuth = true;
                                                              $mail->Username = 'homecinemaproject1337@gmail.com';
                                                              $mail->Password = 'Kalgon123';
                                                              $mail->SMTPSecure = 'tls';
                                                              $mail->Port = 587;
                                                              $mail->SMTPOptions = array(
                                                                          'ssl' => array(
```

```
'verify_peer' => false,
                            'verify_peer_name' => false,
                            'allow_self_signed' => true
                    );
                    $mail->setFrom('homecinemaproject1337@gmail.com', 'Registration Form');
                    $mail->addAddress($email);
                    //Content
                    $mail->isHTML(true);
                    $mail->Subject = 'Activate your account';
                    $href = "homecinemaproject1337.000webhostapp.com/views/activation.php?token=" .
$token;
                    $mail->Body = '<h1>Home Cinema</h1><br/>><br/>If you want to activate your
account, click the link: <a href="' . $href . '">HERE</a>';
                    $mail->send();
                    header("Location: ../form.php?page=singup&sent=yes");
                } else {
                    $statusCode = 500;
            catch(PDOException $e){
                $statusCode = 500;
```

#### 3.2.14 views/activation.php

```
<?php
session_start();
require_once "../php/connection.php";
   $token = $_GET['token'];
   $query = "UPDATE users SET active = 1 WHERE token = :token";
   $activate = $connect->prepare($query);
   $activate->bindParam(':token', $token);
    //echo $query;
   try{
        $try = $activate->execute();
        if($try){
            //echo $query;
            $statusCode = 204;
            header("Location: ../form.php?page=login");
        } else {
            $statusCode = 500;
   catch(PDOException $e){
       $statusCode = 500;
```

#### 3.2.14 views/login.php

```
<div id="content">
   <form method="POST" action="views/processing.php">
   <input type="text" name="email">
          <b>Password:</b>
             <input type="password" name="pass">
          <button type="reset">Clear</button>
             <button type="submit">Log In</button>
   </form>
   <?php
if(isset($_GET['try']))
   echo "<h4 id='sent'>The username or password is inccorect</h4>";
</div>
   <div class="cleaner"></div>
```

## 3.2.15 views/processing.php

```
<?php
session_start();
require_once "../php/connection.php";
   $email = $_POST['email'];
   $pass = md5($_POST['pass']);
   $query = "SELECT * FROM users WHERE email = ? AND pass = ? AND active = 1";
   $stmt = $connect->prepare($query);
    try{
        $stmt->execute([$email, $pass]);
        $log = $stmt->fetch();
        if(count($stmt) == 1)
            //echo "Uspeso ste ulogovani";
            $_SESSION['user'] = $log;
            //var_dump($log);
            $user = $_SESSION['user'];
            //var_dump($user);
            header("Location: ../index.php?page=all");
        else
```

```
{
    //echo "ne moze";
    header("Location: ../form.php?page=login&try=yes");
}
catch(PDOException $e){
    $statusCode = 500;
}
}
```

#### 3.2.16. views/form.php

```
<div id="content">
<?php
       $username = $user['username'];
       if($user['form']==0):
           echo "<h3>Hello <i>$username</i> and welcome to a one time survey. All poits can be seen
on every individual movie page :)</h3>";
           <div id="favorite">
               <h4>What is your favorite movie:</h4>
               <form method="POST" onsubmit="return surveyCheck();" action="views/surveyEnter.php">
               <select id="drop" name="select">
                   <option value="0">Pick Movie:</option>
                   <?php
                   $listQuery = "SELECT * FROM movies";
                   $list = $connect->query($listQuery)->fetchAll();
                   if(count($list)>0)
                       foreach($list as $movie)
                           echo "<option value='" . $movie['id_movies'] . "'>" . $movie['name'] .
'</option>";
               </select>
                   <button id="surveySubmit" type="submit" name="sub" >Submit
               </form>
   <?php
       else:
           echo "<h3 id='sorry'>Thank you <i>$username</i> for taking part in our survey. Points for
each movie can be seen on every individual movie page.</h3>";
       endif;
</div>
   <div class="cleaner"></div>
```

```
<?php
session_start();
require_once "../php/connection.php";
if(isset($_POST['select'])){
   $select = $_POST['select'];
   $user = $_SESSION['user'];
   $user_id = $user['id_users'];
   $surveyUpdate = "UPDATE users SET movies_id = :sel, form = '1' WHERE id_users = :id";
   $survey = $connect->prepare($surveyUpdate);
   $survey->bindParam(':sel', $select);
   $survey->bindParam(':id', $user_id);
        //echo $surveyUpdate;
        try{
            $try = $survey->execute();
            if($try){
                //echo $surveyUpdate;
                $statusCode = 204;
               header("Location: ../index.php?page=all");
            } else {
                $statusCode = 500;
        catch(PDOException $e){
            $statusCode = 500;
else
   header("Location: ../form.php?page=form");
```

## 3.2.18 views/user.php

```
<div id="content"><?php</pre>
       if(isset($_SESSION['user'])):
           $user = $ SESSION['user'];
           $role = $user['role_id'];
           //echo $role;
           if($role=="1"):
   <h3>Hello <i><?php echo $user['username'];?></i> and welcome to your profile page. Becouse you
are an admin of this web site here you can change the profiles of all users, enjoy your new power
:)</h3>
   <?php
       $userQuery = "SELECT * FROM users u INNER JOIN roles r ON u.role_id = r.id_role";
       $userTab = $connect->query($userQuery)->fetchAll();
       foreach($userTab as $tab):
   <div class="profile">
       <span><?php echo $tab['id_users'];?></span>
```

```
<span><?php echo $tab['username'];?></span>
        <span><?php echo $tab['email'];?></span>
           <b>Active:</b>
              <span><?php echo $tab['active'];?></span>
           <b>Role:</b>
           >
              <span><?php echo $tab['name'];?></span>
           <b><a href="form.php?page=edit&user=<?php echo $tab['id_users'];?>">Edit
Profile</b>
              <form method="POST" action="views/delete.php?user=<?php echo $tab['id_users']?>">
                 <button class="delete" type="submit">Delete</button>
           </div>
<?php
  endforeach;
        else:
  <h3>Hello <i><?php echo suser['username'];?></i> and welcome to your profile page. Here you can
look at the information you have provided :)</h3>
  <span><?php echo $user['username'];?></span>
     <span><?php echo $user['email'];?></span>
```

## 3.2.19 views.edit.php

```
<div id="content"><?php</pre>
   $user = $_GET['user'];
   $thisUser = "SELECT * FROM users u INNER JOIN roles r ON u.role_id = r.id_role WHERE u.id_users =
$user";
   $userTab = $connect->query($thisUser)->fetch();
   $val = $userTab;
?>
<form method="POST" onsubmit="return editCheck3();" action="views/editProcessing.php">
   <input type="hidden" id="id" name="id" value="<?php echo $user?>">
   <input value="<?php echo $val['email']?>" type="text" name="email" id="email">
       <input value="<?php echo $val['username']?>" type="text" name="name" id="name">
      <b>Active:</b>
              <input value="<?php echo $val['active']?>" type="text" name="active" id="active">
          <b>Role:</b>
             <input value="<?php echo $val['name']?>" type="text" name="role" id="role">
          <
             <button type="submit" id="send" name="editUser">Submit</button>
       </form>
   <div id="message">
 /div></div><div class="cleaner"></div>
```


```
<?php
session_start();
require_once "../php/connection.php";
if(isset($_POST['editUser'])){
   $id = $_POST['id'];
   $email = $_POST['email'];
   $username = $_POST['name'];
   $active = $_POST['active'];
   $role = $_POST['role'];
   regUsername = "/^[a-zA-Z0-9]{4,20}$/";
   $errors = [];
   if(!filter_var($email, FILTER_VALIDATE_EMAIL))
        $errors[] = "Email not valid";
   if(!preg_match($regUsername, $username))
        $errors[] = "Username not valid";
    if($active!=1 && $active!=0)
        $errors[] = "Active not valid";
    if($role!="guest" && $role!="admin")
        $errors[] = "Role not valid";
    if($role == "admin")
        $role = 1;
   else if($role == "guest")
        $role = 2;
    //var_dump($errors);
   if(count($errors)>0)
        //var_dump($errors);
       header("Location: ../form.php?page=user");
   else
        $update = "UPDATE users SET username = :user, email = :email, active = :active, role_id =
roles WHERE id_users = :id";
        $up = $connect->prepare($update);
        $up->bindParam(':user', $username);
        $up->bindParam(':email', $email);
        $up->bindParam(':active', $active);
        $up->bindParam(':roles', $role);
        $up->bindParam(':id', $id);
        //echo $update;
        try{
            $try = $up->execute();
            if($try){
                $statusCode = 204;
```

## 3.2.21 views/delete.php

```
<?php
session_start();
require_once "../php/connection.php";
   $delete="DELETE FROM users WHERE id_users = :id";
   $user = $_GET['user'];
   $del = $connect->prepare($delete);
   $del->bindParam(':id', $user);
   try{
        $finsih = $del->execute();
       if($finsih){
           $statusCode = 204;
           header("Location: ../form.php?page=user");
        } else {
           $statusCode = 500;
   catch(PDOException $e){
        $statusCode = 500;
```

## 4. DIZAJN BAZE


#### **4.1 Sve**



## 4.2 genres



### 4.3 meni



# 4.4 movies(ima mnogo vise filmova od ovoga)

←T→		▼ id_movi	es	name	copies	year	image	video	info	genre_id
	PEdit 14 Copy	Delete	1	Deadpool 2	1	2018	movie1.jpg	https://www.youtube.com/embed/D86RtevtfrA	Foul-mouthed mutant mercenary Wade Wilson (AKA. De	1
	PEdit 👫 Copy	Delete	2	Solo: A Star Wars Story	1	2018	movie2.jpg	https://www.youtube.com/embed/jPEYpryMp2s	During an adventure into the criminal underworld,	2
	PEdit ≱ Copy	Delete	3	Isle of Dogs	2	2018	movie3.jpg	https://www.youtube.com/embed/dtkig8PVU	Set in Japan, Isle of Dogs follows a boy's odyssey	3
	PEdit ∰a Copy	Delete	4	Gringo	1	2018	movie4.jpg	https://www.youtube.com/embed/8zHQNYwE1yQ	GRINGO, a dark comedy mixed with white-knuckle act	4
	PEdit 14 Copy	Delete	5	The Post	2	2017	movie5.jpg	https://www.youtube.com/embed/nrXIY6gzTTM	A cover-up that spanned four U.S. Presidents pushe	5
	PEdit <b>≩</b> € Copy	Delete	6	Warcraft	3	2016	movie6.jpg	https://www.youtube.com/embed/2Rxoz13Bthc	As an Orc horde invades the planet Azeroth using a	6
	PEdit ≱ Copy	Delete	7	A Quiet Place	1	2018	movie7.jpg	https://www.youtube.com/embed/p9wE8dyzEJE	In a post-apocalyptic world, a family is forced to	7
	P Edit <b>≩≟</b> Copy	Delete	8	The Greatest Showman	2	2017	movie8.jpg	https://www.youtube.com/embed/AXCTMGYUg9A	Celebrates the birth of show business, and tells o	8
	PEdit 🏰 Copy	Delete	9	The Shape of Water	3	2017	movie9.jpg	https://www.youtube.com/embed/XFYWazblaUA	At a top secret research facility in the 1960s, a	9
	PEdit 👫 Copy	Delete	10	Blade Runner 2049	1	2017	movie10.jpg	https://www.youtube.com/embed/gCcx85zbxz4	A young blade runner's discovery of a long-buried	10
	PEdit ≱ Copy	Delete	11	Red Sparrow	2	2018	movie11.jpg	https://www.youtube.com/embed/PmUL6wMpMVVw	Ballerina Dominika Egorova is recruited to 'Sparro	11
	PEdit 3 € Copy	Delete	12	12 Strong	1	2018	movie12.jpg	https://www.youtube.com/embed/-Denciie5oA	12 Strong tells the story of the first Special For	12
	PEdit 3 Copy	Delete	13	The Magnificent Seven	4	2016	movie13.jpg	https://www.youtube.com/embed/q-RBA0xoaWU	Seven gunmen in the old west gradually come togeth	13
	PEdit 👫 Copy	Delete	14	Avengers: Infinity War	2	2018	movie14.jpg	https://www.youtube.com/embed/6ZfuNTqbHE8	The Avengers and their allies must be willing to s	1
	PEdit <b>≩≟</b> Copy	Delete	15	Kong: Skull Island	3	2017	movie15.jpg	https://www.youtube.com/embed/44LdLqgOpjo	A team of scientists explore an uncharted island i	2
	PEdit 3 € Copy	Delete	16	Coco	3	2017	movie16.jpg	https://www.youtube.com/embed/Z43ZzfHPiNY	Aspiring musician Miguel, confronted with his fami	3
	PEdit <b>≩</b> € Copy	Delete	17	The Nice Guys	4	2016	movie17.jpg	https://www.youtube.com/embed/GQR5zsLHbYw	In 1970s Los Angeles, a mismatched pair of private	4
	PEdit 👫 Copy	Delete	18	The Disaster Artist	1	2017	movie18.jpg	https://www.youtube.com/embed/sPSJYXi7BWA	When Greg Sestero, an aspiring film actor, meets t	5
	PEdit <b>≩≟</b> Copy	Delete	19	King Arthur: Legend of the Sword	2	2017	movie19.jpg	https://www.youtube.com/embed/jIM4-HLtUM0	Robbed of his birthright, Arthur comes up the hard	6
	PEdit 3 € Copy	Delete	20	Get Out	3	2017	movie20.jpg	https://www.youtube.com/embed/sRfnevzM9kQ	A young African-American visits his white girlfrie	7
	PEdit <b>≩</b> € Copy	Delete	21	La La Land	5	2016	movie21.jpg	https://www.youtube.com/embed/0pdqf4P9MB8	While navigating their careers in Los Angeles, a p	8
	PEdit <b>≩</b> € Copy	Delete	22	Fifty Shades of Grey	1	2017	movie22.jpg	https://www.youtube.com/embed/SfZWFDs0LxA	Literature student Anastasia Steele's life changes	9
	P Edit 3 € Copy	Delete	23	Ready Player One	2	2018	movie23.jpg	https://www.youtube.com/embed/cSp1dM2Vj48	When the creator of a virtual reality world called	10
	P Edit 3 € Copy	Delete	24	Atomic Blonde	1	2017	movie24.jpg	https://www.youtube.com/embed/aieQrj9Yy8s	An undercover MI6 agent is sent to Berlin during t	11
	PEdit <b>≩</b> € Copy	Delete	25	Fury	1	2014	movie25.jpg	https://www.youtube.com/embed/-OGvZoIrXpg	A grizzled tank commander makes tough decisions as	12
	P Edit <b>≩</b> € Copy	Delete	26	Bone Tomahawk	3	2015	movie26.jpg	https://www.youtube.com/embed/0ZbwtHi-KSE	In the dying days of the old west, an elderly sher	13
	P Edit ≱ Copy	Delete	27	Black Panther	1	2018	movie27.jpg	https://www.youtube.com/embed/xjDjIWPwcPU	T'Challa, the King of Wakanda, rises to the throne	1
	P Edit 3 € Copy	Delete	28	Godzilla	2	2014	movie28.jpg	https://www.youtube.com/embed/vlu85WQTPRc	The world is beset by the appearance of monstrous	2
	P Edit 3 € Copy	Delete	29	Zootopia	4	2016	movie29.jpg	https://www.youtube.com/embed/jWM0ct-OLsM	In a city of anthropomorphic animals, a rookie bun	3
	P Edit <b>≩</b> € Copy	Delete	30	This Is the End	1	2013	movie30.jpg	https://www.youtube.com/embed/kliQSsD_npo	While attending a party at James Franco's house, S	4
	P Edit 3 € Copy	Delete	31	Manchester by the Sea	3	2016	movie31.jpg	https://www.youtube.com/embed/gsVoD0pTge0	A depressed uncle is asked to take care of his tee	5
	PEdit 3 € Copy	Delete	32	Fantastic Beasts and Where to Find Them	5	2016	movie32.jpg	https://www.youtube.com/embed/ViuDsy7yb8M	The adventures of writer Newt Scamander in New Yor	6
	P Edit 3 € Copy	Delete	33	lt	2	2017	movie33.jpg	https://www.youtube.com/embed/FnCdOQsX5kc	In the summer of 1989, a group of bullied kids ban	7
	PEdit <b>≩</b> € Copy	Delete	34	Les Miserables	1	2012	movie34.jpg	https://www.youtube.com/embed/luEFm84s4ol	In 19th-century France, Jean Valjean, who for deca	8
	P Edit	Delete	35	Brokeback Mountain	1	2005	movie35.jpg	https://www.youtube.com/embed/IDz1fmeyHIA	The story of a forbidden and secretive relationshi	9

## 4.5 roles



## 4.6 users

$\leftarrow T$	<b>−</b>		$\neg$	id_users	username	email	pass	active	form	token	movies_id	role_id
		<b>≩</b>	Delete	1	admin	admin@gmail.com	21232f297a57a5a743894a0e4a801fc3	1	1	fe52a1d2f7d9257822f07dea02eeb564	3	1
		<b>≩-</b> Copy	Delete	2	acapehar	acapehar@gmail.com	e8b0d15a3e0e33ca02a7d0b569dea31d	1	0	ed6200265aa9b3d25a0e2e0b7dceb166	NULL	1
		<b>≩</b> € Copy	Delete	50	Skajdz	lukavukotic33@gmail.com	bc84ad778c13f16c0b4aa15dde8db06a	0	0	fff87b65c67e38490a5eda329b525c84	NULL	2
		<b>≩</b> і Сору	Delete	51	Luka123	luka.vukotic.140.16@ict.edu.rs	31346c1803fce5aac55d0f931eefc7a3	1	1	ebd45184f2d99cdf398ff3c478e70513	84	2
		<b>≩</b> i Copy	Delete	52	CerealKiller	bogdanovicstefan1997@gmail.com	5a11aff28d8ec595c2e603cb2d9b8d52	1	1	d203d470c6a95e197f3c7933c4350509	56	2
	<i> ⊗</i> Edit	<b>≩</b> сору	Delete	53	toni	antonijepavlovic1@gmail.com	dce6345ea5b90d6ea53f0ef5c4b4c72c	1	1	b1037f89a71a285ca1894e0f43920db6	100	2

## 4.7 Desingner View

