



# Placement Empowerment Program Cloud Computing and DevOps Centre

Set Up a Local Git Repository: Initialize a Git repository locally and version control your static website

Name: Priyanka Mary A Department: CSE



#### Introduction

Version control is a fundamental practice in software development that allows you to manage changes to your code over time. It provides a systematic way to track updates, collaborate with others, and revert to previous versions if needed. Git is one of the most widely used version control systems, known for its efficiency, flexibility, and distributed nature.

In this POC, we'll initialize a local Git repository to version control your static website. By doing so, you'll be able to track changes to your project files, experiment with new features in a controlled way, and easily share your project with others if needed. Setting up a Git repository is a critical step towards maintaining a structured and reliable workflow, especially for developers and teams working on collaborative projects.

#### **Overview**

Here's what we will cover in this setup:

- **1. Installing Git**: Ensure Git is installed on your system and properly configured.
- **2. Creating a Local Repository**: Initialize a Git repository in the root folder of your static website
- **3. Staging and Committing Files**: Add your project files to the staging area and commit them to the repository to save a snapshot of your work.
- **4. Reviewing the** evolves. **Repository State**: Use Git commands to check the status of your repository and verify that everything is tracked properly.

## **Objectives**

By the end of this POC, you will:

- 1. Understand the Basics of Version Control: Gain insight into the importance of Git for managing and tracking changes in your projects.
- **2. Set Up a Git Repository**: Learn how to initialize a Git repository to version control your static website locally.
- **3. Track Changes Effectively**: Understand how to stage and commit files to ensure every change is logged.
- 4. **Organize Your Project**: Maintain a clean and structured workflow for your static website, with the ability to roll back changes when needed.
- 5. **Prepare for Collaboration**: Lay the groundwork to share your repository and collaborate with others using Git when required

## **Importance of Setting Up a Local Git Repository**

**Track Changes**: Git records all modifications, ensuring a clear history of your project.


**Rollback**: Easily revert to previous versions to recover from mistakes.

**Collaboration**: Prepares your project for team work, enabling smooth integration of changes.


## **Step-by-Step Overview**

## Step 1:

Search for "Git" in Chrome, download it, and click the "Downloads" option on the website.



Click the **Windows** option on the download page and follow the installation wizard.



## Step 3

In your Desktop Create a folder named git for your static website
Inside that folder, create a simple HTML file named index.html. You
can write some basic HTML



```
SPICORER

OPENDITORS unsaved

Welcome

Index.html


A welcome

A chead>

A c
```

## Step 4

Open the Command prompt and set the path to the folder named git we created



## Step 5

Now, initialize Git by typing this command:

#### git init

This command will create a .git folder inside your project folder, which tells Git to start tracking your files.

```
PS C:\Users\Arockia Doss\Desktop\git> git init
Initialized empty Git repository in C:/Users/Arockia Doss/Desktop/git/
PS C:\Users\Arockia Doss\Desktop\git>
```

## Step 6

Next, we need to tell Git to start tracking your website files.

To tell Git which files to track, use the git add command. If you want to track all the files in your folder, type

#### git add.

This command adds all the files to Git's tracking system.

```
PS C:\Users\Arockia Doss\Desktop\git> git add .
PS C:\Users\Arockia Doss\Desktop\git>
```

## Step 7

Set Up Your Name and Email Globally Git doesn't know who is making the commit because you haven't configured your name and email yet. Git uses this information to track who made the changes.

```
PS D:\git\class> git config --global user.email "priyankamary0405@gmail.com"
PS D:\git\class> git config --global user.name "APriyankaMary"
```

## Step 8

Now, we need to save these changes in Git. When you "commit" changes, Git takes a snapshot of your files.

Type the following command to commit your changes:

git commit -m "Initial commit of my static website"

The -m flag allows you to add a message about your changes. In this case, we're saying this is the "initial commit," meaning the first time we're saving our work.

```
PS C:\Users\Arockia Doss\Desktop\git> git commit -m "Initial commit of my static website"

[master (root-commit) 0fd1e2a] Initial commit of my static website

1 file changed, 0 insertions(+), 0 deletions(-)

create mode 100644 index.html

PS C:\Users\Arockia Doss\Desktop\git>
```


## Step 9

#### **Create a New Repository:**

Once you're logged in, click the green "New" button on the topright of your GitHub homepage to create a new repository.

Give your repository a name, for example, my-website.

Leave the other settings as default, and click "Create repository".



## Step 10

#### Add the Remote Repository URL to Your Local Repository:

Go back to your Command Line and type the following:

git remote add origin https://github.com/yourusername/my-website.git

Replace yourusername with your GitHub username and mywebsite with the name of your GitHub repository.

PS C:\Users\Arockia Doss\Desktop\git> git remote add origin https://github.com/APriyankaMary/my-website.git

## Step 11

The **git branch -M** main command is used to **rename the current branch** to main. Here's what it does:

-M: This flag forces the renaming, even if a branch named main already exists. It will overwrite the existing main branch.

main: This is the new name for the current branch.

PS C:\Users\Arockia Doss\Desktop\git> git branch -M main

## Step 12

The command git **push -u origin main** is used to push your local **main** branch to the remote repository (**origin**) and set it as the upstream branch

```
PS D:\git\class> git push
info: please complete authentication in your browser...
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 224 bytes | 112.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/APriyankaMary/class.git
* [new branch] main -> main
```


### Step 13

Verify Your Files on GitHub

Go to your GitHub Repository:

Open your web browser and navigate to your GitHub repository (e.g., https://github.com/yourusername/my-website).

You should see your website files there!



## **Expected Outcome**

By completing this PoC of setting up a local Git repository, you will:

- 1. Successfully initialize a Git repository in your local static website folder.
- 2. Track changes made to your website files (HTML, CSS, etc.) using Git version control.
- 3. Understand the basic Git commands (git init, git add, git commit) for version control.
- 4. Commit your changes locally with a descriptive commit message.
- 5. Gain hands-on experience with Git and how it helps manage and track website file changes.