MODULE PRACTICE

References

```
int &sonny = songqiao;
```

In C++, a *reference* variable is an alias for another object. It is created using the `&` sign. Two things to note:

1. Anything done to the reference also happens to the original.
2. Aliases cannot be changed to alias something else.

Pointers

```
int* pointer = &gum;
```

In C++, a *pointer* variable stores the memory address of something else. It is created using the `*` sign.

`const` Reference

```
int triple(int const &i) {

  return i * 3;

}
```

In C++, pass-by-reference with `const` can be used for a function where the parameter(s) won't change inside the function.

This saves the computational cost of making a copy of the argument.

Memory Address

```
std::cout << &porcupine_count << "\n";
```

In C++, the *memory address* is the location in the memory of an object. It can be accessed with the "address of" operator, `&`.

Given a variable `porcupine_count`, the memory address can be retrieved by printing out `&porcupine_count`. It will return something like: `0x7ffd7caa5b54`.

Dereference

```
int gum = 3;

// * on left side is a pointer
int* pointer = &gum;

// * on right side is a dereference of that pointer
int dereference = *pointer;
```

In C++, a *dereference reference operator*, `*`, can be used to obtain the value pointed to by a pointer variable.

Pass-By-Reference

```
void swap_num(int &i, int &j) {

  int temp = i;
  i = j;
  j = temp;

}

int main() {

  int a = 100;
  int b = 200;

  swap_num(a, b);

  std::cout << "A is " << a << "\n";
  std::cout << "B is " << b << "\n";

}
```

In C++, *pass-by-reference* refers to passing parameters to a function by using references.

It allows the ability to:

- Modify the value of the function arguments.
- Avoid making copies of a variable/object for performance reasons.