

Learn Go: Structs

Structs and Fields

In Go, a group of related variables can be defined as a struct. Each variable within a struct is known as a field.

Struct Definition

In Go, a struct must be defined before it can be used in a program. The definition of a struct includes its name and its fields.

```
type Point struct{  
    x int  
    y int  
}
```

Struct Instances

In Go, an instance of a defined struct can be created by providing its name followed by a set of curly braces with optional values.

```
p1 := Point{x: 10, y: 12}
```

Struct Methods

In Go, methods can be associated with a struct by naming a struct parameter in parentheses before the function name.

```
func (rectangle Rectangle) area()  
float32{  
    return rectangle.length *  
    rectangle.height  
}  
  
func main() {  
    rect.area()  
}
```

Access Struct Fields

In Go, fields within a struct can be accessed or modified using the `.` operator.

```
p1 := Point{x:10, y:12}
fmt.Println(p1.x)
```

Passing Structs as Pointers

In Go, the values of a struct can only be modified in a function if the struct is passed as a pointer.

```
func (rectangle *Rectangle)
modify(newLength float32) {
    rectangle.length = newLength
}
```

Access Pointer Struct Fields

In Go, accessing the fields of a pointer to a struct does not require dereferencing. The fields of the struct pointer can be accessed using the normal `.` syntax.

```
steve := Employee{"Steve", "Stevens", 34,
"Junior Manager"}
pointerToSteve := &steve
fmt.Println(pointerToSteve.firstName)
```

Arrays of Structs

In Go, arrays can be used to store many of the same struct's instances.

```
points := []Point{{1, 1}, {7, 27}, {12,
7}, {9, 25}}
```

Nested Structs

In Go, a struct can contain fields that are themselves other structs.

```
type Name struct{
    firstName string
    lastName string
}

type Employee struct{
    name Name
    age int
    title string
}
```

