

Cucumber Report

09-Sep-2023, 10:08:43 am

Start : Sep 09, 10:08:42.431 am

End : Sep 09, 10:08:42.673 am

Duration : 0.242 s

Features



Scenarios


Steps

PASSED - 3
FAILED - 3
SKIPPED - 0


PASSED - 10
FAILED - 3
SKIPPED - 0

PASSED - 30
FAILED - 3
SKIPPED - 33






#	Feature Name	T	P	F	S	Duration
1	<u>Validate smart phone ordering with exchange using net banking</u>	1	0	1	0	0.070 s
2	<u>Validate smart phone ordering with exchange using COD</u>	1	0	1	0	0.005 s
3	<u>Validate smart phone ordering with exchange using Debit Card</u>	1	0	1	0	0.012 s
4	<u>Tag implementations for filtering</u>	3	3	0	0	0.034 s
5	<u>Tag filtering</u>	1	1	0	0	0.003 s
6	<u>Test Driven Development</u>	6	6	0	0	0.052 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validate smart phone ordering with exchange using net banking</u>	<u>To verify smartphone ordering with exchange using net banking</u>	30	0	1	29	0.066 s
2	<u>Validate smart phone ordering with exchange using COD</u>	<u>To verify smartphone ordering with exchange using COD</u>	3	0	1	2	0.005 s
3	<u>Validate smart phone ordering with exchange using Debit Card</u>	<u>To verify smartphone ordering with exchange using Debit Card</u>	3	0	1	2	0.010 s
4	<u>Tag implementations for filtering</u>	<u>Tag case one</u>	3	3	0	0	0.003 s
5	<u>Tag implementations for filtering</u>	<u>Tag case two</u>	3	3	0	0	0.005 s
6	<u>Tag implementations for filtering</u>	<u>Tag case three</u>	3	3	0	0	0.003 s
7	<u>Tag filtering</u>	<u>tag case four</u>	3	3	0	0	0.003 s
8	<u>Test Driven Development</u>	<u>Title of your scenario outline</u>	3	3	0	0	0.004 s
9	<u>Test Driven Development</u>	<u>Title of your scenario outline</u>	3	3	0	0	0.003 s
10	<u>Test Driven Development</u>	<u>Title of your scenario outline</u>	3	3	0	0	0.002 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Test Driven Development	Title of your scenario outline	3	3	0	0	0.004 s
12	Test Driven Development	Title of your scenario outline	3	3	0	0	0.001 s
13	Test Driven Development	Title of your scenario outline	3	3	0	0	0.003 s

(F)- Validate smart phone ordering with exchange using net banking

FAILED	DURATION - 0.070 s	Scenarios		Steps	
/ 10:08:42.431 am // 10:08:42.501 am /		Total - 1		Total - 30	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 29	



(S)- To verify smartphone ordering with exchange using net banking

<div>FAILED</div> <div>DURATION - 0.066 s</div>			Steps		
/ 10:08:42.435 am // 10:08:42.501 am /			Total - 30		
Validate smart phone ordering with exchange using net banking			Pass - 0		
@Smoke			Fail - 1		
			Skip - 29		



#	Step / Hook Details	Status	Duration
1	Given - Given user loads the Amazon url java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "hooks.ScreenShot.driver" is null at hooks.ScreenShot.takeScreenShot(ScreenShot.java:25) at stepdefinition.smartphone.LoginPage.user_loads_the_amazon_url(LoginPage.java:17) at ?.user loads the Amazon url(file:///C:/Users/glend/eclipse-workspace/CucumberFrameworkTesting4/src/test/resources/SmartPhoneOrdering/TC01-Order%20mobile%20withexchanges%20using%20Net%20Banking.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.031 s
2	When - When user enters valida credentials	SKIPPED	0.001 s
3	Then - Then user lands on Home page of Amazon	SKIPPED	0.000 s
4	When - When user select electronics category from dropdown	SKIPPED	0.000 s
5	And - And enter smart phone details in the search bar	SKIPPED	0.000 s
6	And - And Click on search button	SKIPPED	0.000 s
7	Then - Then user will land on search catalouge	SKIPPED	0.000 s
8	When - When user Clicks on any smart phone from the catalouge	SKIPPED	0.000 s
9	Then - Then user lands on product information page	SKIPPED	0.000 s
10	When - When user validates Product title, Ratings, Answered question from DB	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
11	And - And user Validate the MRP, Discount and Final price after discount from DB	SKIPPED	0.000 s
12	And - And Validate replacement and return policy info along with other details	SKIPPED	0.000 s
13	And - And Validate color and style name selection is enabled	SKIPPED	0.000 s
14	And - And Validate Product core information	SKIPPED	0.000 s
15	When - When user Clicks on without exchange option	SKIPPED	0.000 s
16	And - And Validate delivery ETA, Address pin, Stock availability and Seller information	SKIPPED	0.000 s
17	And - And No plans selected	SKIPPED	0.001 s
18	And - And user Clicks on add to cart	SKIPPED	0.000 s
19	Then - Then Cart under additional information page should come	SKIPPED	0.000 s
20	When - When user Clicks on Cart under additional information page of cart	SKIPPED	0.000 s
21	And - And user Clicks on Proceed to buy button	SKIPPED	0.000 s
22	Then - Then user lands on address selection page	SKIPPED	0.000 s
23	When - When user Selects appropriate address	SKIPPED	0.000 s
24	And - And click on use this address button	SKIPPED	0.000 s
25	Then - Then focus should shift on payment methods	SKIPPED	0.001 s
26	When - When user Selects COD	SKIPPED	0.000 s
27	And - And click on use this payment method button	SKIPPED	0.000 s
28	Then - Then validate the order summary page	SKIPPED	0.000 s
29	When - When user Click on place your order	SKIPPED	0.000 s
30	Then - Then Validate order confirmation page	SKIPPED	0.000 s

(F)- Validate smart phone ordering with exchange using COD

FAILED	DURATION - 0.005 s	Scenarios		Steps	
/ 10:08:42.527 am // 10:08:42.532 am /		Total - 1		Total - 3	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- To verify smartphone ordering with exchange using COD



<div>FAILED</div> <div>DURATION - 0.005 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 10:08:42.527 am // 10:08:42.532 am /				
Validate smart phone ordering with exchange using COD				

#	Step / Hook Details	Status	Duration
1	Given - Given user loads the Amazon url <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "hooks.ScreenShot.driver" is null at hooks.ScreenShot.takeScreenShot(ScreenShot.java:25) at stepdefinition.smartphone.LoginPage.user_loads_the_amazon_url(LoginPage.java:17) at ?user loads the Amazon url(file:///C:/Users/glend/eclipse-workspace/CucumberFrameworkTesting4/src/test/resources/SmartPhoneOrdering/TC02-Order%20mobile%20withexchanges%20using%20COD.feature:6) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
2	When - When user enters valida credentials	SKIPPED	0.000 s
3	Then - Then user lands on Home page of Amazon	SKIPPED	0.000 s

(F)- Validate smart phone ordering with exchange using Debit Card



<div>FAILED</div> <div>DURATION - 0.012 s</div>		<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div></div><div>1</div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div><div></div><div>3</div></div>
/ 10:08:42.546 am // 10:08:42.558 am /					

(S)- To verify smartphone ordering with exchange using Debit Card



<div>FAILED</div> <div>DURATION - 0.010 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 10:08:42.548 am // 10:08:42.558 am /				
Validate smart phone ordering with exchange using Debit Card				

#	Step / Hook Details	Status	Duration
1	Given - Given user loads the Amazon url <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "hooks.ScreenShot.driver" is null at hooks.ScreenShot.takeScreenShot(ScreenShot.java:25) at stepdefinition.smartphone.LoginPage.user_loads_the_amazon_url(LoginPage.java:17) at ?user loads the Amazon url(file:///C:/Users/glend/eclipse-workspace/CucumberFrameworkTesting4/src/test/resources/SmartPhoneOrdering/TC03-Order%20mobile%20withexchanges%20using%20Debit%20Card.feature:6) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.003 s
2	When - When user enters valida credentials	SKIPPED	0.001 s
3	Then - Then user lands on Home page of Amazon	SKIPPED	0.000 s

(F)- Tag implementations for filtering



<div>PASSED</div>	<div>DURATION - 0.034 s</div>	<div>Scenarios</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 10:08:42.567 am // 10:08:42.601 am /					

(S)- Tag case one

<div>PASSED</div> <div>DURATION - 0.003 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 10:08:42.567 am // 10:08:42.570 am /</div>			
<div>Tag implementations for filtering</div>			
<div>@Smoke @Sanity @All1</div>			



#	Step / Hook Details	Status	Duration
1	Given - Given start implementation for tag	PASSED	0.001 s
2	And - And some other precondition for tag	PASSED	0.000 s
3	When - When I complete action one	PASSED	0.000 s

(S)- Tag case two

<div>PASSED</div> <div>DURATION - 0.005 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 10:08:42.587 am // 10:08:42.592 am /</div>			
<div>Tag implementations for filtering</div>			
<div>@Smoke @Regression @All1</div>			



#	Step / Hook Details	Status	Duration
1	Given - Given start implementation for tag	PASSED	0.000 s
2	And - And some other precondition for tag	PASSED	0.000 s
3	When - When I complete action two by passing "Jonal" into text box	PASSED	0.002 s

(S)- Tag case three



<div>PASSED</div> <div>DURATION - 0.003 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 10:08:42.598 am // 10:08:42.601 am /</div>			
<div>Tag implementations for filtering</div>			
<div>@Sanity @All1</div>			

#	Step / Hook Details	Status	Duration
1	Given - Given start implementation for tag	PASSED	0.000 s
2	And - And some other precondition for tag	PASSED	0.001 s
3	When - When I complete action three	PASSED	0.000 s

(F)- Tag filtering

<div>PASSED</div>	<div>DURATION - 0.003 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 10:08:42.611 am // 10:08:42.614 am /					



(S)- tag case four

<div>PASSED</div> <div>DURATION - 0.003 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 10:08:42.611 am // 10:08:42.614 am /</div>			
<div>Tag filtering</div>			
<div>@Smoke @All2</div>			



#	Step / Hook Details	Status	Duration
1	Given - Given start implementation for tag	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
2	And - And some other precondition for tag	PASSED	0.000 s
3	When - When I complete action Four	PASSED	0.000 s

(F)- Test Driven Development



PASSED	<i>DURATION - 0.052 s</i>	Scenarios		Steps	
/ 10:08:42.621 am // 10:08:42.673 am /		Total - 6		Total - 18	
		Pass - 6		Pass - 18	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Title of your scenario outline

<div>PASSED</div> <div>DURATION - 0.004 s</div>		Steps	
/ 10:08:42.626 am // 10:08:42.630 am /		Total - 3	
Test Driven Development		Pass - 3	
@Smoke @SO		Fail - 0	
		Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given - Given I want to write a step with "Kalyani" testing4	PASSED	0.000 s
2	When - When I check for the "15" in step testing4	PASSED	0.001 s
3	Then - Then I verify the "Bhandara" in step testing4	PASSED	0.000 s

(S)- Title of your scenario outline

<div>PASSED</div> <div>DURATION - 0.003 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 10:08:42.634 am // 10:08:42.637 am /</div>			
<div>Test Driven Development</div>			
<div>@Smoke @SO</div>			



#	Step / Hook Details	Status	Duration
1	Given - Given I want to write a step with "Ragini" testing4	PASSED	0.001 s
2	When - When I check for the "17" in step testing4	PASSED	0.000 s
3	Then - Then I verify the "Chandrapur" in step testing4	PASSED	0.000 s

(S)- Title of your scenario outline

<div>PASSED</div> <div>DURATION - 0.002 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 10:08:42.643 am // 10:08:42.645 am /</div>			
<div>Test Driven Development</div>			
<div>@Smoke @SO</div>			



#	Step / Hook Details	Status	Duration
1	Given - Given I want to write a step with "Kauntubh" testing4	PASSED	0.001 s
2	When - When I check for the "27" in step testing4	PASSED	0.000 s
3	Then - Then I verify the "WB" in step testing4	PASSED	0.000 s

(S)- Title of your scenario outline

<div>PASSED</div> <div>DURATION - 0.004 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 10:08:42.651 am // 10:08:42.655 am /</div>			
<div>Test Driven Development</div>			
<div>@Smoke @SO</div>			

#	Step / Hook Details	Status	Duration
1	Given - Given I want to write a step with "Surekha" testing4	PASSED	0.001 s
2	When - When I check for the "19" in step testing4	PASSED	0.000 s
3	Then - Then I verify the "Wardha" in step testing4	PASSED	0.000 s

(S)- Title of your scenario outline

<div>PASSED</div> <div>DURATION - 0.001 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 10:08:42.663 am // 10:08:42.664 am /</div>			
<div>Test Driven Development</div>			
<div>@Smoke @SO</div>			

#	Step / Hook Details	Status	Duration
1	Given - Given I want to write a step with "Tanaya" testing4	PASSED	0.000 s
2	When - When I check for the "47" in step testing4	PASSED	0.000 s
3	Then - Then I verify the "Pune" in step testing4	PASSED	0.000 s

(S)- Title of your scenario outline


PASSED

DURATION - 0.003 s

/ 10:08:42.670 am // 10:08:42.673 am /

Test Driven Development

@Smoke @SO




Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given - Given I want to write a step with "Shubhangi" testing4	PASSED	0.000 s
2	When - When I check for the "37" in step testing4	PASSED	0.000 s
3	Then - Then I verify the "MP" in step testing4	PASSED	0.001 s